



INVITATION TO GENERAL CONTRACTORS
INVITATION TO BID FOR SHIP REHABILITATION PROGRAM

This SHIP Rehabilitation Program Bid Request is for the below Applicant:

Kim Chau Nguyen
Nguyen, Kim Chau-10101 45th Way S, Boynton Beach 33436

Bid documents for this SHIP Rehabilitation Project can be found at the Palm Beach County Department of Housing & Economic Development link below:

<https://discover.pbcgov.org/HED/Pages/Contractor%20Info%20and%20Bid-Package.aspx>

Sealed bids for the above house shall be received until **4:00PM, November 7th, 2024**, on the 5th Floor, Palm Beach County Department of Housing & Economic Development, 100 Australian Avenue, Suite 500, West Palm Beach, Florida 33406. Late bid submittals will not be considered. Bids shall be submitted in compliance with the bid documents. Palm Beach County reserves the right to reject any and all bids.

For questions please contact: Joe L. Nubin III, Project Coordinator, 561-233-3625, or jnubin@pbc.gov, or David Lees, Project Coordinator II, 561-233-3658, or dlees@pbc.gov

PALM BEACH COUNTY DEPARTMENT OF HOUSING & ECONOMIC DEVELOPMENT

INVITATION TO BID: SHIP Rehabilitation Program

Full Bid Package located at

<https://discover.pbcgov.org/HED/Pages/Contractor%20Info%20and%20Bid-Package.aspx>

Property Owner(s): Kim Chau Nguyen

Property Address: 10101 45th Way S, Boynton Beach 33436

Property Control Number: 00-42-45-25-05-000-4870

PRE-BID MEETING: There shall be a pre-bid meeting at 10101 45th Way S, Boynton Beach 33436
Thursday, October 24, 2024 at 1:00pm.

BID BOND: A 5 % Bid Bond is required, is not required for this Bid.

Sealed bids will be received by the Palm Beach County Department of Housing & Economic Development (hereinafter the "Department"), on behalf of the Homeowners identified herein **until 4:00 pm, on November 7th, 2024.**

**Palm Beach County Department of Housing & Economic Development
100 Australian Avenue, Suite 500
West Palm Beach, Florida 33406**

Bids will be opened and recorded as soon as possible thereafter.

Bids are valid and binding for sixty (60) days after the established bid opening date.

Palm Beach County (hereinafter the "County"), a political subdivision of the state of Florida, through the Department intends to recommend award of one contract between the property owner and the lowest, responsive, responsible Bidder that will meet all conditions and requirements necessary to complete the work within the completion timeframes identified in the Contract Documents or to recommend no award to any Bidder and cancel the solicitation, or to re-advertise at County's sole discretion if deemed in the best interest of the County.

SUBSTANTIAL COMPLETION DATE: October 24th, 2025.

PROJECT CLOSEOUT DATE: November 25th, 2025.

BID BOND: Federally funded construction projects at or above the current Federal Simplified Acquisition Threshold must meet bonding requirements under 2 CFR Part 200, as amended. For other construction projects the County's Bond requirements will control.

Bidders are required to submit a bid bond on a form approved by County.

SUBMISSION OF BID: Bidder shall submit Bid prices written in ink and signed by the Bidder or

authorized agent and in case of signature by an employee or agent of the company, the principal's properly written authorization providing signature authority on behalf of the company to such employee or agent must accompany the bid.

Each bid must be enclosed in a sealed envelope which shall be clearly labeled with the words "Bid Documents" and marked with the project name, name of bidder, and date and time of bid opening. Bid proposals must be submitted on the forms provided.

Sealed bids will be received from Contractors who are duly licensed in Florida pursuant to the following requirements:

- A. Bidders and their proposed subcontractors of any tier regulated by the Florida Construction Industry Licensing Board or the Construction Industry Licensing Board of Palm Beach County shall be properly qualified and licensed/certified by the appropriate Board or Boards as required by Florida Statute Chapter 489, or Special Act, Laws of Florida Chapter 67-1876 prior to the time of submission of the bid. The Bidder and subcontractors, including specialty contractors, are required to have an active State Contractors Certification or an active Palm Beach County Certificate of Competency at time of bid submittal. State of Florida Contractor's Certification /Registration license numbers or Palm Beach County Certificate Numbers must be listed at the applicable places on the Bid Form. Any bid which is submitted by a contractor who is not properly licensed/certified at the time the bid is submitted, or which lists a subcontractor who is not properly licensed/certified at the time the bid is submitted, will be rejected as non-responsive.
- B. The Contractor, subcontractors of any tier, and specialty contractors must have a valid Palm Beach County business tax receipt, except where provisions of F.S. 205.065 apply.

In accordance with F.S. 287.133(2)(a), persons and affiliates who have been placed on the convicted vendor list may not submit bids, contract with, or perform work (as a contractor, supplier, subcontractor or consultant) with any public entity (i.e. Palm Beach County) in excess of Ten Thousand dollars (or such other amount as may be hereafter established by the Florida Division of Purchasing in accordance with F.S. 287.017) for a period of 36 months from the date of being placed on the convicted vendor list. The County will not accept bids for this work from a convicted vendor.

In accordance with Executive Order 12549, Contractors and Subcontractors of any tier that are debarred, suspended, or otherwise excluded from or ineligible for participation in federal assistance programs or activities may not submit bids, contract with, or perform work (as a contractor, supplier, subcontractor or consultant) as long as they are on the System for Award Management list of Parties Excluded from Federal Procurement or Non Procurement. The County will not accept bids for this work from a vendor on this list.

There shall be no assignment or transfer of the Bid or the Contract except with the express prior written approval of County, which may be denied or granted at the sole discretion of the County.

In consideration of the County's and/or Homeowners' evaluation of submitted Bids and participation in this process, the Bidder, by submitting its Bid, expressly waives any claim to damages, of any kind whatsoever against the County and the Homeowner(s) including but not limited to, lost profits and consequential damages and any costs or expenses in preparation of the Bid Response, in the event the County or Homeowner exercises its rights provided for in this Invitation to Bid. Bidder submits its Bid Response at its sole cost and expense and at its own risk.

BID PRICES: No unbalanced Bids or front-end loading of Bids will be accepted. If in the opinion of the County, a Bid Item contains inadequate or unreasonable prices for any item, Bid items are not in line with industry standards or averages for the items, then the County can, in its sole discretion reject the Bid in its entirety. In order for a bid to be balanced each item must carry its proportionate share of direct cost, overhead and profit. Unbalanced items which are provided and/or installed and billed at the beginning of a project also result in "front-end loading". No Front-end loading of bids: This occurs when a bidder submits a relatively high price on items which are normally complete or substantially completed, in the early phases of construction. These items may include: mobilization, clearing and grubbing, maintenance of traffic, insurance and bonds, and/or stored materials. In this context these items would be billed at the beginning of the project and, if paid as billed, result in excess County money expended at the beginning of the project. In bids where a discrepancy exists between the true and correct sum of itemized costs and the total cost (if any) provided by the Bidder, then the true and correct mathematical sum of the itemized costs shall prevail.

Any alteration, erasure, interlineation or failure to specify prices for all items in the bid shall render the bid non-responsive. All prices quoted in the bids shall include all applicable sales taxes.

All prices quoted in all bids shall include all fees, royalties and claims for any invention, or pretended invention, or patent on any article, material, arrangement, appliance or method that may be used upon or in any manner be connected with the construction work intended under this Program.

WITHDRAWAL OR MODIFICATION OF BIDS: Bidders may correct their bids, and may withdraw inadvertently erroneous bids any time prior to the time set for bid opening. Mistakes discovered before bid opening may be modified or withdrawn by written notice from the bidder, signed in the same manner and by the same person who signed the submitted bid, and received in the office designated in the invitation for bids prior to the time set for bid opening. After bid opening, corrections or clarifications in bids shall be permitted only to the extent that the corrections do not materially affect the terms, conditions and specifications, and are subject to County's review and approval.

REJECTION OF BIDS: County reserves the right to reject any or all Bids, and/or to re-advertise, to waive any irregularities, informalities, or technicalities therein, to negotiate Contract terms with the successful bidder, to disregard all non-conforming, non-responsive, unbalanced Bids, or to accept any Bid that in the County's judgment will best serve the public interest and be in the best interest of the County. County and Homeowner reserve the right to cancel the award of any contract at any time before the execution of said contract by all parties without any liability against the County or the Homeowner.

Disqualification of Bidder - Any of the following causes is considered sufficient to disqualify a Bidder, and reject its Bid.

1. Interest by the same person in more than one bid submitted.
2. Collusion among or between bidders.
3. Unbalanced bids; that is bids in which the price bid is out of all proportion to the other bids received.
4. Lack of responsibility on the part of the Bidders. (For example, no bidder would be considered responsible if it had recently failed to satisfactorily carry out any previous contract with Palm Beach County).
5. Lack of the financial, material, equipment, facility, and/or personnel resources and expertise necessary to indicate its capability to meet all contractual requirements.
6. Evidence of bad character, dishonesty or lack of integrity.
7. Lack of current applicable certification and/or license for the purpose of performing

- the specified work.
8. A dissatisfactory record of performance and experience.
 9. History of unsuccessful claims asserted by Bidder against public owners in the State of Florida, such as to establish a trend of improperly asserted claims.
 10. Any other cause which, renders the Bid non-responsive or non-responsible.

BID DOCUMENTS MAY INCLUDE THE FOLLOWING:

- A. Invitation To Bid
- B. Instructions To Bidders
- C. Contract Documents May Include:
 1. General Conditions
 2. Architectural Drawings
 3. Project Specifications
 4. Survey
 5. Geotechnical Report
 6. Environmental Review Letter
 7. Asbestos Survey Report
 8. Asbestos Abatement Report
 9. Construction General Conditions – Federal Funding
 10. Demolition General Conditions – Federal Funding
 11. Federal Requirements
 12. Bid Bond Form
 13. Payment Bond Form
 14. Performance Bond Form

PROJECT FUNDING: Bidders are notified that Palm Beach County is provided certain rights as a result of its administrative responsibilities of the project funding and that all Bidders expressly agree to the requirements and conditions associated with the County's funding obligations and oversight of the Project funds.

Contractor Bid Amount: _____

Bid Submitted By: _____

Authorized Signature: _____

Company Name: _____

PALM BEACH COUNTY DEPARTMENT OF HOUSING & ECONOMIC DEVELOPMENT

INSTRUCTIONS TO BIDDERS

ATTENTION: An Asbestos Survey has not been conducted on this house. The Contractor shall comply with OSHA Asbestos Standards, 29 CFR Parts 1910, 1915, and 1926. Please refer to the General Requirements, specifically specification 9003.6, in the Scope of Work for additional requirements.

Governing Order of Contract Documents - The Contract Documents include various divisions, sections, and conditions which are essential parts for the Work to be provided by the successful Bidder. A requirement occurring in one is as binding as though occurring in all. They are intended to be complementary and to describe and provide for a complete Work. In case of discrepancy, the following precedence will govern the interpretation of the Contract Documents prior to award of the contract:

Addenda
Project Specifications
Special Conditions
General Conditions
Technical Specifications/Drawings/Plans
Invitation to Bid
Permits

After award, the Contract Documents, change orders, supplemental agreements, and revisions to plans and specifications will take precedence over any of the above. Detailed plans shall have precedence over general plans. In the event that any conflicts cannot be resolved by reference to this Governing Order of Contract Documents provision, then the County shall resolve the conflict in any manner which is acceptable to the County and which comports with the overall intent of the Contract Documents.

1. **SITE VISIT:** Contractor shall have visited the site and confirmed all site conditions prior to submitting a bid.

2. **INCONSISTENCIES AND INTERPRETATIONS:** Any seeming inconsistency between different provisions of the bid documents or any point requiring explanation must be inquired into by the bidder in writing at least five (5) business days prior to the time specified above for opening bids. After bids responses are opened, the bidders shall abide by the decisions of DHED as to any interpretations. No interpretations of the meaning of the plans, specifications or other bid documents will be made orally to any bidder and oral interpretations and explanations cannot be relied on. All questions and interpretations should be submitted directly to **CIREIS, hed-cireis@pbcgov.org** and if County agrees that a response is appropriate, such response shall be made in writing to all persons who have obtained the Invitation to Bid.

Failure of any bidder to receive or know about any such addendum or interpretation shall not relieve any bidder from any obligation under its Bid as submitted. All addenda so issued shall become a part of the bid documents. It is the sole responsibility of the bidder to monitor the website and email for updates of addenda.

3. **CONTRACT AWARD:** The County will make a determination of the apparent lowest, responsive, responsible bidder that best meets the terms, conditions and specifications which will be most advantageous and result in the best interest of Palm Beach County and the Homeowner(s). Such bidder will be the recommended awardee for the work embraced by this

bid, and the County may recommend contract award with such bidder to the Homeowner(s). The Homeowner(s) may then enter into a construction contract with the bidder recommended by the County.

Should the low responsive bidder recommended to the Homeowner(s) fail to enter into a timely contract with the Homeowner as provided, the County may rescind the award recommendation, and recommend the award to the next lowest, responsive, responsible bidder. Such bidder shall then fulfill every stipulation as if it were the original bidder recommended for contract award.

4. **BID RESPONSE:** If selected as the successful bidder, the bidder agrees to execute a Contract with the Homeowner(s). The undersigned proposes to furnish all work, including, but not limited to all labor, materials, supplies, tools, equipment and services required and necessary to perform and deliver a complete Project at the fixed price identified in the bid response.

5. **BID COVERS ALL EXPENSES AND FEES AND COSTS FOR COMPLETE WORK:**

The bidder does hereby declare that the Bid covers all costs and expenses of every kind incidental to the completion of said work and the Contract therefore, including all claims that may arise through damages or other causes whatsoever. The bidder does hereby declare that it shall make no claim on account of any variation from any estimate in the quantities of work to be done, nor on account of any misunderstanding or misconception of the nature of the work to be done or the grounds, subsurface conditions, or place where the work is to be done.

6. **NO COLLUSION:** The bidder certifies that he/she has not divulged to, discussed, or compared its bid with other bidders, and has not colluded with any other bidder or parties to this bid whatsoever. The bidder also agrees to provide a sworn statement to this effect if requested. The bidder hereby declares that no person or persons, firm or corporation, other than the undersigned, are interested in this bid as principals, and that this bid is made without collusion with any person, firm, or corporation, and we have carefully and to our full satisfaction examined the Contract Documents, and that Bidder has made a full examination of the location of the proposed work and the source of supply of materials, and we hereby agree to furnish and pay for all materials, labor, supervision, equipment, supplies, fees, expertise, and services necessary to fully complete all work in accordance with all requirements of the Contract Documents and in accordance with all applicable codes and governing regulations within the time limit specified in the Contract for the lump sum (fixed price) Base Bid. The bidder certifies that no portion of the sum of the bid will be paid to any employee of Palm Beach County or the Property Owner, as a commission, kickback, reward or gift directly or indirectly by any member of the Contractor firm or by any officer of the corporation.

7. **THE FOLLOWING PAGES OF THE BID DOCUMENTS SHALL CONSTITUTE THE BID PACKAGE TO BE RETURNED TO THE DEPARTMENT.**

1. Page 4 of the Invitation to Bid – Completely filled out and signed
2. The Scope of Work – All line items need a value, enter a zero (0) if not part of the bid. Location Totals need to be entered. Last page of the Scope of Work and Alternates (if included) needs to be filled out and signed.

Property Owner: Nguyen Kim Chau, Le thong V
 10101 45 Way, Boynton Beach, FL. 33436
 Scope of Work-Work Specifications

PALM BEACH COUNTY DEPARTMENT OF HOUSING ECONOMIC SUSTAINABILITY
 100 Australian Avenue, Suite 500, West Palm Beach, Fl. 33406

OORP REHABILITATION PROGRAM
REHABILITATION PROGRAM SPECIFICATIONS ANALYSIS REPORT

PROPERTY INFORMATION:

Property Address:	10101 45th Way, Boynton Beach, Fl. 33436		
Property Owner:	Nguyen Kim Chau Thi, Le Thong V		
Owner's Phone:	561-523-8571	Email:	Kimcnguyen65@gmail.com
Contact:	Phone:	Email:	
Year Built:	1983		
Attenuation / Extermination:	ALUNZ Zone: [] Yes [<input checked="" type="checkbox"/>] No	Termite Fumigation Activity [] Yes [<input checked="" type="checkbox"/>] No	
Building Description:	Number Bedrooms: 2	Number Bathrooms:	2
Property Control Number:	00-42-45-25-05-000-4870		

PALM BEACH COUNTY INFORMATION:

Inspector:	Beth Kofsky and Robert Klein	Phone:	305-608-0692
Planner:	Rosa Rodriguez <i>(rodriguez@pbcgov.org)</i>	Phone:	
[] ORIGINAL, for Planner's file with the in-house estimate of total construction cost: \$ [<input checked="" type="checkbox"/>] COPY, Ready for Bid (blank copy without cost information)			

PROPERTY OWNERS REVIEW & APPROVAL OF SPECIFICATIONS & AUTHORIZATION TO BID:

I / We have reviewed in detail this Work Write-Up consisting of **32** items, with the rehabilitation inspector and understand the specifications of the work to be performed on our property. I/We also agree that there will be "NO" changes in the specifications unless needed to meet Housing or Building Code Requirements. Furthermore, I/We authorize Palm Beach County and Department of Housing Economic Development to obtain bids for the work contained in this Work Write-Up.

X Kim Chau Nguyen Nguyen LE THONG V & NGUYEN KIM CHAU THI 09/16/2024
 Kim Chau t Nguyen Date

EXPLANATION OF CODES:

Code 01:	Items intended to correct code violations
Code 02:	Items intended to correct incipient violations
Code 03:	General property improvements

ATTENTION: ATTENTION: Palm Beach County Dept of Housing Economic Sustainability has adopted the Florida Energy Codes which may appear in this scope of work.

Contractor shall include ALL energy calculations including but not limited to doors and windows replacements as required by the Building Department of Jurisdiction.

Property Owner: Nguyen Kim Chau, Le thong V
10101 45 Way, Boynton Beach, FL. 33436
Scope of Work-Work Specifications

CONTRACTOR BID INFORMATION:

The proposed work shall be completed per contract terms

Contractor Bid Amount \$ _____

Bid Submitted by: _____

Company Name: _____



CODE DESCRIPTION	SQUARE FOOTAGE
------------------	----------------

No Data Found.

Number of Units	1
Total Square Feet*	1238
Acres	
Property Use Code	0400— CONDOMINIUM
Zoning	AR—AGRICULTURAL RESIDENTIAL (00- UNINCORPORATED)

Property Owner: Nguyen Kim Chau, Le thong V
10101 45 Way, Boynton Beach, FL. 33436
Scope of Work-Work Specifications

SCOPE OF WORK-WORK SPECIFICATIONS

Palm Beach County Department of Housing and Economic Development SHIP Residential Rehabilitation Program

Project Meeting Site:

Name: Nguyen Kim Chau Thi, Le Thong V

Address: 10101 45th Way
Boynton Beach, FL 33436

Phone: 561-523-8571

HOME INSPECTION DATE: December 28, 2023

JOB # DESCRIPTION: WPB-KCN-2023

References: "RS Means Cost Data Book"
"The Walker's Builder Estimator's Reference Book"

GENERAL SPECIFICATIONS

GENERAL PAINTING SPECIFICATIONS AND GENERAL REQUIREMENTS

Unpainted materials require priming and two coats of paint. Caulk and seal all areas prior to painting. Tint the primer per color selection. Previous paint surface should receive two coats of paint. All stains should be spot primed before painting. Unless otherwise mentioned in the specifications, all paint must be mid-grade or better, and minimum 15 years warranty paint, which are ZERO VOC products, for interior paint and ZERO OR LOW VOC 100% acrylic products, for exterior paint. Acceptable paint manufacturers (unless specified in the line item) are Benjamin Moore (Aura or EcoSpec), Sherwin Williams, (Harmony) Glidden/ICI (Life Master), PPG (Pure Performance), Olympic (Valspar), or approved equal. Housing Inspector shall verify brand and VOC level. The Homeowner is to select all colors and confirmed in writing. The Homeowner may select a color choice of 2 colors for interior and or exterior of home in writing/signatures required.

GENERAL REQUIREMENTS FOR QUANTITIES/MEASUREMENTS

VERIFY QUANTITIES/MEASUREMENTS

All Quantities stated in the attached specifications for this address using Units of Measure other than Each (EA), Room (RM) or Dwelling Unit (DU) (e.g., SF of Drywall) are for the

Property Owner: Nguyen Kim Chau, Le thong V
10101 45 Way, Boynton Beach, FL. 33436
Scope of Work-Work Specifications

contractor's convenience and must be verified by the contractor at a mandatory site inspection prior to bid submission.

All quantities stated in the Units of Measure Each (EA), Room (RM) or Dwelling Unit (DU) are as stated. Discrepancies in Quantities found by the contractor must be communicated to the Housing Rehabilitation Specialist prior to the submission of a bid. Claims for additional funds due to discrepancies in Quantities shall not be honored if submitted after the bid submission.

HOMEOWNER'S ASSOCIATION (HOA) & CONDOMINIUM ASSOCIATIONS
(CONDO-ASSOCIATIONS)

(Applicable for all properties that are a part of a HOA or Condo-Association)

It is the Homeowner Responsibility to obtain written approval from the HOA or Condo-Association prior to the start of any work. The Homeowner shall assist the Contractor in securing written authorization from the HOA/Condo Association Board.

The Contractor shall maintain a copy of the approval letter and follow all the rules and regulations set forth by the HOA/Condo Association Board. The Contractor shall maintain a copy of the approval letter. The contractor shall provide a copy of the approval letter to DHED staff. The Letter should include the list of approved work items such as roof, paint, windows, doors, finishes, etc. It is the Contractor's responsibility to ensure that all necessary approvals are obtained prior to making any changes or starting the work.

Contractor to repair/replace all affected areas of walls, ceiling, and soffit due to the installation of the required roof to wall attachments with similar material to existing and finish and paint to match existing as best as possible.

Debris Removal: legal and approved dump locations to properly dispose of all projects construction debris must be utilized by the contractors who sign the SOW agreement.

Roof to Wall Connector Specification

The Contractor shall install the required roof to wall connectors to meet the current requirements of the Florida Building Code. The contractor shall have the permit revised indicating the installation of the roof to wall connectors including any engineering, NOAs, or other documents required by the Building Department of Jurisdiction. The Contractor shall install the recommended roof to wall attachments per the Engineer's specifications. The Contractor shall submit the Engineer's report. The contractor shall obtain the Engineer's final approval of the installation of the roof to wall attachments and submit that approval to the Project Coordinator/Compliance Inspector within 5 days of receiving the Engineer's approval. The Contractor shall remove enough plywood to install the required roof to wall connectors. All removed plywood shall not be reused, and new plywood shall be installed in its place.

Gable Ends: if the dwelling unit has gable ends, all gable ends are to be retro fitted according to the current Florida Building Code and/or the Building Code of Jurisdiction.

Contractor to repair/replace all affected area of walls, ceiling, and soffit due to the installation of the required roof to wall attachments with similar material to existing and finish and paint to match existing as best as possible.

WIND MITIGATION INSPECTION AND 4-POINT INSPECTION AND REPORTS

- a. **Wind Mitigation Inspection and Report**-upon completion of the work specifications, the Contractor shall perform a Wind Mitigation Inspection at the completion of project. Complete the Citizens Wind Mitigation OIR-B1-1802 (Rev. 01/12) or approved equivalent, and all photos that are required for the report and homeowner signatures required. The report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.
- b. **4-Point Inspection and Report**-Contractor shall perform a 4-Point inspection at the completion of the project and submit the required report, Citizens 4-Point Inspection Form Version 01/18 or approved equivalent, and all photos that are required for the report. This report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

PERMITS AND MISCELLANEOUS FEES

- a. For the Home Inspector, the contractor must have on site the complete permit package for all trades (permit cards, applications, drawings, etc.). The Contractor shall submit this complete Scope of Work with the Permit Application.

WARRANTEES

*The Contractor agrees to provide a one (1) year warranty for all work performed under these specifications. This will include all labor and materials. If certain items require different warranty periods, these items will be cited in the individual specifications. Additionally, the Contractor agrees to **provide a Five (5 year) roof warranty.***

SCOPE OF WORK- WORK SPECIFICATIONS

WIND MITIGATION INSPECTION AND 4-POINT INSPECTION AND OTHER REQUIRED REPORTS

01) WIND MITIGATION INSPECTION REPORT

\$ _____

Upon completion of the work specifications, the Contractor shall perform a Wind Mitigation Inspection at the completion of project. Complete the Citizens Wind Mitigation OIR-B1-1802 (Rev. 01/12) or approved equivalent, and all photos that are required for the report and homeowner signatures required. The report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

02) 4-POINT INSPECTION REPORT

\$ _____

Contractor shall perform a 4-Point inspection at the completion of the project and submit the required report, Citizens 4-Point Inspection Form Version 01/18 or approved equivalent, and all photos that are required for the report. This report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

03) WOOD DESTROYING ORGANISM (WDO) INSPECTION AND REPORT \$ _____

General Information:

1. The WDO inspection is to be done by a Florida licensed extermination company licensed to provide inspection services.
2. All work to be done in accord with the provisions of Florida Statue, CHAPTER 482.
3. The WDO report to be submitted on the required form as determined by the Department of Agriculture and Consumer Services.
4. Contractor to submit the WDO report to the Project Coordinator/Compliance Inspector with the Mobilization Pay Application including all required documentation.

Project Conditions:

Contractor to correct/repair all damages caused by the extermination company during the inspection.

Work Performance

1. Coordinate the inspection with the property owner.
2. Perform a full WDO investigation (Exterior and Interior) to determine the presence of WDOs and/or Termites.

3. Submit the findings (Positive or Negative) on the required Florida Department of Agriculture and Consumer Services Form.
4. The inspection report must include the following information and statements:
 1. The licensee's name.
 2. The date of the inspection.
 3. The address of the structure inspected.
 4. Any visible accessible areas not inspected and the reasons for not inspecting them.
 5. The areas of the structure that were inaccessible.
 6. Any visible evidence of previous treatments for, or infestations of, wood-destroying organisms.
 7. The identity of any wood-destroying organisms present, and any visible damage caused.
 8. A statement that a notice of the inspection has been affixed to the property in accordance with subsection (4) or subsection (5) of Florida Statue 482 and a statement of the location of the notice.
 9. A Copy of the WDO report is to be submitted to the Project Coordinator/Compliance Inspector within 2 days of the inspection for review.

MECHANICAL

04) ONE HVAC SPLIT UNIT FULL REPLACEMENT \$ _____

REPLACEMENT OF HVAC SPLIT UNIT – The home's compressor is located outside the home-on the side-front yard. The handler is in the hallway closet of home.

Air Condition Equipment - Install new air-handling units (AHU). Install a new AHU with electric heat strip and condensing unit of sufficient size to accommodate the needs of the home. Acceptable manufactures are Carrier, RUD or Rheem, or approved equal. Haul away all debris from property at once. Upon completion of work, Contractor shall provide Homeowner with the manufacturer's informational equipment package, equipment warranty with a minimum five (5) years compressor warranty and Contractor's one-year full warranty for labor and material. Installation must comply with the manufacture specifications, FBC including FBC Energy Conservation; make all the necessary modifications. These items require a permit.

- A. Properly size** the replacement equipment by providing the heat loss and heat gain load calculations.
- B. Size the electric heat strip** to maintain an indoor temperature of 68 degrees F with an outdoor ambient temperature of 40 degrees F.
- C. Verify supply air outlet to each room (including the bathroom. Upgrade and replace all new supply/return and grilles.**
- D. Handler: replace and insulate the condensate lines.**
- E. Split air conditioning systems shall have a minimum SEER rating of 15.3 SEER2-16**

- SEER Rating and Energy Star qualified and labeled accordingly.** This must be Based upon the building code. Prior to installation, Contractor must verify ENERGY STAR qualified equipment with Air-Conditioning, Heating, and Refrigeration Institute (AHRI) and Contractor must provide equipment AHRI Certificate of Product Rating to verify SEER rating. Register in the homeowner's name. Provide at time of final inspection.
- F. ENERGY STAR qualified and labeled accordingly.
- G. A new collection-unit pan for the unit to sit over and support framing for the unit is needed with this installation.
- H. **Steel Cage:** Condensing unit shall have a steel security cage constructed to permit maintenance and protect the condenser unit from vandalism. The steel cage shall be fastened to the condenser pad with vandal proof fasteners per Building Code of jurisdiction.
- I. **Warranty:** Contractor shall register the unit with the manufacturer for the owner and provide the owner with the factory warranty and manual. Contractor will provide DHED a copy of the factory warranty in the homeowner's name.
- J. **Thermostats:** provide new: 7-day programmable digital thermostat, acceptable models are Lux Products TX9000TS and Honeywell RTH7600D or approved equal.
- K. **Provide new: high and low, voltage electric service and equipment.**
- L. **Replace duct work throughout the home's attic. New duct work to code is required with the new HVAC system.** Install a new plenum to code and installation standards. Distribute the new ducting to code. Verify supply air outlet to each room (including the bathrooms; all new supply air ductwork is required. Ensure the required to code ductwork and duct lines all elevated off the attic rafters.
- M. **Upgrade and/or modify** all the home's electric requirements (per building code) to accommodate the new air conditioner. Replace the electrical shut off.
- N. **The contractor to submit a set of plans with the new air distribution system for approval. The following is required for permitting:**
- 1- Cooling load Calculations
 - 2- New Air Distribution System
 - 3-The tonnage is based on the square footage and mechanical calculations for an installation.
 - 4-The Air Conditioning contractor to provide a cooling load calculation of this residence to confirm if the recommended ton and equipment is capable of the cooling load of this home-building.
 - 5-Contractor to design and replace all the distribution system.
 - 6-In all rooms install a transfer grill or transfer duct to provide balance return air if is not one in place already.
- O. **Seal all air leaks in the (supply and return).**

05)HVAC SPLIT TEST AND BALANCE REPORT \$ _____

- A. TEST & BALANCE:** Perform a Test & Balance of the new central air conditioning system to document that it attains optimum performance as reflected in the permitted air distribution calculations. The Test & Balance Report shall be submitted and provided to DHED.

06)EXHAUST FAN AND LIGHT REPLACEMENT MASTER BATHROOM \$ _____

- a. Remove the existing non-efficient exhaust fan for the master bathroom ceiling. Install one new master bathroom exhaust fan and light; ENERGY STAR qualified and labeled accordingly. Install ductwork to the exterior.
- b. New separate switch for the exhaust fan is needed.
- c. The exhaust fan and the termination cap are to have built-in back draft dampers. Operate the fan by a separate delay timer switch. The exhaust fan should have a noise rating of 0.3-1.5 sone. Verify the cubic feet per minute (cfm) of air movement required for the new fan.
 - o Wall and ceiling fans CFM calculations based upon the room size:
 - o Cubic feet times .13 factor
 - o $CF \times .13 = CFM$
- d. Provide verification of sone rating and cfm of air movement upon completion to Housing Inspector. Patch any ceiling or roof opening relating to this work item. Homeowner will select the exhaust ceiling fan within the material budget amount of \$250.00 per fixture. This item requires a permit. (Priority 3). Install a new ceiling mounted Energy Star Rated exhaust fan with light, Air King, Broan, or approved equivalent in accordance with NEC. Provide and install new electric circuitry, switch, duct work, and patch affected drywall finishes as required. Duct work to be vented through the exterior soffit. Minimum 50 CFM or as required.

07)EXHAUST FAN REPLACEMENT 2nd BATHROOM HALLWAY \$ _____

- a. **Location: Hallway Bathroom has a full bathroom:** Remove the existing non-efficient exhaust fan for the bathroom ceiling. Install one new bathroom exhaust fan; ENERGY STAR qualified and labeled accordingly. Install ductwork to the exterior.
- b. The exhaust fan and the termination cap are to have built-in back draft dampers. Operate the fan by a separate delay timer switch. The exhaust fan should have a noise rating of 0.3-1.5 sone. Verify the cubic feet per minute (cfm) of air movement required for the new fan. Install a new ceiling mounted Energy Star Rated exhaust fan with light, Air King, Broan, or approved equivalent in accordance with NEC. Provide and install new electric circuitry, switch, duct work, and patch affected drywall finishes as required. Duct work to be vented through the exterior soffit. Minimum 50 CFM or as required.

- Wall and ceiling fans CFM calculations based upon the room size:
 - Cubic feet times .13 factor
 - $CF \times .13 = CFM$
- c. Provide verification of some rating and cfm of air movement upon completion to Housing Inspector. Patch any ceiling or roof opening relating to this work item. Homeowner will select the exhaust ceiling fan within the material budget amount of \$170.00 per fixture. This item requires a permit. (Priority 3)

08) GENERAL ELECTRICAL \$ _____

All electric systems of the house, Interior and Exterior, shall be repaired, corrected, and/or replaced as required to meet the Florida Building Code and National Electric Code by a licensed electric professional.

The scope of work in this item shall include, as required, but not limited to:

1. Review the existing panel that is 100 Amp Electrical service, mast, conductors, breaker panel, any subpanels, disconnect box(es), and circuitry shall be sufficiently sized to meet current and anticipated future needs with all circuits labeled and balanced. Upgrade the panel Amp Electrical Service up to 200 Amp service.
2. Abandon and remove "ALL" non-conforming wiring, fixtures, and devices. Replace defective electrical fixtures, disconnects, ceiling light fixtures, receptacles, and switches with new to meet the current code requirements.
3. If the house or structures are to be rewired, circuitry shall be run inside of walls and ceilings. Contractor may request to use Wire Mold but it must be formally requested a minimum of five (5) days prior to the bid opening.
4. Eight (8) GFCI receptacles are needed. Four (4) kitchen, One (1) under sink, one (1) next to water heater and one (1) for the master bathroom and one (1) for the hallway bathroom.
5. Rewire the two (2) electrical switches. One for the kitchen and dining room.
6. See line items # 1 All work to be following NEC and building code of jurisdiction.
7. ATTENTION: The electrical contractor shall appraise the rehabilitation inspector and owner of the electric code violations and how the violations shall be repaired and or replaced "PRIOR" to repairs and/or replacements are begun in accordance with the Florida Building Code.
8. Repair/restore surfaces affected to match average finishes of existing walls and ceilings.
9. Contractor shall provide drawings and diagrams as required to secure permits.
10. All materials shall be UL approved and/or National Electrical Code rated. All drilling, cutting, and fastening shall be neat and true, and shall not critically damage framing members. All patching shall match the surrounding surface.

09)LIGHTING AND ELECTRICAL \$ _____

- a. **Kitchen overhead lights.** Install six (6) high hat LED lights in the ceiling (same location as existing) full replacement of the ceiling mounted standard high hats is needed in the ceiling.
- b. 10 Electrical Outlet Cover plates and 5 switches with replacement. Repair light switches and receptacles in both bathrooms and in both bedrooms and living room and rewire to code.

10)TEN YEAR (10) BATTERY POWERED SMOKE ALARMS AND/ CARBON MONOXIDE DETECTORS \$ _____

Install Ten (10) year battery powered smoke alarms and/ carbon monoxide detectors. Install them in each bedroom of the homes two (2) bedrooms; up to two (2) smoke detectors including one outside the sleeping areas and a total of two (2) in total for the areas outside of the sleeping area as specified in the Florida Building Code (FBC) and National Electric Code (NEC). Requirements for Placement: shall be located on either the adjacent walls or ceilings per FBC and NEC.

1. For each of the bedrooms and outside the bedrooms. Install UL approved smoke detector(s) wired 115 volt with battery backup. Place in accordance with the electrical and building code of jurisdiction. Contractor shall run a new Arc Fault protected circuit to energize all smoke detectors.
2. Repair/restore surfaces affected to match average finishes of existing walls and ceilings.
3. Contractor shall provide drawings and diagrams as required to secure permits. Remove all old and non-working battery-operated smoke detectors located in hallway. Paint and patch any effected areas associated with this work item to match the existing adjacent surfaces.

11)INSTALL TWO NEW LIGHT AND FANS BEDROOM ONE AND BEDROOM TWO AND REPAIR LIVING ROOM LIGHT AND FAN \$ _____

- A. **Bedroom One:** Ceiling fan replacement for the fully replace. One new light and fan with covered globe and center in bedroom. Where the fan and light are currently located. Use new interior hugger style fixtures for full illumination for the entire room with a remote control. Locate it in the center of the room's ceiling using a new light box, new molding and rewire to code. The material budgeted for the light and fan in the amount of \$200.00; ENERGY STAR qualified and labeled accordingly. This item requires a permit.
- B. **Bedroom Two:** Ceiling fan replacement for the fully replace. One new light and fan with covered globe and center in bedroom. Where the fan and light are currently

located. Use new interior hugger style fixtures for full illumination for the entire room with a remote control. Locate it in the center of the room's ceiling using a new light box, new molding and rewire to code. The material budgeted for the light and fan in the amount of \$200.00; ENERGY STAR qualified and labeled accordingly. This item requires a permit.

- C. **Living Room Repair to existing light and fan.** Hunter Douglas or an equivalent. Living Room Repair to Existing Light and Fan: there is a fixture light and fan. Remove existing and repair the wiring, wire molding and light box to code. Re-install the fixture light and fan to code.
- D. Install and replace both fans with lights to safely illuminate these rooms. Both lights and fans will be a new combination and fixtures for providing additional lighting and for using Brighter Energy Efficient lighting. \$200.00 material allowance.

PLUMBING

12) REPLACE THE WATER HEATER HALLWAY CLOSET\$ _____

- a. **Lo boy Water Heater:** Install a new energy smart water heater in the in-the hallway closet under the handler unit. The water heaters' electrical wattage shall be sized according to the existing electrical circuit. The T & P valve must be accessible and located for ease and access. This is a safety requirement.

Replace the supply lines and electrical to the water heater. Ensure all the plumbing connection lines meet code for this installation. Plumbing and electrical is required. Water heater must have 10-year warranty.

Escutcheons to secure openings and provide pipe protection. The plumbing and the electrical connections must be meet code. A 1/2" relief line is required, and it must drain dry and ensure it extends 6" from and off the ground and connect to code. Repair drywall damage to wall.

A collection pan under the unit is required with this installation.

HALLWAY AND MASTER BATHROOM

HALLWAYBATHROOM

13) NEW ALL IN ONE LAVATORY– INSTALLATION OF A NEW VANITY - AND PLUMBING NEEDED FOR HALLWAY \$ _____

- A. **Install a new sink all in one Vanity in the same location as existing. Standard size in length and meet code with installation and location providing code approved space next to the home's toilet. Complete plywood vanity. Lavatory Top Side and 4" Side and Back Splash:** The side, back splash, sink top will be a (hard surface top) shall be formed as an integral part of the countertop or a set-in sink with new standard exterior grade plywood or approved equal.
- B. Homeowner will select color and style for the cabinet, and sink/countertop from standard stock colors. **New Base Unit:** the new base, countertop shall be plywood or solid wood including the doors, back to cabinet with no particle board. Contractor to Verify measurement. Sitting under section is required. Space to meet distance from toilet to sink.
- C. **Faucet: acceptable faucet designs finish-lever-operated, push-type controlled mechanisms, discuss with the Homeowner.** Controls and operating mechanisms will be operable with one hand and should not require tight grasping, pinching, or twisting of the wrist; Dual lever brushed nickel with a maximum 1.5 GPM flow rate. Include PVC drain attached to code legal plumbing vent, use L copper or equivalent on all supply lines. Seal all penetration through the floor, walls and cabinet for plumbing connections using expanding foam or caulk and cover with chrome escutcheon plates. Cabinets must comply with California 93120 (formaldehyde content) or all exposed edges must be sealed with low-VOC sealant.
- D. Vanity allowance \$900.00

14) NEW HALLWAY SHOWER SURROUND WALLS AND SHOWER FLOOR OF - BATHROOM \$ _____

Remove the raised curb and install a new curbed shower, install a new curbed shower enclosure, and install a new small minimal 3" curbed shower. The new shower size fits into the location where tub-shower is currently located: 3" Curbed shower- -Enclosure will be replaced with new. Install new shower doors. Shower size 3' x 5' area. Include shower door, track and frame for ease in use.

LOCATION: HALLWAY BATHROOM SHOWER WALLS AND FLOOR

- a. Demolition of bathroom shower and walls. Gut interior structure of room. Remove all wall framing, floor and wall finishes, door, and trim equipment. Remove all old tiles from walls.
- b. **Wall Tile Shower Surround:** remove existing shower tile, back, pan and walls. Replace damaged studs and furring strips. The shower pan to be installed per the described specifications and meets the local building code.
- c. Remove tile from walls of shower. Prepare walls after removal.
- d. Curbed shower system with a curbed marble sill atop of the 3" curb. Install the new marble sill. Install it on a finished 3" curb.

- e. **Drywall-walls and ceiling above shower and throughout the bathroom is required for walls after tile removal:** Paper less water resistant. Hang, tape and 3 coat finish 1/2" paperless (fiberglass mat finish) drywall or equivalent. Apply 3/8th" bead of low VOC drywall adhesive to framing member and attach with screws 8 on center. Fiberglass joint tape shall be used to finish the joints. And a setting-type compound shall be used for the first coat over the fiberglass mesh tape. Sand read for paint. Install wall tiles 12" x 24"x 1/4" for shower walls. Color chosen by family. Tile over backer board equal to Wonder board.
- f. **Location of entire bathroom: repair both the ceiling, walls of bathroom shower. Install all new framing, new moisture board and drywall stated in g. Tile shower walls as described.**
- g. Prep bathroom walls after removal of tiles see g. Install and provide bathroom surround shower flooring ceramic tiles. Installation with all materials to complete the full installation.
- h. **Shower pan, floor of shower and wall tiles of Shower. Remove Floor of shower Base:** install a shower pan and curb per Building Code of Jurisdiction. Shower floor to be sloped with concrete/mortar and positively pitched toward a drain. Mosaic tiles allow for 24 hour drying time. Apply grout spectralock pro or approved equivalent. Clean floor and apply mildew resistant white low VOC silicone caulk to all edge seams and pipe penetrations. Repair around area.
- i. **Floor of bathroom shower:** Ensure the drain is accessible and the cover can be easily removed.
- j. **One set of tempered glass 5/8th thick shower doors, track and frame is needed with this installation at the entrance to shower locate on the new marble sill.**
- k. **Dispose of debris into legal landfill.**

15) NEW HALLWAY FIXTURES -BATHROOM \$ _____

- a. **Shower Fixtures:** Trim kit: metal lever handle ADA compliant. 4-1/2 in rain shower head. Max 2.0 gpm water saving shower head include preformed base cap, stop, return, and trimmer pieces to complete installation up to ceiling height.
- b. **Handheld Shower on a slide bar:** install shower stall with a separate valve. 7' long hose for easy access for bathing. Pause control is needed. Install shut-off valves. Secure showerhead. Repair and paint damaged walls during the removal. **Valve:** install new waterless single handle diverter assembly faucet valves with screwdriver stops. American standard or approved equivalent. Temperature control valve bodies - finish Brushed Nickle.

16) HALLWAY BATHROOM FLOORING AND PAINTING \$ _____

- a. **Painting of bathroom:** paint all the walls, ceiling and door, door trim must be painted. Semi-gloss paint required. Follow the paint requirements listed in the SOW specification requirements. Plaster and paint and finish walls prior to painting.
- b. **Flooring Bathroom.** Prepare the floor. The installation is with of new ceramic non-skid tile flooring for the entire bathroom is needed. New baseboard ceramic non-skid is required for this installation. Ensure a smooth transition and stable substrate is provided with this installation. All installation materials including trim, and finish is required to manufactures installation requirements.

17)HALLWAY BATHROOM TOILET – WATER CLOSET \$ _____

- a. 17" Toilet. Replace water closet dual flush 2-piece water closet. Flow rates 1.6 and .9 GPF for its respective high and low flushes U.S. Environmental Protection Agency's (EPA) WaterSense® program, which has the WaterSense label of approval for using no more than 1.28 gallons per flush. Maximum performance (MaP) testing project has shown to score 800 or better on the MaP Flush Performance test. American Standard EcoFusion EL model #338.216.
- b. Include a manufacturer's approved plastic or pressed wood white seat, supply pipe, shut-off valve and was seal.
- c. Link MaP test Results: [https://www.map-testing.com/assess/files/2020-05-27-all_watersense_high-efficiency_toilets\(HETs\).pdf](https://www.map-testing.com/assess/files/2020-05-27-all_watersense_high-efficiency_toilets(HETs).pdf)

MASTER BATHROOM

18)MASTER BATHROOM TOILET – WATER CLOSET \$ _____

- a. 17" Toilet. Replace water closet dual flush 2-piece water closet. Flow rates 1.6 and .9 GPF for its respective high and low flushes U.S. Environmental Protection Agency's (EPA) WaterSense® program, which has the WaterSense label of approval for using no more than 1.28 gallons per flush. Maximum performance (MaP) testing project has shown to score 800 or better on the MaP Flush Performance test. American Standard EcoFusion EL model #338.216.
- b. Include a manufacturer's approved plastic or pressed wood white seat, supply pipe, shut-off valve and was seal.
- c. Link MaP test Results: [https://www.map-testing.com/assess/files/2020-05-27-all_watersense_high-efficiency_toilets\(HETs\).pdf](https://www.map-testing.com/assess/files/2020-05-27-all_watersense_high-efficiency_toilets(HETs).pdf)

**19) LAVATORY SINK BOWL AND BASE REPLACEMENT – PLUMBING FAUCET
MASTER BATHROOM \$ _____**

- A. One Vanity verify size -Complete plywood vanity. Lavatory Top Side and 4” Side and Back Splash:** The side, back splash, sink top will be a (marble sink-hard surface top) shall be formed as an integral part of the countertop or a set-in sink with new standard exterior grade plywood or approved equal. Homeowner will select color and style for the cabinet, and sink/countertop from standard stock colors. **New Base Unit:** the new base, countertop shall be plywood or solid wood including the doors, back to cabinet with no particle board. Contractor to Verify measurement.
- B. One Set of Faucets: acceptable faucet designs are finish-lever-operated, push-type controlled mechanisms, discuss with the Homeowner.** Controls and operating mechanisms will be operable with one hand and should not require tight grasping, pinching, or twisting of the wrist; Dual lever brushed nickel with a maximum 1.5 GPM flow rate. Include PVC drain attached to code legal plumbing vent, use L copper or equivalent on all supply lines. Seal all penetration through the floor, walls and cabinet for plumbing connections using expanding foam or caulk and cover with chrome escutcheon plates. Cabinets must comply with California 93120 (formaldehyde content) or all exposed edges must be sealed with low-VOC sealant. Vanity allowance \$900.00

20) MASTER TUB-REPLACEMENT, AND WALLS OF TUB OF BATHROOM \$ _____

LOCATION: TUB-TUB WALLS OF BATHROOM AND TUB SURROUND

- a. Demolition to bathroom tub and tub shower walls. Gut tub area of the interior structure of room. Remove all wall framing, and wall finishes, door, and trim equipment. Removal tile from walls. Dispose of debris into legal landfill.
- b. **Tub Cast Iron 5’ tub:** Install an American Standard or equivalent tub -white porcelain enamel cast iron tub complete with a 3/8” or 5/16” fittings drain easy plastic universal clog preventing tub stopper/strainer in chrome pop up drain model #PF0910 or approved equivalent and overflow, PVC waste, and tub & shower trim kit. Use pressure treated blocking along wall length per manufactures recommendations. Use mortar to support bottom of tub and install the tub as per manufactures recommendations.
- c. Porcelain Tub Surround: remove existing tub-shower tiled walls affected by the framing of the new tub surround. Replace damaged studs and furring strips.
- d. Remove tile from walls, of tub. Prepare walls after removal.
- e. Drywall-walls for tub-area as required. Remove tile Only from tub walls and after tile removal: Paper less water resistant. Hang, tape and 3 coat finish 1/2” paperless (fiberglass mat finish) drywall or equivalent. Apply 3/8th” bead of low VOC drywall adhesive to framing member and attach with screws 8 on center. Fiberglass joint tape shall be used to finish the joints. And a setting-type compound shall be used for the first coat over the fiberglass mesh tape. Sand read for paint. Install wall tiles 12” x 24”x 1/4”. Color chosen by family. Tile over backer board equal to Wonder board.

- f. Wall tile allowance \$2.50 sq/ft. tile three walls of the tub enclosure.

21) MASTER BATHROOM TUB FIXTURES

- a. Tub-Shower Fixtures: trim pieces and full trim kit: metal lever handle ADA compliant. 1-handle tub and shower trim kit. One 4-1/2 in rain shower head. New valve and volume temperature control valve bodies. Metal level handle ADA compliant. Durable with metal escutcheon. Install new tub spout, drain assembly and new lever controls.
- b. New wall mounted rust proof shower curtain rod to be installed at entrance to shower/tub.

22) MASTER -BATHROOM FLOORING AND PAINTING \$ _____

- a. **Painting of bathroom: paint all the walls, ceiling and door, door trim that must be painted.** Semi-gloss paint required. Follow the paint requirements listed in the SOW specification requirements.
- b. **Flooring Bathroom:** Prepare floor. The installation is with of new ceramic non-skid tile flooring for the entire bathroom is needed. A new baseboard ceramic non-skid is required for this installation. Ensure a smooth transition and stable substrate is provided with this installation. All installation materials including trim, and finish is required to manufactures installation requirements.

23) HALL BATHROOM -CARPENTRY – LIGHT AND TOWEL BAR, WALL MIRRORED MEDICINE CABINET 1-TIERD \$ _____

- a. **One Light Energy star 2 Bulb Bath Vanity Fixture-Center over Vanity. Install using GU24 base lamps model or equivalent EL-205G-223**
- b. **One Towel Bar:** install a 24" towel bar brushed nickel or approved equivalent. Screw to studs. American Standard.
- c. After removal existing 2- framed mirrors and side mirror inserted medicine cabinet. Remove and install a new plated mirrored over the new vanity to fit the wall above the new vanity and it shall be surface mounted. Repair wall after full removal. Install a wall mounted up to a 6' x 4' plated mirror and a side mirrored medicine cabinet. Kohler or an equivalent brand.
- d. Repair all damaged walls caused by removal. Modifications or repairs work to drywall, paint, caulk, and/or tile should match existing adjacent surfaces. Must be centered over the new vanity and be the same length of unit and similar height as existing.

**24) MASTER BATHROOM - CARPENTRY – LIGHT AND TOWEL BAR, WALL PLATED
MIRRORED OVER THE NEW VANITY AND A MEDICINE CABINET 1-TIERD \$ _____**

- a. **One Light Energy star 2 Bulb Bath Vanity Fixture-Center over Large Vanity. Install using GU24 base lamps model or equivalent EL-205G-223**
- b. **One Towel Bar:** install a 24" towel bar brushed nickel or approved equivalent. Screw to studs. American Standard.
- c. After removal existing 2- framed mirrors and side mirror inserted medicine cabinet. Remove and install a new plated mirrored over the new vanity to fit the wall above the new vanity and it shall be surface mounted. Repair wall after full removal. Install a wall mounted up to a 6' x 4' plated mirror and a side mirrored medicine cabinet. Kohler or an equivalent brand.
- d. Repair all damaged walls caused by removal. Modifications or repairs work to drywall, paint, caulk, and/or tile should match existing adjacent surfaces. Must be centered over the new vanity and be the same length of unit and similar height as existing.

KITCHEN CABINETS AND SINK AND PLUMBING

**25) KITCHEN - REPLACE CABINETS, BACKSPLASH AND COUNTERTOP
\$ _____**

The countertop on the entire sink side is deteriorated. The cabinets have some damage from a water leak, and some have deteriorated due to moisture damage as the home has damaged cabinets. The drawers and doors are falling apart and don't open and close easily as the particle board is deteriorated. Deterioration of cabinets, drawers and counter tops. The countertop is cracked around the sink.

1. Remove the kitchen countertop, repair walls where there was a back splash, base and wall cabinets. Haul away all debris from property at once. The Contractors will verify measurements and dimensions. New island with new countertop in the same configuration as existing. This item requires a permit. Include electrical and plumbing.
 - a. Repair the walls crack(s), patch small holes with spackle, patch holes in walls, provide replacement with like material (or drywall) and matching the thickness of existing walls. Install the required framing, backings and/or furring strips. Patched wall finishes should match existing finish as close as possible or as noted below. Discuss (with Homeowner) any variations in new finish or type of new finish prior to beginning the work. Include painting of closets, wood trim, baseboard and doors. Patch and paint the entire wall. Homeowner will select the paint color.
 - b. Note: after the cabinets' removal, patch and prime the walls concealed by the cabinets and full back splash; patch and finish paint all exposed walls behind the cabinets. All exposed walls under the cabinets must have a finished appearance.
 - c. Same configuration as existing.

- d. Replace the cabinetry in the same configuration as the existing, except as noted herein. The Homeowner will select cabinets color and design from standard stock. Place escutcheon plates at all plumbing and electrical openings through the cabinet. For cabinet attachment, use washer head cabinet screws or cabinet screws with cup washers. Material allowance including sales tax for door and drawer knobs/handles is \$2.00 each. For attachment, use washer head cabinet screws or cabinet screws with cup washers.
- e. On top of the base cabinets, install the new standard Formica countertop on veneered exterior grade plywood. Homeowner will select color and design within the budget. Install a **full back splash. No Formica seams within full back splash based on the height of countertop wet area around sink.** New cabinets are to be plywood or solid wood with raised wood doors, no particleboard and no thermofoil. **Full Backsplash** shall extend from the countertop to the bottom of the wall cabinets and behind the range and around the windows. Countertop and back splash shall be made of minimum of 3/4" plywood."
- f. No Formica seams within wet area in/of the countertop and **full backsplash.**
- g. **The cabinets: on the wall sides shall have options for lower drawers that pull out using glider hardware. The upper cabinets shall have adjustable fixed shelves. Install cabinets to the height of the ceiling of kitchen area.**

26)REPLACE THE KITCHEN SINK AND FAUCET \$ _____

- a. **New Sink Double Bowl, Faucet and Plumbing:** Remove and replace existing kitchen sink. Replace it with a double sink that fits in the existing space and include all the plumbing attachments for installation for the needs of home. **Double bowl sink**, faucet and drain assembly. Haul away debris from property at once. Install new **Sinks** 9" deep, minimum 20-gauge stainless steel. Install a new label Water-Efficient faucet with or without sprayer; allowance including sales tax for the faucet. The installation of a double bowl sink is based on the sink plumbing and space. A single bowl sink may be used if the space is not available.
Repair/replace all damaged surfaces inside and out, caused by this work item.
New P-Trap is needed for this sink. Install a new connection from sinks new drain line and (P-Trap) to the exterior drain line.
- b. **New Garbage disposal** with the installation as the existing gets clogged.
Garbage Disposal: up to a 1.0 HP Remove and replace existing garbage disposal with a new one. New electrical and plumbing connections are required with this installation. **(GD-Material Allowance-including sales tax is \$200.00).**

27)NEW FLOORING -RESILIENT VINYL FLOORING-ALL ROOMS OF HOME
\$ _____

**Location and Flooring Type all Rooms and areas require baseboard:
New all rooms, hallways, closets of home install new resilient vinyl flooring.**

1238-NON-SKID WATERPROOF RESILIENT VINYL FLOORING

Locations and room size:

Combining both the entrance, Living and dining rooms: 20' x 30'

Bedroom #2: 11' x 12' + closet 6' x 2'

Bedroom #1: 20' x 12' + closet 6' x 2' + hall area = 20'

Hallway to bedrooms: 25' x 3' + closets = 24'

Kitchen: 10' x 8'

Finished materials =1238

Install new vinyl tiles to be provided throughout the entire home, rooms, closets and hallways only. Check resulting floor height for smooth transitions to adjacent room. The installation must include the appropriate trim and finishing materials. The installation includes new vinyl plank tiles.

- A. Flooring:** Check resulting floor height for smooth transitions to adjacent room. Substrate to be smooth for meeting the new flooring surfaces below prior to the new installation. The installation to be centered in each room. Installation per the manufacturer's guidelines. The appropriate trim tile is needed. The work includes all the installation and finishing materials for these specified locations.
- B.** Adjust all the uneven tiles existing throughout the room to accommodate the flooring installation. Smooth surface and transitions are needed.
- C. If required. Repair to existing surface or removal and disposal of all flooring is required with this installation.**
- D. Baseboards for all hallways, closets, and homes Rooms. The same areas listed above that is receiving all new plank tiled Floor:** remove all the old baseboards in rooms where there will be new flooring only. Install Colonial 5 1/4th pine finished baseboards throughout the home's rooms where new flooring will be installed. Mitre all lap joints and break all lap joints over framing. Replace the baseboard for the homes' rooms where the flooring is being installed. The wooden pine finished baseboards must be painted, caulked, and finished. The nail holes shall not be exposed after installation. Inc.
Material allowance tile sf \$2.50

28)INTERIOR BEDROOM #1 CLOSET DOORS \$ _____

- a. Locations: Bedroom Closets: Bedroom #1. new closet doors. Replace the closet doors with a 4' x 6' x 8' door size-verify measurement.**

- b. **Type: finished double doors; wooden louver bi-fold doors with a top and bottom stabilizer and track is needed.**
- c. **Removal and replacement to fit within the existing opening. Verify measurement.**
- d. **Repair floor and wall area.**
- e. **Door knob as needed.**

29) INTERIOR BEDROOM #2 CLOSET DOORS \$ _____

- a. **Locations: Bedroom Closets: #2. Bedroom #2. A new set of closet doors. Replace the closet with a 4' x 6' x 8' door size. Contractor to verify measurement.**
- b. **Type: finished double doors; wooden louver bi-fold doors with a top and bottom stabilizer and track is needed.**
- c. **Removal and replacement to fit within the existing opening. Verify measurement.**
- d. **Repair floor and wall area.**
- f. **Doorknob to open and close is needed for the doors**

30) INTERIOR PAINTING HOMES WALLS, CLOSETS, DOORS, AND TRIM OF HOME - WALL REPAIRS \$ _____

Locations and room size:

Combining both the entrance, Living and dining rooms: 20' x 30'

Bedroom #2: 11' x 12' + closet 6' x 2'

Bedroom #1: 20' x 12' + closet 6' x 2' + hall area = 20'

Hallway to bedrooms: 25' x 3' + closets = 24'

Kitchen: 10' x 8'

Foyer and other entrance areas 70'

Rounding off for materials =1238

- a. **Home Interior repairs and painting include the locations listed: all bedrooms, hallways, living and dining room, closets, Florida room and kitchen. See rooms sizes and locations listed.**
- b. **Painting of all of the homes' walls. Prior to painting, repair all of the holes for the entire home must be patched and repaired. Painting of those ceilings kitchen and bathrooms will be painted as there is no popcorn.**
- c. **Ceilings: no popcorn ceilings will be painted. The ceilings (where the home has popcorn ceilings) will not be painted.**
- d. **Plaster, paint and finish. Painting rooms and ceilings. Paint all the rooms' walls. Closets and doors are included with this painting section.**

- e. **Replacement Interior Methods:** wall sections; Repair the drywall in those sections with damage and cover and seal the holes. Painting includes interior closets, doors and frames.
- f. **Painting rooms and (ceilings with no popcorn ceilings). Paint all the rooms' ceilings and walls. Closets and doors are included with this painting section.**
- g. **Painting Requirements for all Rooms-walls and the ceilings:** Prepare surface, prime and paint with a 100% acrylic product-satin finish. Paint all previous painted surfaces including all doors, window and frame areas and interior walls with noted damage. Make sure the right product is used, for the surface being painted. Apply finish coat(s), test paint to determine proper number of coats for coverage. Protect adjacent areas while painting. Make sure the right product is used, for the surface being painted. Apply finish coat(s), test paint to determine proper number of coats for coverage. Protect adjacent areas while painting.

SUMMARY

GRAND TOTAL

\$ _____

ALTERNATE ITEMS

31)ALTERNATE #1 EXTERIMINATION TREATMENT-FUMUGATION AND/ OR SUBTERRANEAN \$ _____

General Information:

1. Termite treatment must be provided by a Florida Licensed Extermination Company.
2. All work to be done in accordance with the provisions of Florida Statue Chapter 482.
3. All fumigation and treatments to be done according manufactures instructions and EPA registered labeling instructions and requirements.
4. Extermination will take place when all construction work is 100% complete and Certificate of Completion has been issued by the Building Department of Jurisdiction.

Project Conditions:

1. Contractor to correct/repair any and all damages caused by the extermination company during the fumigation and/or treatment.
2. If drilling is required as part of the Pest Control Plan, the Contractor is required to fill ALL holes to match the existing surface with good quality filler as required by all regulations and codes.
3. The Contractor and/or the Extermination Company shall observe all safety precautions throughout the extermination process.
4. The Contractor and/or the Extermination Company shall comply with all applicable requirements of Federal, State, and Local laws and regulations.
5. The Contractor and/or the Extermination Company shall strive for practices and procedures that maximally protect the public, employees, and the environment, including, but not limited to, the posting of all required warning signs.

Property Owner: Nguyen Kim Chau, Le thong V
10101 45 Way, Boynton Beach, FL. 33436
Scope of Work-Work Specifications

Work Performance:

1. Upon a positive inspection report of evidence of WDO, a Pest Control Plan shall be submitted to the Project Coordinator/Compliance Inspector, o include, but not limited to, the inspection report, the cost for extermination, the type of chemical used, the type of application to be used, the quantity of the chemical to be used, the makeup of the chemical to be used, the manufacturer of the chemical, and the time it will take to complete the project.
2. Coordinate the fumigation and/or treatment with the property owner.
3. The Contractor and/or Extermination Company is required to educate, instruct, and if necessary, help the homeowner to prepare for treatment.
4. The Contractor and/or the Extermination Company shall submit a clearance report showing that the treatment is complete, and the residence is safe for habitation.

32)ALTERNATE #2 TANKLESS WATER HEATER \$ _____

Remove and dispose of the existing hot water heater properly. Replace existing water heater with a Rheem, Rinnai, EcoSmart, Bosch tankless water heater or approved equal tankless water heater with a properly sized gallon per minute flow rate. Tankless water heater to be designed by a designer of record such as an Architect, Engineer, or Licensed Plumber Contractor. Include properly sized breaker and circuit, pressure and temperature relief valve, and owner's manual. Install per Building Code of Jurisdiction. Provide separate electrical circuit and water inlet and outlet shut-off valves. Provide drawings and specifications as required by the Building Department of Jurisdiction.

This alternate may not be allowed due to the HOA and or Condo requirements. Do not use unless the HOA provides an approval or allows for this line item.

Property Owner: Nguyen Kim Chau, Le thong V
10101 45 Way, Boynton Beach, FL. 33436
Scope of Work-Work Specifications

SUMMARY

AGREEMENT

I/We agree that each item in these specifications has been discussed in my/our presence and I/we understand the contents. It is further agreed that any additional code or incipient (that is becoming apparent) violations that may occur during the construction period should be addressed by deleting a non-code related item(s), which are called General Property Improvements. By our attested signature(s), I/we agree to abide by these conditions.

SUMMARY TOTAL ALTERNATES

TOTAL \$ _____

SUMMARY GRAND TOTAL

TOTAL \$ _____

Contractor Base Bid Amount: _____

Contractor Alternate Bid Amount: _____

Bid Submitted By: _____

Authorized Signature: _____

Company Name: _____

PALM BEACH COUNTY DEPARTMENT OF HOUSING AND ECONOMIC DEVELOPMENT
100 Australian Avenue, Suite 500
West Palm Beach, Florida 33406
561-233-3600

CONSTRUCTION CONTRACT: SHIP Rehabilitation Project

Project address: **10101 45th Way S, Boynton Beach 33436**
PCN: 00-42-45-25-05-000-4870

THIS CONTRACT, entered into this _____ Day of _____, 2024____, by and between, the **"Contractors"** Vendor ID# _____ and the **"Homeowner(s) Kim Chau Nguyen 10101 45th Way S Boynton Beach, Florida 33436** _____.

WHEREAS, the Contractor proposes to undertake the construction, to include all labor, materials, equipment, and all other appurtenances thereto, completed in accordance with the attached as Exhibit A and incorporated herein, Bid Proposal submitted by the Contractor for the Contract amount of: **\$ _____ -(\$ _____).**

NOW, THEREFORE, in consideration of the mutual covenants and promises contained herein, it is agreed:

ARTICLE 1. PERFORMANCE REQUIREMENTS

1. Within **fourteen (14) calendar days** of executing this contract, the Contractor shall provide the Department of Housing and Economic Development (hereinafter the "Department") with the following:
 - a. Proof of Insurance for General Liability, Business Auto, and Worker's Compensation in the amounts and form stated herein. Palm Beach County and Homeowner(s) must be listed as additionally insured.
 - b. A current copy of Contractor's License.
 - c. A construction schedule.
2. The Department shall issue a Notice to Proceed after the verification of all documents and forms.
3. A copy of all required permit applications within **Fourteen (14) calendar days** after the date on the Notice to Proceed issued by the County.
4. A copy of all required permits within **Sixty (60) calendar days** after the date on the Notice to Proceed issued by the County. Contractor must pay for and pick up permits within three (3) days of Building Department Approval and submit a revised construction schedule with the copies of the permits.
5. Work shall commence not later than **Fourteen (14) calendar days** after the Master Building Permit is issued.
6. Contractor shall attain Project Substantial Completion by **October 24th2025**. **Substantial Completion** shall be obtained upon the contractor receiving a Certificate of Completion or Certificate of Occupancy or approved final inspections issued by the Building Department per local requirements for the project.
7. **Punch List:** The Department may issue a punch list to the contractor upon the contractor obtaining Substantial Completion. Final Payment may be withheld until all work is satisfactorily completed including punch list items.
8. Contractor shall complete Project Closeout by **November 25th2025**.
9. **Project Closeout:** Shall be obtained upon completion and acceptance of all punch list items, the submittal of all required documents including but not limited to, Release of Liens, Warranties, Final Pay Application, E-Verify verification, and any other document the Department requires. Final Payment may be withheld until the contractor has submitted all required documents for

Project Closeout to the Department. Contractor must submit the following documents:

- Contractor's Final Invoice/Pay Application
- Final Change Orders (if any)
- Proof of approved final inspections, Certificate of Completion, or Certificate of Occupancy issued by the Building Department.
- Original Permit Package and any additional documents added to the Permit Package issued by the Building Department
- Final Release of Liens
- Manufacturer's warranties and proof of registration in the Homeowner(s) name for all equipment provided under this contract
- Contractor's warranties as specified herein
- Test and Balance Report for HVAC system if applicable
- Abatement and clearance reports for lead-based paint abatement if applicable
- Evidence of extermination if applicable
- Verification of Registration with E-verify and/or affidavit for subcontractors
- Photos of work performed
- Elation System & Uploaded Payrolls if applicable
- Contractor's Section 3 Report if applicable
- Wind Mitigation Report if applicable
- 4-Point Inspection Report if applicable

ARTICLE 2. TIME IS OF THE ESSENCE

The Contractor agrees that Time is of the Essence in the performance and completion of all work and activities under this Contract, and pledges Full Faith and Due Diligence in meeting all Contract dates and requirements set forth herein. As Time is of the Essence, Contractor further agrees that failure to meet any Contract date or completion time specified herein may be considered in Default of contract, including, but not limited to attaining Substantial Completion of the work performed and Project Closeout.

ARTICLE 3. CONTRACTOR DEFAULT

Contractor acknowledges that the funding for the work to be performed pursuant to this contract will be provided by Palm Beach County (hereinafter the "County") through the Department and agrees that the Department shall be entitled to exercise the rights granted herein. Contractor further acknowledges and agrees that the Homeowner may assign any and all rights given to the Homeowner in this contract to the Department and thereafter both Homeowner and the Department shall be entitled to exercise such rights, including without limitation the assessment of liquidated damages.

Contractor agrees to pay as liquidated damages the sum of \$150 for each consecutive calendar day should they fail to attain Substantial Completion and/or complete Project Closeout by the dates specified herein. Such Liquidated Damages are deemed reasonable and the Department shall withhold liquidated damages from the final payment should contractor fail to meet the construction contract completion deadlines.

Contractor holds all risk of default should Contractor fail to perform all work and activities under the Contract in specific conformance with the delineated dates, time frames, terms, and conditions herein.

Contractor may be deemed to be in Default of this Contract upon the sole determination by the Department that the Contractor has:

1. Failed to meet any specified dates or time of completion for performance of work or other activities delineated under this Contract;
2. Failed to complete the work under this Contract in a sufficient and satisfactory manner as determined by the Department.

In the event of Default by the Contractor, the Department reserves the right to terminate this contract and hold back any payments otherwise due the Contractor at the sole discretion of the Department.

ARTICLE 4. GENERAL CONDITIONS

No work shall be commenced by the Contractor prior to receiving a written Notice to Proceed from the Department. Notice to Proceed shall be issued after the verification of all required documents and forms.

All work shall be in accordance with the Bid Documents, Addendums, if any, Plans and Specifications, and in addition the following (if applicable):

1. Mechanical, Electrical and Plumbing (MEP) plans, specifications, required for permitting.
2. Impact fees, permit fees and water and sewer connection fees.
3. Surveys including but not limited to, location of house, setbacks, elevations, and grading plan.
4. Demolition of existing buried septic system and/or containers.
5. Backfill and grading.
6. Landscaping and grading in accordance with the local governing codes.
7. Irrigation system in accordance with the local governing codes.

All materials and labor shall be as specified. All work shall be completed in a workman like manner according to current standard building practices. Any alteration or deviation from the Plans and Specifications must be submitted by Change Order from the Contractor to the Department. Contractor shall provide written justification for all Change Orders. Homeowner(s) shall provide written acceptance for all Change Orders. All Change Orders must be approved by the Department. **No additional cost will be paid above the contract amount when the Contractor has neglected to properly evaluate the extent of the construction work.** The Contractor, in all cases, shall complete the work in a finished condition as determined by acceptable current building standards and the Department. The parties agree that the Department shall be the final arbitrator in disputes concerning standard of quality of materials and workmanship.

The Contractor agrees that all the work shall be in conformance with the Florida Building Code, all local requirements, and the Department's funding assistance program requirements, to include, but not limited to, all applicable codes and ordinances, all state statutes and regulations as may be amended from time to time relating to the construction, repair, alteration, use or occupancy of buildings, equipment or facilities, including but not limited to the building, plumbing, heating, electrical and housing codes.

In addition, the Contractor agrees that the construction work to be performed at the property identified above is funded, in whole or in part, through funds made available to the Department. In this regard the Contractor also agrees to abide by and comply with all laws, rules and regulations pertaining to residential construction activities pursuant to Title I of the Housing and Community Development Act of 1974, as amended, including, but not limited to each of the following:

- Section 8 Existing Housing Quality Standards;
- The Energy Policy and Conservation Act of 1975;
- HUD Lead-Base Paint Regulations;
- HOME Program Final Rule
- Section 3 of the Housing and Urban Development Act of 1968; as amended;
- Executive Order 11246, as amended by Executive Orders 11375 and 12086;
- Title VI of the Civil Rights Act of 1964; and

- Section 109 of the Housing and Community Development Act of 1974; and
- Section 504 of the Rehabilitation Act of 1973, as amended; and
- The Age Discrimination Act of 1975; and
- 2 CFR Part 200, as amended;

Failure to list verbatim or reference an applicable local, state or federal statute or regulation herein, or any attachment thereto, shall not relieve the parties of compliance with any appropriate regulation if such is applicable to the funding source as determined by the Department.

ARTICLE 5. HOMEOWNER(S) RESPONSIBILITY

It shall be the Homeowner’s responsibility to:

- 1) Homeowner(s) agrees to cooperate with the Contractor to facilitate the performance of the work wherein the Homeowner expressly agrees and authorizes the Department to approve and issue all payments directly to the Contractor and approve and issue all change orders on behalf of the Homeowner for work performed under this Contract, stipulated that the sufficiency and acceptability of such work shall be determined solely by the Department.
- 2) Homeowner(s) agrees to cooperate with the Department to secure additional funding as needed for project construction costs in order to meet applicable requirements.
- 3) Homeowner(s) agrees to permit the Contractor access to the premises for the purpose of performing the construction work, Monday through Friday, between the hours of 8:00 a.m. and 5:00 p.m. excluding U.S. Federal holidays;
- 4) Homeowner(s) agrees to permit the Contractor to use, at no cost, existing utilities such as light, heat, power, and water, as necessary to carry out the performance of the work;
- 5) Remove personal possessions from areas where work will be performed and to keep work areas accessible to the Contractor; and,
- 6) Approve and sign all required Documents as provided by the Department.

ARTICLE 6. INSPECTION

Homeowner(s) and Contractor agree to permit Department Staff to enter and inspect the Project Monday through Friday, between the hours of 8:00 a.m. and 5:00 p.m. excluding U.S. Federal holidays.

ARTICLE 7. CONTRACTOR’S INSURANCE

The Contractor shall maintain at its sole expense, in full force and effect, at all times during the term of this Contract, insurance coverage and limits (including endorsements) as described herein. Failure to maintain the required insurance shall be considered default of the Contract. The requirements contained herein, as well as the County’s review or acceptance of insurance maintained by Contractor, are not intended to and shall not in any manner limit or qualify the liabilities and obligations assumed by Contractor under the Contract. Contractor agrees to notify the County at least ten (10) days prior to cancellation, non-renewal or material change to the required insurance coverage. Where applicable, coverage shall apply on a primary and non-contributory basis.

1. **Commercial General Liability:** Contractor shall maintain Commercial General Liability at a limit of liability not less than **\$500,000** Each Occurrence. Coverage shall not contain any endorsement(s) excluding Contractual Liability or Cross Liability.
2. **Business Auto Liability:** Contractor shall maintain Business Auto Liability at a limit of liability not less than **\$500,000** Each Occurrence for all owned, non-owned, and hired automobiles. In the event Contractor owns no automobiles, the Business Auto Liability requirement shall be amended allowing Contractor to maintain only Hired & Non-Owned Auto Liability and shall provide either an affidavit or a letter on company letterhead signed by the Contractor indicating either the Contractor does not own any vehicles, and if vehicles are acquired throughout the term of the Contract, Contractor agrees to purchase “Owned Auto” coverage as of the date of acquisition. This

amended requirement may be satisfied by way of endorsement to the Commercial General Liability, or separate Business Auto coverage form.

3. **Workers' Compensation & Employer's Liability:** Contractor shall maintain Workers' Compensation & Employer's Liability in accordance with Florida Statute Chapter 440.
4. **Waiver of Subrogation:** Contractor hereby waives any and all rights of Subrogation against the County, its officers, employees and agents for each required policy. When required by the insurer, or should a policy condition not permit an insured to enter into a pre-loss agreement to waive subrogation without an endorsement, then Contractor shall notify the insurer and request the policy be endorsed with a Waiver of Transfer of Rights of Recovery Against Others, or its equivalent. This Waiver of Subrogation requirement shall not apply to any policy which includes a condition to the policy specifically prohibiting such an endorsement or voids coverage should the CONTRACTOR enter into such an agreement on a pre-loss basis.
5. **Certificates of Insurance:** Prior to expiration of any of the required coverage throughout the term of this Agreement, the Contractor shall deliver to the County within forty-eight (48) hours of a request by County, signed Certificate(s) of Insurance evidencing that all types and amounts of insurance coverage required by this Contract have been obtained and are in full force and effect.

Additional Insured Clause: Except as to Business Auto, Workers' Compensation and Employer's Liability (and Professional Liability, when applicable) the Certificate(s) of Insurance shall clearly confirm that coverage required by the Contract has been endorsed to include Palm Beach County and the Homeowner as an Additional Insured. The Certificate Holder shall read:

Palm Beach County Board of County Commissioners
c/o Department of Housing and Economic Development
100 Australian Avenue, Suite 500, CIREIS
West Palm Beach, FL 33406

6. **Right to Revise or Reject:** County, by and through its Risk Management Department in cooperation with the contracting/monitoring department, reserves the right to review, modify, reject, or accept any required policies of insurance, including limits, coverages, or endorsements, herein from time to time throughout the term of this Contract. The County reserves the right, but not the obligation, to review and reject any insurer providing coverage because of its poor financial condition or failure to operate legally.

ARTICLE 8. LIENS, CLAIMS, AND WARNING

Final Payment shall not become due until the Contractor has delivered to the Homeowner(s), in care of the County's Department of Housing and Economic Development, a complete release of all liens arising out of this Contract covering all labor, materials and equipment for which a lien could be filed together with agreement to indemnify the Homeowner(s) against any such liens. The Contractor shall provide all final release of liens arising out of this contract covering all labor, materials, and equipment for which a lien could be filed against the Homeowner. If such lien remains unsatisfied after payments are made, the Contractor shall refund to the Homeowner(s) all money that the Homeowner(s) may be compelled to pay in discharging such lien, including all costs and reasonable attorneys' fees.

ACCORDING TO FLORIDA'S CONSTRUCTION LIEN LAW (SECTIONS 713.001-713.37, FLORIDA STATUTES), THOSE WHO WORK ON YOUR PROPERTY OR PROVIDE MATERIALS AND ARE NOT PAID IN FULL HAVE A RIGHT TO ENFORCE THEIR CLAIM FOR PAYMENT AGAINST YOUR PROPERTY. THIS CLAIM IS KNOWN AS A CONSTRUCTION LIEN. IF YOUR CONTRACTOR OR A SUBCONTRACTOR FAILS TO

PAY SUBCONTRACTORS, SUB-SUBCONTRACTORS, OR MATERIAL SUPPLIERS OR NEGLECTS TO MAKE OTHER LEGALLY REQUIRED PAYMENTS, THE PEOPLE WHO ARE OWED MONEY MAY LOOK TO YOUR PROPERTY FOR PAYMENT, EVEN IF YOU HAVE PAID YOUR CONTRACTOR IN FULL. IF YOU FAIL TO PAY YOUR CONTRACTOR, YOUR CONTRACTOR MAY ALSO HAVE A LIEN ON YOUR PROPERTY. THIS MEANS IF A LIEN IS FILED YOUR PROPERTY COULD BE SOLD AGAINST YOUR WILL TO PAY FOR LABOR, MATERIALS, OR OTHER SERVICES THAT YOUR CONTRACTOR OR A SUBCONTRACTOR MAY HAVE FAILED TO PAY. FLORIDA'S CONSTRUCTION LIEN LAW IS COMPLEX AND IT IS RECOMMENDED THAT WHENEVER A SPECIFIC PROBLEM ARISES, YOU CONSULT AN ATTORNEY.

ARTICLE 9. TAXES: Unless otherwise provided herein, the Contractor shall pay sales, consumer, use, and other similar taxes which are now legally enacted or which are reasonably foreseeable by virtue of discussion in public forums or scheduled to go into effect in the future. When the Contract is executed, Contractor shall secure and pay for the building permit and other permits and governmental fees, licenses and inspections necessary for proper execution and completion of the Work specified herein.

ARTICLE 10. WARRANTIES

- Manufacturer's Warranties - Contractor shall provide Manufacturer's Warranties to the Homeowner(s) for all equipment provided under this Contract.
- Register HVAC Equipment – Contractor shall register the HVAC Compressor and HVAC Air Handler Unit in the Homeowner(s) name.
- Supplier's Warranties – Contractor shall provide to the homeowner all written guarantees and warranties.
- Contractor's Warranty – Contractor shall provide Homeowner with a 1 year Materials and Labor Warranty for all work completed under this Contract except roofing work. All Roofing work will carry a five (5) year warranty.

ARTICLE 11. CLEAN UP

The Contractor will keep the premises clean and orderly during the course of the work and remove all debris at the completion of the work. Materials and equipment that have been removed and replaced as part of the work shall belong to the Contractor and be removed from the premises, unless otherwise stated in the specifications.

ARTICLE 12. TERMINATION OF CONTRACT

In the event that any of the provisions of this Contract are violated by the Contractor or by the Homeowner(s), with the approval of the Department, the Contractor or Homeowner(s) may serve written notice to either the Homeowner(s) or the Contractor of their intention to terminate the Contract upon the approval of the Department. Said notice will contain the reasons for such intention to terminate the Contract. If a disagreement of any nature arises between the Contractor and Homeowner(s), the Department will require that the Contractor and Homeowner(s) meet to discuss their disagreement, and will attempt to facilitate agreement from both the Contractor and Homeowner(s) allowing the project to move forward to completion. If a dispute arises out of or relates to this Contract, or the breach thereof, and if the dispute cannot be settled through negotiation, the parties agree first to try in good faith to settle the dispute by mediation administered by the American Arbitration Association under its Commercial Mediation Procedures before resorting to binding arbitration. The costs and expenses associated with mediation and binding arbitration will be borne equally by the parties participating therein.

1. **Mutual Termination Agreement:** In the event of disagreement between the Homeowner(s) and Contractor resulting in an impasse in completing the project, the Homeowner(s) and Contractor may enter into a Mutual Termination Agreement.
2. **Notice of Violation by Homeowner:** The Contractor shall serve written notice to the Homeowner(s) and the Department using a standard form provided by the Department that identifies the violation of the contract or complaint claimed by the Contractor.
 - a. The Department will make a determination within 14 calendar days as to validity of the violation claimed by the Contractor.
 - b. If The Department determines that the Homeowner(s) is not in violation of the contract or that the Contractor's complaint is without merit, then the Contractor shall continue to complete the project under the terms of the contract.
 - c. If The Department determines that the Homeowner(s) is in violation of the contract or the Contractor's complaint is valid, the Department shall provide written notice to the Homeowner(s) to correct the violation or adequately resolve the Contractor's complaint within the next 7 calendar days.
 - d. If the violation or complaint has not been corrected or adequately resolved by the end of that time, the Contractor may serve written notice to the Homeowner(s) and the Department that they are terminating the contract effective as of the date of that termination notice, unless another date is mutually agreed upon by the Contractor and Homeowner(s).
 - e. In addition, the County retains all rights by law and under equity to pursue any and all legal remedies available to it in enforcing the terms of any mortgage and or promissory note given to the Homeowner(s) related to this contract, including but not limited to termination of the project, termination of funding, acceleration of the mortgage and/or promissory note, repayment of any additional costs incurred by the County, including legal fees related to the termination of this contract.
3. **Notice of Violation by Contractor:** The Homeowner(s) shall serve written notice to the Contractor and the Department using a standard form provided by the Department that identifies the violation of the contract or any other complaint claimed by the Homeowner(s). The right of the Contractor to proceed shall not be terminated for any excusable delays due to the following:
 - a. Acts of the Government restricting labor, equipment or materials by reason of national emergency.
 - b. Acts on the part of the Homeowner(s).
 - c. Causes beyond the control and without the fault or negligence of the Contractor including, but not restricted to, the following: Acts of God, Acts of the public enemy, Acts of the Government in either its sovereign or contractual capacity, fires, floods, epidemics, quarantine restrictions, strikes, or unusually severe weather. (This does not include stop work orders for code violations.)
 - d. The Department will make a determination within 14 calendar days as to validity of the violation or complaint claimed by the Homeowner(s).
 - e. If the Department determines that the Contractor is not in violation of the contract or that the homeowner's complaint is without merit, then the Homeowner(s) shall allow the Contractor to complete the project under the terms of the contract.
 - f. If the Department determines that the Contractor is in violation of the contract or the homeowner's complaint is valid, the Department shall provide written notice to the Contractor to correct the violation or adequately resolve the complaint within the next 7 calendar days.
 - g. If the violation or complaint has not been corrected or adequately resolved by the end of that time, the Homeowner(s) may serve written notice to the Contractor and the Department that they are terminating the contract effective as of the date of receipt by

the Contractor of that termination notice, unless another date is mutually agreed upon by the Contractor and Homeowner(s)

4. In the event of any such termination:
 - a. The Department will determine the value of work completed by the Contractor up to the time of termination of contract,
 - b. The Department will prepare a final pay application for the contractor for the work that has been completed for review by both the Contractor and the Homeowner(s), and
 - c. The Department may hold the final pay application until the project is completed or is terminated by the Department, and may reduce the amount of that pay application to apply funds to any costs of correcting any work performed by the Contractor requiring removal, repair or replacement to meet code requirements. The Department shall hold sole, final and absolute determination in releasing funds from the final payment to the Contractor.
 - d. The Department will prepare a scope of work to have the remaining work reviewed and approved by the Homeowner(s) and bid out to other qualified Contractors so that the project may be completed by the lowest responsive, responsible bidding contractor.
 - e. In this event, the original Contractor shall be released from all liability to complete the project by the Homeowner(s). The original Contractor shall be held responsible for a one-year warranty for all work completed for which the Contractor has been paid, except in the case of roof replacement wherein the contractor shall be responsible for a 5-year warranty for the roof replaced.

5. In the event of Contract termination, the provisions of this Contract pertaining to Conflict of Interest, Governmental Audit, and Record Retention shall remain in full force and effect until such time as the provision regarding record retention has elapsed.

6. **Contractor and Homeowner(s) acknowledge and agree that Palm Beach County, a political subdivision of the State of Florida and the Department, as the funding source for work being performed pursuant to this Contract, has certain rights and responsibilities in connection with the use of funds. Contractor and Homeowner(s) therefore agree as follows:**

- a. Contractor acknowledges and agrees that the County has the right to withhold payments to the Contractor and pursue all means at its disposal to recover funds from the Contractor in the event of violation of this Contract by the Contractor. The County may pursue recovery of funds expended as well as the funds required to complete the project and administer the Contract.
- b. Homeowner(s) acknowledges and agrees that the County has the right to cancel and withdraw funding to the Homeowner(s), and may accelerate its mortgage with the Homeowner(s) to recover funds expended and costs associated with the processing of the Homeowner(s)' application, payments made to the Contractor, Contract administration, and all work performed on the Homeowner's property in the event the County determines that Homeowner has violated the terms of this Contract.
- c. Contractor and Homeowner(s) acknowledge and agree that the County reserves the right to terminate this Contract, in part or in whole, in the event that the Contractor and/or Homeowner(s) fail to perform in accordance with the terms and conditions stated in this contract at the sole discretion and determination of the County. The County further reserves the right to terminate this Contract if deemed in the best interest of the County at its sole discretion and determination, with or without cause.

The Contractor and Homeowner(s) will be notified by letter of the County's decision to terminate the contract.

- d. Contractor acknowledges and agrees that the County reserves the right to discipline, suspend, and/or debar the Contractor in accordance with the appropriate County policies, ordinances, resolutions, and/or administrative orders due to the termination of this Contract. The Contractor will be notified by letter of the County's actions against the Contractor.
- e. The County may exercise any and all rights given under this contract, waiver of enforcement of any rights does not preclude the County from enforcing any other rights under this contract.

ARTICLE 13. PAYMENT REQUESTS AND CHANGE ORDERS

- 1. Payments shall be requested on a monthly basis and payment requests shall be submitted on an AIA G702/703 or equivalent form. Homeowner(s) shall provide written acceptance for all Pay Applications.
- 2. Retainage, if applicable, in the maximum amount allowed by law, will be withheld on the calculated value of any Work completed.
 - a. Retainage will be withheld in the amount of %.
 - b. Retainage will not be withheld.
- 3. All Change Order requests shall be submitted on an AIA G701 or equivalent form. All Change Order requests must be approved at the discretion of the Department.
- 4. The Contractor may submit an initial payment request for Mobilization. The pay request shall be submitted within thirty (30) calendar days from the date of execution of this contract. Mobilization cannot exceed 20% of the total of the submitted Bid including alternates, if alternates are awarded, at the time of contract execution. The Contractor may forego submitting a pay request for mobilization. Foregoing the mobilization pay request does not relieve the Contractor's responsibility of submitting all required documents within the required time period. Mobilization items may include, but not limited to, the following:
 - i. Applicable Insurances (Builder's Risk, General Liability, Business Automobile Liability, Workers Compensation)
 - 1. Proof of Invoice/Payment and Certificates
 - ii. Permit Applications
 - 1. Proof of application and paid receipts
 - iii. Impact Fees (if applicable)
 - 1. Proof of paid receipts
 - iv. Surveys (if applicable)
 - 1. Proof of Signed Proposal
 - v. Testing and Engineering (if applicable)
 - 1. Proof of Signed Proposal
 - vi. Dumpster
 - 1. Proof of Multi Month Signed Proposal
 - vii. Storage Pod
 - 1. Proof of Multi Month Signed Proposal
 - viii. WDO Inspection Report

1. Copy of WDO Report, Positive or Negative, on require form
 - ix. Long Lead Item – Impact Resistant Rated Doors
 1. Proof of Signed Proposal and NOAs
 - x. Long Lead Item – Impact Resistant Windows
 1. Proof of Signed Proposal and NOAs
 - xi. Long Lead Item – Cabinetry and Counter Tops
 1. Proof of Signed Proposal and Design Specifications including color
 - xii. Tile choices, color choices, fixture choices, appliance choices, flooring choices, and all items that require Homeowner and Contractor approval
 1. Copies of Homeowner and Contractor signatures on product picture and specification documents
5. If the Contractor forgoes the Mobilization Pay Request, then the initial payment request by the Contractor and all other payment requests may be at any percentage of work completed in accordance with the plans and specifications. All payment requests must be approved at the discretion of the Department.
 6. All material and labor used in basing percentage of work completed, must be in place and no payment shall be made for stored material.

ARTICLE 14. ADDITIONAL RECITALS

Project Delays: It shall be the responsibility of the Contractor to notify the Department in writing of any such delays. Upon receipt of such notification, the Department will evaluate the cause and extent of delay. If, upon the basis of the facts and the terms of this Contract, the delay is found properly excusable, the Department shall extend the time for project completion for a period of time commensurate with the period of the excusable delay. Such time for extension shall be made by change order.

2 CFR Appendix II to Part 200 - Contract Provisions for Non-Federal Entity Contracts Under Federal Awards - In addition to other provisions required by the Federal agency or non-Federal entity, all contracts made by the non-Federal entity under the Federal award must contain provisions covering the following, as applicable.

(A) Contracts for more than the current simplified acquisition threshold, as amended, which is the inflation adjusted amount determined by the Civilian Agency Acquisition Council and the Defense Acquisition Regulations Council (Councils) as authorized by 41U.S.C. 1908, must address administrative, contractual, or legal remedies in instances where contractors violate or breach contract terms, and provide for such sanctions and penalties as appropriate.

(B) All contracts in excess of \$10,000 must address termination for cause and for convenience by the non-Federal entity including the manner by which it will be effected and the basis for settlement.

(C) Equal Employment Opportunity. Except as otherwise provided under 41 CFR Part 60; all contracts that meet the definition of "federally assisted construction contract" in 41CFR Part 60-1.3 must include the equal opportunity clause provided under 41 CFR 60-1.4(b), in accordance with Executive Order 11246, "Equal Employment Opportunity" (30 FR 12319, 12935, 3 CFR Part, 1964-1965 Comp., p. 339), as amended by Executive Order 11375, "Amending Executive Order 11246 Relating to Equal Employment Opportunity," and implementing regulations at 41CFR part 60, "Office of Federal Contract Compliance Programs, Equal Employment Opportunity, Department of Labor."

(D) Davis-Bacon Act, as amended (40 U.S.C. 3141-3148). When required by Federal program

legislation, all prime construction contracts in excess of \$2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141-3144, and 3146-3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.

(E) Contract Work Hours and Safety Standards Act (40 U.S.C. 3701-3708). Where applicable, all contracts awarded by the non-Federal entity in excess of \$100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

(F) Rights to Inventions Made Under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR § 401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

(G) Clean Air Act (42 U.S.C. 7401-7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251-1387), as amended - Contracts and subgrants of amounts in excess of \$150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

(H) Debarment and Suspension (Executive Orders 12549 and 12689) - A contract award (see 2 CFR 180.220) must not be made to parties listed on the government wide exclusions in the

System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR part 1986 Comp., p. 189) and 12689 (3 CFR part 1989 Comp., p. 235), "Debarment and Suspension." SAM Exclusions contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

(I) Byrd Anti-Lobbying Amendment (31U.S.C. 1352) - Contractors that apply or bid for an award exceeding \$100,000 must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.

(J) See § 200.322 Procurement of recovered materials.
[78 FR 78608, Dec. 26, 2013, as amended at 79 FR 75888, Dec. 19, 2014]

Section 3 Clause: This Contract and any subcontract entered into by the Contractor in the performance under this work is subject to and incorporates the following provisions:

1. The work to be performed under this Contract is subject to the requirements of Section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U. S.C. 170 (Section 3). The purpose of Section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by Section 3, shall to the greatest extent feasible, be directed to low-and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
2. The parties to this Contract agree to comply with HUD's requirements in 24 CFR Part 75, which implement Section 3. As evidenced by their execution of this Contract, the parties to this Contract certify that they are under no contractual or other impediment that would prevent them from complying with the Part 75 regulations.
3. The Contractor agrees to send to each labor organization or representative of workers with which the Contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers representative of the Contractor's commitment under this Section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice.

The notice shall describe the Section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.

4. The Contractor agrees to include this Section 3 clause in every subcontract subject to compliance with regulations in 24 CFR Part 75, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this Section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR Part 75. The Contractor will not subcontract with any subcontractor where the Contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR Part 75.

7. The Contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the Contractor is selected but before the Contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR Part 75 require employment opportunities to be directed, were not filled to circumvent the Contractor's obligations under 24 CFR Part 75.
8. Noncompliance with HUD's regulations in 24 CFR Part 75 may result in sanctions, termination of this Contract for default, and debarment or suspension from future HUD assisted contracts.

The undersigned also certifies that he/she does not, and will not maintain or provide for its employees any segregated facilities at any of its establishments, and that the undersigned does not permit its employees to perform their services at any location under its control where segregated facilities are maintained, and the undersigned agrees further to provide a signed statement to this effect.

Homeowner(s) Indemnification: To the fullest extent permitted by law, the Contractor shall indemnify and hold harmless the Homeowner from and against all claims, costs, fees, damages, losses and expenses, from any and all suits and actions of every name and kind and description that may be brought against said Homeowner(s), including but not limited to attorneys' fees, arising out of or resulting from performance of the work specified herein, provided that such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property including loss of use resulting there from, to the extent caused in whole or in part by negligent acts or omissions of the Contractor, a subcontractor, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, regardless of whether or not such claim, damage, loss or expense is caused in part by a party indemnified hereunder. Such obligation shall not be construed to negate, abridge, or reduce other rights or obligations of indemnity which would otherwise exist as to a party or person described in this paragraph.

Such obligation shall be limited to One Million Dollars per occurrence. Further the indemnification of the Homeowner does not include that the Contractor indemnify the Homeowner for damages to persons or property caused in whole or in part by any act, omission, or default of a party other than:

- (a) The Contractor; or
- (b) Any of the Contractor's contractors, subcontractors, sub-subcontractors, materialmen, or agents of any tier or their respective employees; or
- (c) The Homeowner, excluding however, indemnification of claims of, or damages resulting from, gross negligence, or willful, wanton or intentional misconduct of the Homeowner, or for statutory violation or punitive damages except and to the extent the statutory violation or punitive damages are caused by or result from the acts or omissions of the Contractor or any of the Contractor's contractors, subcontractors, sub-subcontractors, materialmen, or agents of any tier or their respective employees.

This indemnification obligation shall not be limited by the type of damages, compensation or benefits payable by or for the Contractor or a subcontractor under workers compensation acts, disability benefit acts or other employee benefit acts. This Homeowner indemnification obligation clause shall survive termination of the Contract.

County Indemnification: Contractor and Homeowner(s) shall indemnify and hold harmless the County and its officials and employees, from all claims, liabilities, damages, losses and costs, fees, from any and all suits and actions of every name and kind and description that may be brought against said County, including, but not limited to, reasonable attorney's fees, to the extent caused by the negligence, recklessness, or intentional wrongful misconduct of the Contractor and persons employed or utilized by the indemnifying party in the performance of the Contract.

Contractor and Homeowner(s) further agrees to hold harmless and indemnify the County for any fines, citations, court judgments, insurance claims, restoration costs or other liability resulting from its activities on the project, whether or not the Contractor was negligent or even knowledgeable of any events precipitating a claim or arising as a result of any situation involving Contractor's activities. Said indemnification by Contractor shall be extended to include all deliverers, suppliers, furnisher of material or anyone acting for, on behalf of, or at the request of Contractor. Contractor recognizes the broad nature of this indemnification and hold harmless clause and voluntarily makes this covenant. This clause shall survive termination of this Contract.

Legality and Interpretation: In case any one or more of the terms, provisions, or part of a provision, contained in this " Homeowner Indemnification and County Indemnification" herein, shall for any reason be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other term or provision, or part of a provision, of the Contract, but the Contract shall be construed as if such invalid or illegal or unenforceable term or provision or part thereof, had never been contained herein. Upon such determination that any term, or provision or part thereof, is invalid, illegal or unenforceable, in any of the Contract, the court is authorized and instructed to modify the provision so as to effect the original intent of the parties as closely as possible so that the transactions and agreements contemplated in the Contract are consummated as originally contemplated to the fullest extent possible.

ARTICLE 16. NOTIFICATION

All notices, requests, demands, or other communications hereunder shall be in writing and shall be deemed to have been served if: 1) hand delivered by one party to the other; or, 2) as of the delivery date appearing upon the return receipt, if sent by one party to the other party's address listed herein by United States mail, postage prepaid, certified, or with a return receipt requested. Either party may change the listed address herein at which he receives written notices by so notifying the other party hereto in writing.

Copies of notices, requests, demands, or other communications between the parties shall be copied to the Department whose address is listed herein.

ARTICLE 17 - NONDISCRIMINATION

The COUNTY is committed to assuring equal opportunity in the award of contracts and complies with all laws prohibiting discrimination. Pursuant to Palm Beach County Resolution R2017-1770, as may be amended, the Contractor warrants and represents that throughout the term of the Contract, including any renewals thereof, if applicable, all of its employees are treated equally during employment without regard to race, color, religion, disability, sex, age, national origin, ancestry, marital status, familial status, sexual orientation, gender identity or expression, or genetic information. Failure to meet this requirement shall be considered default of the Contract.

As a condition of entering into this Contract, the Contractor represents and warrants that it will comply with the COUNTY'S Commercial Nondiscrimination Policy as described in Resolution 2017-1770, as amended. As part of such compliance, the Contractor shall not discriminate on the basis of race, color, national origin, religion, ancestry, sex, age, marital status, familial status, sexual orientation, gender identity or expression, disability, or genetic information in the solicitation, selection, hiring or commercial treatment of subcontractors, vendors, suppliers, or commercial customers, nor shall the Contractor retaliate against any person for reporting instances of such discrimination. The Contractor shall provide equal opportunity for subcontractors, vendors and suppliers to participate in all of its public sector and private sector subcontracting and supply opportunities, provided that nothing contained in this clause shall prohibit or limit otherwise lawful efforts to remedy the effects of marketplace discrimination that have occurred or are occurring in the COUNTY'S relevant marketplace in Palm Beach County. The Contractor understands and agrees that a material violation of this clause shall be considered a material breach of

this Contract and may result in termination of this Contract, disqualification or debarment of the company from participating in COUNTY contracts, or other sanctions. This clause is not enforceable by or for the benefit of, and creates no obligation to, any third party. Contractor shall include this language in its subcontracts.

ARTICLE 18. COMPLIANCE WITH CLEAN AIR AND WATER ACTS

In compliance with the Clean Air Act, as amended, 42 U.S.C. 1857 (R) et. seq., Section 508 of Clean Water Pollution Control Act, as amended 33 U.S.C. 1368 and Executive Order 11738, 1251 et. seq., and the regulations of the Environmental Protection Agency with respect thereto, the appropriate parts of 40 CFR as amended from time to time, Contractor agrees that:

1. No facility to be utilized in the performance of this Contract or any subcontract shall not be a facility listed on the EPA list of Violating Facilities pursuant to 40 CFR 15.20.
2. He will comply with all requirements of Section 114 of the Clean Air Act, as amended (42 USC 1857 c-8) and Section 308 of the Federal Water Pollution Control Act, as amended (33 USC 1368) relating to inspection monitoring, entry, reports, and information, as well as all other requirements specified in said Section 114 and Section 308, and all regulations and guidelines issued thereunder.
3. He will promptly notify the Homeowner(s) of any notification received from the Director, Office of Federal Activities, EPA, indicating that a facility utilized or to be utilized for the contract is under consideration to be listed on the EPA List of Violating Facilities.
4. He will comply with mandatory standards and policies relating to energy efficiency which are contained in the State energy plan issued in compliance with the Energy Policy and Conservation Act (P.L. 94-163).
5. He will include or cause to be included the provisions of paragraph (1) through (5) of this section in every nonexempt subcontract and that he will take such action as the Government may direct as a means of such provisions.

ARTICLE 19. CONTRACT ASSIGNMENT

The Contractor shall not assign the Contract without written consent of the Homeowner(s) as recommended and processed by the Department. The request for assignment will be addressed to the Department of Housing and Economic Development.

ARTICLE 20. GOVERNMENTAL AUDIT

The Contractor shall at any time during normal business hours and as often as the County and/or Comptroller General of the State of Florida and/or the Florida Department of Professional Regulation and/or any of their duly authorized representative may deem necessary, make available for examination all the Contractor's records and data with respect to all matters covered by the Contract, and shall permit the County and/or its designated authorized representative to audit and inspect all books, documents, papers, and records directly related to this Contract.

ARTICLE 21. CONFLICT OF INTEREST

No member, officer, or employee of Palm Beach County, or its designees or agents, no member of the governing body of the locality in which the Project is situated, and no other public official of such locality or localities who exercises any functions or responsibilities with respect to the Project during his tenure or for one year thereafter, shall have any interest, direct or indirect, in any Contract or subcontract, or the proceeds thereof, for work to be performed in connection with the Project assisted under the Contract.

ARTICLE 22. RECORD RETENTION

Records pertaining to work completed under this Contract shall be retained by the Contractor for ten (10) years from ending date of the County's Fiscal Year (October 1 through September 30) in which all matters related to this Contract including the expiration of guaranteed work have been disposed of, whichever is later. However, in the event that this Contract is subject to audit findings, all records shall be retained for ten (10) years in the manner prescribed above or until such audit findings have been resolved, whichever is later.

ARTICLE 23. PARTIAL INVALIDITY

Should any section or any part of any section of this Contract be rendered void, invalid, or unenforceable by any court of law, for any reason, such a determination shall not render void, invalid, or unenforceable any other section or any part of any section in this Contract.

ARTICLE 24. MODIFICATION

This Contract may not be modified unless such modification is a written agreement or change order that is executed by both parties to this Contract and is recommended and processed through the Department.

ARTICLE 25. INTEGRATION

The drafting, execution, and delivery of this Contract by the parties has been induced by no representation, statements, warranties, or agreements other than those expressed herein. This Contract embodies the entire understanding of the parties, and there are no further or other agreements or understandings, written or oral, in effect between the parties relating to the subject matter hereof unless expressly, referred to herein.

ARTICLE 26. E-VERIFY - EMPLOYMENT ELIGIBILITY

Contractor warrants and represents that it is in compliance with section 448.095, Florida Statutes, as may be amended. No later than January 1, 2021, Contractor shall: (1) register with and use the E-Verify System (E-Verify.gov), to electronically verify the employment eligibility of all newly hired workers; and (2) verify that all of the Contractor's subcontractors performing the duties and obligations of this Contract are registered with and use the E-Verify System to electronically verify the employment eligibility of all newly hired workers.

Contractor shall obtain from each of its subcontractors an affidavit stating that the subcontractor does not employ, contract with, or subcontract with an Unauthorized Alien, as that term is defined in section 448.095(1)(k), Florida Statutes, as may be amended. Contractor shall maintain a copy of any such affidavit from a subcontractor for, at a minimum, the duration of the subcontract and any extension thereof. This provision shall not supersede any provision of this Contract which requires a longer retention period.

County shall terminate this Contract if it has a good faith belief that Contractor has knowingly violated Section 448.09(1), Florida Statutes, as may be amended.

If County has a good faith belief that Contractor's subcontractor has knowingly violated Section 448.09(1), Florida Statutes, as may be amended, County shall notify Contractor to terminate its contract with the subcontractor and Contractor shall immediately terminate its contract with the subcontractor.

If County terminates this Contract pursuant to the above, Contractor shall be barred from being awarded a future contract by County for a period of one (1) year from the date on which this Contract was terminated. In the event of such contract termination, Contractor shall also be liable for any additional costs incurred by County as a result of the termination.

THIS Contract, together with all documents attached hereto, form the Contract. In the event that any provision in any component part of this Contract conflicts with any provision of any other component, the provision of the component part first enumerated shall govern, except as otherwise specifically stated.

IN WITNESS WHEREOF, the parties hereto have caused this Contract to be executed:

Contractor Signature: _____ Date: _____
Homeowner Signature: _____ Date: _____
Homeowner Signature: _____ Date: _____

Statutory Notices:

Construction Defect Notice Under Chapter 558, Florida Statute

ANY CLAIMS FOR CONSTRUCTION DEFECTS ARE SUBJECT TO THE NOTICE AND CURE PROVISIONS OF CHAPTER 558, FLORIDA STATUTES.

Notice of Florida Homeowner's Recovery Fund Section 489.1425, Florida Statute

FLORIDA HOMEOWNERS' CONSTRUCTION RECOVERY FUND

PAYMENT, UP TO A LIMITED AMOUNT, MAY BE AVAILABLE FROM THE FLORIDA HOMEOWNERS' CONSTRUCTION RECOVERY FUND IF YOU LOSE MONEY ON A PROJECT PERFORMED UNDER CONTRACT, WHERE THE LOSS RESULTS FROM SPECIFIED VIOLATIONS OF FLORIDA LAW BY A LICENSED CONTRACTOR. FOR INFORMATION ABOUT THE RECOVERY FUND AND FILING A CLAIM, CONTACT THE FLORIDA CONSTRUCTION INDUSTRY LICENSING BOARD AT THE FOLLOWING TELEPHONE NUMBER AND ADDRESS:

Construction Industry Recovery Fund
1940 North Monroe Street, Suite 42
Tallahassee, Florida 32399
Telephone: (850) 921-6593

Homeowner: Date:

Homeowner: Date:

Contractor: Date: