#### PALM BEACH COUNTY DEPARTMENT OF HOUSING & ECONOMIC DEVELOPMENT

#### **INVITATION TO BID:** SHIP Emergency Repairs Program

Full Bid Package located at: <u>Housing & Economic Development Contractor Info</u> and Bid Package (pbcgov.org)

Property Owner(s): Yarelys Vega

Property Address: 120 Queens Lane, Royal Palm Beach, FL 33411

Property Control Number: 72-41-27-10-001-0380

PRE-BID MEETING: There shall be a pre-bid meeting at 120 Queens Lane, Royal Palm Beach, FL 33411 beginning at 11:00 am Monday, February 10, 2025

BID BOND: A 5 % Bid Bond [ ] is required, [X] is not required for this Bid.

Sealed bids will be received by the Palm Beach County Department of Housing & Economic Development (hereinafter the "Department"), on behalf of the Homeowners identified herein <u>until</u> 4:00 pm. Wednesday, February 19, 2025, at:

Palm Beach County Department of Housing & Economic Development 100 Australian Avenue, Suite 500 West Palm Beach, Florida 33406

Bids will be opened and recorded as soon as possible thereafter.

Bids are valid and binding for sixty (60) days after the established bid opening date.

Palm Beach County (hereinafter the "County"), a political subdivision of the state of Florida, through the Department intends to recommend award of one contract between the property owner and the lowest, responsive, responsible Bidder that will meet all conditions and requirements necessary to complete the work within the completion timeframes identified in the Contract Documents or to recommend no award to any Bidder and cancel the solicitation, or to re-advertise at County's sole discretion if deemed in the best interest of the County.

SUBSTIANTIAL COMPLETION DATE: 08/10/2025
PROJECT CLOSEOUT DATE: 09/10/2025

<u>BID BOND:</u> Federally funded construction projects at or above the current Federal Simplified Acquisition Threshold must meet bonding requirements under 2 CFR Part 200, as amended. For other construction projects the County's Bond requirements will control.

Bidders are required to submit a bid bond on a form approved by County.

<u>SUBMISSION OF BID</u>: Bidder shall submit Bid prices written in ink and signed by the Bidder or authorized agent and in case of signature by an employee or agent of the company, the principal's properly written authorization providing signature authority on behalf of the company to such employee or agent must accompany the bid.

Each bid must be enclosed in a sealed envelope which shall be clearly labeled with the words "Bid Documents" and marked with the project name, name of bidder, and date and time of bid opening. Bid proposals must be submitted on the forms provided.

Sealed bids will be received from Contractors who are duly licensed in Florida pursuant to the following requirements:

- A. Bidders and their proposed subcontractors of any tier regulated by the Florida Construction Industry Licensing Board or the Construction Industry Licensing Board of Palm Beach County shall be properly qualified and licensed/certified by the appropriate Board or Boards as required by Florida Statute Chapter 489, or Special Act, Laws of Florida Chapter 67-1876 prior to the time of submission of the bid. The Bidder and subcontractors, including specialty contractors, are required to have an active State Contractors Certification or an active Palm Beach County Certificate of Competency at time of bid submittal. State of Florida Contractor's Certification /Registration license numbers or Palm Beach County Certificate Numbers must be listed at the applicable places on the Bid Form. Any bid which is submitted by a contractor who is not properly licensed/certified at the time the bid is submitted, or which lists a subcontractor who is not properly licensed/certified at the time the bid is submitted, will be rejected as non-responsive.
- B. The Contractor, subcontractors of any tier, and specialty contractors must have a valid Palm Beach County business tax receipt, except where provisions of F.S. 205.065 apply.

In accordance with F.S. 287.133(2)(a), persons and affiliates who have been placed on the convicted vendor list may not submit bids, contract with, or perform work (as a contractor, supplier, subcontractor or consultant) with any public entity (i.e. Palm Beach County) in excess of Ten Thousand dollars (or such other amount as may be hereafter established by the Florida Division of Purchasing in accordance with F.S. 287.017) for a period of 36 months from the date of being placed on the convicted vendor list. The County will not accept bids for this work from a convicted vendor.

In accordance with Executive Order 12549, Contractors and Subcontractors of any tier that are debarred, suspended, or otherwise excluded from or ineligible for participation in federal assistance programs or activities may not submit bids, contract with, or perform work (as a contractor, supplier, subcontractor or consultant) as long as they are on the System for Award Management list of Parties Excluded from Federal Procurement or Non Procurement. The County will not accept bids for this work from a vendor on this list.

There shall be no assignment or transfer of the Bid or the Contract except with the express prior written approval of County, which may be denied or granted at the sole discretion of the County.

In consideration of the County's and/or Homeowners' evaluation of submitted Bids and participation in this process, the Bidder, by submitting its Bid, expressly waives any claim to damages, of any kind whatsoever against the County and the Homeowner(s) including but not limited to, lost profits and consequential damages and any costs or expenses in preparation of the Bid Response, in the event the County or Homeowner exercises it rights provided for in this Invitation to Bid. Bidder submits its Bid Response at its sole cost and expense and at its own risk.

<u>BID PRICES:</u> No unbalanced Bids or front-end loading of Bids will be accepted. If in the opinion of the County, a Bid Item contains inadequate or unreasonable prices for any item, Bid items are not in line with industry standards or averages for the items, then the County can, in its sole discretion reject the Bid in its entirety. In order for a bid to be balanced each item must carry its proportionate share of direct cost, overhead and profit. Unbalanced items which are provided

and/or installed and billed at the beginning of a project also result in "front-end loading". No Front-end loading of bids: This occurs when a bidder submits a relatively high price on items which are normally complete or substantially completed, in the early phases of construction. These items may include: mobilization, clearing and grubbing, maintenance of traffic, insurance and bonds, and/or stored materials. In this context these items would be billed at the beginning of the project and, if paid as billed, result in excess County money expended at the beginning of the project. In bids where a discrepancy exists between the true and correct sum of itemized costs and the total cost (if any) provided by the Bidder, then the true and correct mathematical sum of the itemized costs shall prevail.

Any alteration, erasure, interlineation or failure to specify prices for all items in the bid shall render the bid non-responsive. All prices quoted in the bids shall include all applicable sales taxes.

All prices quoted in all bids shall include all fees, royalties and claims for any invention, or pretended invention, or patent on any article, material, arrangement, appliance or method that may be used upon or in any manner be connected with the construction work intended under this Program.

WITHDRAWAL OR MODIFICATION OF BIDS: Bidders may correct their bids, and may withdraw inadvertently erroneous bids any time prior to the time set for bid opening. Mistakes discovered before bid opening may be modified or withdrawn by written notice from the bidder, signed in the same manner and by the same person who signed the submitted bid, and received in the office designated in the invitation for bids prior to the time set for bid opening. After bid opening, corrections or clarifications in bids shall be permitted only to the extent that the corrections do not materially affect the terms, conditions and specifications, and are subject to County's review and approval.

**REJECTION OF BIDS:** County reserves the right to reject any or all Bids, and/or to re-advertise, to waive any irregularities, informalities, or technicalities therein, to negotiate Contract terms with the successful bidder, to disregard all non-conforming, non-responsive, unbalanced Bids, or to accept any Bid that in the County's judgment will best serve the public interest and be in the best interest of the County. County and Homeowner reserve the right to cancel the award of any contract at any time before the execution of said contract by all parties without any liability against the County or the Homeowner.

<u>Disqualification of Bidder</u> - Any of the following causes is considered sufficient to disqualify a Bidder, and reject its Bid.

- 1. Interest by the same person in more than one bid submitted.
- 2. Collusion among or between bidders.
- Unbalanced bids; that is bids in which the price bid is out of all proportion to the other bids received.
- 4. Lack of responsibility on the part of the Bidders. (For example, no bidder would be considered responsible if it had recently failed to satisfactorily carry out any previous contract with Palm Beach County).
- 5. Lack of the financial, material, equipment, facility, and/or personnel resources and expertise necessary to indicate its capability to meet all contractual requirements.
- Evidence of bad character, dishonesty or lack of integrity.
- Lack of current applicable certification and/or license for the purpose of performing the specified work.
- 8. A dissatisfactory record of performance and experience.
- 9. History of unsuccessful claims asserted by Bidder against public owners in the State of Florida, such as to establish a trend of improperly asserted claims.

10. Any other cause which, renders the Bid non-responsive or non-responsible.

#### BID DOCUMENTS MAY INCLUDE THE FOLLOWING:

- A. Invitation To Bid
- B. Instructions To Bidders
- C. Contract Documents May Include:
  - 1. General Conditions
  - 2. Architectural Drawings
  - 3. Project Specifications
  - 4. Survey
  - 5. Geotechnical Report
  - 6. Environmental Review Letter
  - 7. Asbestos Survey Report
  - 8. Asbestos Abatement Report
  - 9. Construction General Conditions Federal Funding
  - 10. Demolition General Conditions Federal Funding
  - 11. Federal Requirements
  - 12. Bid Bond Form
  - 13. Payment Bond Form
  - 14. Performance Bond Form

**PROJECT FUNDING**: Bidders are notified that Palm Beach County is provided certain rights as a result of its administrative responsibilities of the project funding and that all Bidders expressly agree to the requirements and conditions associated with the County's funding obligations and oversight of the Project funds.

Contractor Bid Amount:
Bid Submitted By:
Authorized Signature:
Company Name

#### PALM BEACH COUNTY DEPARTMENT OF HOUSING & ECONOMIC DEVELOPMENT

# Mortgage and Housing Investments (MHI) BID PROPOSAL – EMERGENCY REPAIRS PROGRAM NOTICE TO GENERAL CONTRACTORS

Sealed bids will be received until 4:00 P.M., on Wednesday, February 19, 2025, at Palm Beach County Department of Housing & Economic Development (HED), 100 Australian Avenue, Suite 500, West Palm Beach, Florida 33406, and opened immediately thereafter at the same address.

ATTENTION: Contractors must submit current Business Auto and Worker's Compensation insurance Certificates with their bid responses or have current insurances on file with HED Contractor Registry.

The work to be performed at the property identified below includes furnishing all labor, materials, supplies, tools, equipment and services required and necessary to perform and complete the construction work described herein and more specifically identified in the attached Rehabilitation Specifications Analysis Report. Said work to be done strictly in accord with HED' rehabilitation policies and procedures.

MANDATORY PRE-BID MEETINGS: There shall be a pre-bid meeting (walk-thru) at the project on the date and time noted below:

Property Owner(s):	Yarelys Vega
Phone	(561) 294-9525
Property Address:	120 Queens Lane, Royal Palm Beach, FL 33411
Pre-Bid Meeting:	Monday, February 10, 2025 @ 11:00 am

This work is funded by funds made available through the Florida Housing Finance Corporation for use in HED' Programs. The Property Owner(s) named herein has qualified under HED' policies and guidelines and has secured (or will secure) sufficient funds prior to entering into a construction contract with the successful bidder for the work specified herein. As such, contractors are hereby advised that this construction work is funded, in whole or part, with Federal financial assistance, and all federal regulations and requirements applicable to construction work of this type funded pursuant to Title I of the Housing and Community Development Act of 1974, as amended, shall be strictly enforced. The following is provided for the purpose of guiding contractors in properly preparing their bids, and contractors are further advised that strict compliance is required with all of the provisions.

#### **INSTRUCTIONS TO BIDDERS**

ATTENTION: No Asbestos Survey has been conducted on this house. Contractor shall comply with OSHA Asbestos Standards, 29 CFR Parts 1910, 1915, & 1926

#### 1. INCONSISTENCIES AND INTERPRETATIONS

Abbreviations of HED, Department of Housing & Economic Development, maybe used interchangeably due to the renaming of the department. Any seeming inconsistency between different provisions of the bid documents or any point requiring explanation must be inquired into by the bidder, at least five (5) days prior to the time specified above for opening bid proposals. After bid proposals are opened, the bidders shall abide by the decisions of HED as to any interpretations. No interpretations of the meaning of the plans, specifications or other bid documents will be made orally to any bidder without being provided to all other bidders if deemed necessary by HED.

Any and all significant interpretations and any supplemental instructions will be in the form of written addenda which, if issued, will be sent by e-mail to all prospective bidders (at the e-mail address furnished for such propose) not later than three (3) days prior to the date fixed for the opening of bids.

**Failure** of any bidder to receive any such addendum or interpretation shall not relieve any bidder from any obligation under its bid as submitted. All addenda so issued shall become a part of the bid documents.

#### 2. SITE VISITS

Contractors or their designated representatives are requested to visit the property identified above to fully acquaint themselves with existing conditions there and with the work specified herein. Such visit shall take place in the presence of the Property Owner(s) or a designated representative in order to assure access to the interior of the dwelling for the bidder's inspection. Furthermore, bidder's shall pre-arrange such visit with the Property Owner(s) whose telephone number is provided above and in the attached Rehabilitation Specifications Analysis Report.

#### BID PRICES

No bids will be considered or accepted which, in the opinion of HED or the Property Owner(s), contain inadequate or unreasonable prices for any item. Each item must carry its own proportion of the cost as nearly as is practicable. In bids where a discrepancy exists between the true and correct sum of itemized costs and the total cost (if any) provided by the Bidder, then the true and correct mathematical sum of the itemized costs shall prevail.

Any alteration, erasure, interlineation or failure to specify prices for all items in the bid shall render the bid informal. All prices quoted in the bids shall include all applicable sales taxes. Bids must be valid for <u>sixty</u> (60) days after the established bid opening date.

All prices quoted in all bids shall include all fees, royalties and claims for any invention, or pretended invention, or patent on any article, material, arrangement, appliance or method that may be used upon or in any manner be connected with the construction work intended under this Program. The General Contractor shall expressly bind itself to indemnify and save harmless the Property Owner(s) and Palm Beach County from all such claims and fees and from any and all suits and actions of every name and description that may be brought against said Property Owner(s) and County on account of any such claims, fees, royalties, or costs for any such invention or patent, and from any and all suits or actions that may be brought against said Property Owner(s) and Palm Beach County for the infringement of any and all patents or patent rights claimed by any person, firm or corporation. Unless otherwise provided herein, the General Contractor shall pay sales, consumer, use, and other similar taxes which are legally enacted when proposals are received or negotiations concluded, whether or not yet effective or merely scheduled to go into effect, and shall secure and pay for the building permit and other permits and governmental fees, licenses and inspections necessary for proper execution and completion of the work specified herein.

#### 4. SUBMISSION OF BIDS

Bids must be signed by a person duly authorized to do so, and in case signed by an employee or agent of the company the principal's properly written authorization providing signature authority on behalf of the company to such employee or agent must accompany the bid.

Only sealed bids will be accepted from duly licensed General Contractors and all bids are to conform with the requirements of the bid documents and be submitted to the address shown below, on or before the date and time indicated first above:

Palm Beach County
Department of Housing & Economic Development
Mortgage and Housing Investments (MHI)
100 Australian Avenue, Suite 500
West Palm Beach, Florida 33406

Bids will be opened on the date and time specified above by the County employee whose duty is to open bids. Such employee will decide when the specified time has arrived and no bid received thereafter will be considered. Bid forms must be submitted in good order and with all blanks filled in using ink. Each bid must be enclosed in a sealed envelope, which shall be clearly labeled with the words "Bid Documents" and marked with the project name, name of bidder, and date and time of bid opening.

#### 5. WITHDRAWAL OR MODIFICATION OF BIDS

Bidders may correct their bids, and may withdraw inadvertently erroneous bids before or after bid opening. Mistakes discovered before bid opening may be modified or withdrawn by written notice from the bidder, signed in the same manner and by the same person who signed the submitted bid, and received in the office designated in the invitation for bids prior to the time set for bid opening. After bid opening, corrections or clarifications in bids shall be permitted only to the extent that the corrections do not materially affect the terms, conditions and specifications, and are subject to HED's review and approval and the approval of the Property Owner(s).

#### 6. REJECTION OF BIDS

The Board of Palm Beach County Commissioners reserves the right to reject any and all Bids, and/or to re-advertise, to waive any irregularities, informalities, or technicalities therein, to negotiate Contract terms with the successful bidder, to disregard all non-conforming, non-responsive, unbalanced Bids, or t accept any Bid which in the County's sole judgment will best serve the public interest. County reserves the right to cancel the award of any Contract at any time before the execution of said Contract by all parties without any liability against the County. In consideration of the County's evaluation of submitted Bids, the Bidder, by submitting its Bid, expressly waives any claim to damages, of any kind whatsoever, in the event the County exercises it rights provided for in this subsection.

The County further reserves the right to reject any bid if the evidence submitted by the bidder, or if the investigation of such bidder fails to satisfy that such bidder is properly qualified to carry out the obligations and to complete the work contemplated. Any or all bids will be rejected, if there is reason to believe that collusion exists among bidders.

#### 7. CONTRACT AWARD

Upon close examination of all bids HED will make a determination of the apparent low responsive and responsible bidder that best meets the terms, conditions and specifications which will result in the best interest of HED and the Property Owner(s). Such a bidder shall be deemed to be the successful bidder for the work embraced by this bid, and contract award to such successful bidder will then be recommended by HED to the Property Owner(s). The Property Owner(s) may then enter into a construction contract with the bidder recommended by HED unless the Property Owner(s) elects to provide the additional funding necessary to select any otherwise responsive bidder in accord with HED's policies and procedures.

Furthermore, the Property Owner(s) reserve the right to accept any or all items of an acceptable responsive bid. Should the low responsive bidder recommended to the Property Owner(s) fail to enter into a timely contract as provided, then award may be rescinded and the contract let to the next low responsive bidder who is selected by the Property Owner(s). Such bidder shall then fulfill every stipulation as if it were the original party to whom award was made.

**8. GUARANTEE:** The completed work including all labor and materials will be guaranteed by the Contractor for a period of one (1) year from the date of final acceptance of the completed project as required by the Contract. Furthermore, the Contractor will furnish the Homeowner(s), in care of Palm Beach County's Department of Housing & Economic Development, all manufacturers' and suppliers' written guarantees and warranties covering materials and equipment furnished under this Contract. All roofing work will carry a five (5) year warranty.

#### 9. PROJECTS WITH LEAD-BASED PAINT

The property whose address appears above, and which is identified in the attached Rehabilitation Specifications Analysis Report has been inspected for the presence of lead-based paint by a certified Lead-Based Paint Inspector if the property was built before January 1, 1978. If lead-based paint has been found in

the property where such paint is 1) in a hazardous condition, or 2) not in a hazardous condition, but where it exists in a dwelling unit permanently occupied by at least one child less than six years old, or 3) where it is expected to be disturbed in the process of rehabilitation, then the General Contractor awarded the contract in connection with this bid shall cause the lead-based paint to be abated by a certified lead-based paint abatement contractor as its sub-contractor in accord with the specifications found in the attached Rehabilitation Specifications Analysis Report.

For the purposes of this bid, "abatement" means any set of measures designed to permanently eliminate lead-based paint or lead-based paint hazards. Lead Based Paint Abatement includes 1) the removal of lead-based paint and dust-lead hazards, the permanent enclosure or encapsulation of lead-based paint, the replacement of components or fixtures painted with lead-based paint, and the removal or permanent covering of soil-lead hazards; and 2) all preparation, cleanup, disposal, and post abatement clearance testing activities associated with such measures. "Permanent" means an expected design life of at least 20 years. The lead-based paint abatement contractor acting as the General Contractor's subcontractor (and hereinafter referred to as the "abatement sub-contractor") shall be certified by the EPA (Environmental Protection Agency) according to 40 CFR Part 745, and shall at minimum meet the insurance requirements provided below. Lead-based paint abatement work shall at minimum comply with regulations at 40 CFR Part 745 and at 24CFR Part 35.

During abatement activities at the above address, occupants shall be temporarily relocated in accord with applicable regulations. The County shall bear the costs of such relocation, when required, during the period specified for hazard reduction as well as during the first clearance testing period conducted after the completion of abatement activities.

Should the General Contractor and its abatement sub-contractor use more time than the period allocated for hazard reduction without obtaining the written consent of the Property Owner(s) and the County's written approval, then the General Contractor shall bear the cost of occupant temporary relocation during the period occurring after that allocated for hazard reduction. Should the General Contractor and its abatement sub-contractor fail the first clearance test, the General Contractor shall then thereafter bear the cost of all subsequent clearance tests and the cost of the occupant temporary relocation. If selected as the successful bidder, the undersigned General Contractor shall agree to allow the County to deduct from the General Contractor's payment for the rehabilitation work, the cost of all clearance tests necessitated after the first clearance test, the cost of occupant temporary relocation during the period occurring after that allocated for hazard reduction, and during the period after the first clearance test fails.

#### 10. GENERAL CONTRACTOR'S INSURANCE

In conjunction with contract award and execution of a construction contract as described above, the successful bidder shall maintain, on a primary basis, and at the successful bidder's sole expense, the insurance coverages, limits, and endorsements, described below during the term of the contract for the work specified herein. As the successful bidder, you are advised that the construction contract you execute shall require that you immediately cease all work in the event of any lapse in insurance coverage. Furthermore, as the successful bidder, you are advised that any interruption of work due to a lapse in insurance coverage shall not cause an extension of the construction contract completion date.

As the successful bidder, you are advised that the requirements contained herein, as well as Palm Beach County's review or receipt of insurance maintained by you are not intended to and shall not in any manner limit or qualify the liabilities and obligations assumed by you under a contract made in connection with this Program.

The successful bidder shall provide Palm Beach County and the Property Owner(s) with a certificate of insurance that complies with the following:

A. NAME OF INSURED: The successful bidder's name appearing on the certificate as the insured must match the name on the successful bidder's license to perform construction work.

B. INSURANCE COVERAGES: The certificate of insurance shall contain coverages, limits, and endorsements that are in full force and effect as follows:

#### 1. Commercial General Liability:

Commercial General Liability at a limit of liability not less than \$1,000,000 each occurrence. Coverage shall not include any endorsements or limitations excluding contractual liability, products/completed operations liability, cross liability, or roofing activities.

#### 2. Business Automobile Liability:

Business Automobile Liability at a limit of liability not less than \$500,000 each occurrence, for owned, non-owned, and hired auto liability. If you do not own any automobiles, you must maintain Business Automobile Liability at a limit of liability not less than \$500,000 each occurrence, for non-owned, and hired auto liability, which may be satisfied by way of an endorsement to the Commercial General Liability, or by a separate Business Automobile Liability policy.

#### 3. Worker's Compensation and Employer's Liability Insurance:

Worker's Compensation and Employers Liability insurance at the Florida statutory limits through direct insurance, or Worker's Compensation and Employers Liability insurance at the Florida statutory limits through an employee leasing company pursuant to an employee leasing agreement with you.

- C. ADDITIONAL INSURED: The certificate of insurance shall be endorsed to show Palm Beach County Board of County Commissioners and the Property Owner(s) as additional insured as pertains to the commercial general liability coverage. The endorsement must either be a:
  - CG 2010 Additional Insured Owners, Contractors & Lessors endorsement
  - CG 2026 Additional Insured Designated Person or Organization endorsement
  - or a similar endorsement

Please note that an insurance certificate which indicates that the County is a <u>certificate holder</u> does not meet this requirement. Being a certificate holder is not the same as being additional insured.

D. DELIVERY AND NOTICES OF CANCELLATION: The certificate of insurance shall include a minimum thirty (30) day endeavor to notify Palm Beach County of any cancellation or non-renewal of coverage. Certificates of insurance and notices of cancellation shall be delivered to:

Department of Housing & Economic Development Mortgage and Housing Investments (MHI) 100 Australian Avenue, Suite 500 West Palm Beach, FL. 33406

E. WAIVER OF SUBROGATION: By entering into any contract under this program, you agree to a Waiver of Subrogation in favor Palm Beach County and the Property Owner(s) for each policy required above. When required by your insurer, or should a policy condition not permit you to enter into a pre-loss agreement to waive subrogation without an endorsement, then you agree to notify your insurer and request that your policy be endorsed with a Waiver of Transfer of Rights of Recovery Against Others, or its equivalent. This Waiver of Subrogation requirement shall not apply to any policy which has a condition that specifically prohibits such an endorsement, or one that voids your coverage should you enter into such an agreement on a pre-loss basis.

F. RIGHT TO REVIEW: Palm Beach County and the Property Owner(s) reserve the right to review, modify, or amend any required coverages, limits, and endorsements during the life of a contract under this program. Palm Beach County and the Property Owner(s) reserve the right, but not the obligation, to review and reject any insurer providing coverage on your behalf because of the insurer's poor financial condition or due to the insurer's failure to operate legally in the State of Florida.

#### 11. LEAD-BASED PAINT ABATEMENT SUB-CONTRACTOR'S INSURANCE

In the event that the attached Rehabilitation Specifications Analysis Report contains work requiring the services of a certified lead-based paint abatement sub-contractor (hereinafter "abatement sub-contractor"), then in conjunction with contract award and execution of a construction contract as described above, the successful bidder shall require the abatement sub-contractor to maintain, on a primary basis, and at the successful bidder's or abatement sub-contractor sole expense, the insurance coverages, limits, and endorsements, described below during the term of the contract for the work specified herein.

As the successful bidder, you are advised that the requirements contained herein, as well Palm Beach County's review or receipt of insurance maintained by you and your abatement sub-contractor are not intended to and shall not in any manner limit or qualify the liabilities and obligations assumed by you and your abatement sub-contractor under a contract made in connection with this Program.

The successful bidder shall provide Palm Beach County and the Property Owner(s) with a certificate of insurance for its abatement sub-contractor that complies with the following:

- A. NAME OF INSURED: The abatement sub-contractor's name appearing on the certificate as the insured must match the name on the abatement sub-contractor's certificate to perform lead-base paint abatement work.
- B. INSURANCE COVERAGE: The certificate of insurance shall contain coverages, limits, and endorsements that are in full force and effect as follows:
  - 1. <u>Abatement Sub-Contractor's Pollution Legal Liability:</u> "Contractor's Pollution Legal Liability" at a minimum limit not less than \$1,000,000 per occurrence/\$2,000,000 annual aggregate providing coverage for damages against, but not limited to, third-party liability, clean up, corrective action including assessment, remediation and defense costs. When a self-insured retention or deductible exceeds \$25,000, the General Contractor shall inform the Abatement Sub-Contractor that Palm Beach County reserves the right, but not the obligation, to review and request a copy of the abatement sub-contractor's most recent annual report or audited financial statements.
- C. ADDITIONAL INSURED: The certificate of insurance shall be endorsed to show Palm Beach County Board of County Commissioners and the Property Owner(s) as additional insured as pertains to the "Contractor's Pollution Legal Liability" coverage. The endorsement must be:
  - CG 2010 Additional Insured Owners, Contractors & Lessors endorsement, or
  - CG 2026 Additional Insured Designated Person or Organization endorsement, or
  - a similar endorsement

Please note that an insurance certificate which indicates that the County is a <u>certificate holder</u> does not meet this requirement. Being a certificate holder is not the same as being additional insured.

D. DELIVERY AND NOTICES OF CANCELLATION: The certificate of insurance shall include a minimum thirty (30) day endeavor to notify Palm Beach County of any cancellation or non-renewal of coverage. Certificates of insurance and notices of cancellation shall be delivered to:

Development of Housing & Economic Development Mortgage and Housing Investments (MHI) 100 Australian Avenue, Suite 500 West Palm Beach, Florida 33406

E. WAIVER OF SUBROGATION: By entering into any contract under this program, you the General Contractor agree to cause the abatement sub-contractor to agree to a Waiver of Subrogation in favor Palm Beach County and the Property Owner(s) for each policy required above. When required by the abatement sub-contractor's insurer, or should a policy condition not permit the abatement sub-contractor to enter into a pre-loss agreement to waive subrogation without an endorsement, then you agree to cause the abatement sub-contractor to agree to notify its insurer and request that its policy be endorsed with a Waiver of Transfer of Rights of Recovery Against Others, or its equivalent.

This Waiver of Subrogation requirement shall not apply to any policy, which has a condition that specifically prohibits such an endorsement, or one that voids the abatement sub-contractor's coverage should the abatement sub-contractor enter into such an agreement on a pre-loss basis.

F. RIGHT TO REVIEW: The General Contractor shall inform the abatement sub-contractor that Palm Beach County and the Property Owner(s) reserve the right to review, modify, or amend any required coverages, limits, and endorsements during the life of a contract under this program, and that Palm Beach County and the Property Owner(s) reserve the right, but not the obligation, to review and reject any insurer providing coverage on behalf of the abatement sub-contractor because of the insurer's poor financial condition or due to the insurer's failure to operate legally in the State of Florida.

#### **GENERAL CONTRACTOR'S PROPOSAL**

If selected as the successful bidder, the undersigned General Contractor agrees to execute a Construction Contract with the Property Owner(s). The undersigned General Contractor proposes to furnish all labor, materials, supplies, tools, equipment and services required and necessary to perform and complete the construction work specified herein at the cost indicated by the General Contractor. The undersigned General Contractor also proposes to complete the work within the number of working days indicated in the attached Rehabilitation Specifications Analysis Report beginning with the effective date of the Notice to Proceed to be given in accord with the construction contract, and after attendance of a Pre-construction Conference. The construction contract and all other related documents and forms to be used in connection with this project are on file for the bidder's inspection at HED's offices located at the address specified herein.

The undersigned General Contractor also understands that the construction work shall be performed in accord with the Florida Building Code, and in accord with, but not limited to, all other applicable local codes and ordinances and state statutes and regulations, as may be amended from time to time, relating to the construction, repair, alteration, use or occupancy of buildings, equipment or facilities, including but not limited to the building, plumbing, heating, electrical and housing codes.

In addition, the undersigned General Contractor acknowledges and understands that the construction work to be performed at the property identified above is funded, in whole or in part, through monies made available under the Federal Community Development Block Grant program. In this regard the undersigned General Contractor also agrees to abide by and comply with all federal laws, rules and regulations pertaining to residential rehabilitation activities pursuant to Title I of the Housing and Community Development Act of 1974, as amended, including, but not limited to:

- Section 8 Existing Housing Quality Standards; and
- The Energy Policy and Conservation Act of 1975; and
- HUD Lead-Base Paint Regulations: and
- Section 3 of the Housing and Urban Development Act of 1968; as amended; and

- Executive Order 11246, as amended by Executive Orders 11375 and 12086; and
- Title VI of the Civil Rights Act of 1964; and
- Section 109 of the Housing and Community Development Act of 1974; and
- Section 504 of the Rehabilitation Act of 1973, as amended; and
- The Age Discrimination Act of 1975;

Failure to list verbatim or make reference to a local, state or federal regulation herein, or any attachment thereto, shall not relieve the parties of compliance with any appropriate regulation if determined by HED or the United States Department of Housing and Urban Development as applicable to this Program.

In addition, the undersigned General Contractor certifies that it is not, nor are any of its officers, partners, owners or parties of interest named on the current General Services Administration List of Parties Excluded from Federal Procurement or Nonprocurement Programs, and agrees to provide a sworn statement to this effect when requested by HED. In particular, the requirements of the above mentioned Section 3 are:

- A. The work to be performed under this contract is subject to the requirements of Section 3 of the Housing and Urban Development Act of 1968, as amended, 12 U. S.C. 170 lu (Section 3). The purpose of Section 3 is to ensure that employment and other economic opportunities generated by HUD assistance or HUD-assisted projects covered by Section 3 shall, to the greatest extent feasible, be directed to low-and very low-income persons, particularly persons who are recipients of HUD assistance for housing.
- B. The parties to this contract agree to comply with HUD's requirements in 24 CFR Part 135, which implement Section 3. As evidenced by their execution of this contract, the parties to this contract certify that they are under no contractual or other impediment that would prevent them from complying with the Part 135 regulations.
- C. The contractor agrees to send to each labor organization or representative of workers with which the contractor has a collective bargaining agreement or other understanding, if any, a notice advising the labor organization or workers representative of the contractor's commitment under this Section 3 clause, and will post copies of the notice in conspicuous places at the work site where both employees and applicants for training and employment positions can see the notice. The notice shall describe the Section 3 preference, shall set forth minimum number and job titles subject to hire, availability of apprenticeship and training positions, the qualifications for each; and the name and location of the person(s) taking applications for each of the positions; and the anticipated date the work shall begin.
- D. The contractor agrees to include this Section 3 clause in every subcontract subject to compliance with regulations in 24 CFR Part 135, and agrees to take appropriate action, as provided in an applicable provision of the subcontract or in this Section 3 clause, upon a finding that the subcontractor is in violation of the regulations in 24 CFR Part 135. The contractor will not subcontract with any subcontractor where the contractor has notice or knowledge that the subcontractor has been found in violation of the regulations in 24 CFR Part 135.
- E. The contractor will certify that any vacant employment positions, including training positions, that are filled (1) after the contractor is selected but before the contract is executed, and (2) with persons other than those to whom the regulations of 24 CFR Part 135 require employment opportunities to be directed, were not filled to circumvent the contractor's obligations under 24 CFR Part 135.
- F. Noncompliance with HUD's regulations in 24 CFR Part 135 may result in sanctions, termination of this contract for default, and debarment or suspension from future HUD assisted contracts.

The undersigned General Contractor also certifies that he/she does not and will not maintain or provide for its employees any segregated facilities at any of its establishments, and that he/she does not permit its employees to perform their services at any location under its control where segregated facilities are maintained, and the undersigned agrees further to provide a signed statement to this effect.

To the fullest extent permitted by law, the General Contractor shall indemnify and hold harmless the Property Owner and County from and against claims, damages, losses and expenses, including but not limited to attorneys' fees, arising out of or resulting from performance of the work specified herein, provided that such claim, damage, loss or expense is attributable to bodily injury, sickness, disease or death, or to injury to or destruction of tangible property (other than the work itself) including loss of use resulting there from, to the extent caused in whole or in part by negligent acts or omissions of the General Contractor, a subcontractor, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, regardless of whether or not such claim, damage, loss or expense is caused in part by a party indemnified hereunder. Such obligation shall be construed to negate, abridge, or reduce other rights or obligations of indemnity which would otherwise exist as to a party or person described in this paragraph.

Claims against any person or entity indemnified under the previous paragraph by an employee of the General Contractor, a subcontractor, anyone directly or indirectly employed by them or anyone for whose acts they may be liable, the indemnification obligation shall not be limited by a limitation on amount or type of damages, compensation or benefits payable by or for the General Contractor or a subcontractor under workers compensation acts, disability benefit acts or other employee benefit acts.

Furthermore, the undersigned General Contractor certifies that he/she has not divulged to, discussed, or compared its bid with other bidders, and has not colluded with any other bidder or parties to this bid whatsoever. The undersigned also agrees to provide a sworn statement to this effect if requested.

The undersigned General Contractor certifies that no portion of the sum of the bid will be paid to any employee of Palm Beach County or the owner, as a Commission, Kickback, reward or gift directly or indirectly by any member of the firm or by any officer of the corporation

By signing below, the bidder (General Contractor) certifies that he or she understands and will comply with all the terms, conditions and specifications as contained and made reference to in this proposal as well as any attachments thereto.

**ATTENTION:** The successful contractor must submit their pay requests in an "editable" G702 and G703 <u>"type"</u> of spreadsheet format. This type of spreadsheet format software is readily available on the internet.

Name	Company Name	
Authorized Signature*	Date	

<sup>\*</sup> Signature of licensee, or signature of person authorized by licensee whose authorization must be on file at HED.

## RETURN ALL PAGES OF THIS BID PROPOSAL TO HED

## GENERAL CONTRACTOR'S BID PROPOSAL CHECKLIST

*	Did you use ink in completing this bid proposal? [ ]Yes [ ]No
*	Did you sign your bid proposal above? [ ]Yes [ ]No
*	Did you fill in all the blanks above?
*	Did you quote a price for each and all items in the attached?
	Rehabilitation Specifications Analysis Report? [ ]Yes [ ]No
*	Did you fill in all the blanks in the Contractor Bid Information?
	section on the next page?
	ATTN: Have you included copies of your current Business Auto
	and Worker's Compensation insurance certificates with this
	bid response? [ ]Yes [ ]No

PALM BEACH COUNTY DEPARTMENT OF HOUSING ECONOMIC SUSTAINABILITY

100 Australian Avenue, Suite 500, West Palm Beach, Fl. 33406

# EMERGENCY REHABILITATION PROGRAM REHABILITATION PROGRAM SPECIFICATIONS ANALYSIS REPORT

PROPERTY INFORMATION: Property Address: 120 Queens Lane Royal Palm Beach, FL. 33411 Property Owner: Yarelys Vega Owner's Phone: Sheila (561) 294-9525 Email: yarelysv@yahoo.com Contact: Year Built: 1993 Attenuation / Extermination: ALUNZ Zone: [ ] Yes [ X ] No Termite Fumigation Activity [ ] Yes [ X] No **Building Description:** Number Bedrooms: 3 Number Bathrooms: **Property Control** 72-41-27-10-001-0380 Number:

PALM BEACH COUNTY INFORMATION:

Inspectors: Beth Kofsky and Daniel Leon Phone: 305-608-0692

Planner: Aundra Lowe < ALowe@pbc.gov> Phone: (561) 233-3614

[ ] ORIGINAL, for Planner's file with the in-house estimate of total construction cost: \$

[ X ] COPY, Ready for Bid (blank copy without cost information)

PROPERTY OWNERS REVIEW & APPROVAL OF SPECIFICATIONS & AUTHORIZATION TO BID:

1 / We have reviewed in detail this Work Write-Up consisting of 21 items, with the rehabilitation inspector and understand the specifications of the work to be performed on our property. I/We also agree that there will be "NO" changes in the specifications unless needed to meet Housing or Building Code Requirements. Furthermore, I/We authorize Palm Beach County and Department of Housing Economic Development to obtain bids for the work contained in this Work Write-Up.

Ms. Yarelys Vega Date X 1/30

Page 1 of 20

Property Owner: Yarelys Vega 120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

# SCOPE OF WORK-WORK SPECIFICATIONS

# Palm Beach County Department of Housing and Economic Development Emergency Rehabilitation Program

Project Meeting Site:
Name: Yarelys Vega
Address: 120 Queens Lane

Royal Palm Beach, FL. 33411

Phone: (561) 294-9525

HOME INSPECTION DATE: January 18, 2025 JOB # DESCRIPTION: WPB-YV -ER-2025

References:

"RS Means Cost Data Book"

"The Walker's Builder Estimator's Reference Book"

#### **GENERAL SPECIFICATIONS**

# GENERAL PAINTING SPECIFICATIONS AND GENERAL REQUIREMENTS

Unpainted materials require priming and two coats of paint. Caulk and seal all areas prior to painting. Tint the primer per color selection. Previous paint surface should receive two coats of paint. All stains should be spot primed before painting. Unless otherwise mentioned in the specifications, all paint must be mid-grade or better, and minimum 15 years warranty paint, which are ZERO VOC products, for interior paint and ZERO OR LOW VOC 100% acrylic products, for exterior paint. Acceptable paint manufacturers (unless specified in the line item) are Benjamin Moore (Aura or EcoSpec), Sherwin Williams, (Harmony) Glidden/ICI (Life Master), PPG (Pure Performance), Olympic (Valspar), or approved equal. Housing Inspector shall verify brand and VOC level. The Homeowner is to select all colors and confirmed in writing. The Homeowner may select a color choice of 2 colors for interior and or exterior of home in writing/signatures required.

# GENERAL REQUIREMENTS FOR QUANITIES/MEASUREMENTS VERIFY QUANTITIES/MEASUREMENTS

All Quantities stated in the attached specifications for this address using Units of Measure other than Each (EA), Room (RM) or Dwelling Unit (DU) (e.g., SF of Drywall) are for the contractor's convenience and must be verified by the contractor at a mandatory site inspection prior to bid submission.

Page 2 of 20

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

All quantities stated in the Units of Measure Each (EA), Room (RM) or Dwelling Unit (DU) are as stated. Discrepancies in Quantities found by the contractor must be communicated to the Housing Rehabilitation Specialist prior to the submission of a bid. Claims for additional funds due to discrepancies in Quantities shall not be honored if submitted after the bid submission.

#### WORKMANSHIP STANDARDS

All work shall be performed in a professional and workmanlike manner. All work shall be performed in a manner reasonably comparable in design and color as the existing and match existing as best as possible. All work shall be performed in accordance with all applicable building codes, according to drawings (if required) and specifications, and professional industry standards. All work shall meet a standard of quality that is uniform to the given industry and should be functional, safe, and usable based on their intended use. Workers shall protect all surfaces as long as required to eliminate/avoid

# HOMEOWNER'S ASSOCATION (HOA) & CONDOMINIUM ASSOCIATIONS (CONDO-ASSOCIATIONS)

(Applicable for all properties that are a part of a HOA or Condo-Association)

It is the Homeowner Responsibility to obtain written approval from the HOA or Condo-Association prior to the start of any work. The Homeowner shall assist the Contractor in securing written authorization from the HOA/Condo Association Board.

The Contractor shall maintain a copy of the approval letter and follow all the rules and regulations set forth by the HOA/Condo Association Board. The Contractor shall maintain a copy of the approval letter. The contractor shall provide a copy of the approval letter to DHED staff. The Letter should include the list of approved work items such as roof, paint, sliding glass doors, garage doors, windows, front side, rear or French doors, finishes, etc. It is the Contractor's responsibility to ensure that all necessary approvals are obtained prior to making any changes or starting the work.

Contractor to repair/replace all affected areas of walls, ceiling, and soffit due to the installation of the required roof to wall attachments with similar material to existing and finish and paint to match existing as best as possible.

**Debris Removal**: legal and approved dump locations to properly dispose of all projects construction debris must be utilized by the contractors who sign the SOW agreement.

#### Roof to Wall Connector Specification

The Contractor shall install the required roof to wall connectors to meet the current requirements of the Florida Building Code. The contractor shall have the permit revised indicating the installation of the roof to wall connectors including any engineering, NOAs, or other documents required by the Building Department of Jurisdiction. The Contractor shall install the recommended roof to wall attachments per the Engineer's specifications. The Contractor shall Page 3 of 20

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

submit the Engineer's report. The contractor shall obtain the Engineer's final approval of the installation of the roof to wall attachments and submit that approval to the Project Coordinator/Compliance Inspector within 5 days of receiving the Engineer's approval. The Contractor shall remove enough plywood to install the required roof to wall connectors. All removed plywood shall not be reused, and new plywood shall be installed in its place.

# WIND MITIGATION INSPECTION AND 4-POINT INSPECTION AND REPORTS

- a. Wind Mitigation Inspection and Report-upon completion of the work specifications, the Contractor shall perform a Wind Mitigation Inspection at the completion of project. Complete the Citizens Wind Mitigation OIR-B1-1802 (Rev. 01/12) or approved equivalent, and all photos that are required for the report and homeowner signatures required. The report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.
- b. 4-Point Inspection and Report-Contractor shall perform a 4-Point inspection at the completion of the project and submit the required report, Citizens 4-Point Inspection Form Version 01/18 or approved equivalent, and all photos that are required for the report. This report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

#### PERMITS AND MISCELLANEOUS FEES

a. For the Home Inspector, the contractor must have on site the complete permit package for all trades (permit cards, applications, drawings, etc.). The Contractor shall submit this complete Scope of Work with the Permit Application.

#### <u>WARRANTEES</u>

The Contractor agrees to provide a one (1) year warranty for all work performed under these specifications. This will include all labor and materials. If certain items require different warranty periods, these items will be cited in the individual specifications. Additionally, the Contractor agrees to **provide a Five (5 year) roof warranty**.

#### ABESTOS GENERAL REQUIREMENT - 9003.6

Spec# 9003.6 - ASBESTOS-SPECIFIC LAWS, RULES, REGULATIONS & GUIDELINES ASBESTOS GENERAL CONDITIONS

Page 4 of 20

No Asbestos Survey has been conducted on this house. The execution of all work in the Scope of Work shall comply with all applicable federal, state, and local laws, rules, regulations, and guidelines for Asbestos environments, including but not limited to: 29 CFR Parts 1910, 1915, and 1926 - OSHA Asbestos Standards; 29 CFR 1928 - OSHA Construction Standards; 40 CFR Parts 9, 61, 721, 763 - EPA; The NESHAP Standards; 16 CFR Part 1305 and 1304 - Consumer Product Safety Commission; the Clean Air Act. The contractor shall at all times implement safe work practices during rehabilitation work.

### **Lead Based Paint Required Specifications**

# Spec # 9002 - APPLICABLE LEAD-SPECIFIC DEFINITIONS

Abatement: Any set of measures designed to permanently (permanent = expected life span of at least 20 years) eliminate lead-based paint or lead-based paint hazards. CFR - The Code of Federal Regulations:

De minimus - Safe work practices and clearance are required when more than:

- 20 SF on exterior
- 2 SF per interior room
- 10% of small component

is deteriorated or will be disturbed by renovation.

Interim Controls: A set of measures designed to reduce temporarily human exposure or likely exposure to lead-based paint hazards. Interim controls include, but are not limited to, repairs, painting, temporary containment, specialized cleaning, clearance, ongoing lead-based paint maintenance activities, and the establishment and operation of management and resident education programs.

Work site: An interior or exterior area where lead-based paint hazard reduction activity takes place. There may be more than one work site in a dwelling unit or at a residential property. Clearance: An activity conducted following lead-based paint hazard reduction activities to determine that the hazard reduction activities are complete and that no soil-lead hazards or settled dust-lead hazards, as defined in this part, exist in the dwelling unit or work site. The clearance process includes a visual assessment and collection and analysis of environmental samples. Dust-lead standards for clearance are found at Sec. 35.1320. When required, the contractor is responsible for obtaining all required clearance reports.

See 24CFR Part 35 - Subpart B - Section 35.110 Definitions, for additional definitions. Spec # 9003 - LEAD-SPECIFIC LAWS, RULES, REGULATIONS & GUIDELINES The execution of this work shall comply with all applicable federal, state and local laws, rules, regulations and guidelines for lead dust environments, including but not limited to: 29 CFR 1926.62 - Lead Construction Standard; 29 CFR1910.1200 - Hazard Communication Standard; 40 CFR Part 745 - Lead-Based Paint Poisoning Prevention in Certain Residential Structures (EPA Regulations); 24 CFR Part 35 - HUD's Lead Safe Housing Rule.

Spec # 9003.5 - LEAD-SPECIFIC LAWS, RULES, REGULATIONS & GUIDELINES LEAD BASED PAINT GENERAL CONDITIONS

Page 5 of 20

EPA's Lead Renovation, Repair and Painting Rule (RRP) Rule requires that Contractors performing renovation, repair and painting projects that disturb lead-based paint in homes built before 1978 be certified by EPA per §745.89, use certified renovators for abatement who are trained by EPA-approved training providers and follow lead-safe work practices. Contractor certification is a key requirement to ensure the training of individuals and the use of lead-safe work practices.

No Lead Based Testing has been conducted on this house. The execution of all work in the Scope of Work shall comply with all applicable federal, state, and local laws, rules, regulations and guidelines for lead dust environments, including but not limited to: 29 CFR 1926.62 - Safety and Health Regulations for Construction (OSHA); 29 CFR 1910.1200 - Hazard Communication Standard; 40 CFR Part 745 - Lead-Based Paint Poisoning Prevention in Certain Residential Structures (EPA Regulations); 24 CFR Part 35 - HUD's Lead-Based Paint Poisoning Prevention in Certain Residential Structures in particular 24 CFR 1330 and 24 CFR 1350; Residential Lead-Based Paint Hazard Reduction Act of 1992; HUD Guidelines for the Evaluation and Control of Lead Hazards in Housing. The contractor shall at all times implement safe work practices during rehabilitation work in accordance with 24 CFR Part 35.1350. When required, the Contractor is responsible for obtaining all required Clearance Reports.

Spec# 9008 - ENVIRONMENTAL REHAB--RRP REQUIREMENTS

Any contractor performing renovation, repair, and painting projects that disturb lead-based paint in pre-1978 homes must comply with EPA 40 CFR Part 745(Lead; Renovation, Repair, and Painting Program), be certified by the EPA as a Renovation Firm and must use Certified Renovators who are trained by EPA-approved training providers to follow lead-safe work practices.

# SCOPE OF WORK-WORK SPECIFICATIONS

WIND MITIGATION INSPECTION AND 4-POINT INSPECTION AND OTHER REQUIRED REPORTS

## 01) WIND MITIGATION INSPECTION REPORT

Œ			
Ψ			

Upon completion of the work specifications, the Contractor shall perform a Wind Mitigation Inspection at the completion of project. Complete the Citizens Wind Mitigation OIR-B1-1802 (Rev. 01/12) or approved equivalent, and all photos that are required for the report and homeowner signatures required. The report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

Page 6 of 20

## 02)4-POINT INSPECTION REPORT

¢			
Ψ	l		
-		 	 

Contractor shall perform a 4-Point inspection at the completion of the project and submit the required report, Citizens 4-Point Inspection Form Version 01/18 or approved equivalent, and all photos that are required for the report. This report is to be submitted with the final pay application for the project. The inspection shall be prepared by the following Florida DPBR licensed professional; Architect, Engineer, General Building or Residential Contractor, Building Code Inspector or Home Inspector.

# 03)WOOD DESTROYING ORGANISM (WDO) INSPECTION AND REPORT \$\_\_\_\_\_\_ General Information:

- The WDO inspection is to be done by a Florida licensed extermination company licensed to provide inspection services.
- 2. All work to be done in accord with the provisions of Florida Statue, CHAPTER 482.
- The WDO report to be submitted on the required form as determined by the Department of Agriculture and Consumer Services.
- Contractor to submit the WDO report to the Project Coordinator/Compliance Inspector with the Mobilization Pay Application including all required documentation.

#### **Project Conditions:**

Contractor to correct/repair all damages caused by the extermination company during the inspection.

Work Performance

- 1. Coordinate the inspection with the property owner.
- 2. Perform a full WDO investigation (Exterior and Interior) to determine the presence of WDOs and/or Termites.
- 3. Submit the findings (Positive or Negative) on the required Florida Department of Agriculture and Consumer Services Form.
- 4. The inspection report must include the following information and statements:
  - 1. The licensee's name.
  - 2. The date of the inspection.
  - 3. The address of the structure inspected.
  - 4. Any visible accessible areas not inspected and the reasons for not inspecting them.
  - 5. The areas of the structure that were inaccessible.
  - Any visible evidence of previous treatments for, or infestations of, wooddestroying organisms.
  - The identity of any wood-destroying organisms present, and any visible damage caused.

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

8. A statement that a notice of the inspection has been affixed to the property in accordance with subsection (4) or subsection (5) of Florida Statue 482 and a statement of the location of the notice.

 A Copy of the WDO report is to be submitted to the Project Coordinator/Compliance Inspector within 2 days of the inspection for review.

# NEW HURRICANE IMPACT RESISTANT (HIR) DOORS AND WINDOWS

04)DOUBLE NEW HIR FRONT DOORS-REPLACEMENT NEW HURRICANE IMPACTRESISTANT (HIR) DOORS \$
--

Meet and Match HOA requirement for window type and finish.

LOCATION AND DOOR TYPE: TWO FRONT DOORS -GLASS IMPACT PANE WITHIN THE DOOR ¾ GLASS HIR Install new impact resistant hurricane doors with fixed ¾ decorative glass pane-impact glass. New composite frames and casing is required. New wood buck set buck in premium silicone sealant. Install the door and its components in strict compliance with the Florida Building Code (including FBC Energy Conservation), Florida Product Approval (or Miami/Dade NOTICE OF ACCEPTANCE). This item requires a permit. (Priority 1)

Two matching Front Exterior Doors with ¾ glass-decorative impact glass pane.

Door: Install new wood buck, set buck in premium silicone sealant. Install two new **front doors**. Install two new (hurricane impact resistant) door and its components in strict compliance with the Florida Building Code (including FBC Energy Conservation), Florida Product Approval (or Miami/Dade NOTICE OF ACCEPTANCE).

- A. TWO FRONT DOORS-HIR DOOR OPENING: Install a new impact resistant hurricane door for the homes front door. New composite frames and casing is required. New wood buck, set buck in premium silicone sealant. Install the door and its components in strict compliance with the Florida Building Code (including FBC Energy Conservation), Florida Product Approval (or Miami/Dade NOTICE OF ACCEPTANCE). This item requires a permit.
  - New composite frames and casing is required. New wood buck, set buck in premium silicone sealant. Install the door and its components in strict compliance with the Florida Building Code (including FBC Energy Conservation), Florida Product Approval (or Miami/Dade NOTICE OF ACCEPTANCE). This item requires a permit.
- B. <u>Door Hardware:</u> replace all the hardware to be installed for the home's newly installed door.
- C. <u>DESCRIPTION OF THE HIR EXTERIOR DOORS</u>: The new Out-swing impact resistant fiberglass exterior doors with glass pane HIR. The doors shall be complete with jamb, composite casing, brick molding. Install aluminum weather-stripping saddle, weather-stripping, and spring/chain stop or doorstop. The doorknob should be an entry-type,

which can be locked by turn button inside or a key outside. Deadbolt will have turn piece inside and keyed to knob outside, knob and deadbolt keyed alike.

- D. Countersink all fasteners into frame, to conceal, fill with wood putty and sand smooth.
- E. If door and/or jamb are unfinished, apply one coat of primer/sealer and two coats of 100% acrylic latex paint on jamb and casing. Paint the door as recommended by the local FBC.
- F. Contractor to verify measurements.

# 05)REPLACE ALL WINDOWS WITH NEW HURRICANE IMPACT RESISTANT WINDOWS USING NEW HIR-SINGLE HUNG WINDOW\$

LOCATIONS: (6 WINDOWS) LOCATIONS AND SIZES: 6 Windows – single hung windows

Number of windows, size and location #2-73" x 62" – Dining room #1-62" x 53" - Master Bathroom #1 52" x 62" – 1-Bedroom #1 52" x 62" – 2<sup>nd</sup> Bedroom #1 25" x 25" – hall Bathroom

#### 6 windows

- A. Replace all windows (6) six windows with new Hurricane Impact window in the same configuration using a clear view same as the existing window. Hurricane Impact Resistant Windows-(HIR).
- B. Locations: rooms of home 2- bedrooms, hall bathroom, master bathroom and Dining room.
- C. Replace the bathroom windows with a new HIR clear view glass window in the same configuration as the existing windows using same design as existing.

All window replacements require code approval, and the installation must be in accordance with the Florida Building Code. Contractor to verify all measurements. Install new hurricane resistant impact glass single hung windows with screens and tinted glass-based upon the requirements please include cost for either type of window as described. All windows can be replaced with single hung windows including screens for all windows. Homeowner shall select color of frames and degree of tinted glass from the standard stock. Install the new hurricane impact resistant windows with their components in strict compliance with the Florida Building Code product approval (or Miami/Dade NOTICE OF ACCEPTANCE) including FBC Energy Conservation. This item requires a permit. Clear view.

Page 9 of 20

> Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement windows to comply with the FBC Energy Conservation. Bid accordingly.

- a. Install wood buck, set buck in caulk. Stucco the exterior and repair drywall interior side.
- b. All exposed anchoring screws shall be the same color as the window frame.
- c. Install ALL new 1/2" marble sills. The windowsills must completely conceal the mullion clips. Do not notch-out the windowsills and use a filler material to conceal the mullion
- d. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- e. Paint, plaster and finish around the windows after installation.

## 06)HURRICANE IMPACT RESISTANT GLASS TWO FRENCH DOORS AND TWO SIDE LIGHTS-FLORIDA ROOM TO REAR PATIO\$\_

The existing set of TWO French glass doors and two side lights/fixed panels are not energy efficient, don't open and close easily due to wear and damage and are out of compliance.

Location: Florida Room: One (1) set of two (2) doors that open to rear patio and two (2) sidelights/fixed panels are located in the Florida room exiting onto the rear patio. Use the same configuration as existing door openings.

Install the new impact French doors and sidelights with their components in strict compliance with the Florida Building Code product approval (or Miami/Dade NOTICE OF ACCEPTANCE) including FBC Energy Conservation. This item requires a permit. (Priority 4) non-colonial and clear view.

- Contractor to verify all measurements
- b. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement doors and sidelights to comply with the FBC Energy Conservation, Bid accordingly.
- c. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- d. Paint and repair around the door installation on both the interior and exterior sides of door opening.
- e. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement windows to comply with the FBC Energy Conservation. Bid accordingly.
- f. Install wood buck, set buck in caulk.
- g. All exposed anchoring screws shall be the same color as the frame.
- h. Remove the manufacturers' stickers and any residue on the glass after all final inspections.

Page 10 of 20

## 07) HURRICANE IMPACT RESISTANT GLASS ONE FRENCH DOOR TO LIVING ROOM AND TWO SIDE LIGHTS/FIXED PANELS \$\_

The existing ONE French glass door and two side lights/fixed panels are not energy efficient, don't open and close easily due to where and damage and are out of

Location: Living Room: Use the same configuration as the existing door opening. All three are 36" in size.

#### Clear view.

New impact One French Door and two sidelights/fixed panels (door to be operable with clear view Style). The homeowner shall select color of frames and degree of tinted glass from the standard stock. Install with their components in strict compliance with the Florida Building Code product approval (or Miami/Dade NOTICE OF ACCEPTANCE) including FBC Energy Conservation. This item requires a permit. (Priority 4)

- a. Contractor to verify all measurements
- b. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement doors and sidelights to comply with the FBC Energy Conservation. Bid accordingly.
- c. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- d.Paint and repair around the door installation on both the interior and exterior sides of door opening.
- e. Contractor to verify all measurements
- f. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement windows to comply with the FBC Energy Conservation. Bid accordingly.
- g. Install wood buck, set buck in caulk.
- h. All exposed anchoring screws shall be the same color as the frame.
- i. Remove the manufacturers' stickers and any residue on the glass after all final inspections.

#### 08) HURRICANE IMPACT RESISTANT GLASS FRENCH DOORS TWO FOR -MASTER BEDROOM\$

The existing set of French glass doors are not energy efficient, don't open and close easily due to where and damage and are out of compliance. Clear View

Location: Master Bedroom: Glass French Doors-two (2) set 36" in size and are in the master bedroom operable to open onto the rear patio. Use the same configuration as existing door openings. Clear view.

New impact French Doors (both doors are to be operable) with and tinted glass. The homeowner shall select the color of frames and degree of tinted glass from the standard stock. Install the new impact French doors with their components in strict compliance with the Florida

Page 11 of 20

Building Code product approval (or Miami/Dade NOTICE OF ACCEPTANCE) including FBC Energy Conservation. This item requires a permit. (Priority 4)

- a. Contractor to verify all measurements
- b. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement doors to comply with the FBC Energy Conservation. Bid
- c. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- d. Paint and repair around the door installation on both the interior and exterior sides of door
- e. Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement windows to comply with the FBC Energy Conservation. Bid accordingly.
- f. Install wood buck, set buck in caulk.
- g. All exposed anchoring screws shall be the same color as the frame.
- h. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- 09) REPLACE TWO FIXED GLASS PANES IN HOME; ONE FIXED GLASS PANE LOCATED IN LIVING ROOM OVER THE FRENCH DOORS AND ONE FIXED GLASS PANEL OVER THE FRONT DOORS NEW HIR GLASS PANE FIXED GLASS \$

## LOCATIONS: (1 FIXED GLASS PANE ABOVE FRENCH DOORS LIVING ROOM AND One (1) FIXED GLASS PANE OVER THE HOMES FRONT DOORS)

All fixed impact glass replacements require HIR code approval, and the installation must be in accordance with the Florida Building Code. Contractor to verify all measurements.

Locations: One Install new hurricane resistant impact glass Pane approximately 55" X 112" over the living room to rear patio over the existing impact glass French doors.

Location: One Install new hurricane resistant impact glass Pane approximately 23" X 84" over the foyer to front entrance over the existing double doors.

Homeowner shall select color of frames and degree of tinted glass from the standard stock. Install the new hurricane impact resistant pane to fit the existing location with their components in strict compliance with the Florida Building Code product approval (or Miami/Dade NOTICE OF ACCEPTANCE) including FBC Energy Conservation. This item requires a permit.

Prior to submitting the bid, it is the contractor's responsibility to verify if the City Building Official is requiring the replacement HIR glass panes to comply with the FBC Energy Conservation, Bid accordingly,

A. Install wood buck, set buck in caulk. Stucco the exterior and repair drywall interior side. Page 12 of 20

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

- B. All exposed anchoring screws shall be the same color as the GLASS PANE frame.
- C. Remove the manufacturers' stickers and any residue on the glass after all final inspections.
- D. Paint, plaster and finish.

# 10)NEW HURRICANE IMPACT RESISTANT (HIR) METAL GARAGE DOUBLE WIDTH OVERHEAD GARAGE DOOR AND DOOR OPENER \$

If new door must match color of the HOA, then owner must paint garage door VERIFY USING THE HOA ARCHITECTURE FORM.

Replace the overhead <u>Double WIDTH garage door</u>. The new overhead HIR garage door can be made of metal-HIR. The new overhead garage door should not reguire painting. Paint overhead garage HIR-metal door if unfinished per manufacturer recommendations. Homeowner will select a standard color and style. Repair all damaged walls inside and out caused by door removal. Any modifications or repair work to stucco, drywall, paint, caulk, and/or tile should match existing adjacent surfaces. Apply one coat of primer/sealer and two coats of 100% acrylic latex paint on jamb and casing. The new overhead garage door with components shall be installed in strict compliance with the Florida Building Code product approval (or Miami/Dade NOA). This item requires a permit. Priority 2 and 5.

- A. The new overhead double width HIR-metal garage door using a new overhead automatic opener and new push button control (two remote controls). Install overhead electrical for the system and install push control at door entrance or at a new accessible height to be decided by owner. An automatic eye is reguired.
- B. Install and mount to code the HIR-METAL overhead double car door width with a set of new tracks, springs cables and rollers with this system.
- C. The installation includes: all moldings, interior and exterior molding, thresholds, fastenings, etc. %" reveal between door and jamb maximum. Countersink and mask all tapcons. Warranty must be provided. Electric required. The garage door and its components shall be installed in strict compliance with the Product Approval to meet FBC. Repair all damaged and adjacent surfaces inside and out, caused by door removal and modifications, restoring to original condition. This item requires a permit.
  Install aluminum weather-stripping saddle, weather-stripping around the frame.
- **D.** Remove and replace all of the garage doors rotted wood from around doorframe with new wood trim. Prime, paint and finish after replacement.

<u>Automatic door opener wire to code.</u> Secure wires to ceiling and wall and install a new wall mounted push button control at the doorway next to opening. Electrical is required for this door installation.

11)PERMITS AND P	'LANS \$	
		Page 13 of 20

Property Owner: Yarelys Vega 120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

I/We agree that each item in these specifications has been discussed in my/our presence, and I/we understand the contents. It is further agreed that any additional code or incipient (that is becoming apparent) violations that may occur during the construction period should be addressed by deleting a non-code related item(s), which are called General Property Improvements. By our attested signature(s), I/we agree to abide by these conditions.

SUMMARY	
GRAND TOTAL	
ALTERNATE ITEMS	
12)ALTERNATE #1 EXTERMINATION - FUMIGATION AND/OR SU	
\$	IRI EKKANEAN

- 1. Termite treatment must be provided by a Florida Licensed Extermination Company.
- 2. All work to be done in accordance with the provisions of Florida Statue Chapter 482.
- 3. All fumigation and treatments to be done according to manufacturer's instructions and EPA registered labeling instructions and requirements.
- 4. Extermination will take place when all construction work is 100% complete and Certificate of Completion has been issued by the Building Department of Jurisdiction. **Project Conditions:**
- 1. Contractor to correct/repair any and all damages caused by the extermination company during the fumigation and/or treatment.
- 2. If drilling is required as part of the Pest Control Plan, the Contractor is required to fill ALL holes to match the existing surface with good quality filler as required by all regulations and
- 3. The Contractor and/or the Extermination Company shall observe all safety precautions throughout the extermination process.
- 4. The Contractor and/or the Extermination Company shall comply with all applicable requirements of Federal, State, and Local laws and regulations.
- 5. The Contractor and/or the Extermination Company shall strive for practices and procedures that maximally protect the public, employees, and the environment, including, but not limited to, the posting of all required warning signs.

#### Work Performance:

- 1. Upon a positive inspection report of evidence of WDO, a Pest Control Plan shall be submitted to the Project Coordinator/Compliance Inspector, o include, but not limited to, the inspection report, the cost for extermination, the type of chemical used, the type of application to be used, the quantity of the chemical to be used, the makeup of the chemical to be used, the manufacturer of the chemical, and the time it will take to complete the project.
- 2. Coordinate the fumigation and/or treatment with the property owner.

Page 14 of 20

3. The Contractor and/or Extermination Company is required to educate, instruct, and if necessary, help the homeowner to prepare for treatment.

4. The Contractor and/or the Extermination Company shall submit a clearance report showing that the treatment is complete, and the residence is safe for habitation.

MECHANICAL	<del></del>
13)ALTERNATE #2 ONE HVAC SPLIT UNIT FULL REPLACEMENT \$	

REPLACEMENT OF HVAC SPLIT UNIT - The home's compressor is located outside the home-on the side of the home. The handler is in the garage of the home.

- A. Air Condition Equipment Install new air-handling units (AHU). Install a new AHU with electric heat strip and condensing unit of sufficient size to accommodate the needs of the home. Acceptable manufactures are Carrier, RUD or Rheem, or approved equal. Haul away all debris from property at once. Upon completion of work, Contractor shall provide Homeowner with the manufacturer's informational equipment package, equipment warranty with a minimum five (5) years compressor warranty and Contractor's one-year full warranty for labor and material. Installation must comply with the manufacture specifications, FBC including FBC Energy Conservation; make all the necessary modifications. These items require a permit.
- B. Properly size the replacement equipment by providing the heat loss and heat gain load calculations.
- C. Size the electric heat strip to maintain an indoor temperature of 68 degrees F with an outdoor ambient temperature of 40 degrees F.
- D. Verify supply air outlet to each room (including the bathroom. Upgrade and replace all new supply/return and grilles.
- E. Handler: in GARAGE.
- F. Split air conditioning systems shall have a minimum SEER rating of 16 SEER2-Rating and Energy Star qualified and labeled accordingly. This must be Based upon the building code. Prior to installation, Contractor must verify ENERGY STAR qualified equipment with Air-Conditioning, Heating, and Refrigeration Institute (AHRI) and Contractor must provide equipment AHRI Certificate of Product Rating to verify SEER rating. Register in the homeowner's name. Provide at time of final inspection.
- G. ENERGY STAR qualified and labeled accordingly.
- H. Base support rebuilt it and new framing for the unit is needed.
- I. Steel Cage: Condensing unit shall have a steel security cage constructed to permit maintenance and protect the condenser unit from vandalism. The steel cage shall be fastened to the condenser pad with vandal proof fasteners per Building Code of iurisdiction.
- J. Warranty: Contractor shall register the unit with the manufacturer for the owner and provide the owner with the factory warranty and manual. Contractor will provide DHED a copy of the factory warranty in the homeowner's name.

Page 15 of 20

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

- K. Thermostats: provide new: Touch Screen 7-days programmable digital thermostat acceptable models are Lux Products TX9000TS and Honeywell RTH7600D or approved
- L. Provide new: high and low, voltage electric service and equipment.
- M. Replace duct work throughout the home's attic. New duct work to code is required with the new HVAC system. Install a new plenum. Distribute the new ducting to code. Verify supply air outlet to each room (including the bathrooms; all new supply air ductwork is required. Ensure the required to code ductwork and duct lines all elevated off the attic rafters.
- N. Upgrade and/or modify all the home's electric requirements (per building code) to accommodate the new air conditioner.
- O. The contractor to submit a set of plans with the new air distribution system for approval. The following is required for permitting:
- 1- Cooling load Calculations
- 2- New Air Distribution System. Duct work is in good condition.
- 3-The tonnage is based on the square footage and mechanical calculations for an installation.
- 4-The Air Conditioning contractor to provide a cooling load calculation of this residence to confirm if the recommended ton and equipment is capable of the cooling load of this home-building.
- 5-Contractor to design and replace all the distribution system.
- 6-In all rooms install a transfer grill or transfer duct to provide balance return air if is not one in place already.
- P. Seal all air leaks in the (supply and return).

14)ALTERNATE #3 HVAC SPLIT TEST AND BALANCE REPORT \$	
---	--

A. TEST & BALANCE: Perform a Test & Balance of the new central air conditioning system to document that it attains optimum performance as reflected in the permitted air distribution calculations. The Test & Balance Report shall be submitted and provided to DHED.

# 15)ALTERNATE #4 WATER HEATER REPLACEMENT \$\_

a. Water Heater: Install a new energy-smart water heater in the in-the laundry room in the existing section. The water heaters' electrical wattage shall be sized according to the existing electrical circuit. The T & P valve must be accessible and located for ease and access. This is a safety requirement. Replace the supply lines and electrical to the water heater. Ensure all the plumbing connection lines meet code for this installation. Plumbing and electrical is required. Water heater must have 10-year warranty.

Page 16 of 20

Property Owner: Yarelys Vega

120 Queens Lane Royal Palm Beach, FL. 33411

Scope of Work-Work Specifications

Escutcheons to secure openings and provide pipe protection. The plumbing and the electrical connections must be meet code. A ½" relief line is required, and it must drain dry and ensure it extends 6" from and off the ground and connect to code. Repair drywall damage to wall.

A collection pan under the unit is required with this installation.

## 16) ALTERNATE #5 LAVATORY SINK BOWL AND BASE REPLACEMENT -PLUMBING FAUCET HALLWAY BATHROOM \$\_

- A. Vanity (same size) -Complete plywood vanity. Lavatory Top Side and 4" Side and Back Splash: The side, back splash, sink top will be a (marble sink-hard surface top) shall be formed as an integral part of the countertop or a set-in sink with new standard exterior grade plywood or approved equal. Homeowner will select color and style for the cabinet, and sink/countertop from standard stock colors. New Base Unit: the new base, countertop shall be plywood or solid wood including the doors, back to cabinet with no particle board. Contractor to Verify measurement.
- B. Faucet: acceptable faucet designs are finish-lever-operated, push-type controlled mechanisms, discuss with the Homeowner. Controls and operating mechanisms will be operable with one hand and should not require tight grasping, pinching, or twisting of the wrist; Dual lever brushed nickel with a maximum 1.5 GPM
- C. Install a chromed brass shut-off valve for the existing fixture supply lines. Include PVC drain attached to code legal plumbing vent, use L copper or equivalent on all supply lines. Seal all penetration through the floor, walls and cabinet for plumbing connections using expanding foam or caulk and cover with chrome escutcheon plates. Cabinets must comply with California 93120 (formaldehyde content) or all exposed edges must be sealed with low-VOC sealant.
- D. Vanity allowance \$785.00

# 17) ALTERNATE #6 HALLWAY BATHROOM TOILET - WATER CLOSET \$\_

- a. 17" Toilet. Replace water closet dual flush 2-piece water closet. Flow rates 1.6 and .9 GPF for its respective high and low flushes U.S. Environmental Protection Agency's (EPA) WaterSense® program, which has the WaterSense label of approval for using no more than 1.28 gallons per flush. Maximum performance (MaP) testing project has shown to score 800 or better on the MaP Flush Performance test. American Standard EcoFusion EL model #338.216.
- b. Include a manufacturer's approved plastic or pressed wood white seat, supply pipe, shut-off valve and was seal.

Page 17 of 20

Link MaP test Results: https://www.map-testing.com/assest/files/2020-05-27-all\_watersense\_high-efficiency\_toilets(HETs).pdf

# 18)ALTERNATE #7 HALLWAY TUB-REPLACEMENT- WALLS, OF BATHROOM \$\_\_\_\_\_

# LOCATION: HALLWAY ENTIRE BATHROOM, SURROUND AND BATHTUB

- a. Demolition to bathroom shower and walls. Gut tub area of the interior structure of room. Remove all wall framing, floor and wall finishes, door, and trim equipment. Removal tile from walls and ceiling. Dispose of debris into legal landfill.
- b. **Tub Cast Iron 5' tub:** Install an American Standard or equivalent tub -white porcelain enamel cast iron tub complete with a 3/8" or 5/16" fittings drain easy plastic universal clog preventing tub stopper/strainer in chrome pop up drain model #PF0910 or approved equivalent and overflow, PVC waste, and tub & shower trim kit. Use pressure treated blocking along wall length per manufactures recommendations. Use mortar to support bottom of tub and install the tub as per manufactures recommendations.
- c. Porcelain Tile-Tub Surround: remove existing tub-shower tiled walls affected by the framing of the new tub surround. Replace damaged studs and furring strips.
- d. Remove tile from walls of tub surround. Prepare walls after removal.
- e. <u>Drywall-walls for tub-area and entire bathroom ceiling as required.</u> Remove tile Only from tub wall and after tile removal: Paper less water resistant. Hang, tape and 3 coat finish ½" paperless (fiberglass mat finish) drywall or equivalent. Apply 3/8<sup>th</sup>" bead of low VOC drywall adhesive to framing member and attach with screws 8 on center. Fiberglass joint tape shall be used to finish the joints. And a setting-type compound shall be used for the first coat over the fiberglass mesh tape. Sand read for paint. Install wall tiles (three walls of tub surround) 12" x 24"x ¼". Color chosen by family. Tile over backer board equal to Wonder board.
- f. Wall tile allowance \$2.50 sq/ft. tile three walls of the tub enclosure.

# 19) ALTERNATE #8 HALLWAY BATHROOM SHOWER FIXTURES \$

- a. <u>Tub-Shower Fixtures</u>: trim pieces and full trim kit: metal lever handle ADA compliant.1-handle tub and shower trim kit. One 4-1/2 in rain shower head. New valve and volume temperature control valve bodies. Metal level handle ADA compliant. Durable with metal escutcheon. Install new tub spout, drain assembly and new lever controls.
- New wall mounted rust proof shower curtain rod to be installed at entrance to shower/tub.

20)	ALTERNATE #9 HALLWAY REPAIRS \$	BATHROOM PAINTING AND	CEILING AND WALL

Page 18 of 20

 a. Prep and texture ceiling and walls inside the tub-shower. The ceiling receives knockdown or texture repair and finish.

b. Painting of bathroom: paint all the walls, repair peeling and damaged on shower area of ceiling and door, door trim and baseboards must be painted. Semi-gloss paint required. Follow the paint requirements listed in the SOW specification requirements.

## MAJOR PLUMBING REPAIRS

# 21)ALTERNATE #10 PLUMBING LINE REPLACEMENT -ENTIRE HOME \$ \_

Water Distribution Plumbing Line Replacement for <u>entire interior home to the connection location only</u>. Ensure all connections are to code.

- a. Replace the existing to wall locations only. All of the home plumbing lines are Polybutylene Pipes (PB) and they are running throughout the home. All the defective plumbing lines should be replaced by a licensed plumbing contractor. The homes plumbing lines in attic crawl space are running throughout the home. There were hallway bathroom and laundry room leaks found, and the owner reported repairs by plumbers over the years for the lines and fixtures in the home many that have the leaks.
- b. The plumbing lines throughout the entire attic home need full replacement to each connection-location
- c. The replacement will include full replacement of all of the Plumbing lines- of the home must meet the Current Florida Building and Plumbing Code for Pipes and Plumbing materials.
- d. Replace the walls, ceiling and flooring of the areas where the plumbing lines are being replaced within the kitchen, bathroom and laundry room where the ceiling or walls are being removed to allow for new plumbing lines that are compliant with current Florida Building Codes. All new lines and their connections must be replaced. Remove the existing ceiling and walls and replace with a wall covering.
- e. Removal under and behind the of kitchen sink cabinets are needed for the sink plumbing. At this time the plumbing lines will need to be removed and replaced or reinstalled after the work with new code compliant plumbing lines and materials and installed.
- f. Plumbing Lines and all connection materials will Run through the homes attic or walls to address the replacement lines. Ceiling and wall drywall will be removed to install the new code compliant plumbing lines. Wall and ceiling

Page 19 of 20

replacement along with plaster and painting will be required to complete the installation.

- g. Tile repairs as required: removal and replacement of tiles will be needed on both the walls and floor are needed in those locations where the repairs will be taking place. Match the wall, ceiling and flooring tiles as closely as possible to the existing tiles within the home.
- h. Pictures of all of replacement work; an in-progress picture report is required, and line removal and new replacement picture report is part of the interim and final inspection requirements for this project.

SUMMARY	
SU	MMARY TOTAL ALTERNATES
TOTAL	MILARI TOTAL ALTERNATES
	SUMMARY GRAND TOTAL
TOTAL	\$

Page 20 of 20