

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



#227 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5149 Repair Reason: A

Date and Time in : 15:45

Vehicle #: 5149 Repair Reason: A
Date: 03-15-19 Work Class: 7 Do

Date and Time in : 15:45

Mileage in: 237781

Date: 03/06-19 Work Class: 1 Date and Time Finished: 17:00
Mileage out: 227782

Mileage out: 227782

Notes/Measurements:

PMI

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.	Total Parts Cost:
Employee #: 846184 Technician: Sean Theodorakis	Signature: [Signature]

ASE Employee #: 604181 ASE Technician:

ASE Signature: _____

PM DEFECT SHEET



MECHANIC'S SIGNATURE

Sean Theriault

BUS #:

5149

DATE:

11-19

DATE COMPLETED

COMPLETED BY

DESCRIPTION OF REPAIR NEEDED

① check Headlight
replace new Headlight
lamp all ok now.

② check - seat belt
in the seat belt broken



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 03-06-19 Vehicle #: 5149Mileage in: 237781 Mileage out: 237782

P	F	Item Inspected
<u>ST</u>		A) Vehicle drive in inspection (5 miles)
<u>ST</u>		1) Driver carpet
<u>ST</u>		2) Driver seat condition and operation
<u>ST</u>		3) Drivers door operation and condition
<u>ST</u>		4) Drivers seat belt operation and condition
<u>ST</u>		5) Engine starting and ignition system
<u>ST</u>		6) Instrument panel gauges & warning lights
<u>ST</u>		7) Instrument panel lighting & condition
<u>ST</u>		8) Horn operation
<u>ST</u>		9) Steering wheel tight, no excessive play
<u>ST</u>		10) Windshield wipers
<u>ST</u>		11) Windshield washer
<u>ST</u>		12) Sun visor condition and operation
<u>ST</u>		13) Parking brake operation & condition
<u>ST</u>		14) Parking and service brake pedal pads
<u>ST</u>		15) Passenger door operation
<u>ST</u>		16) No vibrations, pulsations or noises
<u>ST</u>		B) Walk around inspection
<u>ST</u>		1) Body damage (list on separate sheet)
<u>ST</u>		2) Headlights, high & low beam operation
<u>ST</u>		3) Parking lights operation & condition
<u>ST</u>		4) Marker lights operation & condition
<u>ST</u>		5) Directional signals operation & condition
<u>ST</u>		6) Hazard lights operation & condition
<u>ST</u>		7) Clearance lights operation and condition
<u>ST</u>		8) Brake lights operation & condition
<u>ST</u>		9) License plate lamp operation & condition
<u>ST</u>		10) License plates and tags
<u>ST</u>		11) Backup lights and alarms
<u>ST</u>		12) Reflectors and reflective bumper tape
<u>ST</u>		13) Exterior decals and signage
<u>ST</u>		14) Bumpers secure / in good condition
<u>ST</u>		15) Exterior mirrors secure / in good condition
<u>ST</u>		16) Exterior clean
<u>ST</u>		C) Interior inspection
<u>ST</u>		1) Passenger door and steps condition
<u>ST</u>		2) Handrails and stanchions condition
<u>ST</u>		3) Interior and modesty panels condition
<u>ST</u>		4) Flooring condition
<u>ST</u>		5) Interior lighting operation and condition
<u>ST</u>		6) Windows operation and condition
<u>ST</u>		7) Emergency Exits operation & condition
<u>ST</u>		8) Accessory operation & condition (radio, GPS)
<u>ST</u>		9) Passenger seats operation & condition
<u>ST</u>		10) Passenger seat belts operation & condition
<u>ST</u>		11) First aid & body fluid kits complete
<u>ST</u>		12) Triangle reflectors complete/good condition
<u>ST</u>		13) Stop request operation & condition
<u>ST</u>		14) Valid registration, insurance & accident pack
<u>ST</u>		15) Fire extinguisher in good condition & signed
<u>ST</u>		16) Interior decals and signage (incl. electrical)
<u>ST</u>		17) DVI's reviewed, addressed and signed off
<u>ST</u>		18) Interior clean
<u>ST</u>		D) HVAC system inspection
<u>ST</u>		1) Front blower condition and operation

P	F	Item Inspected
<u>ST</u>		2) Rear blower condition and operation
<u>ST</u>		3) Defroster operation
<u>ST</u>		4) Temp gets to 20 deg. F below ambient temp.
<u>ST</u>		5) Evaporator intake air filter condition
<u>ST</u>		6) Front heater condition and operation
<u>ST</u>		7) Rear heater condition and operation
<u>ST</u>		8) A/C compressors and condenser fans
<u>ST</u>		E) Under hood inspection
<u>ST</u>		1) Batteries & charging sys. (load alt B,C,D serv)
<u>ST</u>		Batt 1 volts: load volts: load amps:
<u>ST</u>		Batt 2 volts: load volts: load amps:
<u>ST</u>		Batt 3 volts: load volts: load amps:
<u>ST</u>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<u>ST</u>		Alt. 1 min volt: max volt: max amp:
<u>ST</u>		Alt. 2 min volt: max volt: max amp:
<u>ST</u>		(reference factory service manual for alternator spec)
<u>ST</u>		2) Wire and hose routing and connections
<u>ST</u>		3) Cooling system, hoses, water pump condition
<u>ST</u>		5) Accessory drive belts condition
<u>ST</u>		6) Pulleys and tensioned operation & condition
<u>ST</u>		7) Brake master cylinder and power booster
<u>ST</u>		8) Fan and fan clutch operation and condition
<u>ST</u>		9) Engine oil fluid level and condition
<u>ST</u>		10) Transmission oil level and condition
<u>ST</u>		11) Power steering fluid level and condition
<u>ST</u>		12) Brake fluid level and condition
<u>ST</u>		F) Vehicle rack inspection
<u>ST</u>		1) Steering gear box mount, condition & leaks
<u>ST</u>		2) Steering shaft U joints
<u>ST</u>		3) Steering shaft bearings
<u>ST</u>		4) Steering linkages
<u>ST</u>		5) I beam or control arm movements and rivets
<u>ST</u>		6) Radius arm condition and bushings condition
<u>ST</u>		7) Stabilizer bar condition and bushings condition
<u>ST</u>		8) Ball joints or kingpins
<u>ST</u>		9) Front spring condition and mounting
<u>ST</u>		10) Front shock absorber operation & condition
<u>ST</u>		11) Trans oil cooler & lines routing and leaks
<u>ST</u>		12) Engine oil cooler & lines routing and leaks
<u>ST</u>		13) Heater and A/C hose routing and leaks
<u>ST</u>		14) No engine oil leaks and fluid condition
<u>ST</u>		15) Engine mounts, brackets and bolts
<u>ST</u>		16) Transmission mounts, brackets and bolts
<u>ST</u>		17) No transmission oil leaks and fluid condition
<u>ST</u>		18) Drive shaft condition
<u>ST</u>		19) Universal joints and carrier bearings condition
<u>ST</u>		20) No rear differential leaks
<u>ST</u>		21) Rear differential condition and mounting
<u>ST</u>		22) Frame and cross members
<u>ST</u>		23) Rear shock absorbers
<u>ST</u>		24) Rear springs condition and mounting
<u>ST</u>		25) No fuel leaks
<u>ST</u>		26) Fuel tank condition and mounting
<u>ST</u>		27) No exhaust leaks
<u>ST</u>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **137781** Mileage out: **137782**



Date: **03-06-19** Vehicle #: **5149**

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	51
Lube chassis and suspension	A,B,C,D	51
Lube drive shafts and universal joints	A,B,C,D	51
Lube doors and hood, locks and hinges	A,B,C,D	51
Adjust service and parking brakes	A,B,C,D	51
Drain water from separator	A,B,C,D	51
Rotate tires (as necessary, caps on rear)	A,B,C,D	51
Change air filter	B,C,D	51
Change fuel filter	B,C,D	51
Clean or change PCV valve	B,C,D	51
Clean or change crank case filter	B,C,D	51
Install new wiper blades	B,C,D	51
Change transmission fluid and filter	C,D	51
Service front wheel bearings	C,D	51
Drain water from fuel tank	C,D	51
Replace accessory drive belts	D	51
Service and flush cooling system	D	51
Install new spark plugs & wires	D	51
Install new dist. cap & rotor	D	51
Change differential fluid	D	51
Check Exhaust and EGR system	D	51
Check and service fuel & evap. System	D	51
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	51
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **Sean Thompson** Date: **03-06-19**

Supervisor Signature: **[Signature]** Date: **3/7/19**

Notes:

Item Inspected	P	F
30) Front brake condition and mounting	51	51
31) Front brake lining condition & measurement	51	51
Pads R/F: 6 /32" L/F: 6 /32"	51	51
32) Rear brake condition and mounting	51	51
33) Rear brake lining condition & measurement	51	51
Pads R/R: 6 /32" L/R: 6 /32"	51	51
34) Tire and wheel condition and measurements	51	51
Shoes R/R: 6 /32" L/R: 6 /32"	51	51
R/F: 10 /32" L/F: 10 /32"	51	51
R/R: 8 /32" L/R: 8 /32"	51	51
R/R: 5 /32" L/R: 5 /32"	51	51
35) Lug nuts condition	51	51
Air pressure adjustment FR. RR.	51	51
Wheel torque specs used: ft. lbs.	51	51
(g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	51	51
2) Lift control pendant condition and operation	51	51
3) Lift restraint belt condition and operation	51	51
4) Outer roll stop condition and operation	51	51
5) Inner roll stop condition and operation	51	51
6) Platform adjustments, condition and mounting	51	51
7) Standee arm condition and operation	51	51
8) Proper signage and decals	51	51
9) Manual backup pump condition and operation	51	51
10) Lift manual pump handle	51	51
11) Hydraulic pump condition and operation	51	51
12) Hydraulic lines and cylinders condition	51	51
13) Hydraulic fluid level and condition	51	51
14) Base plate and arms welds & pivot points	51	51
15) Lift springs and pins condition and operation	51	51
16) Lift safety switches and adjustments	51	51
17) Hose and wire routing and connections	51	51
18) Rollers and pivot point condition & operation	51	51
19) Lift to vehicle mounting bolts and brackets	51	51
20) Lift doors condition and operation	51	51
21) Lift door lights condition and operation	51	51
22) Lift interlock operation and condition	51	51
(Lift door open, e-brake down not able to shift)	51	51
(e-brake off lift door closed no lift power)	51	51
23) W/C tie downs condition and operation	51	51
24) Tie down container secure and clean	51	51
25) Tie down floor mounting brackets secure	51	51
26) W/C shoulder belt condition and operation	51	51
27) Lift clean and no sharp edges	51	51
28) Lift shields secure and in good shape	51	51
29) Lift moves steady without drifting, jerking, or unusual speeds	51	51
30) No unusual lift noises	51	51
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	51	51
Check, torque or adjust lift base mounting bolts	51	51

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.