


MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



1228
Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5183 Repair Reason: A Date and Time in: 07.00.18 17:00 Mileage in: 186232
Date: 07.00.18 Work Class: I Date and Time Finished: 07.00.18 19:00 Mileage out: 186234

Complaints/Defects:

PMI A

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
58		PMI A		55		5W 20	engine oil	6.5	
				55		1F3681	oil filter	1	
				55		41P3	Hubbitt lamp	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Thomas Alford

Signature: [Signature]

ASE Employee #: 60452 ASE Technician: [Signature]

ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE		BUS #: 5123 DATE: 07.20.18 PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED
FR Hood lamp need to be replaced		8pmay	07.20.18
replace FR Hood lamp			



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 07-00-18 Vehicle #: 5123

Mileage in: 180232

Mileage out: 186234

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition (radio, GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 07-20-18 Vehicle #: 5123

Circle Service Type: (A) B C D Mileage in: 186234 Mileage out: 186234

Service Performed	Technician's Signature	Technician's Initials
A,B,C,D Change oil and filter		
A,B,C,D Lube chassis and suspension		
A,B,C,D Lube drive shafts and universal joints		
A,B,C,D Lube doors and hood, locks and hinges		
A,B,C,D Adjust service and parking brakes		
A,B,C,D Drain water from separator		
A,B,C,D Rotate tires (as necessary, caps on rear)		
B,C,D Change air filter		
B,C,D Change fuel filter		
B,C,D Clean or change PCV valve		
B,C,D Clean or change crank case filter		
B,C,D Install new wiper blades		
C,D Change transmission fluid and filter		
C,D Service front wheel bearings		
C,D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist. cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evap. System		
D Evac and recharge A/C (add 1 oz. of oil)		
A,B,C,D Post service test drive (5 miles)		

Initial or "N/A" each service performed per PM type

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 17/32" L/F: 17/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8/32" L/R: 8/32"		
34) Tire and wheel condition and measurements		
R/F: 18/32" L/F: 10/32"		
R/R: 6/32" L/R: 5/32"		
R/O: 6/32" L/R: 5/32"		
35) Lug nuts condition		
Air pressure adjustment F.R. 70 R.R. 70		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Notes:

Supervisor Signature

Technician's Signature

Date

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MECHANIC'S SIGNATURE _____		BUS #:	DATE:
PM TYPE OR WORK ORDER #:			

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
------------------------------	--------------	----------------



Preventive Maintenance Inspection and Service Checklist

Date: 09/25/18 Vehicle #: 5123 Circle Service Type: A B C D Mileage in: 196013 Mileage out: 196014

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: **19643** Mileage out: **196014**



Date: **09/25/18**

Vehicle #: **5123**

Item Inspected	Technician Signature	Supervisor Signature
30 Front brake condition and mounting		
31 Front brake lining condition & measurement		
32 Rear brake condition and mounting		
33 Rear brake lining condition & measurement		
Pads R/R: 6 /32" L/R: 6 /32"		
34 Tire and wheel condition and measurements		
Shoes R/R: 6 /32" L/R: 6 /32"		
R/F: 6 /32" L/F: 6 /32"		
R/R: 3 /32" L/R: 9 /32"		
R/R: 3 /32" L/R: 3 /32"		
35 Lug nuts condition		
Air pressure adjustment F.R. RR.		
Wheel torque specs used: ft. lbs.		
(g) Lift inspection		
1 Lift operation (fully stowed to fully deployed)		
2 Lift control pendant condition and operation		
3 Lift restraint belt condition and operation		
4 Outer roll stop condition and operation		
5 Inner roll stop condition and operation		
6 Platform adjustments, condition and mounting		
7 Stander arm condition and operation		
8 Proper signage and decals		
9 Manual backup pump condition and operation		
10 Lift manual pump handle		
11 Hydraulic pump condition and operation		
12 Hydraulic lines and cylinders condition		
13 Hydraulic fluid level and condition		
14 Base plate and arms welds & pivot points		
15 Lift springs and pins condition and operation		
16 Lift safety switches and adjustments		
17 Hose and wire routing and connections		
18 Rollers and pivot point condition & operation		
19 Lift to vehicle mounting bolts and brackets		
20 Lift doors condition and operation		
21 Lift door lights condition and operation		
22 Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23 W/C tie downs condition and operation		
24 Tie down container secure and clean		
25 Tie down floor mounting brackets secure		
26 W/C shoulder belt condition and operation		
27 Lift clean and no sharp edges		
28 Lift shields secure and in good shape		
29 Lift moves steady without drifting, jerking, or unusual speeds		
30 No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Technician Initials
A,B,C,D Change oil and filter	J
A,B,C,D Lube chassis and suspension	J
A,B,C,D Lube drive shafts and universal joints	N/A
A,B,C,D Lube doors and hood, locks and hinges	J
A,B,C,D Adjust service and parking brakes	N/A
A,B,C,D Drain water from separator	J
A,B,C,D Rotate tires (as necessary, caps on rear)	J
B,C,D Change air filter	
B,C,D Change fuel filter	
B,C,D Clean or change PCV valve	
B,C,D Clean or change crank case filter	
B,C,D Install new wiper blades	
C,D Change transmission fluid and filter	
C,D Service front wheel bearings	
C,D Drain water from fuel tank	
D Replace accessory drive belts	
D Service and flush cooling system	
D Install new spark plugs & wires	
D Install new dist. cap & rotor	
D Change differential fluid	
D Check Exhaust and EGR system	
D Check and service fuel & evap. System	
D Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

360 Campus Lane



3301 Electronics Way

West Palm Beach, Florida, 33407

Vehicle #: 5123 Repair Reason: A Date and Time in: 13:00 Mileage in: 200836

Vehicle #: 5123 Repair Reason: A Date and Time in: 13:00 Mileage in: 200836
Date: 10/30/15 Work Class: _____ Date and Time Finished: 14:45 Mileage out: 200837

Complaints/Defects	Notes/Measurements:

⑦ 11 28

Parts Information

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 2046181

Technician: Sean Thorsider

Signature:

6078

21

2.



PM DEFECT SHEET

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/10/18Vehicle #: 5123Mileage in: 220836Mileage out: 220837

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 10/23/18 Vehicle #: 5123

Circle Service Type: A B C D
Mileage out: 200837

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
		Shoes R/R: 7 /32" L/R: 7 /32"
		34) Tire and wheel condition and measurements
		R/F: 3 /32" L/F: 3 /32"
		R/R: 11 /32" L/R: 11 /32"
		R/RO: 6 /32" L/RO: 3 /32"
		35) Lug nuts condition
		Air pressure adjustment - FR, RR.
		Wheel torque specs. used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	5
Lube chassis and suspension	A,B,C,D	5
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	3
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	3
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 mph)	A,B,C,D	5

Supervisor Signature

Technician Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5123 Repair Reason: _____

Date and Time in :

16:00

Mileage in: 210437

Date: 12/26/2018 Work Class: I Date and Time Finished:

18:40

Mileage out: 210437

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Donny Myers Signature: [Signature]

863725 Technician:

Donny Myers

Signature _____

Heating

ASE Employee #: 604182 ASE Technician: _____

ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE

DATE _____
COMPLETED _____

12/26/2018

SEPARATING BOLT
NEAR BRACE PADS
(2) T.I.B.S

[Handwritten signature]

12/26/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/26/18 Vehicle #: 5123Mileage in: 210437 Mileage out: 210437

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: <u>12.7</u> load volts: load amps:
R		Batt 2 volts: <u>12.4</u> load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
X		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 145
Dallas, TX 75206



~~#003~~ Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason:

7

Date and Time in : 8:00

Mileage in: 215306

Date: 8/28/19 Work Class: _____

Date and Time Finished: _____

20:30

Mileage out: 215.308

Complaints/Defects:

PMI ⑦

Notes/Measurements:

<i>Labor Information</i>						<i>Parts Information</i>						
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>			<i>Task</i>	<i>WAC</i>	<i>Part Number</i>	<i>Description</i>	<i>Qty</i>	<i>Cost</i>	
A	58	Rm I @				A	55	SW-20	Oil	6.5		
						A	55	LF 3681	Oil Filter	1		
						A	55	BKD-1328-B	Front Brakes pads	1		
						A	55	KOB1360	Micro-V	1		
04		Adjust Rear parking Brake all ok at this time										
Total Hours Worked:						Total Parts Cost:						

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: _____

Hearl Theromida Signature

[Handwritten signature]

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

3

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
12/1/2011	XXXXXX	XXXXXX

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 1/28/19 Vehicle #: 5123 Mileage in: 215306 Mileage out: 215308

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 1/28/19 Vehicle #: 5123

Circle Service Type: A, B, C

Mileage in: 215306 Mileage out: 215308

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 10 /32" L/F: 10 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 70 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		9) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: Sean Theriault
Date: 1/28/19
Supervisor Signature: [Signature]
Date: 1/28/19

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Basic Information

Date and Time in : 7:30

Milano in: 2200

Date _____

Mileage in: 567632

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.	Total Parts Cost:
Employee #: 816534 Technician: Shaw, Nicholas	

Employee #: 816534 Technician:


Charm Management

Signature

ASE Employee #: 60412 ASE Technician:

ACCT 211

PM DEFECT SHEET



PM TYPE OR WORK ORDER #:

DATE:

BUS #:

5123

03/28/19

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	DATE	TIME	STATUS
REPAIR NEEDED			

COMPLETED BY

COMPLETED

DATE _____

① Messing got lost but
stuck back and paper
all ok at this time

10/10/10

03/28/19



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 03/28/19 Vehicle #: 5123

Mileage in: 224632 Mileage out: 224633

P	F	Item Inspected
☒	☒	A) Vehicle drive in inspection (5 miles)
☒	☒	1) Driver carpet
☒	☒	2) Driver seat condition and operation
☒	☒	3) Drivers door operation and condition
☒	☒	4) Drivers seat belt operation and condition
☒	☒	5) Engine starting and ignition system
☒	☒	6) Instrument panel gauges & warning lights
☒	☒	7) Instrument panel lighting & condition
☒	☒	8) Horn operation
☒	☒	9) Steering wheel tight, no excessive play
☒	☒	10) Windshield wipers
☒	☒	11) Windshield washer
☒	☒	12) Sun visor condition and operation
☒	☒	13) Parking brake operation & condition
☒	☒	14) Parking and service brake pedal pads
☒	☒	15) Passenger door operation
☒	☒	16) No vibrations, pulsations or noises
☒	☒	B) Walk around inspection
☒	☒	1) Body damage (list on separate sheet)
☒	☒	2) Headlights, high & low beam operation
☒	☒	3) Parking lights operation & condition
☒	☒	4) Marker lights operation & condition
☒	☒	5) Directional signals operation & condition
☒	☒	6) Hazard lights operation & condition
☒	☒	7) Clearance lights operation and condition
☒	☒	8) Brake lights operation & condition
☒	☒	9) License plate lamp operation & condition
☒	☒	10) License plates and tags
☒	☒	11) Backup lights and alarms
☒	☒	12) Reflectors and reflective bumper tape
☒	☒	13) Exterior decals and signage
☒	☒	14) Bumpers secure / in good condition
☒	☒	15) Exterior mirrors secure / in good condition
☒	☒	16) Exterior clean
☒	☒	C) Interior inspection
☒	☒	1) Passenger door and steps condition
☒	☒	2) Handrails and stanchions condition
☒	☒	3) Interior and modesty panels condition
☒	☒	4) Flooring condition
☒	☒	5) Interior lighting operation and condition
☒	☒	6) Windows operation and condition
☒	☒	7) Emergency Exits operation & condition
☒	☒	8) Accessory operation & condition (radio, GPS)
☒	☒	9) Passenger seats operation & condition
☒	☒	10) Passenger seat belts operation & condition
☒	☒	11) First aid & body fluid kits complete
☒	☒	12) Triangle reflectors complete/good condition
☒	☒	13) Stop request operation & condition
☒	☒	14) Valid registration, insurance & accident pack
☒	☒	15) Fire extinguisher in good condition & signed
☒	☒	16) Interior decals and signage (incl. electrical)
☒	☒	17) DVI's reviewed, addressed and signed off
☒	☒	18) Interior clean
☒	☒	D) HVAC system inspection
☒	☒	1) Front blower condition and operation

P	F	Item Inspected
☒	☒	2) Rear blower condition and operation
☒	☒	3) Defroster operation
☒	☒	4) Temp gets to 20 deg. F below ambient temp.
☒	☒	5) Evaporator intake air filter condition
☒	☒	6) Front heater condition and operation
☒	☒	7) Rear heater condition and operation
☒	☒	8) A/C compressors and condenser fans
☒	☒	E) Under hood inspection
☒	☒	1) Batteries & charging sys. (load alt B,C,D serv)
☒	☒	Batt 1 volts: load volts: load amps:
☒	☒	Batt 2 volts: load volts: load amps:
☒	☒	Batt 3 volts: load volts: load amps:
☒	☒	(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒	☒	Alt. 1 min volt: max volt: max amp:
☒	☒	Alt. 2 min volt: max volt: max amp:
☒	☒	(reference factory service manual for alternator spec)
☒	☒	2) Wire and hose routing and connections
☒	☒	3) Cooling system, hoses, water pump condition
☒	☒	5) Accessory drive belts condition
☒	☒	6) Pulleys and tensioned operation & condition
☒	☒	7) Brake master cylinder and power booster
☒	☒	8) Fan and fan clutch operation and condition
☒	☒	9) Engine oil fluid level and condition
☒	☒	10) Transmission oil level and condition
☒	☒	11) Power steering fluid level and condition
☒	☒	12) Brake fluid level and condition
☒	☒	F) Vehicle rack inspection
☒	☒	1) Steering gear box mount, condition & leaks
☒	☒	2) Steering shaft U joints
☒	☒	3) Steering shaft bearings
☒	☒	4) Steering linkages
☒	☒	5) I beam or control arm movements and rivets
☒	☒	6) Radius arm condition and bushings condition
☒	☒	7) Stabilizer bar condition and bushings condition
☒	☒	8) Ball joints or kingpins
☒	☒	9) Front spring condition and mounting
☒	☒	10) Front shock absorber operation & condition
☒	☒	11) Trans oil cooler & lines routing and leaks
☒	☒	12) Engine oil cooler & lines routing and leaks
☒	☒	13) Heater and A/C hose routing and leaks
☒	☒	14) No engine oil leaks and fluid condition
☒	☒	15) Engine mounts, brackets and bolts
☒	☒	16) Transmission mounts, brackets and bolts
☒	☒	17) No transmission oil leaks and fluid condition
☒	☒	18) Drive shaft condition
☒	☒	19) Universal joints and carrier bearings condition
☒	☒	20) No rear differential leaks
☒	☒	21) Rear differential condition and mounting
☒	☒	22) Frame and cross members
☒	☒	23) Rear shock absorbers
☒	☒	24) Rear springs condition and mounting
☒	☒	25) No fuel leaks
☒	☒	26) Fuel tank condition and mounting
☒	☒	27) No exhaust leaks
☒	☒	28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 03/28/19 Vehicle #: 5123

Circle Service Type: A B C D Mileage in: 224632 Mileage out: 224633

Service Performed	Service Type	Technician's Initials
Change oil and filter	A,B,C,D	S
Lube chassis and suspension	A,B,C,D	N/A
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	N/A
Change air filter	B,C,D	N/A
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	N/A
Change transmission fluid and filter	C,D	N/A
Service front wheel bearings	C,D	N/A
Drain water from fuel tank	C,D	N/A
Replace accessory drive belts	D	N/A
Service and flush cooling system	D	N/A
Install new spark plugs & wires	D	N/A
Install new dist. cap & rotor	D	N/A
Change differential fluid	D	N/A
Check Exhaust and EGR system	D	N/A
Check and service fuel & evap. System	D	N/A
Evac and recharge A/C (add 1 oz. of oil)	D	N/A
Post service test drive (5 miles)	A,B,C,D	N/A

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Date


Notes:

Item Inspected	P	F
30) Front brake condition and mounting	5	
31) Front brake lining condition & measurement	5	
Pads R/F: 7 / 32" L/F: 7 / 32"	5	
32) Rear brake condition and mounting	5	
33) Rear brake lining condition & measurement	5	
Pads R/R: 8 / 32" L/R: 8 / 32"	5	
34) Tire and wheel condition and measurements	5	
R/F: 10 / 32" L/F: 8 / 32"	5	
R/R: 8 / 32" L/R: 8 / 32"	5	
R/RO: 5 / 32" L/RO: 5 / 32"	5	
35) Lug nuts condition	5	
Air pressure adjustment FR. 70 RR. 70	5	
Wheel torque specs used: 140 ft. lbs.	5	
G) Lift inspection	5	
1) Lift operation (fully stowed to fully deployed)	5	
2) Lift control pendant condition and operation	5	
3) Lift restraint belt condition and operation	5	
4) Outer roll stop condition and operation	5	
5) Inner roll stop condition and operation	5	
6) Platform adjustments, condition and mounting	5	
7) Standee arm condition and operation	5	
8) Proper signage and decals	5	
9) Manual backup pump condition and operation	5	
10) Lift manual pump handle	5	
11) Hydraulic pump condition and operation	5	
12) Hydraulic lines and cylinders condition	5	
13) Hydraulic fluid level and condition	5	
14) Base plate and arms welds & pivot points	5	
15) Lift springs and pins condition and operation	5	
16) Lift safety switches and adjustments	5	
17) Hose and wire routing and connections	5	
18) Rollers and pivot point condition & operation	5	
19) Lift to vehicle mounting bolts and brackets	5	
20) Lift doors condition and operation	5	
21) Lift door lights condition and operation	5	
22) Lift interlock operation and condition	5	
(Lift door open, e-brake down not able to shift)	5	
(e-brake off lift door closed no lift power)	5	
23) W/C tie downs condition and operation	5	
24) Tie down container secure and clean	5	
25) Tie down floor mounting brackets secure	5	
26) W/C shoulder belt condition and operation	5	
27) Lift clean and no sharp edges	5	
28) Lift shields secure and in good shape	5	
29) Lift moves steady without drifting, jerking, or unusual speeds	5	
30) No unusual lift noises	5	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	5	
Check, torque or adjust lift base mounting bolts	5	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206

3501 Electronics Way
West Palm Beach, FL 33407



re: _____

MECHANIC'S SIGNATURE 		BUS #: 5123	DATE: 04/18/2019	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		
		DATE COMPLETED		

Minia Streets	(2) Tiers	Rowby M.	04/08/2015
---------------	-----------	----------	------------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 04/18/2019 Vehicle #: 5123Mileage in: 229449Mileage out: 229450

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1409 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information			
Vehicle #:	5123	Repair Reason:	A
Date:	5/21/19	Work Class:	2
		Date and Time Finished:	14:45
Complaints/Defects:		Mileage in:	238801
		Mileage out:	238803
Notes/Measurements:			

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUVAIT JAGGIRDIO Signature: Y Jagardio

ASE Employee #: ASE Technician: ASE Signature:

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **238801** Mileage out: **238803**



Date: **5/2/19** Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting
P	F	Item Inspected



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 5/21/19 Vehicle #: 5123Mileage in: 238801 Mileage out: 238803

P	F	Item Inspected	ServType	Service Performed	Techs Initials
Y		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	Y
Y		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	Y
Y		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"	A,B,C,D	Lube drive shafts and universal joints	N/A
Y		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	Y
Y		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	Y
Y		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"	A,B,C,D	Drain water from separator	N/A
Y		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	Y
Y		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
Y		R/F: <u>10</u> /32" L/F: <u>10</u> /32"	B,C,D	Change fuel filter	
Y		R/R: <u>9</u> /32" L/R: <u>10</u> /32"	B,C,D	Clean or change PCV valve	
Y		R/RO: <u>10</u> /32" L/RO: <u>8</u> /32"	B,C,D	Clean or change crank case filter	
Y		35) Lug nuts condition	B,C,D	Install new wiper blades	
Y		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
Y		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
Y		G) Lift inspection	C,D	Drain water from fuel tank	
Y		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
Y		2) Lift control pendant condition and operation	D	Service and flush cooling system	
Y		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
Y		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
Y		5) Inner roll stop condition and operation	D	Change differential fluid	
Y		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
Y		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
Y		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
Y		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	Y
Y		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
Y		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
Y		12) Hydraulic lines and cylinders condition			
Y		13) Hydraulic fluid level and condition			
Y		14) Base plate and arms welds & pivot points			
Y		15) Lift springs and pins condition and operation			
Y		16) Lift safety switches and adjustments			
Y		17) Hose and wire routing and connections			
Y		18) Rollers and pivot point condition & operation			
Y		19) Lift to vehicle mounting bolts and brackets			
Y		20) Lift doors condition and operation			
Y		21) Lift door lights condition and operation	<i>Y Suggested</i> 5/21/19 Technicians Signature _____ Date _____		
Y		22) Lift interlock operation and condition	Supervisor Signature _____ Date _____		
Y		(lift door open, e-brake down not able to shift)			
Y		(e-brake off lift door closed no lift power)	Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		
Y		23) W/C tie downs condition and operation			
Y		24) Tie down container secure and clean			
Y		25) Tie down floor mounting brackets secure			
Y		26) W/C shoulder belt condition and operation			
Y		27) Lift clean and no sharp edges			
Y		28) Lift shields secure and in good shape			
Y		29) Lift moves steady without drifting, jerking, or unusual speeds			
Y		30) No unusual lift noises			
Y		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
Y		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrral Expy Way, Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: _____

Date and Time in : 20:00

Date: 07/05/19 Work Class:

Date and Time Finished:

Mileage in: 243000

Mileage out: 243841

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.	Total Parts Cost:
Employee #: 816034 Technician: Sham	Signature: 

Signature

ASE Signature:

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



BUS #:

DATE:

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

*QD Drive belt has small
pin. Noted.*

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 243840 Mileage out: 243841



Date: 07/15/19 Vehicle #: 5123

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: load volts: load amps:
		Batt 2 volts: load amps: load volts: load amps:
		Batt 3 volts: load amps: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07/15/19 Vehicle #: 5123Mileage in: 243040 Mileage out: 243041

P	F	Item Inspected
<u>S</u>		30) Front brake condition and mounting
<u>S</u>		31) Front brake lining condition & measurement
<u>S</u>		Pads R/F: <u>5</u> /32" L/F: <u>5</u> /32"
<u>S</u>		32) Rear brake condition and mounting
<u>S</u>		33) Rear brake lining condition & measurement
<u>S</u>		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
<u>S</u>		Shoes R/R: <u>5</u> /32" L/R: <u>5</u> /32"
<u>S</u>		34) Tire and wheel condition and measurements
<u>S</u>		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
<u>S</u>		R/R: <u>6</u> /32" L/R: <u>6</u> /32"
<u>S</u>		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
<u>S</u>		35) Lug nuts condition
<u>S</u>		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
<u>S</u>		Wheel torque specs used: <u>140</u> ft. lbs.
<u>S</u>		G) Lift inspection
<u>S</u>		1) Lift operation (fully stowed to fully deployed)
<u>S</u>		2) Lift control pendant condition and operation
<u>S</u>		3) Lift restraint belt condition and operation
<u>S</u>		4) Outer roll stop condition and operation
<u>S</u>		5) Inner roll stop condition and operation
<u>S</u>		6) Platform adjustments, condition and mounting
<u>S</u>		7) Standee arm condition and operation
<u>S</u>		8) Proper signage and decals
<u>S</u>		9) Manual backup pump condition and operation
<u>S</u>		10) Lift manual pump handle
<u>S</u>		11) Hydraulic pump condition and operation
<u>S</u>		12) Hydraulic lines and cylinders condition
<u>S</u>		13) Hydraulic fluid level and condition
<u>S</u>		14) Base plate and arms welds & pivot points
<u>S</u>		15) Lift springs and pins condition and operation
<u>S</u>		16) Lift safety switches and adjustments
<u>S</u>		17) Hose and wire routing and connections
<u>S</u>		18) Rollers and pivot point condition & operation
<u>S</u>		19) Lift to vehicle mounting bolts and brackets
<u>S</u>		20) Lift doors condition and operation
<u>S</u>		21) Lift door lights condition and operation
<u>S</u>		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
<u>S</u>		23) W/C tie downs condition and operation
<u>S</u>		24) Tie down container secure and clean
<u>S</u>		25) Tie down floor mounting brackets secure
<u>S</u>		26) W/C shoulder belt condition and operation
<u>S</u>		27) Lift clean and no sharp edges
<u>S</u>		28) Lift shields secure and in good shape
<u>S</u>		29) Lift moves steady without drifting, jerking,
		or unusual speeds
<u>S</u>		30) No unusual lift noises
<u>S</u>		Lube all lift pivot points, barriers, rollers, linkages
<u>S</u>		and bearings cleaning off all excess lube
<u>S</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>S</u>
A,B,C,D	Lube chassis and suspension	<u>N/A</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>S</u>
A,B,C,D	Adjust service and parking brakes	<u>N/A</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>S</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (<u>5</u> miles)	<u>S</u>

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



MV Transportation
5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: 2 Date and Time in: _____
Date: 09.18.19 Work Class: 2 Date and Time Finished: _____

Vehicle #: 3123 Repair Reason: 2
Date: 09.18.19 Work Class: 2

Vehicle #: 51023 Repair Reason: 4 Date and Time in: _____
Date: 09-18-19 Work Class: 1 Date and Time Finished: _____

Mileage in: 252041
Mileage out: 252042

Mileage in: 252041
Mileage out: 252042

Complaints/Defects:

DRF

Notes/Measurements:

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation. I've removed _____

Employee #: 845132 Technician:

Jeremy Beardsley

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **5300**

Mileage out: **5300**



Date: **09/18/19** Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 09.18.19 Vehicle #: 5123

Mileage in: 252041 Mileage out: 252042

P	F	Item Inspected	ServType	Service Performed	Techs Initials
2		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	2
2		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	2
2		Pads R/F: 8/32" L/F: 8/32"	A,B,C,D	Lube drive shafts and universal joints	2
2		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	2
2		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	2
2		Pads R/R: 8/32" L/R: 8/32"	A,B,C,D	Drain water from separator	2
2		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	2
2		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
2		R/F: 8/32" L/F: 8/32"	B,C,D	Change fuel filter	
2		R/RI: 8/32" L/RI: 8/32"	B,C,D	Clean or change PCV valve	
2		R/RO: 8/32" L/RO: 8/32"	B,C,D	Clean or change crank case filter	
2		35) Lug nuts condition	B,C,D	Install new wiper blades	
2		Air pressure adjustment FR. 70 RR. 70	C,D	Change transmission fluid and filter	
2		Wheel torque specs used: 110 ft. lbs.	C,D	Service front wheel bearings	
2		G) Lift inspection	C,D	Drain water from fuel tank	
2		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
2		2) Lift control pendant condition and operation	D	Service and flush cooling system	
2		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
2		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
2		5) Inner roll stop condition and operation	D	Change differential fluid	
2		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
2		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
2		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
2		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (2 miles)	2
2		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
2		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
2		12) Hydraulic lines and cylinders condition	Technician's Signature _____ Date 09-18-19		
2		13) Hydraulic fluid level and condition	Supervisor Signature _____ Date _____		
2		14) Base plate and arms welds & pivot points	Notes: _____		
2		15) Lift springs and pins condition and operation	_____		
2		16) Lift safety switches and adjustments	_____		
2		17) Hose and wire routing and connections	_____		
2		18) Rollers and pivot point condition & operation	_____		
2		19) Lift to vehicle mounting bolts and brackets	_____		
2		20) Lift doors condition and operation	_____		
2		21) Lift door lights condition and operation	_____		
2		22) Lift interlock operation and condition	_____		
		(lift door open, e-brake down not able to shift)	_____		
		(e-brake off lift door closed no lift power)	_____		
2		23) W/C tie downs condition and operation	_____		
2		24) Tie down container secure and clean	_____		
2		25) Tie down floor mounting brackets secure	_____		
2		26) W/C shoulder belt condition and operation	_____		
2		27) Lift clean and no sharp edges	_____		
2		28) Lift shields secure and in good shape	_____		
2		29) Lift moves steady without drifting, jerking, or unusual speeds	_____		
2		30) No unusual lift noises	_____		
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	_____		
		Check, torque or adjust lift base mounting bolts	_____		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



BUS #:

DATE:

10/18/19

PM TYPE OR WORK ORDER #:

A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **256803**

Mileage out: **254804**



Date: **10/18/19** Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **10/18/19**

Vehicle #:

5123

Mileage in:

256804

Mileage out:

256804

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 10 /32" L/F: 10 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 6 /32" L/R: 6 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 8 /32" L/F: 8 /32"
R		R/RI: 7 /32" L/RI: 7 /32"
R		R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 65 RR. 75
R		Wheel torque specs used: 140 ft. lbs.
		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: 4 Date and Time in: 4

Mileage in: 261758

Date: 11/26/19 Work Class: _____ Date and Time Finished: _____

Mileage out: 261758

Complaints/Defects:

Notes/Measurements:

DMT

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816 534 Technician:

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5123

DATE: 11/14/19

PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① Radiator leaking
Replace with Radiator

11/14/19

② Brake booster small leak noted
to be replace

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Mileage in: 261758 Mileage out: 261758



Date: 11/14/19 Vehicle #: 5123

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 11/14/19 Vehicle #: 5123 Mileage in: 261758 Mileage out: 261758

P	F	Item Inspected	ServType	Service Performed	Techs Initials
<u>S</u>		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	<u>S</u>
<u>S</u>		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	<u>N/A</u>
<u>S</u>		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"	A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
<u>S</u>		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	<u>S</u>
<u>S</u>		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	<u>N/A</u>
<u>S</u>		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"	A,B,C,D	Drain water from separator	<u>N/A</u>
<u>N/A</u>		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>S</u>
<u>S</u>		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
<u>S</u>		R/F: <u>6</u> /32" L/F: <u>7</u> /32"	B,C,D	Change fuel filter	
<u>S</u>		R/R: <u>5</u> /32" L/R: <u>7</u> /32"	B,C,D	Clean or change PCV valve	
<u>S</u>		R/RO: <u>5</u> /32" L/RO: <u>5</u> /32"	B,C,D	Clean or change crank case filter	
<u>S</u>		35) Lug nuts condition	B,C,D	Install new wiper blades	
<u>S</u>		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
<u>S</u>		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
<u>S</u>		G) Lift inspection	C,D	Drain water from fuel tank	
<u>S</u>		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
<u>S</u>		2) Lift control pendant condition and operation	D	Service and flush cooling system	
<u>S</u>		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
<u>S</u>		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
<u>S</u>		5) Inner roll stop condition and operation	D	Change differential fluid	
<u>S</u>		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
<u>S</u>		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
<u>S</u>		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
<u>S</u>		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (<u>5</u> miles)	<u>S</u>
<u>S</u>		10) Lift manual pump handle			
<u>S</u>		11) Hydraulic pump condition and operation			
<u>S</u>		12) Hydraulic lines and cylinders condition			
<u>S</u>		13) Hydraulic fluid level and condition			
<u>S</u>		14) Base plate and arms welds & pivot points			
<u>S</u>		15) Lift springs and pins condition and operation			
<u>S</u>		16) Lift safety switches and adjustments			
<u>S</u>		17) Hose and wire routing and connections			
<u>S</u>		18) Rollers and pivot point condition & operation			
<u>S</u>		19) Lift to vehicle mounting bolts and brackets			
<u>S</u>		20) Lift doors condition and operation			
<u>S</u>		21) Lift door lights condition and operation			
<u>S</u>		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
<u>S</u>		23) W/C tie downs condition and operation			
<u>S</u>		24) Tie down container secure and clean			
<u>S</u>		25) Tie down floor mounting brackets secure			
<u>S</u>		26) W/C shoulder belt condition and operation			
<u>S</u>		27) Lift clean and no sharp edges			
<u>S</u>		28) Lift shields secure and in good shape			
<u>S</u>		29) Lift moves steady without drifting, jerking, or unusual speeds			
<u>S</u>		30) No unusual lift noises			
<u>S</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
<u>S</u>		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrral Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: 1 Date and Time in: 1
Date: 12/12/19 Work Class: 1 Date and Time Finished: 1

Mileage in: 266647
Mileage out: 266644

Complaints/Defects:

Notes/Measurements:

Labor Information

[illegible]

Parts Information

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Subramaniam Alamelu Signature _____

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



BUS #: 5123

DATE: 12/12/19

PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

replace headlamp

J. [Signature]

12/12/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: 26447 Mileage out: 26448



Date: 10/19/19 Vehicle #: 5183

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: load volts: load amps:
		Batt 2 volts: load amps: load volts: load amps:
		Batt 3 volts: load amps: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/12/19 Vehicle #: 5123Mileage in: 266647 Mileage out: 266648

P	F	Item Inspected
2		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		34) Tire and wheel condition and measurements
2		R/F: <u>6</u> /32" L/F: <u>6</u> /32"
2		R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR: <u>70</u> RR: <u>70</u>
2		Wheel torque specs used: <u>140</u> ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
2		(lift door open, e-brake down not able to shift)
2		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking,
2		or unusual speeds
2		30) No unusual lift noises
2		Lube all lift pivot points, barriers, rollers, linkages
2		and bearings cleaning off all excess lube
2		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (<u>6</u> miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	Repair Reason:	Date and Time in:	Mileage in:
5123	I	01/08/2020, 11:35 PM	271, 203
Date:	Work Class:	Date and Time Finished:	Mileage out:
01/08/2020	A	01/08/2020, 12:15 AM	271, 204

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

Total Points Scored:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation.

Employee #: 662802 Technician: Hopeton Hays Signature H.M. Hays
 I, Hopeton Hays, an authorized representative of MP Transportation, Inc., hereby certify that the above information is true and correct.

Signature H. M. J. M. -

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____



PM DEFECT SHEET



BUS #: 5123

DATE: 01/08/2020

PM TYPE OR WORK ORDER #: A

H. M. H. -
MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

- * RIGHT FRONT INDICATOR MALFUNCTION.
- * DEFECTIVE ANTI-SWAY (STABILIZER BAR) BUSHING.
PART NOT AVAILABLE. PART HAS BEEN ORDERED.
- * REAR TIRES WANTED. NOT AVAILABLE. REPORT
-ED TO THE SUPERVISOR.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: **271,203** Mileage out: **271,204**



Date: **01/08/2020** Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 01/08/2020 Vehicle #: 5123

Mileage in: 271,203

Mileage out: 271,204

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: <u>8/32"</u> L/F: <u>8/32"</u>
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: <u>7/32"</u> L/R: <u>7/32"</u>
NA		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
H		34) Tire and wheel condition and measurements
H		R/F: <u>8/32"</u> L/F: <u>8/32"</u>
H		R/R: <u>4/32"</u> L/R: <u>9/32"</u>
H		R/O: <u>8/32"</u> L/O: <u>4/32"</u>
H		35) Lug nuts condition
H		Air pressure adjustment FR. <u>60</u> RR. <u>65</u>
H		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	H
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	H
A,B,C,D	Rotate tires(as necessary, caps on rear)	H
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

J. M. Ang
Technicians Signature


01/08/2020
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: A Date and Time
Date: 03/18/20 Work Class: ✓ Date and Time Finished:

Date and Time in: 9.26

Mileage in: 280794
Mileage out: 284794

Complaints/Defects:

Notes/Measurements:

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	SS	VV1700	Engine	6.5"	
A	SS	FC3681	Pulley	1	
A	SS	WM-840	Blower Motor	1	
A	SS	WM-1081	wheel	1	
					Total Parts Cost:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician:

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5123

DATE: 03/18/20

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① Battery dead, replacing
all ok at this time

Stahl

03/18/20

② Vehicle body has fine
scratches and chip paint
Noted

③ Vehicle has small tear from
Hydroboost Water to be replaced
soon (see)

④ Blower motor making
noise check replace
Blower motor and wheel
all ok at this time

Stahl

03/18/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **280794**

Mileage out: **280794**



Date: **03/15/20** Vehicle #: **5193**

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			1) Driver carpet
		2) Driver seat condition and operation			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation and condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			28) Exhaust system condition and mounting
		27) No exhaust leaks			26) Fuel tank condition and mounting
		25) No fuel leaks			24) Rear springs condition and mounting
		23) Rear shock absorbers			22) Frame and cross members
		21) Rear differential condition and mounting			20) No rear differential leaks
		19) Universal joints and carrier bearings condition			18) Drive shaft condition
		17) No transmission oil leaks and fluid condition			16) Transmission mounts, brackets and bolts
		15) Engine mounts, brackets and bolts			14) No engine oil leaks and fluid condition
		13) Heater and A/C hose routing and leaks			12) Engine oil cooler & lines routing and leaks
		11) Trans oil cooler & lines routing and leaks			10) Front shock absorber operation & condition
		9) Front spring condition and mounting			8) Ball joints or kingpins
		7) Stabilizer bar condition and bushings condition			6) Radius arm condition and bushings condition
		5) I beam or control arm movements and rivets			4) Steering linkages
		3) Steering shaft bearings			2) Steering shaft U joints
		1) Steering gear box mount, condition & leaks			F) Vehicle rack inspection
		12) Brake fluid level and condition			11) Power steering fluid level and condition
		10) Transmission oil level and condition			9) Engine oil fluid level and condition
		8) Fan and fan clutch operation and condition			7) Brake master cylinder and power booster
		6) Pulleys and tensioned operation & condition			5) Accessory drive belts condition
		3) Cooling system, hoses, water pump condition			2) Wire and hose routing and connections
		(reference factory service manual for alternator spec)			Alt. 2 min volt: max amp:
		Alt. 1 min volt: max amp:			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Batt 3 volts: load amps:			Batt 2 volts: load amps:
		Batt 1 volts: load amps:			1) Batteries & charging sys. (load alt B, C, D serv)
		E) Under hood inspection			8) A/C compressors and condenser fans
		7) Rear heater condition and operation			6) Front heater condition and operation
		5) Evaporator intake air filter condition			4) Temp gets to 20 deg. F below ambient temp.
		3) Defroster operation			2) Rear blower condition and operation



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 03/18/20 Vehicle #: 5123

Mileage in: 280794 Mileage out: 280794

P	F	Item Inspected	ServType	Service Performed	Techs Initials
8		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	S
8		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	W/A
8		Pads R/F: 6 /32" L/F: 6 /32"	A,B,C,D	Lube drive shafts and universal joints	W/A
8		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	S
8		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	W/A
8		Pads R/R: 8 /32" L/R: 8 /32"	A,B,C,D	Drain water from separator	W/A
N/A		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	W/A
8		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
8		R/F: 8 /32" L/F: 8 /32"	B,C,D	Change fuel filter	
8		R/RI: 8 /32" L/RI: 8 /32"	B,C,D	Clean or change PCV valve	
8		R/RO: 8 /32" L/RO: 8 /32"	B,C,D	Clean or change crank case filter	
8		35) Lug nuts condition	B,C,D	Install new wiper blades	
8		Air pressure adjustment FR. 70 RR. 70	C,D	Change transmission fluid and filter	
8		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
8		G) Lift inspection	C,D	Drain water from fuel tank	
8		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
8		2) Lift control pendant condition and operation	D	Service and flush cooling system	
8		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
8		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
8		5) Inner roll stop condition and operation	D	Change differential fluid	
8		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
8		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
8		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
8		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
8		10) Lift manual pump handle			
8		11) Hydraulic pump condition and operation			
8		12) Hydraulic lines and cylinders condition			
8		13) Hydraulic fluid level and condition			
8		14) Base plate and arms welds & pivot points			
8		15) Lift springs and pins condition and operation			
8		16) Lift safety switches and adjustments			
8		17) Hose and wire routing and connections			
8		18) Rollers and pivot point condition & operation			
8		19) Lift to vehicle mounting bolts and brackets			
8		20) Lift doors condition and operation			
8		21) Lift door lights condition and operation			
8		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
8		23) W/C tie downs condition and operation			
8		24) Tie down container secure and clean			
8		25) Tie down floor mounting brackets secure			
8		26) W/C shoulder belt condition and operation			
8		27) Lift clean and no sharp edges			
8		28) Lift shields secure and in good shape			
8		29) Lift moves steady without drifting, jerking, or unusual speeds			
8		30) No unusual lift noises			
8		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
8		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
; Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5123	Repair Reason:	I	Date and Time in:	05/05/2020	Mileage in:	285,260
Date:	05/05/2020	Work Class:	A	Date and Time Finished:	05/05/2020	Mileage out:	285,261

Complaints/Defects:

Notes/Measurements:

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: _____

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

* DEEP SEARCH ON LIFT DEPLOY...
DOOR.

② Front Backs peel back
Explore new pads all ok

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **285,260** Mileage out: **285,261**



Date: **05/05/20** Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
	X	1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
	X	18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **285,261** Mileage out: **285,261**



Date: **05/05/2020** Vehicle #: **5123**

P	F	Item Inspected
		(30) Front brake condition and mounting
		(31) Front brake lining condition & measurement
		Pads R/F: 5/32" L/F: 5/32"
		(32) Rear brake condition and mounting
		(33) Rear brake lining condition & measurement
		Pads R/R: 6/32" L/R: 6/32"
		(34) Tire and wheel condition and measurements
		Shoes R/R: 1/32" L/R: 1/32"
		(35) Lug nuts condition
		Air pressure adjustment FR: 60 RR: 65
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		(1) Lift operation (fully stowed to fully deployed)
		(2) Lift control pendant condition and operation
		(3) Lift restraint belt condition and operation
		(4) Outer roll stop condition and operation
		(5) Inner roll stop condition and operation
		(6) Platform adjustments, condition and mounting
		(7) Standee arm condition and operation
		(8) Proper signage and decals
		(9) Manual backup pump condition and operation
		(10) Lift manual pump handle
		(11) Hydraulic pump condition and operation
		(12) Hydraulic lines and cylinders condition
		(13) Hydraulic fluid level and condition
		(14) Base plate and arms welds & pivot points
		(15) Lift springs and pins condition and operation
		(16) Lift safety switches and adjustments
		(17) Hose and wire routing and connections
		(18) Rollers and pivot point condition & operation
		(19) Lift to vehicle mounting bolts and brackets
		(20) Lift doors condition and operation
		(21) Lift door lights condition and operation
		(22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		(23) W/C tie downs condition and operation
		(24) Tie down container secure and clean
		(25) Tie down floor mounting brackets secure
		(26) W/C shoulder belt condition and operation
		(27) Lift clean and no sharp edges
		(28) Lift shields secure and in good shape
		(29) Lift moves steady without drifting, jerking, or unusual speeds
		(30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Supervisor Signature _____ Date _____

Notes: _____

Technician's Signature **Jeffery** Date **05/05/2020**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Technician's Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	OK
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H

Initial or "N/A" each service performed per PM type

MV Transportation
5910 N Cenrral Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: 4 Date and Time in: _____

Repair Reason:

Vehicle #: 5123

Date: 07/10/50 Work Class: 2 Date and Time Finished:

Mileage in: 294733

Mileage out: 294734

Complaints/Defects:

02

Notes/Measurements:

[illegible]

I have performed the repairs according to the guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from M/V Transportation, Inc. approved vendors and have collected all necessary receipts.

Employee #: 343134 Technician:


no longer needed

Signature _____

ASE Employee #: _____ ASE Technician: _____

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE 	
BUS # : 5123 DATE : 07/07/00 PM TYPE OR WORK ORDER # : PM1A	DESCRIPTION OF REPAIR NEEDED 5123 need shifter cable noted 07/07/00 Replace front wheel bearing finished
COMPLETED BY DATE	COMPLETED DATE

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **294737**

Mileage out: **294737**



Date: **07/10/02** Vehicle #: **5103**

P	F	Item Inspected	P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)	☒		2) Rear blower condition and operation
☒		1) Driver carpet	☒		3) Defroster operation
☒		2) Driver seat condition and operation	☒		4) Temp gets to 20 deg. F below ambient temp.
☒		3) Drivers door operation and condition	☒		5) Evaporator intake air filter condition
☒		4) Drivers seat belt operation and condition	☒		6) Front heater condition and operation
☒		5) Engine starting and ignition system	☒		7) Rear heater condition and operation
☒		6) Instrument panel gauges & warning lights	☒		8) A/C compressors and condenser fans
☒		7) Instrument panel lighting & condition	☒		E) Under hood inspection
☒		8) Horn operation	☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		9) Steering wheel tight, no excessive play	☒		Batt 1 volts: load amps:
☒		10) Windshield wipers	☒		Batt 2 volts: load amps:
☒		11) Windshield washer	☒		Batt 3 volts: load amps:
☒		12) Sun visor condition and operation	☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		13) Parking brake operation & condition	☒		Alt. 1 min volt: max amp:
☒		14) Parking and service brake pedal pads	☒		Alt. 2 min volt: max amp:
☒		15) Passenger door operation	☒		(reference factory service manual for alternator spec)
☒		16) No vibrations, pulsations or noises	☒		2) Wire and hose routing and connections
☒		B) Walk around inspection	☒		3) Cooling system, hoses, water pump condition
☒		1) Body damage (list on separate sheet)	☒		5) Accessory drive belts condition
☒		2) Headlights, high & low beam operation	☒		6) Pulleys and tensioned operation & condition
☒		3) Parking lights operation & condition	☒		7) Brake master cylinder and power booster
☒		4) Marker lights operation & condition	☒		8) Fan and fan clutch operation and condition
☒		5) Directional signals operation & condition	☒		9) Engine oil fluid level and condition
☒		6) Hazard lights operation and condition	☒		10) Transmission oil level and condition
☒		7) Clearance lights operation and condition	☒		11) Power steering fluid level and condition
☒		8) Brake lights operation & condition	☒		12) Brake fluid level and condition
☒		9) License plate lamp operation & condition	☒		F) Vehicle rack inspection
☒		10) License plates and tags	☒		1) Steering gear box mount, condition & leaks
☒		11) Backup lights and alarms	☒		2) Steering shaft U joints
☒		12) Reflectors and reflective bumper tape	☒		3) Steering shaft bearings
☒		13) Exterior decals and signage	☒		4) Steering linkages
☒		14) Bumpers secure / in good condition	☒		5) I beam or control arm movements and rivets
☒		15) Exterior mirrors secure / in good condition	☒		6) Radius arm condition and bushings condition
☒		16) Exterior clean	☒		7) Stabilizer bar condition and bushings condition
☒		C) Interior inspection	☒		8) Ball joints or kingpins
☒		1) Passenger door and steps condition	☒		9) Front spring condition and mounting
☒		2) Handrails and stanchions condition	☒		10) Front shock absorber operation & condition
☒		3) Interior and modesty panels condition	☒		11) Trans oil cooler & lines routing and leaks
☒		4) Flooring condition	☒		12) Engine oil cooler & lines routing and leaks
☒		5) Interior lighting operation and condition	☒		13) Heater and A/C hose routing and leaks
☒		6) Windows operation and condition	☒		14) No engine oil leaks and fluid condition
☒		7) Emergency Exits operation & condition	☒		15) Engine mounts, brackets and bolts
☒		8) Accessory operation & condition (radio, GPS)	☒		16) Transmission mounts, brackets and bolts
☒		9) Passenger seats operation & condition	☒		17) No transmission oil leaks and fluid condition
☒		10) Passenger seat belts operation & condition	☒		18) Drive shaft condition
☒		11) First aid & body fluid kits complete	☒		19) Universal joints and carrier bearings condition
☒		12) Triangle reflectors complete/good condition	☒		20) No rear differential leaks
☒		13) Stop request operation & condition	☒		21) Rear differential condition and mounting
☒		14) Valid registration, insurance & accident pack	☒		22) Frame and cross members
☒		15) Fire extinguisher in good condition & signed	☒		23) Rear shock absorbers
☒		16) Interior decals and signage (incl. electrical)	☒		24) Rear springs condition and mounting
☒		17) DVI's reviewed, addressed and signed off	☒		25) No fuel leaks
☒		18) Interior clean	☒		26) Fuel tank condition and mounting
☒		D) HVAC system inspection	☒		27) No exhaust leaks
☒		1) Front blower condition and operation	☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D
 Mileage in: **29473** Mileage out: **29473**



Date: **7/10/20** Vehicle #: **5123**

Service Performed	Service Type	Technician's Initials
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*

Date: **07/10/20**

Supervisor Signature: _____

Date: _____

Notes: _____

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 10 /32" L/F: 10 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 2 /32"		
Shoes R/R: 13 /32" L/R: 13 /32"		
34) Tire and wheel condition and measurements		
R/F: 6 /32" L/F: 4 /32"		
R/R: 6 /32" L/R: 6 /32"		
R/O: 2 /32" L/R: 6 /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 40		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #:	523	Repair Reason:	A	Date and Time in:
------------	-----	----------------	---	-------------------

Date and Time in :

Repair Reason:

Vel

Date: 8/20/20 Work Class: I Date and Time Finished: _____

Work Class: F

23

Mileage in: 27568

Mileage out: 299560

Complaints/Defects:

Am 2

Notes/Measurements:

<i>Labor Information</i>		
<i>Task</i>	<i>WAC Repair Description/Comments</i>	<i>Hours</i>
	PMT A	
	Bake Inspection	
		Total Hours Worked:

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	SS	VV1700	Engine Oil	1	
A	SS	AF3881	Oil Filter	1	
A	SS	AF85590	Air Filter	1	
A	SS	BRSD132	Brake Pads		
A	SS	2021163	Tires	2	
					Total Parts Cost:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 8446 Technician:

Signature


ASE Employee #: 604182 ASE Technician:

ASE Signature:

Washer Fluid Reservoir have a leak	Front drive threads low but replaced	Rear caliper pin soon need replacing	Replaced
------------------------------------	--------------------------------------	--------------------------------------	----------

MECHANIC'S SIGNATURE		DESCRIPTION OF REPAIR NEEDED	
BUS #: 5123 DATE: 8/18/20 PM TYPE OR WORK ORDER #:		COMPLETED BY	DATE COMPLETED

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **299568**

Mileage out: **299569**



Date: **8/18/20**



Vehicle #: **5123**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D Mileage in: 294528 Mileage out: 294529

50



Date: 5/18/20

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 / 32" L/F: 8 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 5 / 32" L/R: 4 / 32"
		Shoes R/R: / 32" L/R: / 32"
		34) Tire and wheel condition and measurements
		R/F: 5 / 32" L/F: 7 / 32"
		R/R: 3 / 32" L/R: 7 / 32"
		R/O: 3 / 32" L/O: 7 / 32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 70
		Wheel torque specs used: 44 ft. lbs.
		(g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		23) W/C tie downs condition and operation
		(e-brake off lift door closed no lift power)
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Technician's Signature	Date
Change oil and filter		
Lube chassis and suspension		
Lube drive shafts and universal joints		
Lube doors and hood, locks and hinges		
Adjust service and parking brakes		
Drain water from separator		
Rotate tires (as necessary, caps on rear)		
Change air filter		
Change fuel filter		
Clean or change PCV valve		
Clean or change crank case filter		
Install new wiper blades		
Change transmission fluid and filter		
Service front wheel bearings		
Drain water from fuel tank		
Replace accessory drive belts		
Service and flush cooling system		
Install new spark plugs & wires		
Install new dist. cap & rotor		
Change differential fluid		
Check Exhaust and EGR system		
Check and service fuel & evap. System		
Evac and recharge A/C (add 1 oz. of oil)		
Post service test drive (5 miles)		

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Supervisor Signature _____ Date _____

Technician's Signature _____ Date 8/8/20

Notes:

Notes:

Supervisor Signature _____

Date _____

Technicians Signature

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: A Date and Time in: 10/20/20
Date: 10/20/20 Work Class: 1 Date and Time Finished: 10/20/20

Mileage in: 309318
Mileage out: 309318

Complaints/Defects:

Notes/Measurements:

FINAL

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 24394 Technician: _____


ASE Employee #: 604182 ASE Technician:

Signature

Favrier

ASE Signature: _____

ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: 5103	DATE: 10/28/20	PM TYPE OR WORK ORDER #: PM12
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	

plugged, rear right inside disc <i>[Signature]</i>		10/28/20
---	--	----------

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: 309318 Mileage out: 309315



Date: 10/26/00 Vehicle #: 5123

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation & condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist
Circle Service Type: (A) B C D



Date: 10/28/00 Vehicle #: _____

5123

Mileage in:

Circle Service Type: 309318 Mileage in: 309318

D

Mileage out:

309320

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10/32" L/F: 10/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 9/32" L/R: 9/32"
		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
		R/F: 9/32" L/F: 9/32"
		R/R: 3/32" L/R: 7/32"
		R/RO: 8/32" L/RO: 8/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 30
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	F
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 10/28/20

Supervisor Signature: _____ Date: _____

Notes: _____

Notes:


Supervisor Signature _____

Technicians Signature

Date _____

10/12/01

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5023	Repair Reason:	1	Date and Time in:	06-13-18	21:30	Mileage in:	181311
Date:	06-13-18	Work Class:	7	Date and Time Finished:	06-13-18	23:30	Mileage out:	181314

Complaints/Defects

2025

Notes/Measurements:

2025

[illegible]


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 215132 Technician: Seamus Howard Signature: [Signature]

ASE Employee #: 60452 ASE Technician: John Toland ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
		503	06.13.18	
DESCRIPTION OF REPAIR NEEDED				
COMPLETED BY				
DATE COMPLETED				



Preventive Maintenance Inspection and Service Checklist

Date: 06/13/18 Vehicle #: 5123

Circle Service Type: A B C D

Mileage in: 181311 Mileage out: 181314

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D
 Mileage in: 18134
 Mileage out: 18134

Date: 06/13/18 Vehicle #: 5193



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>3/32"</u> L/R: <u>3/32"</u>
		Shoes R/R: <u>3/32"</u> L/R: <u>3/32"</u>
		34) Tire and wheel condition and measurements
		R/F: <u>10/32"</u> L/F: <u>10/32"</u>
		R/R: <u>7/32"</u> L/R: <u>6/32"</u>
		R/R: <u>7/32"</u> L/R: <u>6/32"</u>
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) The down container secure and clean
		25) The down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Technician's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature]
 Supervisor Signature: [Signature]
 Date: 06/13/18
 Date: 6/14/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #:	5183	Repair Reason:	13	Date and Time in:	05-09-18	21:00	Mileage in:	176413
Date:	05-09-18	Work Class:	1	Date and Time Finished:	05-09-18	22:40	Mileage out:	176416

Notes/Measurements

PTB

Parts Information

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 8445132 Technician: Edward Alvarez Signature: [Signature]

Employee #: 845132 Technician: Sperry, Robert Signature: [Signature]

ASE Employee #: 609182 ASE Technician: [Signature] ASE Signature: [Signature]

ASE Signature: 



PM DEFECT SHEET



MECHANIC'S SIGNATURE		BUS # : 5193 DATE : 05-09-18	
PM TYPE OR WORK ORDER #:			
DATE			

near 1 in time need to be replaced
replace near 1 in time with a need one



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 05-09-18 Vehicle #: 5103

Mileage in: 1176413

Mileage out: 1176416

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: load volts: load amps:
✓		Batt 2 volts: load volts: load amps:
✓		Batt 3 volts: load volts: load amps:
✓		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
✓		Alt. 1 min volt: max volt: max amp:
✓		Alt. 2 min volt: max volt: max amp:
✓		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Circle Service Type: A (B) C D

Mileage in: 116 M 3
Mileage out:

919921

Date: 05-09-88 Vehicle #: 3183

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Date _____


Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145

3301 Electronics Way
West Palm Beach, FL 33407



Vehicle #: 5123 Repair Reason: _____

Date and Time in : 16:30

Mileage in: 205494

Date: 11/19/18 Work Class: 1 Date and Time Finished:

18100

Mileage out: 205.498

Notes/Measurements:

PMI

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician


Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

BUS #:

8123

DATE:

11/19/18

PM TYPE OR WORK ORDER #:

① Passenger seat belt
stuck check fix all ok

11/19/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/19/18 Vehicle #: 5123 Mileage in: 205696 Mileage out: 205698

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 205696 Mileage out: 205698



Date: 11/19/18 Vehicle #: 5123

Service Performed	Technician Initials
A,B,C,D Change oil and filter	S
A,B,C,D Lube chassis and suspension	W/A
A,B,C,D Lube drive shafts and universal joints	W/A
A,B,C,D Lube doors and hood, locks and hinges	W/A
A,B,C,D Adjust service and parking brakes	W/A
A,B,C,D Drain water from separator	W/A
A,B,C,D Rotate tires (as necessary, caps on rear)	W/A
B,C,D Change fuel filter	S
B,C,D Clean or change PCV valve	W/A
B,C,D Clean or change crank case filter	W/A
B,C,D Install new wiper blades	W/A
C,D Change transmission fluid and filter	W/A
C,D Service front wheel bearings	W/A
C,D Drain water from fuel tank	W/A
D Replace accessory drive belts	W/A
D Service and flush cooling system	W/A
D Install new spark plugs & wires	W/A
D Install new dist. cap & rotor	W/A
D Change differential fluid	W/A
D Check Exhaust and EGR system	W/A
D Check and service fuel & evap. System	W/A
D Evac and recharge A/C (add 1 oz. of oil)	W/A
A,B,C,D Post service test drive (5 miles)	W/A

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Date

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30 Front brake condition and mounting	S	
31 Front brake lining condition & measurement	S	
Pads R/F: 5 / 32" L/F: 8 / 32"	S	
32 Rear brake condition and mounting	S	
33 Rear brake lining condition & measurement	S	
Pads R/R: 6 / 32" L/R: 5 / 32"	S	
34 Tire and wheel condition and measurements	S	
Shoes R/R: / 32" L/R: / 32"	S	
R/F: 10 / 32" L/F: 10 / 32"	S	
R/R: 6 / 32" L/R: 4 / 32"	S	
R/R: 8 / 32" L/R: 7 / 32"	S	
35 Lug nuts condition	S	
Air pressure adjustment F.R. 70 R.R. 70	S	
Wheel torque specs used: 120 ft. lbs.	S	
G) Lift inspection	S	
1 Lift operation (fully stowed to fully deployed)	S	
2 Lift control pendant condition and operation	S	
3 Lift restraint belt condition and operation	S	
4 Outer roll stop condition and operation	S	
5 Inner roll stop condition and operation	S	
6 Platform adjustments, condition and mounting	S	
7 Standee arm condition and operation	S	
8 Proper signage and decals	S	
9 Manual backup pump condition and operation	S	
10 Lift manual pump handle	S	
11 Hydraulic pump condition and operation	S	
12 Hydraulic lines and cylinders condition	S	
13 Hydraulic fluid level and condition	S	
14 Base plate and arms welds & pivot points	S	
15 Lift springs and pins condition and operation	S	
16 Lift safety switches and adjustments	S	
17 Hose and wire routing and connections	S	
18 Rollers and pivot point condition & operation	S	
19 Lift to vehicle mounting bolts and brackets	S	
20 Lift doors condition and operation	S	
21 Lift door lights condition and operation	S	
22 Lift interlock operation and condition	S	
(Lift door open, e-brake down not able to shift)	S	
(e-brake off lift door closed no lift power)	S	
23 W/C tie downs condition and operation	S	
24 Tie down container secure and clean	S	
25 Tie down floor mounting brackets secure	S	
26 W/C shoulder belt condition and operation	S	
27 Lift clean and no sharp edges	S	
28 Lift shields secure and in good shape	S	
29 Lift moves steady without drifting, jerking, or unusual speeds	S	
30 No unusual lift noises	S	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	S	
Check, torque or adjust lift base mounting bolts	S	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: B Date and Time in : _____ Mileage in: 234155
Date: 05/22/19 Work Class: F Date and Time Finished: _____ Mileage out: 234157

Complaints/Defects:

PMIR

Notes/Measurements:

<i>Labor Information</i>					
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>		
B	58	PMB			
O4	55	brake inspection			
			Total Hours Worked:		

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	55	SW20	engine oil	65	
B	55	F73881	oil filter	1	
B	55	AF25590	air filter	1	
B	55	NNL2001PF	washer blade	2	
B	55	F757673D-BA	oil drain plug	1	
B	55	Q9001331	tires	2	
					Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 847154 Technician:

Signature _____

ASE Employee #: 60416 ASE Technician:

ASE Sign:

ASE Signature: _____



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5123

DATE: 05/22/19

PM TYPE OR WORK ORDER #: PMIB

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace oil drain plug

[Signature]

05/22/19

Replace front tires

[Signature]

05/22/19

Rotate tires

[Signature]

05/22/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 234155 Mileage out: 234157



Vehicle #: 5103

Date: 05/02/19

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) Beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines, routing and leaks
		12) Engine oil cooler & lines, routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 05/02/19 Vehicle #: 5103

Mileage in: 234155 Mileage out: 234157

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 7 /32" L/F: 7 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
F		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 5 /32" L/F: 6 /32"
F		R/R: 3 /32" L/R: 5 /32"
F		R/O: 3 /32" L/O: 5 /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 65 RR. 70
F		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HA
A,B,C,D	Drain water from separator	HA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	HA
B,C,D	Clean or change PCV valve	HA
B,C,D	Clean or change crank case filter	HA
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

05/02/19
Date

Supervisor Signature

6/3/19
Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

100

Mileage in: 2400

Mileage out: 2600.7

Notes/Measurements:

20

Labor Information					Parts Information					
Task	WAC	Repair Description/Comments	Hours		Task	WAC	Part Number	Description	Qty	Cost
A	58	Pump			B	35	5w70	engine oil	6.5	
					B	55	1F3891	oil filter	1	
					B	55	wm 3200-1	mower blade	2	
					B	55	AF25080	air filter	1	
					A	55	H13	headlight bulb	1	
04	55	bare inspection								

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and

ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 828194 Technician: [Signature]
Signature [Signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____



PM DEFECT SHEET



BUS #:

5123

DATE:

06/11/20

PM TYPE OR WORK ORDER #:

PMDS

MECHANIC'S SIGNATURE

[Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace headlight bulb

[Signature]

06/11/20



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/14/20 Vehicle #: 5123 Mileage in: 290066 Mileage out: 290067

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/14/20 Vehicle #: 5123 Mileage in: 290066 Mileage out: 290067

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	F
		Pads R/F: 11 /32" L/F: 11 /32"	A,B,C,D	Lube drive shafts and universal joints	N/A
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	F
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	N/A
		Pads R/R: 6 /32" L/R: 6 /32"	A,B,C,D	Drain water from separator	N/A
		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	F
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	F
		R/F: 9 /32" L/F: 9 /32"	B,C,D	Change fuel filter	N/A
		R/R: 9 /32" L/R: 9 /32"	B,C,D	Clean or change PCV valve	N/A
		R/RO: 9 /32" L/RO: 9 /32"	B,C,D	Clean or change crank case filter	N/A
		35) Lug nuts condition	B,C,D	Install new wiper blades	F
		Air pressure adjustment FR. 65 RR. 70	C,D	Change transmission fluid and filter	
		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
F		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
F		2) Lift control pendant condition and operation	D	Service and flush cooling system	
F		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
F		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
F		5) Inner roll stop condition and operation	D	Change differential fluid	
F		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
F		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
F		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
F		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	F
F		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
F		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
F		12) Hydraulic lines and cylinders condition			
F		13) Hydraulic fluid level and condition			
F		14) Base plate and arms welds & pivot points			
F		15) Lift springs and pins condition and operation			
F		16) Lift safety switches and adjustments			
F		17) Hose and wire routing and connections			
F		18) Rollers and pivot point condition & operation			
F		19) Lift to vehicle mounting bolts and brackets			
F		20) Lift doors condition and operation			
F		21) Lift door lights condition and operation	Technician's Signature		
F		22) Lift interlock operation and condition	Date		
		(lift door open, e-brake down not able to shift)	Supervisor Signature		
		(e-brake off lift door closed no lift power)			
F		23) W/C tie downs condition and operation	Notes:		
F		24) Tie down container secure and clean			
F		25) Tie down floor mounting brackets secure			
F		26) W/C shoulder belt condition and operation			
F		27) Lift clean and no sharp edges			
F		28) Lift shields secure and in good shape			
F		29) Lift moves steady without drifting, jerking, or unusual speeds			
F		30) No unusual lift noises			
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
F		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information 207# 1429

Vehicle #: 5123 Repair Reason: C Date and Time in: 12:13 Mileage in: 191056
Date: 08/02/13 Work Class: I Date and Time Finished: 21:14 Mileage out: 191058

Complaints/Defects:

Notes/Measurements:

PMIC

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	38	PMAC		C	55	5W420	Engine oil	6.5	
				C	55	LF 3681	oil filter	1	
				C	55	RC 33-2457614	brake pad/disk	1	
				C	55	WV 2001PE	wiper blade	2	
				C	35	AF 25380	Air filter	1	
				C	55	MC 1V	trans fluid	10	
				C	35	FF 180	trans filter	1	
				C	5	225 75R16	tires	2	
04	35	brake inspection		C	55	6CS 20	front bearing seal	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 248194 Technician: Fordson Turner Signature: [Signature]

ASE Employee #: 6045M ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

BUS #:

5123

DATE:

08/22/18

PM TYPE OR WORK ORDER #:

QMC

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE

COMPLETED

Replace Rear Left tires

[Signature]

08/22/18

Replace brake pedal pad

[Signature]

08/22/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08/22/18 Vehicle #: 5123

Mileage in: 191056 Mileage out: 191058

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: <u>22</u> load volts: load amps:
F		Batt 2 volts: <u>12.9</u> load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 191056 Mileage out: 191058



Vehicle #: 5123

Date: 08/20/18

Service Performed	Technician Initials
A,B,C,D Change oil and filter	F
A,B,C,D Lube chassis and suspension	F
A,B,C,D Lube drive shafts and universal joints	F
A,B,C,D Lube doors and hood, locks and hinges	F
A,B,C,D Adjust service and parking brakes	F
A,B,C,D Drain water from separator	F
A,B,C,D Rotate tires (as necessary, caps on rear)	F
B,C,D Change air filter	F
B,C,D Change fuel filter	F
B,C,D Clean or change PCV valve	F
B,C,D Clean or change crank case filter	F
B,C,D Install new wiper blades	F
C,D Change transmission fluid and filter	F
C,D Service front wheel bearings	F
C,D Drain water from fuel tank	F
D Replace accessory drive belts	F
D Service and flush cooling system	F
D Install new spark plugs & wires	F
D Install new dist. cap & rotor	F
D Change differential fluid	F
D Check Exhaust and EGR system	F
D Check and service fuel & evap. System	F
D Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Date

Notes:

Item Inspected

30) Front brake condition and mounting

31) Front brake lining condition & measurement

32) Rear brake condition and mounting

33) Rear brake lining condition & measurement

Pads R/R: 9/32" L/R: 9/32"

34) Tire and wheel condition and measurements

R/F: 10/32" L/F: 10/32"

R/R: 6/32" L/R: 3/32"

R/R: 6/32" L/R: 3/32"

35) Lug nuts condition

Air pressure adjustment FR. 65 RR. 70

Wheel torque specs used: 40 ft. lbs.

G) Lift inspection

1) Lift operation (fully stowed to fully deployed)

2) Lift control pendant condition and operation

3) Lift restraint belt condition and operation

4) Outer roll stop condition and operation

5) Inner roll stop condition and operation

6) Platform adjustments, condition and mounting

7) Standee arm condition and operation

8) Proper signage and decals

9) Manual backup pump condition and operation

10) Lift manual pump handle

11) Hydraulic pump condition and operation

12) Hydraulic lines and cylinders condition

13) Hydraulic fluid level and condition

14) Base plate and arms welds & pivot points

15) Lift springs and pins condition and operation

16) Lift safety switches and adjustments

17) Hose and wire routing and connections

18) Rollers and pivot point condition & operation

19) Lift to vehicle mounting bolts and brackets

20) Lift doors condition and operation

21) Lift door lights condition and operation

22) Lift interlock operation and condition

(Lift door open, e-brake down not able to shift)

(e-brake off lift door closed no lift power)

23) W/C tie downs condition and operation

24) Tie down container secure and clean

25) Tie down floor mounting brackets secure

26) W/C shoulder belt condition and operation

27) Lift clean and no sharp edges

28) Lift shields secure and in good shape

29) Lift moves steady without drifting, jerking, or unusual speeds

30) No unusual lift noises

Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube

Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1921

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: C Date and Time in: 10:00 Mileage in: 247507
Date: 08-14-19 Work Class: F Date and Time Finished: 13:45 Mileage out: 247509

Complaints/Defects: C-PR2 I

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C-58		C-PMI		C	50	W1700	OIL	6.5	
				C	50	LF3681	oil Filter	1	
				C	50	FT-180	Trans Filter	1	
				C	50	AF25590	Air Filter	1	
				C	50	WW2001-PF	Wiper blades	2	
				C	50	XT10DLV	TRANS oil	10	
				C	50	BB5D1388	Front brake	1	
				C	50	KT-160	Heater HOSES	1	
				C	55	KT-161	Heater HOSES	1	
Total Hours Worked:				Total Parts Cost:					
I have performed the repairs according to MV Transportation, Inc.'s published repair schedule.									

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: JEAN Thermidor Signature: [Signature]

ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



Jean Thermidor
MECHANIC'S SIGNATURE

BUS #: 5123 DATE: 08-14-19
PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① check Heater hoses
replace 2 New Heater
Hoses and check Front
brake replace Front brake
all OK

Jean Thermidor 08-14-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 247507 Mileage out: 247509



Date: 05-14-19 Vehicle #: 5123

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08-14-19 Vehicle #: 5123

Mileage in: 247507

Mileage out: 247509

P	F	Item Inspected	ServType	Service Performed	Techs Initials
2		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	J
2		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	J
2		Pads R/F: 12/32" L/F: 12/32"	A,B,C,D	Lube drive shafts and universal joints	J
2		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	J
2		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	J
2		Pads R/R: 6/32" L/R: 6/32"	A,B,C,D	Drain water from separator	J
2		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	J
2		34) Tire and wheel condition and measurements	B,C,D	Change air filter	J
2		R/F: 10/32" L/F: 10/32"	B,C,D	Change fuel filter	J
2		R/RI: 10/32" L/RI: 10/32"	B,C,D	Clean or change PCV valve	J
2		R/RO: 10/32" L/RO: 10/32"	B,C,D	Clean or change crank case filter	J
2		35) Lug nuts condition	B,C,D	Install new wiper blades	J
2		Air pressure adjustment FR. 70 RR. 70	C,D	Change transmission fluid and filter	J
2		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	J
2		G) Lift inspection	C,D	Drain water from fuel tank	J
2		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	J
2		2) Lift control pendant condition and operation	D	Service and flush cooling system	J
2		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	J
2		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	J
2		5) Inner roll stop condition and operation	D	Change differential fluid	J
2		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	J
2		7) Standee arm condition and operation	D	Check and service fuel & evap. System	J
2		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	J
2		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	J
2		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
2		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets. Jean Theriault 08-14-19 Technicians Signature Date Supervisor Signature Date Notes:		
2		12) Hydraulic lines and cylinders condition			
2		13) Hydraulic fluid level and condition			
2		14) Base plate and arms welds & pivot points			
2		15) Lift springs and pins condition and operation			
2		16) Lift safety switches and adjustments			
2		17) Hose and wire routing and connections			
2		18) Rollers and pivot point condition & operation			
2		19) Lift to vehicle mounting bolts and brackets			
2		20) Lift doors condition and operation			
2		21) Lift door lights condition and operation			
2		22) Lift interlock operation and condition			
2		(lift door open, e-brake down not able to shift)			
2		(e-brake off lift door closed no lift power)			
2		23) W/C tie downs condition and operation			
2		24) Tie down container secure and clean			
2		25) Tie down floor mounting brackets secure			
2		26) W/C shoulder belt condition and operation			
2		27) Lift clean and no sharp edges			
2		28) Lift shields secure and in good shape			
2		29) Lift moves steady without drifting, jerking, or unusual speeds			
2		30) No unusual lift noises			
2		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
2		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123 Repair Reason: C Date and Time in: Mileage in: 304349
Date: 09/24/2020 Work Class: I Date and Time Finished: Mileage out: 304350

Complaints/Defects:

PHC

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
C 52		PAIC	
C 04		BRACE INSPECTED	
Total Hours Worked:			

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
C	55	VV1200	ENGINE OIL	10.5	
C	55	LF 3681	OIL FILTER	1	
C	55	AF 25590	AIR FILTER	1	
C	55	WW2001 PF	WIPER BLADE	2	
C	55	6512833	AC COMPRESSOR	1	
C	55	R134A	FILLON	3	
C	55	KO61360	ASSEMBLY BELT	1	
Total Parts Cost:					

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices, and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84513a Technician: Jefromy Alvarado Signature _____

ASE Employee #: 604182 ASE Technician:


ASE Signature: _____

Under strings & D.I.D.s	
Rear A/C Compressor	8134 A. (Fixed)
	Asst. Belt
	Immy
	Immy

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 804349 Mileage Out: 804352



Date: 09/23/20 Vehicle #: 5123

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
5		30) Front brake condition and mounting
5		31) Front brake lining condition & measurement
5		Pads R/F: 8 /32" L/F: 5 /32"
5		32) Rear brake condition and mounting
5		33) Rear brake lining condition & measurement
5		Pads R/R: 7 /32" L/R: 7 /32"
5		Shoes R/R: /32" L/R: /32"
5		34) Tire and wheel condition and measurements
5		R/F: 8 /32" L/F: 8 /32"
5		R/R: 7 /32" L/R: 6 /32"
5		R/R: 7 /32" L/R: 6 /32"
5		35) Lug nuts condition
5		Air pressure adjustment F.R. 65 RR. 75
5		Wheel torque specs used: 140 ft. lbs.
5		G) Lift inspection
5		1) Lift operation (fully stowed to fully deployed)
5		2) Lift control pendant condition and operation
5		3) Lift restraint belt condition and operation
5		4) Outer roll stop condition and operation
5		5) Inner roll stop condition and operation
5		6) Platform adjustments, condition and mounting
5		7) Standee arm condition and operation
5		8) Proper signage and decals
5		9) Manual backup pump condition and operation
5		10) Lift manual pump handle
5		11) Hydraulic pump condition and operation
5		12) Hydraulic lines and cylinders condition
5		13) Hydraulic fluid level and condition
5		14) Base plate and arms welds & pivot points
5		15) Lift springs and pins condition and operation
5		16) Lift safety switches and adjustments
5		17) Hose and wire routing and connections
5		18) Rollers and pivot point condition & operation
5		19) Lift to vehicle mounting bolts and brackets
5		20) Lift doors condition and operation
5		21) Lift door lights condition and operation
5		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
5		23) W/C tie downs condition and operation
5		24) Tie down container secure and clean
5		25) Tie down floor mounting brackets secure
5		26) W/C shoulder belt condition and operation
5		27) Lift clean and no sharp edges
5		28) Lift shields secure and in good shape
5		29) Lift moves steady without drifting, jerking, or unusual speeds
5		30) No unusual lift noises
5		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
5		Check, torque or adjust lift base mounting bolts

Supervisor Signature _____

Date _____

Notes: _____

Technicians Signature

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	3
A,B,C,D	Lube chassis and suspension	3
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	3
A,B,C,D	Adjust service and parking brakes	3
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	3
B,C,D	Change air filter	3
B,C,D	Change fuel filter	3
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	3
C,D	Change transmission fluid and filter	NA
C,D	Service front wheel bearings	3
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	3
D	Service and flush cooling system	3
D	Install new spark plugs & wires	3
D	Install new dist. cap & rotor	3
D	Change differential fluid	3
D	Check Exhaust and EGR system	3
D	Check and service fuel & evap. System	3
D	Evac and recharge A/C (add 1 oz. of oil)	3
A,B,C,D	Post service test drive (5 miles)	3
Initial or "N/A" each service performed per PM type		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type:

Mileage out:

304/352

Date: 6/12/82
Vehicle #: _____



5910 N Central Expy May Suite 1145

Dallas, TX 75206



#528

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5123

Repair Reason:

Date and Time in

19:30

Mileage in: 719718

Date: 02/23/19

Work Class: 7

Date and Time Finished:

12:00

Mileage out: 218719

218719

Complaints/Defects:

PMID

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
10	58	PMT 10		10	55	5W20	engine oil	6.5	
				10	55	LF 3681	oil filter	1	
				10	55	WW 2001PF	wiper blade	2	
				10	55	AF 25590	air filter	1	
				10	55	mercon lv	trans fluid	10	
				10	55	F 180	trans filter	1	
				10	55	30W40	differential fluid	4	
				10	55	3p58A	spark plug	8	
04	55	brake inspection		10	55	F7576730-BA	oil drain plug	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines using acceptable tools and materials.

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: _____

Food for Fevers

Signature _____

...m...m...

ASE Employee #: 60412 ASE Technician: _____

ASE Signature:

2

MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: 5103	DATE: 02	PM TYPE OR WORK ORDER #: PMD
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 02/23/19

Vehicle #:

5103

Mileage in:

219748

Mileage out:

219748

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: <u>12.8</u> load volts: load amps:
☒		Batt 2 volts: <u>12.9</u> load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 02/23/18 Vehicle #: 5123

Circle Service Type: A B C D Mileage in: 81918

Mileage out: 21538

Service Performed Technicians Initials

Service Performed	Technicians Initials
A,B,C,D Change oil and filter	F
A,B,C,D Lube chassis and suspension	F
A,B,C,D Lube drive shafts and universal joints	F
A,B,C,D Lube doors and hood, locks and hinges	F
A,B,C,D Adjust service and parking brakes	F
A,B,C,D Drain water from separator	F
A,B,C,D Rotate tires (as necessary, caps on rear)	F
B,C,D Change air filter	F
B,C,D Change fuel filter	F
B,C,D Clean or change PCV valve	F
B,C,D Clean or change crank case filter	F
B,C,D Install new wiper blades	F
C,D Change transmission fluid and filter	F
C,D Service front wheel bearings	F
C,D Drain water from fuel tank	F
D Replace accessory drive belts	F
D Service and flush cooling system	F
D Install new spark plugs & wires	F
D Install new dist. cap & rotor	F
D Change differential fluid	F
D Check Exhaust and EGR system	F
D Check and service fuel & evapor. System	F
D Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature
Supervisor's Signature

Notes:

Date
Date

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 10 / 32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 10 / 32"		F
Shoes R/R: 10 / 32"		F
34) Tire and wheel condition and measurements		F
R/F: 10 / 32"		F
R/R: 10 / 32"		F
L/R: 10 / 32"		F
35) Lug nuts condition		F
Air pressure adjustment FR. 65 RR. 70		F
Wheel torque specs used: 140 ft. lbs.		F
(G) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C tie downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



MY Transportation
5910 N Cenrial Expy Way Suite1145
Dallas, TX 75206

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 523 Repair Reason: 1 Date and Time In: _____
Date: 2/9/20 Work Class: 1 Date and Time Finished: _____

Mileage in: 275834
Mileage out: 275835

Complaints/Defects:

Notes/Measurements:

PM 12

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
1	SS	VV1700	Engine Oil	6.5	
2	SS	LF3681	Oil Filter	1	
3	SS	FT-180	Trans Filter	1	
4	SS	Mercon LV	Trans Fluid	10	
5	SS	WV822	Grease Oil	3	
6	SS	LT25575R16	Tires	4	
7	SS	BRSD139B	Brake Pads	1	
8	SS		Drive Shaft	1	
9	SS	AF2559D	Air Filter	1	
10	SS	3P521	Spark Plug	1	
11	SS		Ignition Coil	1	
12	SS	8C2Z5984	Bushings	1	
13	SS	K061560	Separative Belt	1	
				Total Parts Cost:	

Total Hours Worked:

Total Parts Cost:

Total Hours Worked: _____

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature

Employee #: 849102 Technician:

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5123

DATE:

2/9/20

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Front A/c was low on Freon
Recharge 1.88

Replace Office tube

Tire treads were low replace
four tires

Check engine light on code
misfire #8

Serpentine belt was warped
Replace belt

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 275834 Mileage out: 275835



Date: 2/9/20 Vehicle #: 5123

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seat belts operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Destroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 2/9/20 Vehicle #: 5123

Mileage in: 275834 Mileage out: 275835

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>3</u> /32" L/F: <u>3</u> /32"
		R/R: <u>3</u> /32" L/R: <u>6</u> /32"
		R/RO: <u>3</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361315

5482/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice? On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect? If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do? If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take? The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do? Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

Have you previously paid for this repair?

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

What if you no longer own this vehicle?

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

Can we assist you further?

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361315

5484/000001093/000000006



Marzo de 2020

BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Series es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA00708	2015 E-350 Econoline	5116
2	1FDEE3FL0FDA00698	2015 E-350 Econoline	5106
3	1FDEE3FL0FDA02970	2015 E-350 Econoline	5123
4	1FDEE3FL0FDA02760	2015 E-350 Econoline	5406
5	1FDEE3FL0FDA06811	2015 E-350 Econoline	5422
6	1FDEE3FL0FDA04217	2015 E-350 Econoline	5407
7	1FDEE3FL0FDA04220	2015 E-350 Econoline	5408 Retired
8	1FDEE3FL1FDA00712	2015 E-350 Econoline	5120
9	1FDEE3FL1FDA00709	2015 E-350 Econoline	5117
10	1FDEE3FL2FDA00699	2015 E-350 Econoline	5107
11	1FDEE3FL2FDA02968	2015 E-350 Econoline	5121
12	1FDEE3FL2FDA02758	2015 E-350 Econoline	5404
13	1FDEE3FL2FDA06812	2015 E-350 Econoline	5413
14	1FDEE3FL2FDA06809	2015 E-350 Econoline	5412
15	1FDEE3FL3FDA02977	2015 E-350 Econoline	5130
16	1FDEE3FL3FDA02980	2015 E-350 Econoline	5133 Retired
17	1FDEE3FL3FDA00694	2015 E-350 Econoline	5102
18	1FDEE3FL4FDA00705	2015 E-350 Econoline	5113
19	1FDEE3FL4FDA02759	2015 E-350 Econoline	5402
20	1FDEE3FL5FDA00695	2015 E-350 Econoline	5103
21	1FDEE3FL7FDA00696	2015 E-350 Econoline	5104
22	1FDEE3FL7FDA04215	2015 E-350 Econoline	5411
23	1FDEE3FL8FDA07110	2015 E-350 Econoline	5147 Retired
24	1FDEE3FL9FDA02983	2015 E-350 Econoline	5136
25	1FDEE3FL9FDA02756	2015 E-350 Econoline	5405

