



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361315

5482/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice? On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect? If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do? If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take? The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do? Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361315

5484/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Series es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA00708	2015 E-350 Econoline	5116
2	1FDEE3FL0FDA00698	2015 E-350 Econoline	5106
3	1FDEE3FL0FDA02970	2015 E-350 Econoline	5123
4	1FDEE3FL0FDA02760	2015 E-350 Econoline	5406
5	1FDEE3FL0FDA06811	2015 E-350 Econoline	5422
6	1FDEE3FL0FDA04217	2015 E-350 Econoline	5407
7	1FDEE3FL0FDA04220	2015 E-350 Econoline	5408 Retired
8	1FDEE3FL1FDA00712	2015 E-350 Econoline	5120
9	1FDEE3FL1FDA00709	2015 E-350 Econoline	5117
10	1FDEE3FL2FDA00699	2015 E-350 Econoline	5107
11	1FDEE3FL2FDA02968	2015 E-350 Econoline	5121
12	1FDEE3FL2FDA02758	2015 E-350 Econoline	5404
13	1FDEE3FL2FDA06812	2015 E-350 Econoline	5413
14	1FDEE3FL2FDA06809	2015 E-350 Econoline	5412
15	1FDEE3FL3FDA02977	2015 E-350 Econoline	5130
16	1FDEE3FL3FDA02980	2015 E-350 Econoline	5133 Retired
17	1FDEE3FL3FDA00694	2015 E-350 Econoline	5102
18	1FDEE3FL4FDA00705	2015 E-350 Econoline	5113
19	1FDEE3FL4FDA02759	2015 E-350 Econoline	5402
20	1FDEE3FL5FDA00695	2015 E-350 Econoline	5103
21	1FDEE3FL7FDA00696	2015 E-350 Econoline	5104
22	1FDEE3FL7FDA04215	2015 E-350 Econoline	5411
23	1FDEE3FL8FDA07110	2015 E-350 Econoline	5147 Retired
24	1FDEE3FL9FDA02983	2015 E-350 Econoline	5136
25	1FDEE3FL9FDA02756	2015 E-350 Econoline	5405

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Date and Time in : 27.10.20

Mileage in: 181733

Mileage out: 181735

Notes/Measurements

PMI

Parts Information

[illegible]

Griffiths

Signature: *G. J. Wood*

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>G. Suggs</i>		BUS #: 5136
DATE: 5/14/18		PM TYPE OR WORK ORDER #: A
DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED

5/14/18	G-J	① R & L motor mount need to replace
5/14/18	G-J	② R & R with new
5/14/18	G-J	③ left head light bulb out
5/14/18	G-J	④ R & R with new ball
5/14/18	G-J	⑤ R & L steering knuckle
5/14/18	G-J	⑥ R & L end in O.K



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 5/14/18 Vehicle #: 5136Mileage in: 181733 Mileage out: 181735

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
G		1) Driver carpet
G		2) Driver seat condition and operation
G		3) Drivers door operation and condition
G		4) Drivers seat belt operation and condition
G		5) Engine starting and ignition system
G		6) Instrument panel gauges & warning lights
G		7) Instrument panel lighting & condition
G		8) Horn operation
G		9) Steering wheel tight, no excessive play
G		10) Windshield wipers
G		11) Windshield washer
G		12) Sun visor condition and operation
G		13) Parking brake operation & condition
G		14) Parking and service brake pedal pads
G		15) Passenger door operation
G		16) No vibrations, pulsations or noises
		B) Walk around inspection
G		1) Body damage (list on separate sheet)
G		2) Headlights, high & low beam operation
G		3) Parking lights operation & condition
G		4) Marker lights operation & condition
G		5) Directional signals operation & condition
G		6) Hazard lights operation & condition
G		7) Clearance lights operation and condition
G		8) Brake lights operation & condition
G		9) License plate lamp operation & condition
G		10) License plates and tags
G		11) Backup lights and alarms
G		12) Reflectors and reflective bumper tape
G		13) Exterior decals and signage
G		14) Bumpers secure / in good condition
G		15) Exterior mirrors secure / in good condition
G		16) Exterior clean
		C) Interior inspection
G		1) Passenger door and steps condition
G		2) Handrails and stanchions condition
G		3) Interior and modesty panels condition
G		4) Flooring condition
G		5) Interior lighting operation and condition
G		6) Windows operation and condition
G		7) Emergency Exits operation & condition
G		8) Accessory operation & condition (radio, GPS)
G		9) Passenger seats operation & condition
G		10) Passenger seat belts operation & condition
G		11) First aid & body fluid kits complete
G		12) Triangle reflectors complete/good condition
G		13) Stop request operation & condition
G		14) Valid registration, insurance & accident pack
G		15) Fire extinguisher in good condition & signed
G		16) Interior decals and signage (incl. electrical)
G		17) DVI's reviewed, addressed and signed off
G		18) Interior clean
		D) HVAC system inspection
G		1) Front blower condition and operation

P	F	Item Inspected
G		2) Rear blower condition and operation
G		3) Defroster operation
G		4) Temp gets to 20 deg. F below ambient temp.
G		5) Evaporator intake air filter condition
G		6) Front heater condition and operation
G		7) Rear heater condition and operation
G		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
G		2) Wire and hose routing and connections
G		3) Cooling system, hoses, water pump condition
G		5) Accessory drive belts condition
G		6) Pulleys and tensioned operation & condition
G		7) Brake master cylinder and power booster
G		8) Fan and fan clutch operation and condition
G		9) Engine oil fluid level and condition
G		10) Transmission oil level and condition
G		11) Power steering fluid level and condition
G		12) Brake fluid level and condition
		F) Vehicle rack inspection
G		1) Steering gear box mount, condition & leaks
G		2) Steering shaft U joints
G		3) Steering shaft bearings
G		4) Steering linkages
G		5) I beam or control arm movements and rivets
G		6) Radius arm condition and bushings condition
G		7) Stabilizer bar condition and bushings condition
G		8) Ball joints or kingpins
G		9) Front spring condition and mounting
G		10) Front shock absorber operation & condition
G		11) Trans oil cooler & lines routing and leaks
G		12) Engine oil cooler & lines routing and leaks
G		13) Heater and A/C hose routing and leaks
G		14) No engine oil leaks and fluid condition
G		15) Engine mounts, brackets and bolts
G		16) Transmission mounts, brackets and bolts
G		17) No transmission oil leaks and fluid condition
G		18) Drive shaft condition
G		19) Universal joints and carrier bearings condition
G		20) No rear differential leaks
G		21) Rear differential condition and mounting
G		22) Frame and cross members
G		23) Rear shock absorbers
G		24) Rear springs condition and mounting
G		25) No fuel leaks
G		26) Fuel tank condition and mounting
G		27) No exhaust leaks
G		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **181733** Mileage out: **181735**

Date: **5/14/18** Vehicle #: **5136**



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 1.3 / 32" L/F: 1.3 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6 / 32" L/R: 6 / 32"
		Shoes R/R: 1.3 / 32" L/R: 1.3 / 32"
		34) Tire and wheel condition and measurements
		R/F: 8 / 32" L/F: 8 / 32"
		R/R: 8 / 32" L/R: 10 / 32"
		R/R: 8 / 32" L/R: 10 / 32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 R.R. 70
		Wheel torque specs used: 140 ft. lbs.
		g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stander arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Serv Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	


Technician Signature: *G. J. [Signature]* Date: **5/14/18**
 Supervisor Signature: *[Signature]* Date: **5/15/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason:



Date and Time in : 05/02/2018 01:01:00

Milwaukee is: 101-0000

Date: 07013018 Work Class: T

Date a

Time Finished:

61013018 810110

Millage in: 191030

[Signature]

Date of

Line finished.

07.13.18 22:44

Mileage out: 191032

Complaints/Defects:

PMIA

Notes/Measurements

Labor Information

Total Hours Worked: _____

Parts Information

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Adam B. Allen Signature: _____

Employee #: 245132 Technician:

When we begin

Followed all A

ASE Employee #: 60412 ASE Technician:

Act. 2:11

ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #: 5136 DATE: 07.03.18	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 07-13-18 Vehicle #: 5136

Mileage in: 191030 Mileage out: 191032

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **191030** Mileage out: **191030**



Date: **07.13.18** Vehicle #: **5136**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10/32" L/F: 10/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10/32" L/R: 10/32"
		Shoes R/R: 10/32" L/R: 10/32"
		34) Tire and wheel condition and measurements
		R/F: 10/32" L/F: 10/32"
		R/R: 8/32" L/R: 8/32"
		R/RO: 8/32" L/RO: 8/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 40 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **07.13.18**
 Supervisor Signature: *[Signature]* Date: **7/18/18**
 Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Date and Time in: 09.05.18 17:35 Mileage in: 105791

Date: 09005-18 Work Class: 1 Date and Time Finished: 10:00 Mileage out: 173 Mileage in: 173

49-28-16 1726 Village var. 495 1725

Complaints/Defects:

Notes/Measurements:

PTZ A

Labor Information				Parts Information					
Task #	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
58		PTT H		55		56180	engine oil	6.5	
				55		LF3681	oil filter		
				55		0713	water pump		
				55		22575R16	tires	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: *Wanda* Signature: *[Signature]*

Total Parts Cost: _____

ASE Employee #: 60418 ASE Technician:

ASE Signature:

John

Signature: 



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 09-05-18 Vehicle #: 5136Mileage in: 195701 Mileage out: 195723

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **195731** Mileage out: **195733**



Date: **09.05.18** Vehicle #: **5136**

Service Performed	Service Type	Technician Initials
A, B, C, D Change oil and filter		
A, B, C, D Lube chassis and suspension		
A, B, C, D Lube drive shafts and universal joints		
A, B, C, D Lube doors and hood, locks and hinges		
A, B, C, D Adjust service and parking brakes		
A, B, C, D Drain water from separator		
A, B, C, D Rotate tires (as necessary, caps on rear)		
B, C, D Change air filter		
B, C, D Change fuel filter		
B, C, D Clean or change PCV valve		
B, C, D Clean or change crank case filter		
B, C, D Install new wiper blades		
C, D Change transmission fluid and filter		
C, D Service front wheel bearings		
C, D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evaporator system		
D Evac and recharge A/C (add 1 oz. of oil)		
A, B, C, D Post service test drive (2 miles)		

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature
Date: **09.05.18**

Supervisor Signature


Date: **9/6/18**

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 / 32" L/F: 8 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 17 / 32" L/R: 17 / 32"		
34) Tire and wheel condition and measurements		
Shoes R/R: 17 / 32" L/R: 17 / 32"		
R/F: 10 / 32" L/F: 10 / 32"		
R/R: 3 / 32" L/R: 6 / 32"		
35) Lug nuts condition		
Wheel torque specs used: FR. 70 RR. 110		
36) Lug torque used: FR. 70 RR. 110		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics May

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136

Repair Reason:

Date and Time in :

18.110

Mileage in: 204992

Date: 11/06/18

Work Class:

Date and Time Finished: _____

20.8)

Mileage out: 001688

Complaints/Defects:

TMIA

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: T00030m Ebrar Signature: [Signature]

Employee #: 848194 Technician:

Thompson T. Davis

Signature _____

.....

ASE Employee #: 6048 - ASE Technician:

ASE Signature

5

MECHANIC'S SIGNATURE <i>[Signature]</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #:	DATE:	COMPLETED BY	DATE
5136	11/06/18		
PM TYPE OR WORK ORDER #:		COMPLETED	
		DATE	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 11/06/18 Vehicle #: 5136 Mileage in: 204997 Mileage out: 204998

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Circle Service Type: A B C D

Circle Service Type:

C D

Mileage out:

866406



Date: 11/06/18 Vehicle #: _____

5136

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 11 /32" L/F: 11 /32"
		R/R: 11 /32" L/R: 11 /32"
		R/RO: 11 /32" L/RO: 11 /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes:

Supervisor Signature

Technicians Signature

Date _____

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HN
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HN
A,B,C,D	Drain water from separator	HN
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evaporator system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

Dallas TX 75206



#252
W

Work Order Division (0094)

3301 Electronics May

West Palm Beach, FL 33407

Basic Information

Vehicle #:	5736	Repair Reason:	A
------------	------	----------------	---

Date and Time in :

12/07/18

18.100

Mileage in: 2093.20

Mileage out: 206381

Date: 12/07/18

Work Class:

Date and Time Finished:

12/01/18	12/01/18
----------	----------

18:00
16:30

Mileage in: 2043.81

Complaints/Defects:

7 Milia

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Frank E. Davis Signature: [Signature] Date: 11/1/11

Total Parts Cost: \$1,100.00

Employee #: 848194 Technician:

Transportation, Inc. approved vendor

followed all M
Cigarettes

Transportation, Inc. pol

ASE Employee #: 60418 ASE Technician: _____

20

ASE Signature:

2

MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: 5136		DATE: 12/07/18		PM TYPE OR WORK ORDER #: P MIA	
DATE		COMPLETED BY		COMPLETED		DESCRIPTION OF REPAIR NEEDED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/07/18 Vehicle #: 5736Mileage in: 209380 Mileage out: 209381

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
N/A		Batt 1 volts: load volts: load amps:
N/A		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **209380** Mileage out: **209381**



Date: **12/07/18** Vehicle #: **5136**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7 /32" L/F: 7 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 3 /32" L/R: 3 /32"
		Shoes R/R: 10 /32" L/R: 10 /32"
		34) Tire and wheel condition and measurements
		R/F: 10 /32" L/F: 10 /32"
		R/R: 10 /32" L/R: 10 /32"
		R/R: 10 /32" L/R: 10 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stander arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Techs Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	HIN
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	HIN
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	F

Initial or "N/A" each service performed per PM type

Notes:

Supervisor Signature

Date

Technician Signature

Date

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

[Faint handwritten notes]

Vehicle #:	5136	Repair Reason:	1	Date and Time in:	8-13-19	Mileage in:	218710
Work Class:	3	Date and Time Finished:	8-13-19	Mileage out:	218919		

Vehicle #: 2013.19 Work Class: 7 Date and Time Finished:

Complaints/Defects:

Notes/Measurements:

[illegible]


I have performed the repairs according to the instructions provided and the vehicle is now ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. procedures.

Employee #: 845132 Technician: Shawn Moore Signature: [Signature]

ASE Employee #: 60428 ASE Technician: X [Signature] ASE Signature: [Signature]

MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
[Signature]		5136	2.13.19	
DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED		
replace brake pedal	J. J. J.	2.13.19		
replace front fender	J. J. J.	2.13.19		

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 2-13-19 Vehicle #: 5136

Mileage in: 218918 Mileage out: 218919

P	F	Item Inspected
<u>1</u>		A) Vehicle drive in inspection (5 miles)
<u>2</u>		1) Driver carpet
<u>2</u>		2) Driver seat condition and operation
<u>2</u>		3) Drivers door operation and condition
<u>2</u>		4) Drivers seat belt operation and condition
<u>2</u>		5) Engine starting and ignition system
<u>2</u>		6) Instrument panel gauges & warning lights
<u>2</u>		7) Instrument panel lighting & condition
<u>2</u>		8) Horn operation
<u>2</u>		9) Steering wheel tight, no excessive play
<u>2</u>		10) Windshield wipers
<u>2</u>		11) Windshield washer
<u>2</u>		12) Sun visor condition and operation
<u>2</u>		13) Parking brake operation & condition
<u>2</u>		14) Parking and service brake pedal pads
<u>2</u>		15) Passenger door operation
<u>2</u>		16) No vibrations, pulsations or noises
<u>1</u>		B) Walk around inspection
<u>2</u>		1) Body damage (list on separate sheet)
<u>2</u>		2) Headlights, high & low beam operation
<u>2</u>		3) Parking lights operation & condition
<u>2</u>		4) Marker lights operation & condition
<u>2</u>		5) Directional signals operation & condition
<u>2</u>		6) Hazard lights operation & condition
<u>2</u>		7) Clearance lights operation and condition
<u>2</u>		8) Brake lights operation & condition
<u>2</u>		9) License plate lamp operation & condition
<u>2</u>		10) License plates and tags
<u>2</u>		11) Backup lights and alarms
<u>2</u>		12) Reflectors and reflective bumper tape
<u>2</u>		13) Exterior decals and signage
<u>2</u>		14) Bumpers secure / in good condition
<u>2</u>		15) Exterior mirrors secure / in good condition
<u>2</u>		16) Exterior clean
<u>1</u>		C) Interior inspection
<u>2</u>		1) Passenger door and steps condition
<u>2</u>		2) Handrails and stanchions condition
<u>2</u>		3) Interior and modesty panels condition
<u>2</u>		4) Flooring condition
<u>2</u>		5) Interior lighting operation and condition
<u>2</u>		6) Windows operation and condition
<u>2</u>		7) Emergency Exits operation & condition
<u>2</u>		8) Accessory operation & condition (radio, GPS)
<u>2</u>		9) Passenger seats operation & condition
<u>2</u>		10) Passenger seat belts operation & condition
<u>2</u>		11) First aid & body fluid kits complete
<u>2</u>		12) Triangle reflectors complete/good condition
<u>2</u>		13) Stop request operation & condition
<u>2</u>		14) Valid registration, insurance & accident pack
<u>2</u>		15) Fire extinguisher in good condition & signed
<u>2</u>		16) Interior decals and signage (incl. electrical)
<u>2</u>		17) DVI's reviewed, addressed and signed off
<u>2</u>		18) Interior clean
<u>1</u>		D) HVAC system inspection
<u>2</u>		1) Front blower condition and operation

P	F	Item Inspected
<u>2</u>		2) Rear blower condition and operation
<u>2</u>		3) Defroster operation
<u>2</u>		4) Temp gets to 20 deg. F below ambient temp.
<u>2</u>		5) Evaporator intake air filter condition
<u>2</u>		6) Front heater condition and operation
<u>2</u>		7) Rear heater condition and operation
<u>2</u>		8) A/C compressors and condenser fans
<u>1</u>		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
<u>2</u>		Batt 1 volts: load volts: load amps:
<u>2</u>		Batt 2 volts: load volts: load amps:
<u>2</u>		Batt 3 volts: load volts: load amps:
<u>2</u>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<u>2</u>		Alt. 1 min volt: max volt: max amp:
<u>2</u>		Alt. 2 min volt: max volt: max amp:
<u>2</u>		(reference factory service manual for alternator spec)
<u>2</u>		2) Wire and hose routing and connections
<u>2</u>		3) Cooling system, hoses, water pump condition
<u>2</u>		5) Accessory drive belts condition
<u>2</u>		6) Pulleys and tensioned operation & condition
<u>2</u>		7) Brake master cylinder and power booster
<u>2</u>		8) Fan and fan clutch operation and condition
<u>2</u>		9) Engine oil fluid level and condition
<u>2</u>		10) Transmission oil level and condition
<u>2</u>		11) Power steering fluid level and condition
<u>2</u>		12) Brake fluid level and condition
<u>1</u>		F) Vehicle rack inspection
<u>2</u>		1) Steering gear box mount, condition & leaks
<u>2</u>		2) Steering shaft U joints
<u>2</u>		3) Steering shaft bearings
<u>2</u>		4) Steering linkages
<u>2</u>		5) I beam or control arm movements and rivets
<u>2</u>		6) Radius arm condition and bushings condition
<u>2</u>		7) Stabilizer bar condition and bushings condition
<u>2</u>		8) Ball joints or kingpins
<u>2</u>		9) Front spring condition and mounting
<u>2</u>		10) Front shock absorber operation & condition
<u>2</u>		11) Trans oil cooler & lines routing and leaks
<u>2</u>		12) Engine oil cooler & lines routing and leaks
<u>2</u>		13) Heater and A/C hose routing and leaks
<u>2</u>		14) No engine oil leaks and fluid condition
<u>2</u>		15) Engine mounts, brackets and bolts
<u>2</u>		16) Transmission mounts, brackets and bolts
<u>2</u>		17) No transmission oil leaks and fluid condition
<u>2</u>		18) Drive shaft condition
<u>2</u>		19) Universal joints and carrier bearings condition
<u>2</u>		20) No rear differential leaks
<u>2</u>		21) Rear differential condition and mounting
<u>2</u>		22) Frame and cross members
<u>2</u>		23) Rear shock absorbers
<u>2</u>		24) Rear springs condition and mounting
<u>2</u>		25) No fuel leaks
<u>2</u>		26) Fuel tank condition and mounting
<u>2</u>		27) No exhaust leaks
<u>2</u>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 2-13-19 Vehicle #: 5136

Circle Service Type: A B C D

Mileage in: 218918 Mileage out: 218919

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor's Signature

Date

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 /32" L/F: 6 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 8 /32"		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements		
R/F: 3 /32" L/F: 3 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/RO: 8 /32" L/RO: 8 /32"		
35) Lug nuts condition		
Air pressure adjustment FR, RR, LR, RL		
Wheel torque specs used: 110 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Stander arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136

Repair Reason:

Date and Time in : 03.14.19

Date: 03/14/19

Work Class: Y

Date and Time Finished: _____

05.14.19

1.800

Mileage out: 223600

Complaints/Defects:

Notes/Measurements:

Smith

[illegible]

Employee #: 848194 Technician: under inspection

ASE Employee #: 62120 ASE Technician: _____

Signature

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

DESCRIPTION OF REPAIR NEEDED

BUS #: 5136
DATE: 03/14/19
PM TYPE OR WORK ORDER #: RMI

DATE COMPLETED
COMPLETED BY

03/14/19
[Signature]
Replace Front brake pads



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **03/14/19**

Vehicle #:

5136

Mileage in:

223599

Mileage out:

223600

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **223594**
 Mileage out: **223600**



Date: **03/14/15** Vehicle #: **5186**

P	F	Item Inspected
	F	30) Front brake condition and mounting
	F	31) Front brake lining condition & measurement
	F	Pads R/F: 3 /32" L/F: 3 /32"
	F	32) Rear brake condition and mounting
	F	33) Rear brake lining condition & measurement
	F	Pads R/R: 8 /32" L/R: 8 /32"
	F	Shoes R/R: 10 /32" L/R: 10 /32"
	F	34) Tire and wheel condition and measurements
	F	R/F: 10 /32" L/F: 10 /32"
	F	R/R: 8 /32" L/R: 7 /32"
	F	R/RO: 8 /32" L/RO: 8 /32"
	F	35) Lug nuts condition
	F	Air pressure adjustment FR. 65 RR. 70
	F	Wheel torque specs used: 140 ft. lbs.
	F	(G) Lift inspection
	F	1) Lift operation (fully stowed to fully deployed)
	F	2) Lift control pendant condition and operation
	F	3) Lift restraint belt condition and operation
	F	4) Outer roll stop condition and operation
	F	5) Inner roll stop condition and operation
	F	6) Platform adjustments, condition and mounting
	F	7) Standee arm condition and operation
	F	8) Proper signage and decals
	F	9) Manual backup pump condition and operation
	F	10) Lift manual pump handle
	F	11) Hydraulic pump condition and operation
	F	12) Hydraulic lines and cylinders condition
	F	13) Hydraulic fluid level and condition
	F	14) Base plate and arms welds & pivot points
	F	15) Lift springs and pins condition and operation
	F	16) Lift safety switches and adjustments
	F	17) Hose and wire routing and connections
	F	18) Rollers and pivot point condition & operation
	F	19) Lift to vehicle mounting bolts and brackets
	F	20) Lift doors condition and operation
	F	21) Lift door lights condition and operation
	F	22) Lift interlock operation and condition
	F	(Lift door open, e-brake down not able to shift)
	F	(e-brake off lift door closed no lift power)
	F	23) W/C tie downs condition and operation
	F	24) Tie down container secure and clean
	F	25) Tie down floor mounting brackets secure
	F	26) W/C shoulder belt condition and operation
	F	27) Lift clean and no sharp edges
	F	28) Lift shields secure and in good shape
	F	29) Lift moves steadily without drifting, jerking, or unusual speeds
	F	30) No unusual lift noises
	F	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
	F	Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: *[Signature]*
 Supervisor Signature: *[Signature]*

Notes:

Date: **03/14/15**
 Date: **3/15/15**

Techs Initials: **F**
MM
HA
HA

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Mileage in: 233318

Mileage out: 2333/9

Notes/Measurements:

Total Parts Cost:

15

PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

BUS #:

5136

DATE:

05/02/2019

PM TYPE OR WORK ORDER #:

DATE COMPLETED

COMPLETED BY

DESCRIPTION OF REPAIR NEEDED

05/02/19
05/02/19

[Signature]

Mission Struck
Rear Brake Pads Low
DR Side Headlight R. Stail



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 05/02/19

Vehicle #:

5136Mileage in: 233312Mileage out: 233319

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **233318** Mileage out: **233319**



5136

Vehicle #: **05/02/19**

Date: **05/02/19**

Item Inspected

30) Front brake condition and mounting	R
31) Front brake lining condition & measurement	R
Pads R/F: 8 / 32" L/F: 9 / 32"	R
32) Rear brake condition and mounting	R
33) Rear brake lining condition & measurement	R
Pads R/R: 1 / 32" L/R: 4 / 32"	R
Shoes R/R: / 32" L/R: / 32"	NA
34) Tire and wheel condition and measurements	R
R/F: 7 / 32" L/F: 8 / 32"	R
R/R: 5 / 32" L/R: 5 / 32"	R
R/R: 5 / 32" L/R: 5 / 32"	R
35) Lug nuts condition	R
Air pressure adjustment FR. 65 RR. 75	R
Wheel torque specs used: 140 ft. lbs.	R
(G) Lift inspection	

1) Lift operation (fully stowed to fully deployed)	R
2) Lift control pendant condition and operation	R
3) Lift restraint belt condition and operation	R
4) Outer roll stop condition and operation	R
5) Inner roll stop condition and operation	R
6) Platform adjustments, condition and mounting	R
7) Standee arm condition and operation	R
8) Proper signage and decals	R
9) Manual backup pump condition and operation	R
10) Lift manual pump handle	R
11) Hydraulic pump condition and operation	R
12) Hydraulic lines and cylinders condition	R
13) Hydraulic fluid level and condition	R
14) Base plate and arms welds & pivot points	R
15) Lift springs and pins condition and operation	R
16) Lift safety switches and adjustments	R
17) Hose and wire routing and connections	R
18) Rollers and pivot point condition & operation	R
19) Lift to vehicle mounting bolts and brackets	R
20) Lift doors condition and operation	R
21) Lift door lights condition and operation	R
22) Lift interlock operation and condition	R
(Lift door open, e-brake down not able to shift)	
(e-brake off lift door closed no lift power)	
23) W/C the downs condition and operation	R
24) Tie down container secure and clean	R
25) Tie down floor mounting brackets secure	R
26) W/C shoulder belt condition and operation	R
27) Lift clean and no sharp edges	R
28) Lift shields secure and in good shape	R
29) Lift moves steady without drifting, jerking, or unusual speeds	R
30) No unusual lift noises	R
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	R
Check, torque or adjust lift base mounting bolts	R

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

05/02/19

Supervisor's Signature

Date

05/02/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #:	5136	Repair Reason:
------------	------	----------------

Date and Time in :

Date: 05/21/18 Work Class: X Date and Time Finished:

Mileage in: 238256

Mileage out: 238257

Complaints/Defects:

PMIA

Notes/Measurements:

Labor Information

[illegible]

Parts Information

[illegible]

Total Hours Worked:

Total Parts Cost:

Total Hours Worked: _____

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: _____

Foodson Fernier

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #:

5136

DATE:

05/31/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Front tires	Jan Jones	05/31/19
Rotate tires	Jan Jones	05/31/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **238256** Mileage out: **238257**



Date: **5/31/19** Vehicle #: **5136**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt 1 min volt: max volt: max amp:
		Alt 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 5/31/19 Vehicle #: 5136 Mileage in: 238256 Mileage out: 238257

P	F	Item Inspected	ServType	Service Performed	Techs Initials
F		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
F		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	F
F		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"	A,B,C,D	Lube drive shafts and universal joints	4/10
F		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	F
F		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	4/10
F		Pads R/R: <u>10</u> /32" L/R: <u>10</u> /32"	A,B,C,D	Drain water from separator	4/10
MM		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	F
F		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
F		R/F: <u>5</u> /32" L/F: <u>7</u> /32"	B,C,D	Change fuel filter	
F		R/R: <u>5</u> /32" L/R: <u>3</u> /32"	B,C,D	Clean or change PCV valve	
F		R/RO: <u>5</u> /32" L/RO: <u>3</u> /32"	B,C,D	Clean or change crank case filter	
F		35) Lug nuts condition	B,C,D	Install new wiper blades	
F		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
F		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
F		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
F		2) Lift control pendant condition and operation	D	Service and flush cooling system	
F		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
F		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
F		5) Inner roll stop condition and operation	D	Change differential fluid	
F		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
F		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
F		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
F		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	F
F		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
F		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
F		12) Hydraulic lines and cylinders condition			
F		13) Hydraulic fluid level and condition			
F		14) Base plate and arms welds & pivot points			
F		15) Lift springs and pins condition and operation			
F		16) Lift safety switches and adjustments			
F		17) Hose and wire routing and connections			
F		18) Rollers and pivot point condition & operation			
F		19) Lift to vehicle mounting bolts and brackets			
F		20) Lift doors condition and operation			
F		21) Lift door lights condition and operation	Technician's Signature: <u>[Signature]</u> Date: <u>5/31/19</u>		
F		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)	Supervisor Signature: _____ Date: _____		
		(e-brake off lift door closed no lift power)			
F		23) W/C tie downs condition and operation	Notes:		
F		24) Tie down container secure and clean			
F		25) Tie down floor mounting brackets secure			
F		26) W/C shoulder belt condition and operation			
F		27) Lift clean and no sharp edges			
F		28) Lift shields secure and in good shape			
F		29) Lift moves steady without drifting, jerking, or unusual speeds			
F		30) No unusual lift noises			
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
F		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: A Date and Time
Date: 08-02-19 Work Class: I Date and Time Finished:

Date and Time in : 08-06-2019

Mileage in: 247582
Mileage out: 247583

Complaints/Defects:

✓ WIN

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies

Signature _____

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5136

DATE: 08-06-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

I Just ADJ the Air Pressure
And tie the Shock Absorber.

[Signature] 08-06-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **247582** Mileage Out: **247583**



Date: **08-09-19** Vehicle #: **5136**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 OCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: _____ Vehicle #: _____ Mileage in: 247582 Mileage out: 247583

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
P		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
P		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
P		Shoes R/R: <u>5</u> /32" L/R: <u>5</u> /32"
P		34) Tire and wheel condition and measurements
P		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
P		R/R: <u>5</u> /32" L/R: <u>5</u> /32"
P		R/RO: <u>5</u> /32" L/RO: <u>5</u> /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. RR.
P		Wheel torque specs used: ft. lbs.
P		G) Lift inspection
P		1) Lift operation (fully stowed to fully deployed)
P		2) Lift control pendant condition and operation
P		3) Lift restraint belt condition and operation
P		4) Outer roll stop condition and operation
P		5) Inner roll stop condition and operation
P		6) Platform adjustments, condition and mounting
P		7) Standee arm condition and operation
P		8) Proper signage and decals
P		9) Manual backup pump condition and operation
P		10) Lift manual pump handle
P		11) Hydraulic pump condition and operation
P		12) Hydraulic lines and cylinders condition
P		13) Hydraulic fluid level and condition
P		14) Base plate and arms welds & pivot points
P		15) Lift springs and pins condition and operation
P		16) Lift safety switches and adjustments
P		17) Hose and wire routing and connections
P		18) Rollers and pivot point condition & operation
P		19) Lift to vehicle mounting bolts and brackets
P		20) Lift doors condition and operation
P		21) Lift door lights condition and operation
P		22) Lift interlock operation and condition
P		(lift door open, e-brake down not able to shift)
P		(e-brake off lift door closed no lift power)
P		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
P		26) W/C shoulder belt condition and operation
P		27) Lift clean and no sharp edges
P		28) Lift shields secure and in good shape
P		29) Lift moves steady without drifting, jerking,
P		or unusual speeds
P		30) No unusual lift noises
P		Lube all lift pivot points, barriers, rollers, linkages
P		and bearings cleaning off all excess lube
P		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrral Expy Way Suite 1145
Dallas, TX 75206

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: A Date and Time in: _____ Mileage in: 252245
Date: 09/10/2019 Work Class: I Date and Time Finished: _____ Mileage out: 257246

Complaints/Defects:

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	PMT A	
A	04	BRAKE INSPECTION	
Total Hours Worked:			

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: KENNEDY, KENNEDY Signature: KENNEDY, KENNEDY

ASE Employee #: 6048 ✓ ASE Technician: ASE Signature:



PM DEFECT SHEET



Reonoy Murphy
MECHANIC'S SIGNATURE

BUS #: 5136

DATE: 09/10/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Minor Strakes

DRAIN PLUG CROSS THREAD

Reonoy Murphy 09/10/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **252245** Mileage out: **252246**



Date: **09/16/19** Vehicle #: **5136**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 09/10/19 Vehicle #: 5136Mileage in: 252245 Mileage out: 252246

P	F	Item Inspected	ServType	Service Performed	Techs Initials
R		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	R
R		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	R
R		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"	A,B,C,D	Lube drive shafts and universal joints	NA
R		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
R		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	R
R		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"	A,B,C,D	Drain water from separator	NA
NA		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	R
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
R		R/F: <u>7</u> /32" L/F: <u>7</u> /32"	B,C,D	Change fuel filter	
R		R/RI: <u>7</u> /32" L/RI: <u>7</u> /32"	B,C,D	Clean or change PCV valve	
R		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
R		Air pressure adjustment FR. <u>65 RR. 75</u>	C,D	Change transmission fluid and filter	
R		Wheel torque specs used: <u>146</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
R		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
R		2) Lift control pendant condition and operation	D	Service and flush cooling system	
R		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
R		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
R		5) Inner roll stop condition and operation	D	Change differential fluid	
R		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
R		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
R		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
R		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	R
R		10) Lift manual pump handle			
R		11) Hydraulic pump condition and operation			
R		12) Hydraulic lines and cylinders condition			
R		13) Hydraulic fluid level and condition			
R		14) Base plate and arms welds & pivot points			
R		15) Lift springs and pins condition and operation			
R		16) Lift safety switches and adjustments			
R		17) Hose and wire routing and connections			
R		18) Rollers and pivot point condition & operation			
R		19) Lift to vehicle mounting bolts and brackets			
R		20) Lift doors condition and operation			
R		21) Lift door lights condition and operation			
R		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
R		23) W/C tie downs condition and operation			
R		24) Tie down container secure and clean			
R		25) Tie down floor mounting brackets secure			
R		26) W/C shoulder belt condition and operation			
R		27) Lift clean and no sharp edges			
R		28) Lift shields secure and in good shape			
R		29) Lift moves steady without drifting, jerking, or unusual speeds			
R		30) No unusual lift noises			
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
R		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature


Date 09/10/2019

Supervisor Signature

Date 8/16/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: A Date and Time in: _____
Date: 11/08/2019 Work Class: T Date and Time Finished: _____
Mileage in: 261786 Mileage out: 261787

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Remy Mueser

Signature: *Remy Mueser*

ASE Employee #: _____

ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



Rooney Murray
MECHANIC'S SIGNATURE

BUS #: 5136

DATE:

11/08/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Minor scratches + dings

SEATBELT NOT RETRACTING

Rooney Murray

11/08/2019

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 26178 Mileage out: 26178



Vehicle #: 5136

Date: 11/08/2019

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 11/08/2019 Vehicle #: 5136

Mileage in: 261786 Mileage out: 261787

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
R		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature [Signature]


Date 11/08/2019

Supervisor Signature _____

Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5136 Repair Reason: 1 Date and Time in: _____ Mileage in: 266777
Date: 12-10-19 Work Class: 1 Date and Time Finished: _____ Mileage out: 266778

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PAFF		A	55	5690	engine oil	6.5	
				A	55	F13681	oil filter	1	
				A	55	H13	washer	1	

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jeffrey Williams

ASE Employee #: _____ ASE Technician: _____



PM DEFECT SHEET



BUS #: 5136

DATE: 12-10-19

PM TYPE OR WORK ORDER #:

[Signature]
MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

replace Headlamp

12-10-19

Preventive Maintenance Inspection and Service Checklist



Date: 12-10-14 Vehicle #: 5136

Circle Service Type: A B C D

Mileage in: 26677 Mileage out: 26677

P	F	Item Inspected
☒	☒	A) Vehicle drive in inspection (5 miles)
☒	☒	1) Driver carpet
☒	☒	2) Driver seat condition and operation
☒	☒	3) Drivers door operation and condition
☒	☒	4) Drivers seat belt operation and condition
☒	☒	5) Engine starting and ignition system
☒	☒	6) Instrument panel gauges & warning lights
☒	☒	7) Instrument panel lighting & condition
☒	☒	8) Horn operation
☒	☒	9) Steering wheel tight, no excessive play
☒	☒	10) Windshield wipers
☒	☒	11) Windshield washer
☒	☒	12) Sun visor condition and operation
☒	☒	13) Parking brake operation & condition
☒	☒	14) Parking and service brake pedal pads
☒	☒	15) Passenger door operation
☒	☒	16) No vibrations, pulsations or noises
☒	☒	B) Walk around inspection
☒	☒	1) Body damage (list on separate sheet)
☒	☒	2) Headlights, high & low beam operation
☒	☒	3) Parking lights operation & condition
☒	☒	4) Marker lights operation & condition
☒	☒	5) Directional signals operation & condition
☒	☒	6) Hazard lights operation & condition
☒	☒	7) Clearance lights operation and condition
☒	☒	8) Brake lights operation & condition
☒	☒	9) License plate lamp operation & condition
☒	☒	10) License plates and tags
☒	☒	11) Backup lights and alarms
☒	☒	12) Reflectors and reflective bumper tape
☒	☒	13) Exterior decals and signage
☒	☒	14) Bumpers secure / in good condition
☒	☒	15) Exterior mirrors secure / in good condition
☒	☒	16) Exterior clean
☒	☒	C) Interior inspection
☒	☒	1) Passenger door and steps condition
☒	☒	2) Handrails and stanchions condition
☒	☒	3) Interior and modesty panels condition
☒	☒	4) Flooring condition
☒	☒	5) Interior lighting operation and condition
☒	☒	6) Windows operation and condition
☒	☒	7) Emergency Exits operation & condition
☒	☒	8) Accessory operation & condition (radio, GPS)
☒	☒	9) Passenger seats operation & condition
☒	☒	10) Passenger seat belts operation & condition
☒	☒	11) First aid & body fluid kits complete
☒	☒	12) Triangle reflectors complete/good condition
☒	☒	13) Stop request operation & condition
☒	☒	14) Valid registration, insurance & accident pack
☒	☒	15) Fire extinguisher in good condition & signed
☒	☒	16) Interior decals and signage (incl. electrical)
☒	☒	17) DVI's reviewed, addressed and signed off
☒	☒	18) Interior clean
☒	☒	D) HVAC system inspection
☒	☒	1) Front blower condition and operation



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C DDate: 12-10-19 Vehicle #: 5136Mileage in: 206777 Mileage out: 206778

P	F	Item Inspected
2		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
2		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
2		34) Tire and wheel condition and measurements
2		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
2		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
2		R/O: <u>7</u> /32" L/O: <u>7</u> /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. <u>10</u> RR. <u>10</u>
2		Wheel torque specs used: <u>140</u> ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
2		(lift door open, e-brake down not able to shift)
2		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking,
2		or unusual speeds
2		30) No unusual lift noises
2		Lube all lift pivot points, barriers, rollers, linkages
2		and bearings cleaning off all excess lube
2		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (10 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: A Date and Time in : Mileage in: 276458
Date: 02/03/2020 Work Class: I Date and Time Finished: Mileage out: 276459

Complaints/Defects:

ρ_{MI} A

Notes/Measurements:

[illegible]

<i>Parts Information</i>					
Task	WAC	Part Number	Description	Qty	Cost
A	55	VN1700	ENGINE OIL	65	
A	55	LF3681	OIL FILTER	1	
					Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murray

Signature Shelly M. Y

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



Rodney King

MECHANIC'S SIGNATURE

BUS #: 5136

DATE:

02/03/2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches + DENTS

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **270458** Mileage out: **270459**



Date: **02/03/20** Vehicle #: **5136**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

02/03/20



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 5/13/20

Vehicle #:

5136

Mileage in:

Mileage out:

27645

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>5</u> /32" L/F: <u>7</u> /32"
R		R/R: <u>6</u> /32" L/R: <u>6</u> /32"
R		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>146</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (<u>5</u> miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Rocky M. J.
Technicians Signature

02/03/2020
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrral Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136	Repair Reason: I	Date and Time in: 03/04/2020	11:00 A.M.	Mileage in: 281,023
Date: 03/04/2020	Work Class: A	Date and Time Finished: 03/04/2020	13:00 P.M.	Mileage out: 281,024

Complaints/Defects:

Notes/Measurements:

Labor Information			Hours
Task	WAC	Repair Description/Comments	
A	58	PMI	
		REPLACE CALIPER	
		REPLACE BRAKE PADS	
		(REAR)	
Total Hours Worked:			

[illegible]

I have performed the repair(s) according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HOPEYON HANE

Signature H. H. J. J.

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5136

DATE:

03/04/2020

PM TYPE OR WORK ORDER #: A

H. M. Hoge

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

• REAR BRAKE PAD & CALIPER NEEDS
TO BE REPAIRED.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 281,023 Mileage out: 281,024



Date: 03/04/2020 Vehicle #: 5136

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
	X	16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
	X	18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 03/04/20 Vehicle #: 5136Mileage in: 281,023Mileage out: 281,024

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>7/32"</u> L/F: <u>7/32"</u>
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>4/32"</u> L/R: <u>4/32"</u>
<u>N/A</u>		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
		34) Tire and wheel condition and measurements
		R/F: <u>6/32"</u> L/F: <u>6/32"</u>
		R/R: <u>6/32"</u> L/R: <u>8/32"</u>
		R/O: <u>5/32"</u> L/O: <u>6/32"</u>
		35) Lug nuts condition
<u>H</u>		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
<u>H</u>		1) Lift operation (fully stowed to fully deployed)
<u>H</u>		2) Lift control pendant condition and operation
<u>H</u>		3) Lift restraint belt condition and operation
<u>H</u>		4) Outer roll stop condition and operation
<u>H</u>		5) Inner roll stop condition and operation
<u>H</u>		6) Platform adjustments, condition and mounting
<u>H</u>		7) Standee arm condition and operation
<u>H</u>		8) Proper signage and decals
<u>H</u>		9) Manual backup pump condition and operation
<u>H</u>		10) Lift manual pump handle
<u>H</u>		11) Hydraulic pump condition and operation
<u>H</u>		12) Hydraulic lines and cylinders condition
<u>H</u>		13) Hydraulic fluid level and condition
<u>H</u>		14) Base plate and arms welds & pivot points
<u>H</u>		15) Lift springs and pins condition and operation
<u>H</u>		16) Lift safety switches and adjustments
<u>H</u>		17) Hose and wire routing and connections
<u>H</u>		18) Rollers and pivot point condition & operation
<u>H</u>		19) Lift to vehicle mounting bolts and brackets
<u>H</u>		20) Lift doors condition and operation
<u>H</u>		21) Lift door lights condition and operation
<u>H</u>		22) Lift interlock operation and condition
<u>H</u>		(lift door open, e-brake down not able to shift)
<u>H</u>		(e-brake off lift door closed no lift power)
<u>H</u>		23) W/C tie downs condition and operation
<u>H</u>		24) Tie down container secure and clean
<u>H</u>		25) Tie down floor mounting brackets secure
<u>H</u>		26) W/C shoulder belt condition and operation
<u>H</u>		27) Lift clean and no sharp edges
<u>H</u>		28) Lift shields secure and in good shape
<u>H</u>		29) Lift moves steady without drifting, jerking,
<u>H</u>		or unusual speeds
<u>H</u>		30) No unusual lift noises
<u>H</u>		Lube all lift pivot points, barriers, rollers, linkages
<u>H</u>		and bearings cleaning off all excess lube
<u>H</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>H</u>
A,B,C,D	Lube chassis and suspension	<u>OK</u>
A,B,C,D	Lube drive shafts and universal joints	<u>OK</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>H</u>
A,B,C,D	Adjust service and parking brakes	<u>OK</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>OK</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>H</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date: 03/04/20

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5036 Repair Reason: A Date and Time in: 05-22-2020 Mileage in: 28981.8

Date	05-22-20	Work Class:	T	Date and Time Finished:		Mileage out:	289849
------	----------	-------------	---	-------------------------	--	--------------	--------

Complaints/Defects:

CWIA

Notes/Measurements:

[illegible]

Labor Information

Total Hours Worked:

[illegible]

Parts Information

Total Parts Cost:


I have performed the repairs according MY Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MY Transportation, Inc. approved vendors and have followed all MY Transportation, Inc. policies.

Employee #: 857302 Technician: VENNER FULTON Signature _____


ASE Employee #: 604182 ASE Technician:

ASE Signature:

[illegible]

MECHANIC'S SIGNATURE 		BUS # : 5136		DATE: 05-22-2020	
PM TYPE OR WORK ORDER # : #					
DATE		COMPLETED BY		DESCRIPTION OF REPAIR NEEDED	

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist



Date: 05-22-20 Vehicle #: 5136

Circle Service Type: A B C D

Mileage in: 289848 Mileage out: 289849

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **289848** Mileage out: **289849**

Date: **05-22-2020** Vehicle #: **5136**

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: **[Signature]** Date: **05-22-2020**

Supervisor Signature: _____ Date: _____

Notes: _____

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: + /32" L/F: + /32"		
32) Rear brake condition and mounting		
Pads R/F: + /32" L/F: + /32"		
33) Rear brake lining condition & measurement		
Pads R/R: 6 /32" L/R: 6 /32"		
Shoes R/R: 10 /32" L/R: 10 /32"		
34) Tire and wheel condition and measurements		
R/F: 10 /32" L/F: 10 /32"		
R/R: 5 /32" L/R: 5 /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 45		
Wheel torque specs used: 140 ft. lbs.		
36) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: _____

不

delete any information

Date and Time in:

Vehicle #. 0138
 Date 07-71

Repair Reason:

14 Date and Time

07-02-2020

Mileage in: 294.414

Date 02-20 Work Class: 1

Date and Time Finished:

00000000

Millage in. 219.917
Millage out: 20.117

Complaints/Defects:

Notes/Measurements:

Qm + A

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	WMA		A	55	5020	ENGINE OIL	2	
				A	55	FI-3681	OIL FILTER	1	
				A	55	1329	REAR BRAKE	1	
				A	55	423	COOLER PUMP	1	
				A	55	16-3-0	COOLANT	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to the instructions in the repair manual.

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 85730 Technician: TYDIED JIPWED

Signature: _____


Total Parts Cost: _____

Employee #: 857302 Technician: TAYLOR, JEFFREY

Followed all MV Transportation, Inc. policies.
Signature: *[Signature]*

ASE Employee #: _____ ASE Technician: _____

ASE Signature



PHX_OPSIBUSMAINT\FORMS\PMdefect.doc



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 07-02-20 Vehicle #: 5136

Mileage in: 29444

Mileage out: 29445

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
F		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07-2-20 Vehicle #: 5136Mileage in: 294419 Mileage out: 294415

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: <u>3</u> /32" L/R: <u>3</u> /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		R/RI: <u>9</u> /32" L/RI: <u>9</u> /32"
		R/RO: <u>9</u> /32" L/RO: <u>8</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR: <u>SS</u> RR: <u>45</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NW
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: WA Date and Time In: 09-12-10 Mileage in: 303959
Date: 09-12-10 Work Class: 1 Date and Time Finished: Mileage out: 303960

Complaints/Defects:

Q21+1A

Notes/Measurements:

<i>Labor Information</i>			
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>
A 58		RMA	
			Total Hours Worked:

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	55	5020	ENGINE OIL	25	
A	55	F1-3681	OIL FILTER	1	
BA	55	2001831	NEW TIRE	1	
					Total Parts Cost:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857307 Technician: TEVEN TUNWEN Signature

Signature

ASE Employee #: 604182-ASE Technician:

ASE Signature: _____

REPLACE Right Front Tire.

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **303959**

Mileage out: **303960**

Date: **09-12-20** Vehicle #: **5136**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 09/12/20 Vehicle #: 5136 Circle Service Type: A B C D Mileage in: 303959 Mileage out: 303960

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	F
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Technician's Signature: *[Signature]* Date: 09-12-20

Supervisor Signature: _____ Date: _____

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 6 /32" L/F: 6 /32"		
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 6 /32" L/R: 6 /32"		
Shoes R/R: /32" L/R: /32"		
34) Tire and wheel condition and measurements		F
R/F: 3 /32" L/F: 3 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/RO: 8 /32" L/RO: 8 /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 45-48 psi RR. 45-48 psi		
Wheel torque specs used: 140 ft. lbs.		
9) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Basic Information			
Vehicle #:	5136	Repair Reason:	A
Date:	6/15/2020	Work Class:	1
		Date and Time Finished:	
		Date and Time in:	20:30
		Mileage in:	308698
		Mileage out:	308699

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information						Parts Information						
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost			
A	58	RMI A		A	55	VV1900	ENGINE OIL	6.5				
				A	55	LF3681	OIL FILTER	1				
				A	55	2001831	TIRE	1				
				A	55	BRS D 1328 B	FRONT BRAKE PADS	1				
				A	55	BRS D 1329 B	REAR BRAKE PAD	1				
				A	55		PB3 BATTERY TERM.	1				
A	04	BRAKE INSPECTION										
			Total Hours Worked:							Total Parts Cost:		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857307 Technician: TRAVEN FEVER Signature: [Signature]

ASE Employee #: 604192 ASE Technician:

REPLACE (1) BATTERY TERMINAL (POS)

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: 308698 Mileage out: 308699



Date: 10/15/20 Vehicle #: 5136

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **308698** Mileage out: **308699**



Date: **10/15/20** Vehicle #: **5136**

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 3/32" L/F: 3/32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 4/32" L/R: 4/32"		
Shoes R/R: 1/32" L/R: 1/32"		
34) Tire and wheel condition and measurements		
R/F: 9/32" L/F: 9/32"		
R/R: 9/32" L/R: 8/32"		
R/O: 9/32" L/O: 10/32"		
35) Lug nuts condition		
Air pressure adjustment FR. 60.5R. 75		
Wheel torque specs used: 140 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **[Signature]**

Date: **10/15/2020**

Supervisor Signature: _____

Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Basic Information

Mileage in: 313664
Mileage out: 313665

Notes/Measurements:

Print

[illegible]

I have performed the repairs according to the guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and

Employee #: 857302 Technician: Felouson Funtwiler Signature: [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Preventive Maintenance Inspection and Service Checklist



Date: 11-19-20 Vehicle #: 5136

Circle Service Type: A (B) C D
Mileage in: 93664 Mileage out: 313665

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			1) Driver carpet
		2) Driver seat condition and operation			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation and condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			2) Rear blower condition and operation
		3) Deterioration operation			4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition			6) Front heater condition and operation
		7) Rear heater condition and operation			8) A/C compressors and condenser fans
		E) Under hood inspection			1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:			Batt 2 volts: load amps:
		Batt 3 volts: load amps:			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:			Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)			2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition			5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition			7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition			9) Engine oil fluid level and condition
		10) Transmission oil level and condition			11) Power steering fluid level and condition
		12) Brake fluid level and condition			F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks			2) Steering shaft U joints
		3) Steering shaft bearings			4) Steering linkages
		5) I beam or control arm movements and rivets			6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition			8) Ball joints or kingpins
		9) Front spring condition and mounting			10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks			12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks			14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts			16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition			18) Drive shaft condition
		19) Universal joints and carrier bearings condition			20) No rear differential leaks
		21) Rear differential condition and mounting			22) Frame and cross members
		23) Rear shock absorbers			24) Rear springs condition and mounting
		25) No fuel leaks			26) Fuel tank condition and mounting
		27) No exhaust leaks			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D
 Mileage in: 313664 Mileage out: 313665



Date: 11-19-20 Vehicle #: 5136

Item Inspected	Service Type	Service Performed	Tech's Initials
30) Front brake condition and mounting	A,B,C,D	Change oil and filter	T
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	T
32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	T
33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	T
Pads R/R: 7/32" L/R: 7/32"	A,B,C,D	Drain water from separator	T
Shoes R/R: 7/32" L/R: 7/32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	T
34) Tire and wheel condition and measurements	A,B,C,D	Change air filter	T
R/F: 9/32" L/F: 9/32"	B,C,D	Change fuel filter	T
R/R: 7/32" L/R: 7/32"	B,C,D	Clean or change PCV valve	T
R/RO: 8/32" L/RO: 8/32"	B,C,D	Install new wiper blades	T
35) Lug nuts condition	B,C,D	Change transmission fluid and filter	T
Air pressure adjustment FR. 65 RR. 45	C,D	Service front wheel bearings	T
Wheel torque specs used: 140 ft. lbs.	C,D	Drain water from fuel tank	T
(G) Lift inspection	C,D	Replace accessory drive belts	T
1) Lift operation (fully stowed to fully deployed)	D	Service and flush cooling system	T
2) Lift control pendant condition and operation	D	Install new spark plugs & wires	T
3) Lift restraint belt condition and operation	D	Change differential fluid	T
4) Outer roll stop condition and operation	D	Check Exhaust and EGR system	T
5) Inner roll stop condition and operation	D	Check and service fuel & evap. System	T
6) Platform adjustments, condition and mounting	D	Evac and recharge A/C (add 1 oz. of oil)	T
7) Standee arm condition and operation	D	Post service test drive (5 miles)	T
8) Proper signage and decals	D		
9) Manual backup pump condition and operation	D		
10) Lift manual pump handle	D		
11) Hydraulic pump condition and operation	D		
12) Hydraulic lines and cylinders condition	D		
13) Hydraulic fluid level and condition	D		
14) Base plate and arms welds & pivot points	D		
15) Lift springs and pins condition and operation	D		
16) Lift safety switches and adjustments	D		
17) Hose and wire routing and connections	D		
18) Rollers and pivot point condition & operation	D		
19) Lift to vehicle mounting bolts and brackets	D		
20) Lift doors condition and operation	D		
21) Lift door lights condition and operation	D		
22) Lift interlock operation and condition	D		
(Lift door open, e-brake down not able to shift)	D		
(e-brake off lift door closed no lift power)	D		
23) W/C tie downs condition and operation	D		
24) Tie down container secure and clean	D		
25) Tie down floor mounting brackets secure	D		
26) W/C shoulder belt condition and operation	D		
27) Lift clean and no sharp edges	D		
28) Lift shields secure and in good shape	D		
29) Lift moves steady without drifting, jerking, or unusual speeds	D		
30) No unusual lift noises	D		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	D		
Check, torque or adjust lift base mounting bolts	D		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technician's Signature *Bohly* Date *11-19-20*

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	T
A,B,C,D	Lube chassis and suspension	T
A,B,C,D	Lube drive shafts and universal joints	T
A,B,C,D	Lube doors and hood, locks and hinges	T
A,B,C,D	Adjust service and parking brakes	T
A,B,C,D	Drain water from separator	T
A,B,C,D	Rotate tires (as necessary, caps on rear)	T
B,C,D	Change air filter	T
B,C,D	Change fuel filter	T
B,C,D	Clean or change PCV valve	T
B,C,D	Install new wiper blades	T
C,D	Change transmission fluid and filter	T
C,D	Service front wheel bearings	T
C,D	Drain water from fuel tank	T
D	Replace accessory drive belts	T
D	Service and flush cooling system	T
D	Install new spark plugs & wires	T
D	Change differential fluid	T
D	Check Exhaust and EGR system	T
D	Check and service fuel & evap. System	T
D	Evac and recharge A/C (add 1 oz. of oil)	T
A,B,C,D	Post service test drive (5 miles)	T

#1714

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5136 Repair Reason:

Date and Time in: 16/07

Mileage in: 200249

Date: 10/04/18 Work Class:

Date and Time Finished: _____

18:30

Mileage out: 20026/0

Complaints/Defects:

Notes/Measurements:

PMI



Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
13	58	port 1		13	55	500-80	oil	6.5	
				13	55	LF 3681	oil filter	1	
				13	55	AF 25590	air filter	1	
				13	55	W02001185	cupric blocks	2	
				13	55	L752693054	oil pump	1	
				13	55	22575916	tin of	3	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Sean Theriault Signature: [Signature]

Employee #: 84618 Technician:

Isom Thermidor

Signature _____

...institutions, and policies

ASE Employee #: 604152 ASE Technician:

ASE Signature:

native.



PM DEFECT SHEET



BUS #: 5136		DATE: 10/04/18	
PM TYPE OR WORK ORDER #:		MECHANIC'S SIGNATURE: Jean Theriault	
DATE	COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED

10/04/18 ~~3000~~ replaces 3 tires



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**Date: 10/4/18 Vehicle #: 5136Mileage in: 200249 Mileage out: 200249

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A () B () C () D ()

Mileage in: 200249 Mileage out: 200249



Date: 10/14/18 Vehicle #: 5136

P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 7 L/F: 7 /32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 6 L/R: 6 /32"
		Shoes R/R: /32" L/R: /32"
		34 Tire and wheel condition and measurements
		R/F: /32" L/F: /32"
		R/R: 9 /32" L/R: 6 /32"
		35 Lug nuts condition
		Wheel torque specs used: 140 ft. lbs.
		Air pressure adjustment FR. 65 PSI
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) The down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	I
A,B,C,D	Lube chassis and suspension	S
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	N/A
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	N/A
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	I

Notes:

Supervisor Signature

Technician's Signature

Date

Date

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5130 Repair Reason: B Date and Time in: 06/09/18 Mileage in: 20:00
20:00

Date: 04.09.19 Work Class: F Date and Time Finished: 04.09.19 22:00 Mileage out: 228342

Complaints/Defects:

Notes/Measurements:

P 171 B

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Robert Alford

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

John

MECHANIC'S SIGNATURE		DATE: 04.09.19	
BUS #: 5136		PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE
COMPLETED			

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01/09/19 Vehicle #: 5136

Mileage in: 228341

Mileage out: 228342

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 04-09-19 Vehicle #: 5136

Circle Service Type: A B C D

Mileage out: 228344

Service Performed Techs Initials

A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (2 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature
Date: 04-09-19

Notes:

Supervisor Signature
Date: 4/10/19

P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 8/32" L/F: 8/32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 8/32" L/R: 8/32"
		34 Tire and wheel condition and measurements
		R/F: 8/32" L/F: 8/32"
		R/R: 8/32" L/R: 8/32"
		R/O: 8/32" L/O: 8/32"
		35 Lug nuts condition
		Air pressure adjustment FR. 40 RR. 40
		Wheel torque specs used: 140 ft. lbs.
		(g) Lift inspection
		1 Lift operation (fully stowed to fully deployed)
		2 Lift control pendant condition and operation
		3 Lift restraint belt condition and operation
		4 Outer roll stop condition and operation
		5 Inner roll stop condition and operation
		6 Platform adjustments, condition and mounting
		7 Standee arm condition and operation
		8 Proper signage and decals
		9 Manual backup pump condition and operation
		10 Lift manual pump handle
		11 Hydraulic pump condition and operation
		12 Hydraulic lines and cylinders condition
		13 Hydraulic fluid level and condition
		14 Base plate and arms welds & pivot points
		15 Lift springs and pins condition and operation
		16 Lift safety switches and adjustments
		17 Hose and wire routing and connections
		18 Rollers and pivot point condition & operation
		19 Lift to vehicle mounting bolts and brackets
		20 Lift doors condition and operation
		21 Lift door lights condition and operation
		22 Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23 W/C the downs condition and operation
		24 Tie down container secure and clean
		25 Tie down floor mounting brackets secure
		26 W/C shoulder belt condition and operation
		27 Lift clean and no sharp edges
		28 Lift shields secure and in good shape
		29 Lift moves steady without drifting, jerking, or unusual speeds
		30 No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



Basic Information

Vehicle #: 5756 Repair Reason:

Date and Time in :

15

Date: 10/01/19 Work Class: I Date and Time Finished:

Work Class:

Mileage in:

Mileage out: _____

Complaints/Defects:

Notes/Measurements:

Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
B 58		PM1 B	B	55	VV1700	Engine Oil	65	
			B	55	LF3681	Oil Filter	1	
			B	55	F75Z670BA	Oil plug	1	
B 04		Back Inspector	B	55	AF25590	Air Filter	1	
Total Hours Worked:			Total Parts Cost:					

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84910 Technician:

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET




MECHANIC'S SIGNATURE

BUS #:

5136

DATE:

10/10/19

PM TYPE OR WORK ORDER #:

13

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Left Rear Led 1 yellow light damage

Oil drain plug warp

Joe

10/13/19

Right Front wheel need alignment

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 357224

Mileage out: 357224



Vehicle #: 5134

Date: 10/16/19

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: 12.7 load amps:
		Batt 2 volts: 12.7 load amps:
		Batt 3 volts: 12.7 load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: 4.17 max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/10/19 Vehicle #: 5136

Mileage in: 257224 Mileage out: 257224

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 4 /32" L/F: 9 /32"
		R/RI: 14 /32" L/RI: 14 /32"
		R/RO: 13 /32" L/RO: 13 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs. Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



3301 Electronics Way

Dallas, TX 75206

West Palm Beach, FL 33407.

Basic Information

Vehicle #: 5136 Repair Reason: B Date and Time in: 21:25 Mileage in: 285483
 Date: 06/14/20 Work Class: 7 Date and Time Finished: 23:40 Mileage out: 285484

Complaints/Defects:

Pratt

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
B	58	PMLB	
04	55	brake inspection	
Total Hours Worked:			

[illegible]

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 818194 Technician: _____

Signature


Frank Fowler

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS # : 5136	DATE: 04/14/20	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 285483 Mileage out: 285484



Date: 01/14/20 Vehicle #: 5136

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver seat carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 235483

Mileage Out: 235484



5136

Vehicle #:

Date: 04/14/20

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 9/32" L/F: 9/32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 10/32" L/R: 10/32"		F
34) Tire and wheel condition and measurements		F
Shoes R/R: 1/32" L/R: 1/32"		F
R/F: 4/32" L/F: 4/32"		F
R/R: 6/32" L/R: 2/32"		F
R/O: 4/32" L/R: 2/32"		F
35) Lug nuts condition		F
Air pressure adjustment FR. 65 RR. 76		F
Wheel torque specs used: 140 ft. lbs.		F
G) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Stander arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C tie downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages		F
and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes: _____

Supervisor Signature _____

Date _____

Technician's Signature _____


Date 04/14/20

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: C Date and Time in: 06-11-18 9:30 Mileage in: 186530
 Date: 06/11/18 Work Class: E Date and Time Finished: 06-11-18 23:30 Mileage out: 186533

Complaints/Defects:

PMIC

Notes/Measurements:

Labor Information			Parts Information			
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description
C 38		PMIC	C 55		EW430	engine oil
			C 55		LF3681	oil filter
			C 55		WW2001 DF	wiper blade
			C 55		AF35590	air filter
			C 55		FF180	trans filter
			C 55		mercon IV	trans fluid
			C 55		055d1329	rear brake pads
			C 55		227 75816	tires
04 35		brake inspection	C 35		8112002	serpentine belt
Total Hours Worked:			Total Parts Cost:			

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 8115132 Technician: Jimmy Alisme Signature: [Signature]

ASE Employee #: 60452 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #: 5136 DATE: 06/12/13 PM TYPE OR WORK ORDER #: PMTC
DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Replace rear brake pads

Replace Gasperine belt

Rotate tires



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Date: 06/10/12 Vehicle #: 5186

Mileage in: 186530 Mileage out: 186533

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
J		1) Driver carpet
J		2) Driver seat condition and operation
J		3) Drivers door operation and condition
J		4) Drivers seat belt operation and condition
J		5) Engine starting and ignition system
J		6) Instrument panel gauges & warning lights
J		7) Instrument panel lighting & condition
J		8) Horn operation
J		9) Steering wheel tight, no excessive play
J		10) Windshield wipers
J		11) Windshield washer
J		12) Sun visor condition and operation
J		13) Parking brake operation & condition
J		14) Parking and service brake pedal pads
J		15) Passenger door operation
J		16) No vibrations, pulsations or noises
		B) Walk around inspection
J		1) Body damage (list on separate sheet)
J		2) Headlights, high & low beam operation
J		3) Parking lights operation & condition
J		4) Marker lights operation & condition
J		5) Directional signals operation & condition
J		6) Hazard lights operation & condition
J		7) Clearance lights operation and condition
J		8) Brake lights operation & condition
J		9) License plate lamp operation & condition
J		10) License plates and tags
J		11) Backup lights and alarms
J		12) Reflectors and reflective bumper tape
J		13) Exterior decals and signage
J		14) Bumpers secure / in good condition
J		15) Exterior mirrors secure / in good condition
J		16) Exterior clean
		C) Interior inspection
J		1) Passenger door and steps condition
J		2) Handrails and stanchions condition
J		3) Interior and modesty panels condition
J		4) Flooring condition
J		5) Interior lighting operation and condition
J		6) Windows operation and condition
J		7) Emergency Exits operation & condition
J		8) Accessory operation & condition (radio, GPS)
J		9) Passenger seats operation & condition
J		10) Passenger seat belts operation & condition
J		11) First aid & body fluid kits complete
J		12) Triangle reflectors complete/good condition
J		13) Stop request operation & condition
J		14) Valid registration, insurance & accident pack
J		15) Fire extinguisher in good condition & signed
J		16) Interior decals and signage (incl. electrical)
J		17) DVI's reviewed, addressed and signed off
J		18) Interior clean
		D) HVAC system inspection
J		1) Front blower condition and operation

P	F	Item Inspected
J		2) Rear blower condition and operation
J		3) Defroster operation
J		4) Temp gets to 20 deg. F below ambient temp.
J		5) Evaporator intake air filter condition
J		6) Front heater condition and operation
J		7) Rear heater condition and operation
J		8) A/C compressors and condenser fans
		E) Under hood inspection
J		1) Batteries & charging sys. (load alt B,C,D serv)
J		Batt 1 volts: <u>12.3</u> load volts: load amps:
J		Batt 2 volts: <u>12.3</u> load volts: load amps:
J		Batt 3 volts: load volts: load amps:
J		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
J		Alt. 1 min volt: max volt: max amp:
J		Alt. 2 min volt: max volt: max amp:
J		(reference factory service manual for alternator spec)
J		2) Wire and hose routing and connections
J		3) Cooling system, hoses, water pump condition
J		5) Accessory drive belts condition
J		6) Pulleys and tensioned operation & condition
J		7) Brake master cylinder and power booster
J		8) Fan and fan clutch operation and condition
J		9) Engine oil fluid level and condition
J		10) Transmission oil level and condition
J		11) Power steering fluid level and condition
J		12) Brake fluid level and condition
		F) Vehicle rack inspection
J		1) Steering gear box mount, condition & leaks
J		2) Steering shaft U joints
J		3) Steering shaft bearings
J		4) Steering linkages
J		5) I beam or control arm movements and rivets
J		6) Radius arm condition and bushings condition
J		7) Stabilizer bar condition and bushings condition
J		8) Ball joints or kingpins
J		9) Front spring condition and mounting
J		10) Front shock absorber operation & condition
J		11) Trans oil cooler & lines routing and leaks
J		12) Engine oil cooler & lines routing and leaks
J		13) Heater and A/C hose routing and leaks
J		14) No engine oil leaks and fluid condition
J		15) Engine mounts, brackets and bolts
J		16) Transmission mounts, brackets and bolts
J		17) No transmission oil leaks and fluid condition
J		18) Drive shaft condition
J		19) Universal joints and carrier bearings condition
J		20) No rear differential leaks
J		21) Rear differential condition and mounting
J		22) Frame and cross members
J		23) Rear shock absorbers
J		24) Rear springs condition and mounting
J		25) No fuel leaks
J		26) Fuel tank condition and mounting
J		27) No exhaust leaks
J		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 186530 Mileage out: 186533



Date: 06/12/18 Vehicle #: 5136

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	I
Lube chassis and suspension	A,B,C,D	I
Lube drive shafts and universal joints	A,B,C,D	I
Lube doors and hood, locks and hinges	A,B,C,D	I
Adjust service and parking brakes	A,B,C,D	I
Drain water from separator	A,B,C,D	I
Rotate tires (as necessary, caps on rear)	A,B,C,D	I
Change air filter	B,C,D	I
Change fuel filter	B,C,D	I
Clean or change PCV valve	B,C,D	I
Clean or change crank case filter	B,C,D	I
Install new wiper blades	B,C,D	I
Change transmission fluid and filter	C,D	I
Service front wheel bearings	C,D	I
Drain water from fuel tank	C,D	I
Replace accessory drive belts	D	I
Service and flush cooling system	D	I
Install new spark plugs & wires	D	I
Install new dist. cap & rotor	D	I
Change differential fluid	D	I
Check Exhaust and EGR system	D	I
Check and service fuel & evap. system	D	I
Evac and recharge A/C (add 1 oz. of oil)	D	I
Post service test drive (5 miles)	A,B,C,D	I

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor's Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 10 / 32" L/F: 10 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 3 / 32" L/R: 3 / 32"		
Shoes R/R: / 32" L/R: / 32"		
34) Tire and wheel condition and measurements		
R/F: 6 / 32" L/F: 6 / 32"		
R/R: 3 / 32" L/R: 3 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR. 35 RR. 70		
Wheel torque specs used: 110 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason:

Date and Time in : 07.03.19

Mileage in: 242.886

Date: 07.03.19 Work Class: Z

Mileage out: 242.887

Complaints/Defects:

142

Notes/Measurements:

[illegible]

Parts Information

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician:

Signature

ASE Employee #:

ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5136

DATE: 07.03.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY _____

DATE
COMPLETED

replace Brake pedal

Johnny

07.03.19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 242886 Mileage out: 242887



Date: 07.03.19 Vehicle #: 5136

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 07-03-19 Vehicle #: 5136

Circle Service Type: A B C D

Mileage in: 242886 Mileage out: 242887

P	F	Item Inspected
0		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: <u>6</u> /32" L/F: <u>0</u> /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: <u>0</u> /32" L/R: <u>0</u> /32"
2		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
2		34) Tire and wheel condition and measurements
2		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
2		R/R: <u>8</u> /32" L/R: <u>8</u> /32"
2		R/RO: <u>8</u> /32" L/RO: <u>8</u> /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. <u>40</u> RR. <u>40</u>
2		Wheel torque specs used: <u>110</u> ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
2		(lift door open, e-brake down not able to shift)
2		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking, or unusual speeds
2		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (<u>5</u> miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 334

Basic Information

Vehicle #: 5136 Repair Reason: C Date and Time in: _____
Date: 08/10/2020 Work Class: I Date and Time Finished: _____

Mileage in: 299159
Mileage out: 299160

Complaints/Defects:

Notes/Measurements:

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc.'s guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used none that are from MAY Transportation, Inc.

Total Parts Cost:


Employee #: 863725 Technician: *Ronny Nissen* Signature: *[Signature]*

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>Robert Murray</i>	
BUS #: 5136	DATE: 08/10/2020
PM TYPE OR WORK ORDER #: C	

DATE COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
----------------	--------------	------------------------------

08/10/2020	Robert Murray	Replace spark plug
08/10/2020	Robert Murray	Replace Ignition coil
08/10/2020	Robert Murray	Replace Access Belt
		Minor Shocks & Drives

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 299160

Mileage in: 299154



Date: 08/10/2022 Vehicle #: 5136

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 OCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 299159 Mileage out: 299160



Date: 08/16/2020 Vehicle #: 5136

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 7 /32" L/F: 7 /32"
		R/R: 7 /32" L/R: 7 /32"
		R/O: 7 /32" L/O: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 75
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Mileage in: 213974

Mileage out: 213.985

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D 58		FWD		D	55	AW20	engine oil	6.5	
				D	55	LF3681	oil filter	1	
				D	55	FT180	trans filter	1	
				D	55	mercon lv	trans fluid	10	
				D	55	AF 25590	air filter	1	
				D	55	mw 2001PF	wiper blade	2	
				D	55	80 w 90	differential fluid	4	
04 55		brake inspection		D	55	sp 301	spark plug	8	
				D	35		front headlight base	2	
Total Hours Worked:				Total Parts Cost:					

<i>I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.</i> Employee #: <u>848194</u> Technician: <u>Fredson</u> <u>Boice</u> Signature: <u>[Signature]</u>	Total Parts Cost: <u>0.00</u>
---	-------------------------------

Employee #: 848194 Technician: _____

Foodson Frivier

Signature


ASE Employee #: 609182 ASE Technician:

11

ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: 5136	DATE: 01/11/19	PM TYPE OR WORK ORDER #: PMID
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01/11/19 Vehicle #: 5136Mileage in: 213984 Mileage out: 213985

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: <u>12.9</u> load volts: load amps:
F		Batt 2 volts: <u>12.8</u> load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: /32" L/F: /32"
		R/R: /32" L/R: /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 R.R. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Techs Initials
Change oil and filter	F
Lube chassis and suspension	F
Lube drive shafts and universal joints	F
Lube doors and hood, locks and hinges	F
Adjust service and parking brakes	F
Drain water from separator	F
Rotate tires (as necessary, caps on rear)	F
Change air filter	F
Change fuel filter	F
Clean or change PCV valve	F
Clean or change crank case filter	F
Install new wiper blades	F
Change transmission fluid and filter	F
Service front wheel bearings	F
Drain water from fuel tank	F
Replace accessory drive belts	F
Service and flush cooling system	F
Install new spark plugs & wires	F
Install new dist. cap & rotor	F
Change differential fluid	F
Check Exhaust and EGR system	F
Check and service fuel & evap. System	F
Evac and recharge A/C (add 1 oz. of oil)	F
Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*
Supervisor Signature: *[Signature]*

Date: 01/11/19
Date: 1/14/19

Notes:

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A

B C (D)

Mileage out:

213985



MVA Transportation Inc.

Date: 01/11/19 Vehicle #: _____

5136

!N

213924

Mileage out:

213985

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5136 Repair Reason: D
Date: 1/3/20 Work Class: T Date:

Mileage in: 271665
Mileage out: 271666

Complaints/Defects:

PMF

Notes/Measurements:

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV M.

Employee #: 843194 Technician:

Hoodson Faville

Signature _____

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



BUS #: 5136

DATE:

1/8/20

PM TYPE OR WORK ORDER #:

PMID

MECHANIC'S SIGNATURE

[Signature]

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Replace Front brake pads

[Signature]

1/8/20

Replace Right headlight

[Signature]

1/8/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: **271665** Mileage out: **271666**



Vehicle #: **5136**

Date: **4/8/20**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: 12.8 load volts: load amps:
		Batt 2 volts: 12.8 load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.5v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 1/8/20 Vehicle #: 5136 Mileage in: 271665 Mileage out: 271666

Circle Service Type: A B C **D**

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: <u>3</u> /32" L/F: <u>3</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
F		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
F		R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
F		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	F
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

1/8/20
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.