

MY Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: D Date and Time in: _____
Date: 01/21/20 Work Class: 7 Date and Time Finished: _____

Mileage in: 275318
Mileage out: 275319

Complaints/Defects:

PMIA

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
01	57	Paint	
04	55	brake inspection	
Total Hours Worked:			

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 242184 Technician: Fredson Ferrier

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5142

DATE:

01/31/20

PM TYPE OR WORK ORDER #:

PMTD

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace left front headlight

[Signature]

01/31/20

Replace front brake pads

[Signature]

01/31/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 225318 Mileage out: 225319



Date: 01/31/00 Vehicle #: 5142

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: 12.8 load amps:
		Batt 2 volts: 12.6 load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 01/31/20 Vehicle #: 5142 Mileage in: 275318 Mileage out: 275319

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F	F	Pads R/F: <u>3</u> /32" L/F: <u>3</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>6</u> /32" L/F: <u>6</u> /32"
F		R/RI: <u>5</u> /32" L/RI: <u>8</u> /32"
F		R/RO: <u>5</u> /32" L/RO: <u>8</u> /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. <u>65RR. 70</u>
F		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking,
		or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	F
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature [Signature]Date 01/31/20

Supervisor Signature _____

Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Exp, Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: D Date and Time in: 18:00 Mileage in: 218469
Date: 01/31/2019 Work Class: I Date and Time Finished: 22:30 Mileage out: 218469

Complaints/Defects: PMI (5) Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	58	PMI D		D	55	5W20	ENGINE OIL	65	
				D	55	LF3681	OIL FILTER	1	
				D	55	AE25590	AIR FILTER	1	
				D	55	FT 180	TRANS FILTER	1	
				D	55	F9526730134	DRAW PLUG	1	
				D	55	SP521	SPARK PLUGS	8	
				D	55	80090	DIFF FLUID	3	
D	04	BRAKE INSPECTION		D	55	Merced 5	TRANS FLUID	10	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 263725 Technician: Rodney Nym Signature: Rodney Nym

ASE Employee #: 604182 ASE Technician: A. Nym ASE Signature: A. Nym

MECHANIC'S SIGNATURE 		BUS #: 5142	DATE: 01/31/2015	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED 		COMPLETED BY 	COMPLETED 	DATE

	Dental plug	MURDER DENTS + STANCHES
	Rosney M	
	01/31/19	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 01/31/19

Vehicle #: 5142

Mileage in: 218469

Mileage out: 218469

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: 218469 Mileage out: 218469



Vehicle #: 5142

Date: 01/31/19

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 5 / 32" L/F: 5 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 / 32" L/R: 7 / 32"
		Shoes R/R: / 32" L/R: / 32"
		34) Tire and wheel condition and measurements
		R/F: 8 / 32" L/F: 8 / 32"
		R/R: 5 / 32" L/R: 5 / 32"
		R/RO: 6 / 32" L/RO: 6 / 32"
		35) Lug nuts condition
		Air pressure adjustment FR. 75 RR. 75
		Wheel torque specs used: 146 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes:

Supervisor Signature

Technician Signature

Date

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Service Type	Service Performed	Technician Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	R
B,C,D	Change air filter	NA
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	NA
C,D	Change transmission fluid and filter	NA
C,D	Service front wheel bearings	NA
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	NA
D	Service and flush cooling system	NA
D	Install new spark plugs & wires	NA
D	Install new dist. cap & rotor	NA
D	Change differential fluid	NA
D	Check Exhaust and EGR system	NA
D	Check and service fuel & evaporator system	NA
D	Evac and recharge A/C (add 1 oz. of oil)	NA
A,B,C,D	Post service test drive (5 miles)	NA

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: L Date and Time in :
Date: 08/07/00 Work Class: L Date and Time Finished:

Mileage in: 303999
Mileage out: 303950

Complaints/Defects:

QWIL

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	PMLC	
04	55	brake inspection	
Total Hours Worked:			

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 808194 Technician:

Trinidad

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:



DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	COMPLETED DATE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE _____
COMPLETED _____

Replace front firs

Handwritten signature: *Handwritten signature*

97950

Radius arm bushing need to be replace

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 303949 Mileage out: 303950



Date: 09/07/00 Vehicle #: 5142

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			(1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: 12.5 load amps:
		10) Windshield wipers			Batt 2 volts: 12.7 load amps:
		11) Windshield washer			Batt 3 volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

D

Mileage in: _____
 Mileage out: _____

Date: 11/20/2010 Vehicle #:



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10 / 32" L/F: 11 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 / 32" L/R: 10 / 32"
		Shoes R/R: 10 / 32" L/R: 10 / 32"
		34) Tire and wheel condition and measurements
		R/F: 6 / 32" L/F: 5 / 32"
		R/R: 8 / 32" L/R: 9 / 32"
		R/R: 9 / 32" L/R: 9 / 32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 20-35
		Wheel torque specs used: 100 ft. lbs.
		(g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____


Date _____

Technicians Signature

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	W
A,B,C,D	Lube doors and hood, locks and hinges	W
A,B,C,D	Adjust service and parking brakes	W
A,B,C,D	Drain water from separator	W
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	W
B,C,D	Clean or change PCV valve	W
B,C,D	Clean or change crank case filter	W
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	W
C,D	Drain water from fuel tank	W
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5/42	Repair Reason:
------------	------	----------------

Date and Time in :

20143

Mileage in: 2

Date: 07/29/19 Work Class: /

Date and Time Finished:

2330

Mileage out: 246561

Complaints/Defects:

PMI - (C)

Notes/Measurements:

[illegible]

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
C	SS	VV1700	Oil filter	6.5	
C	SS	VF3681	Oil filter	1	
C	SS	FT-180	Trans filter	1	
C	SS	Mercru LV	Trans (Box)	10	
C	SS	WW2001-PP	Super blades	2	
C	SS	AF25590	Air filter	1	
C	SS	P75Z-6730XA	Out plug	1	
				Total Parts Cost:	

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shaw

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5142

DATE: 07/29/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

- ① Front Tire has Natch in
it need to be fix repaired *[Signature]* 07/29/19
- ② V-belt need to be replace
Wanted .ok at this time *Nis*
- ③ Oil plug need to be
replace. Replace oil plug *[Signature]* 07/29/19
- ④ Heavy Battery Terminal
all ok. 07/29/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D
 Mileage in: 246566 Mileage out: 246567



Date: 02/29/19 Vehicle #: 5142

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver seat carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07/29/19 Vehicle #: 5142Mileage in: 246566 Mileage out: 246567

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	S
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	N/A
		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"	A,B,C,D	Lube drive shafts and universal joints	N/A
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	N/A
		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"	A,B,C,D	Drain water from separator	N/A
		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	S
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	S
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"	B,C,D	Change fuel filter	N/A
		R/R: <u>10</u> /32" L/R: <u>10</u> /32"	B,C,D	Clean or change PCV valve	N/A
		R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"	B,C,D	Clean or change crank case filter	N/A
		35) Lug nuts condition	B,C,D	Install new wiper blades	N/A
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	S
		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	N/A
		G) Lift Inspection	C,D	Drain water from fuel tank	N/A
		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
		2) Lift control pendant condition and operation	D	Service and flush cooling system	
		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	D	Change differential fluid	
		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (<u>5</u> miles)	
		10) Lift manual pump handle			
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

07/29/19

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: C Date and Time in: 4:00 Mileage in: 189314
Date: 8/8/18 Work Class: I Date and Time Finished: 6:45 Mileage out: 189316

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	58	Pump - C		C	55	5W-20	oil	6.5	
				C	55	LF3681	oil filter	1	
				C	55	FT180	TRANS FLUID	10	
				C	55	X10DLV	WIPER BLADES	2	
				C	55	W2001PF			
Total Hours Worked:				Total Parts Cost:					


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUNATH JAGGERDEE Signature: [Signature]

ASE Employee #: 60402 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>X S. S. S. S. S.</i>		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED			COMPLETED BY	DATE
			COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 8/8/18 Vehicle #: 5142

Mileage in: 189314

Mileage out: 189316

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
Y		1) Driver carpet
Y		2) Driver seat condition and operation
Y		3) Drivers door operation and condition
Y		4) Drivers seat belt operation and condition
Y		5) Engine starting and ignition system
Y		6) Instrument panel gauges & warning lights
Y		7) Instrument panel lighting & condition
Y		8) Horn operation
Y		9) Steering wheel tight, no excessive play
Y		10) Windshield wipers
Y		11) Windshield washer
Y		12) Sun visor condition and operation
Y		13) Parking brake operation & condition
Y		14) Parking and service brake pedal pads
Y		15) Passenger door operation
Y		16) No vibrations, pulsations or noises
		B) Walk around inspection
Y		1) Body damage (list on separate sheet)
Y		2) Headlights, high & low beam operation
Y		3) Parking lights operation & condition
Y		4) Marker lights operation & condition
Y		5) Directional signals operation & condition
Y		6) Hazard lights operation & condition
Y		7) Clearance lights operation and condition
Y		8) Brake lights operation & condition
Y		9) License plate lamp operation & condition
Y		10) License plates and tags
Y		11) Backup lights and alarms
Y		12) Reflectors and reflective bumper tape
Y		13) Exterior decals and signage
Y		14) Bumpers secure / in good condition
Y		15) Exterior mirrors secure / in good condition
Y		16) Exterior clean
		C) Interior inspection
Y		1) Passenger door and steps condition
Y		2) Handrails and stanchions condition
Y		3) Interior and modesty panels condition
Y		4) Flooring condition
Y		5) Interior lighting operation and condition
Y		6) Windows operation and condition
Y		7) Emergency Exits operation & condition
Y		8) Accessory operation & condition (radio, GPS)
Y		9) Passenger seats operation & condition
Y		10) Passenger seat belts operation & condition
Y		11) First aid & body fluid kits complete
Y		12) Triangle reflectors complete/good condition
Y		13) Stop request operation & condition
Y		14) Valid registration, insurance & accident pack
Y		15) Fire extinguisher in good condition & signed
Y		16) Interior decals and signage (incl. electrical)
Y		17) DVI's reviewed, addressed and signed off
Y		18) Interior clean
		D) HVAC system inspection
Y		1) Front blower condition and operation

P	F	Item Inspected
Y		2) Rear blower condition and operation
Y		3) Defroster operation
Y		4) Temp gets to 20 deg. F below ambient temp.
Y		5) Evaporator intake air filter condition
Y		6) Front heater condition and operation
Y		7) Rear heater condition and operation
Y		8) A/C compressors and condenser fans
		E) Under hood inspection
Y		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
Y		2) Wire and hose routing and connections
Y		3) Cooling system, hoses, water pump condition
Y		5) Accessory drive belts condition
Y		6) Pulleys and tensioned operation & condition
Y		7) Brake master cylinder and power booster
Y		8) Fan and fan clutch operation and condition
Y		9) Engine oil fluid level and condition
Y		10) Transmission oil level and condition
Y		11) Power steering fluid level and condition
Y		12) Brake fluid level and condition
		F) Vehicle rack inspection
Y		1) Steering gear box mount, condition & leaks
Y		2) Steering shaft U joints
Y		3) Steering shaft bearings
Y		4) Steering linkages
Y		5) I beam or control arm movements and rivets
Y		6) Radius arm condition and bushings condition
Y		7) Stabilizer bar condition and bushings condition
Y		8) Ball joints or kingpins
Y		9) Front spring condition and mounting
Y		10) Front shock absorber operation & condition
Y		11) Trans oil cooler & lines routing and leaks
Y		12) Engine oil cooler & lines routing and leaks
Y		13) Heater and A/C hose routing and leaks
Y		14) No engine oil leaks and fluid condition
Y		15) Engine mounts, brackets and bolts
Y		16) Transmission mounts, brackets and bolts
Y		17) No transmission oil leaks and fluid condition
Y		18) Drive shaft condition
Y		19) Universal joints and carrier bearings condition
Y		20) No rear differential leaks
Y		21) Rear differential condition and mounting
Y		22) Frame and cross members
Y		23) Rear shock absorbers
Y		24) Rear springs condition and mounting
Y		25) No fuel leaks
Y		26) Fuel tank condition and mounting
Y		27) No exhaust leaks
Y		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service-Checklist

Circle Service Type: A B C D

Mileage in: 189314 Mileage out: 189316



Date: 8/8/18 Vehicle #: 5142

P	F	Item Inspected	Service Type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		Pads R/F: 5 /32" L/F: 5 /32"	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 6 /32" L/R: 6 /32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		Shoes R/R: /32" L/R: /32"	A,B,C,D
		R/F: 10 /32" L/F: 10 /32"	B,C,D
		R/R: 7 /32" L/R: 5 /32"	B,C,D
		R/RO: 6 /32" L/RO: 7 /32"	B,C,D
		35) Lug nuts condition	B,C,D
		Air pressure adjustment F.R. 70 R.R. 70	C,D
		Wheel torque specs used: 140 ft. lbs.	C,D
		(G) Lift inspection	
		1) Lift operation (fully stowed to fully deployed)	D
		2) Lift control pendant condition and operation	D
		3) Lift restraint belt condition and operation	D
		4) Outer roll stop condition and operation	D
		5) Inner roll stop condition and operation	D
		6) Platform adjustments, condition and mounting	D
		7) Standee arm condition and operation	D
		8) Proper signage and decals	D
		9) Manual backup pump condition and operation	D
		10) Lift manual pump handle	D
		11) Hydraulic pump condition and operation	D
		12) Hydraulic lines and cylinders condition	D
		13) Hydraulic fluid level and condition	D
		14) Base plate and arms welds & pivot points	D
		15) Lift springs and pins condition and operation	D
		16) Lift safety switches and adjustments	D
		17) Hose and wire routing and connections	D
		18) Rollers and pivot point condition & operation	D
		19) Lift to vehicle mounting bolts and brackets	D
		20) Lift doors condition and operation	D
		21) Lift door lights condition and operation	D
		22) Lift interlock operation and condition	D
		(Lift door open, e-brake down not able to shift)	D
		(e-brake off lift door closed no lift power)	D
		23) W/C tie downs condition and operation	D
		24) Tie down container secure and clean	D
		25) Tie down floor mounting brackets secure	D
		26) W/C shoulder belt condition and operation	D
		27) Lift clean and no sharp edges	D
		28) Lift shields secure and in good shape	D
		29) Lift moves steady without drifting, jerking, or unusual speeds	D
		30) No unusual lift noises	D
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	D
		Check, torque or adjust lift base mounting bolts	D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	✓
Lube chassis and suspension	A,B,C,D	✓
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	✓
Adjust service and parking brakes	A,B,C,D	✓
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	✓
Change air filter	B,C,D	✓
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	✓
Change transmission fluid and filter	C,D	✓
Service front wheel bearings	C,D	✓
Drain water from fuel tank	C,D	N/A
Replace accessory drive belts	D	✓
Service and flush cooling system	D	✓
Install new spark plugs & wires	D	✓
Install new dist. cap & rotor	D	✓
Change differential fluid	D	✓
Check Exhaust and EGR system	D	✓
Check and service fuel & evap. system	D	✓
Evac and recharge A/C (add 1 oz. of oil)	D	✓
Post service test drive (5 miles)	A,B,C,D	✓

Technician's Signature: *[Signature]* Date: 8/8/18
 Supervisor's Signature: *[Signature]* Date: 8/8/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrial Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: B Date and Time:
Date: 05-7-20 Work Class: T Date and Time Finished:

Date and Time in: 05-07-2020

Mileage in: 289.67

Mileage out: 289468

Complaints/Defects:

BWIP

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and insure that the repairs comply with applicable laws and regulations.

I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.
ready for service.

Signature _____
Date _____

Signature

ASE Signature:

ASE Employee #: 604182 ASE Technician:

05-07-2020

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **28946** Mileage out: **28946**



Date: **05-7-20** Vehicle #: **5142**

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			1) Driver carpet
		2) Driver seat condition and operation			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation and condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			28) Exhaust system condition and mounting
		2) Rear blower condition and operation			27) No exhaust leaks
		3) Defroster operation			26) Fuel tank condition and mounting
		4) Temp gets to 20 deg. F below ambient temp.			25) No fuel leaks
		5) Evaporator intake air filter condition			24) Rear springs condition and mounting
		6) Front heater condition and operation			23) Rear shock absorbers
		7) Rear heater condition and operation			22) Frame and cross members
		8) A/C compressors and condenser fans			21) Rear differential condition and mounting
		E) Under hood inspection			20) No rear differential leaks
		1) Batteries & charging sys. (load alt B, C, D serv)			19) Universal joints and carrier bearings condition
		Batt 1 volt: load amps:			18) Drive shaft condition
		Batt 2 volt: load amps:			17) No transmission oil leaks and fluid condition
		Batt 3 volt: load amps:			16) Transmission mounts, brackets and bolts
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)			15) Engine mounts, brackets and bolts
		Alt. 1 min volt: max amp:			14) No engine oil leaks and fluid condition
		Alt. 2 min volt: max amp:			13) Heater and A/C hose routing and leaks
		(reference factory service manual for alternator spec)			12) Engine oil cooler & lines routing and leaks
		2) Wire and hose routing and connections			11) Trans oil cooler & lines routing and leaks
		3) Cooling system, hoses, water pump condition			10) Front shock absorber operation & condition
		5) Accessory drive belts condition			9) Front spring condition and mounting
		6) Pulleys and tensioning operation & condition			8) Ball joints or kingpins
		7) Brake master cylinder and power booster			7) Stabilizer bar condition and bushings condition
		8) Fan and fan clutch operation and condition			6) Radius arm condition and bushings condition
		9) Engine oil fluid level and condition			5) I beam or control arm movements and rivets
		10) Transmission oil level and condition			4) Steering linkages
		11) Power steering fluid level and condition			3) Steering shaft bearings
		12) Brake fluid level and condition			2) Steering shaft U joints
		F) Vehicle rack inspection			1) Steering gear box mount, condition & leaks

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 9" L/F: 9" / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8" / 32" L/R: 8" / 32"
		Shoes R/R: 8" / 32" L/R: 8" / 32"
		34) Tire and wheel condition and measurements
		R/F: 9" / 32" L/F: 8" / 32"
		R/R: 10" / 32" L/R: 10" / 32"
		R/R: 10" / 32" L/R: 10" / 32"
		35) Lug nuts condition
		Air pressure adjustment FR. 85 R.R. 45
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Technician's Signature	Date
Change oil and filter		05-07-2020
A,B,C,D Lube chassis and suspension		
A,B,C,D Lube drive shafts and universal joints		
A,B,C,D Lube doors and hood, locks and hinges		
A,B,C,D Adjust service and parking brakes		
A,B,C,D Drain water from separator		
A,B,C,D Rotate tires (as necessary, caps on rear)		
B,C,D Change air filter		
B,C,D Clean or change PCV valve		
B,C,D Clean or change crank case filter		
B,C,D Install new wiper blades		
C,D Change transmission fluid and filter		
C,D Service front wheel bearings		
C,D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist. cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evap. System		
D Evac and recharge A/C (add 1 oz. of oil)		
A,B,C,D Post service test drive (5 miles)		

Initial or "N/A" each service performed per PM type

Notes:

Supervisor Signature

Date

Technician's Signature

05-07-2020

and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired

Preventive Maintenance Inspection and Service Checklist



Date: 05-7-20
Vehicle #: _____

2742

Circle Service Type: 2894670
Mileage in: 2894670
M

Mileage out

259657

MV Transportation

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



#2494

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: <u>5142</u>	Repair Reason: _____	Date and Time in: _____	Mileage in: <u>261280</u>
Date: <u>11-03-19</u>	Work Class: _____	Date and Time Finished: _____	Mileage out: <u>261281</u>

Complaints/Defects:

performs PMIB service

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
		replace oil filter	
		replace motor oil	
		replace Air filter	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
		LF 3681		1	
		5W20		7 qt	
		AF 25590		1	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 813708 Technician: Carrie Prater

Signature

Carrie Moore

ASE Employee #: _____

ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



Carner Mashe
MECHANIC'S SIGNATURE

BUS #: *5142*

DATE: *11-03-19*

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

*Found Vehicle Has a Body
Scratch*

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 261980 Mileage out: 261981



Date: 11-08-19

Vehicle #: 5142

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 11-03-19 Vehicle #: 5142

Mileage in: 261280 Mileage out: 261281

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 11 /32" L/F: 11 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 10 /32" L/R: 10 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 10 /32" L/F: 10 /32"
✓		R/R: 7 /32" L/R: 8 /32"
✓		R/RO: 8 /32" L/RO: 6 /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 65 RR. 75
✓		Wheel torque specs used: 150 ft. lbs.
✓		G) Lift Inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
✓		(lift door open, e-brake down not able to shift)
✓		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
✓		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	CM
A,B,C,D	Lube chassis and suspension	CM
A,B,C,D	Lube drive shafts and universal joints	CM
A,B,C,D	Lube doors and hood, locks and hinges	CM
A,B,C,D	Adjust service and parking brakes	CM
A,B,C,D	Drain water from separator	CM
A,B,C,D	Rotate tires(as necessary, caps on rear)	CM
B,C,D	Change air filter	CM
B,C,D	Change fuel filter	CM
B,C,D	Clean or change PCV valve	CM
B,C,D	Clean or change crank case filter	CM
B,C,D	Install new wiper blades	CM
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
* D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	CM

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: Carmen M. Mable Date: 11-03-19


Supervisor Signature _____ Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1054

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: B Date and Time in: 9:15 Mileage in: 232263
Date: 04/29/2019 Work Class: F Date and Time Finished: 11:00 Mileage out: 232264

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B 58		PMI B		B 55		VV 1700	ENGINE OIL	6.5	
				B 55		LF 3681	OIL FILTER	1	
				B 55		AF 25590	AIR FILTER	1	
				B 55		WV 2001 PE	WIPER BLADE	2	
				B 55		65 FLEET	BATTERY	1	
B 04		BRAKE INSPECT							
		</							

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 863725 Technician: Reverey Murray Signature: [Signature]

ASE Employee # 604152 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #: 5142	DATE: 04/28/2019	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		
DATE COMPLETED				

Minion Shades	3000 BATTERY
04/28/2019	Reaney M.

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C D

Date: 04/22/2019 Vehicle #: 5142

Mileage in: 232263 Mileage out: 232264

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R	X	Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 832263 Mileage out: 232264

Date: 04/29/2019 Vehicle #: 5142



Item Inspected

30) Front brake condition and mounting

31) Front brake lining condition & measurement

Pads R/F: 7 /32" L/F: 7 /32"

32) Rear brake condition and mounting

33) Rear brake lining condition & measurement

Pads R/R: 5 /32" L/R: 5 /32"

Shoes R/R: /32" L/R: /32"

34) Tire and wheel condition and measurements

R/F: 8 /32" L/F: 8 /32"

R/R: 6 /32" L/R: 6 /32"

R/R: 5 /32" L/R: 5 /32"

35) Lug nuts condition

Air pressure adjustment F.R. 65 RR. 75

Wheel torque specs used: 140 ft. lbs.

G) Lift inspection

1) Lift operation (fully stowed to fully deployed)

2) Lift control pendant condition and operation

3) Lift restraint belt condition and operation

4) Outer roll stop condition and operation

5) Inner roll stop condition and operation

6) Platform adjustments, condition and mounting

7) Standee arm condition and operation

8) Proper signage and decals

9) Manual backup pump condition and operation

10) Lift manual pump handle

11) Hydraulic pump condition and operation

12) Hydraulic lines and cylinders condition

13) Hydraulic fluid level and condition

14) Base plate and arms welds & pivot points

15) Lift springs and pins condition and operation

16) Lift safety switches and adjustments

17) Hose and wire routing and connections

18) Rollers and pivot point condition & operation

19) Lift to vehicle mounting bolts and brackets

20) Lift doors condition and operation

21) Lift door lights condition and operation

22) Lift interlock operation and condition

(Lift door open, e-brake down not able to shift)

(e-brake off lift door closed no lift power)

23) W/C tie downs condition and operation

24) Tie down container secure and clean

25) Tie down floor mounting brackets secure

26) W/C shoulder belt condition and operation

27) Lift clean and no sharp edges

28) Lift shields secure and in good shape

29) Lift moves steady without drifting, jerking, or unusual speeds

30) No unusual lift noises

Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube

Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Technician Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	A
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires (as necessary, caps on rear)	R
B,C,D	Change air filter	NA
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	NA
C,D	Service front wheel bearings	NA
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	NA
D	Service and flush cooling system	NA
D	Install new spark plugs & wires	NA
D	Install new dist. cap & rotor	NA
D	Change differential fluid	NA
D	Check Exhaust and EGR system	NA
D	Check and service fuel & evap. System	NA
D	Evac and recharge A/C (add 1 oz. of oil)	NA
A,B,C,D	Post service test drive (5 miles)	R

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Technician Signature: [Signature]
Date: 04/28/2019
Supervisor Signature: [Signature]
Date: 4/28/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

360 Campus Lane
Fairfield, CA 94534



#1807

Work Order Division (00994)

3301 Electronics Way
West Palm Beach, Florida, 33407

Basic Information

Vehicle #: 5142 Repair Reason: B Date and Time in: 17:30 Mileage in: 203760
 Date: 10/26/18 Work Class: I Date and Time Finished: 20:30 Mileage out: 203761
 Complaints/Defects: _____ Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	PM I B		B	55	5W20	ENGINE OIL	65	
				B	55	LF3681	OIL FILTER	1	
				B	55	9008	HEAD LAMP	1	
				B	55	AF26590	AIR FILTER	1	
				B	66	WU 2001 PF	WIPER BLADE	2	
				B	55	MM 840	BLUZZ MOTOR	1	
of	55	Brake Inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725

Technician: Booney Murray

Signature: _____

60418

60418

60418

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	--------------	------------------------------

Bottom terminal Road Cleanup. 4/26/10 10/27/10
These boys and brother. 10/27/10



Preventive Maintenance Inspection and Service Checklist

Date: 10/26/18 Vehicle #: 5142

Circle Service Type: A B C D

Mileage in: 203760 Mileage out: 203761

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 203700 Mileage out: 203761



Date: 10/26/18 Vehicle #: 5142

P	F	Item Inspected	Initials
		30) Front brake condition and mounting	
		31) Front brake lining condition & measurement	
		Pads R/F: 9 / 32" L/F: 7 / 32"	
		32) Rear brake condition and mounting	
		33) Rear brake lining condition & measurement	
		Pads R/R: 5 / 32" L/R: 5 / 32"	
		Shoes R/R: / 32" L/R: / 32"	
		34) Tire and wheel condition and measurements	
		R/F: 9 / 32" L/F: 9 / 32"	
		R/R: 7 / 32" L/R: 7 / 32"	
		35) Lug nuts condition	
		Air pressure adjustment FR. 65 RR. 75	
		Wheel torque specs used: 140 ft. lbs.	
		G) Lift inspection	
		1) Lift operation (fully stowed to fully deployed)	
		2) Lift control pendant condition and operation	
		3) Lift restraint belt condition and operation	
		4) Outer roll stop condition and operation	
		5) Inner roll stop condition and operation	
		6) Platform adjustments, condition and mounting	
		7) Standee arm condition and operation	
		8) Proper signage and decals	
		9) Manual backup pump condition and operation	
		10) Lift manual pump handle	
		11) Hydraulic pump condition and operation	
		12) Hydraulic lines and cylinders condition	
		13) Hydraulic fluid level and condition	
		14) Base plate and arms welds & pivot points	
		15) Lift springs and pins condition and operation	
		16) Lift safety switches and adjustments	
		17) Hose and wire routing and connections	
		18) Rollers and pivot point condition & operation	
		19) Lift to vehicle mounting bolts and brackets	
		20) Lift doors condition and operation	
		21) Lift door lights condition and operation	
		22) Lift interlock operation and condition	
		(Lift door open, e-brake down not able to shift)	
		(e-brake off lift door closed no lift power)	
		23) W/C tie downs condition and operation	
		24) Tie down container secure and clean	
		25) Tie down floor mounting brackets secure	
		26) W/C shoulder belt condition and operation	
		27) Lift clean and no sharp edges	
		28) Lift shields secure and in good shape	
		29) Lift moves steady without drifting, jerking, or unusual speeds	
		30) No unusual lift noises	
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	
		Check, torque or adjust lift base mounting bolts	

Service Type	Service Performed	Technician Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evaporator system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cental Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5142 Repair Reason: B Date and Time in: 4/30/18 (7:00) Mileage in: 174771
Date: 4/30/18 Work Class: T Date and Time Finished: 4/30/18 (9:30) Mileage out: 174773

Vehicle #: 5142 Repair Reason: B Date and Time in: 4/30/18 (7:00) Mileage in: 174771
Date: 4/30/18 Work Class: T Date and Time Finished: 4/30/18 (9:30) Mileage out: 174773

Notes/Measurements:

~~DATE~~ PMTB

Parts Information

[illegible]

Employee #: 844796 Technician: G. J. HARRIS Signature: G. J. Harris

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 8/30/18 Vehicle #: 5142

Mileage in: 174 771 Mileage out: 174 773

P	F	Item Inspected
G		A) Vehicle drive in inspection (5 miles)
G		1) Driver carpet
G		2) Driver seat condition and operation
G		3) Drivers door operation and condition
G		4) Drivers seat belt operation and condition
G		5) Engine starting and ignition system
G		6) Instrument panel gauges & warning lights
G		7) Instrument panel lighting & condition
G		8) Horn operation
G		9) Steering wheel tight, no excessive play
G		10) Windshield wipers
G		11) Windshield washer
G		12) Sun visor condition and operation
G		13) Parking brake operation & condition
G		14) Parking and service brake pedal pads
G		15) Passenger door operation
G		16) No vibrations, pulsations or noises
		B) Walk around inspection
G		1) Body damage (list on separate sheet)
G		2) Headlights, high & low beam operation
G		3) Parking lights operation & condition
G		4) Marker lights operation & condition
G		5) Directional signals operation & condition
G		6) Hazard lights operation & condition
G		7) Clearance lights operation and condition
G		8) Brake lights operation & condition
G		9) License plate lamp operation & condition
G		10) License plates and tags
G		11) Backup lights and alarms
G		12) Reflectors and reflective bumper tape
G		13) Exterior decals and signage
G		14) Bumpers secure / in good condition
G		15) Exterior mirrors secure / in good condition
G		16) Exterior clean
		C) Interior inspection
G		1) Passenger door and steps condition
G		2) Handrails and stanchions condition
G		3) Interior and modesty panels condition
G		4) Flooring condition
G		5) Interior lighting operation and condition
G		6) Windows operation and condition
G		7) Emergency Exits operation & condition
G		8) Accessory operation & condition (radio, GPS)
G		9) Passenger seats operation & condition
G		10) Passenger seat belts operation & condition
G		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
G		1) Front blower condition and operation

P	F	Item Inspected
G		2) Rear blower condition and operation
G		3) Defroster operation
G		4) Temp gets to 20 deg. F below ambient temp.
G		5) Evaporator intake air filter condition
G		6) Front heater condition and operation
G		7) Rear heater condition and operation
G		8) A/C compressors and condenser fans
		E) Under hood inspection
G		1) Batteries & charging sys. (load alt(B)C,D serv)
G		Batt 1 volts: 12.10 load volts: load amps:
G		Batt 2 volts: 12.10 load volts: load amps:
NA		Batt 3 volts: load volts: load amps:
NA		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
G		Alt. 1 min volt: 13.8 max volt: max amp:
NA		Alt. 2 min volt: max volt: max amp:
NA		(reference factory service manual for alternator spec)
G		2) Wire and hose routing and connections
G		3) Cooling system, hoses, water pump condition
G		5) Accessory drive belts condition
G		6) Pulleys and tensioned operation & condition
G		7) Brake master cylinder and power booster
G		8) Fan and fan clutch operation and condition
G		9) Engine oil fluid level and condition
G		10) Transmission oil level and condition
G		11) Power steering fluid level and condition
G		12) Brake fluid level and condition
		F) Vehicle rack inspection
G		1) Steering gear box mount, condition & leaks
G		2) Steering shaft U joints
G		3) Steering shaft bearings
G		4) Steering linkages
G		5) I beam or control arm movements and rivets
G		6) Radius arm condition and bushings condition
G		7) Stabilizer bar condition and bushings condition
G		8) Ball joints or kingpins
G		9) Front spring condition and mounting
G		10) Front shock absorber operation & condition
G		11) Trans oil cooler & lines routing and leaks
G		12) Engine oil cooler & lines routing and leaks
G		13) Heater and A/C hose routing and leaks
G		14) No engine oil leaks and fluid condition
G		15) Engine mounts, brackets and bolts
G		16) Transmission mounts, brackets and bolts
G		17) No transmission oil leaks and fluid condition
G		18) Drive shaft condition
G		19) Universal joints and carrier bearings condition
G		20) No rear differential leaks
G		21) Rear differential condition and mounting
G		22) Frame and cross members
G		23) Rear shock absorbers
G		24) Rear springs condition and mounting
G		25) No fuel leaks
G		26) Fuel tank condition and mounting
G		27) No exhaust leaks
G		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 124271
Mileage out:

Mileage out: 124775



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 12/32" L/F: 12/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 4/32" L/R: 4/32"
		Shoes R/R: 32" L/R: 32"
		34) Tire and wheel condition and measurements
		R/F: 12/32" L/F: 12/32"
		R/R: 8/32" L/R: 6/32"
		R/RO: 8/32" L/RO: 4/32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		1) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	G
A,B,C,D	Lube chassis and suspension	G
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	G
A,B,C,D	Adjust service and parking brakes	G
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	G
B,C,D	Change air filter	G
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	G
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A/B,C,D	Post service test drive (5 miles)	G

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

~~Technicians Signature~~

Date _____

Supervisor Signature

Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: 80A Date and Time in: 21:15 Mileage in: 299130
Date: 07/27/2020 Work Class: I Date and Time Finished: 23:30 Mileage out: 299137

Complaints/Defects:

QVI A

Notes/Measurements:

<i>Labor Information</i>			
Task	WAC	Repair Description/Comments	Hours
A	58	P.M.I.A.	
A	04	BLAKE INSPECTION	
			Total Hours Worked:

<u>Parts Information</u>					
<u>Task</u>	<u>WAC</u>	<u>Part Number</u>	<u>Description</u>	<u>Qty</u>	<u>Cost</u>
A	55	NV1700	FILTER OIL	1	
A	55	LFE3681	OIL FILTER	1	
A	55	F75Z 6730A	OIL DRAIN PLUG	1	
					Total Parts Cost:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 863725 Technician: Ronny Vucary Signature: Ronny Vucary

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE		DESCRIPTION OF REPAIR NEEDED	
BUS #: 5142 DATE: 05/29/2020 PM TYPE OR WORK ORDER #: A		DATE COMPLETED BY COMPLETED	

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **899130** Mileage out: **899131**



Date: **07/27/20** Vehicle #: **5142**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **899130**

Mileage out: **899131**



Vehicle #: **5142**

Date: **04/27/2008**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 4 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: 6 /32" L/R: 6 /32"
		34) Tire and wheel condition and measurements
		R/F: 4 /32" L/F: 7 /32"
		R/R: 4 /32" L/R: 4 /32"
		R/O: 4 /32" L/R: 4 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 75
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Technician's Signature: *Michael Murphy* Date: *04/27/2008*

Supervisor Signature: _____ Date: _____

Notes:



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: A Date and Time in: 16:55 Mileage in: 294489
Date: 04/22/20 Work Class: I Date and Time Finished: 17:45 Mileage out: 294470

Complaints/Defects:

PMI A

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according to MP Transportation, Inc.'s guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MP Transportation, Inc. approved vendors and parts that are from:

Employee #: 863725 Technician: Rodney M. Adams
Signature [Signature]

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Mixer Shakes & Dibs

DESCRIPTION OF REPAIR NEEDED

DATE COMPLETED

COMPLETED BY


MECHANIC'S SIGNATURE

PM TYPE OR WORK ORDER #:

DATE:

BUS #: 5148

PM DEFECT SHEET




Preventive Maintenance Inspection and Service Checklist

Circle Service Type: ☒ A ☐ B ☐ C ☐ D

Mileage in: 29440 Mileage out: 29440

Date: 06/22/20 Vehicle #: 5142



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Mileage out: **29440**

Mileage in: **29449**

5142

Date: **06/22/20** Vehicle #: _____



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 9/32" L/F: 9/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7/32" L/R: 7/32"
		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
		R/F: 8/32" L/F: 8/32"
		R/R: 8/32" L/R: 8/32"
		35) Lug nuts condition
		Air pressure adjustment F/R: 65 RR-75
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Technician's Signature: *[Signature]*

Date: **06/22/20**

Supervisor Signature: _____

Date: _____

Notes:

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



MV Transportation

5910 N Cenrtal Expy Way Suite 1145

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: A

Date and Time in : 02-26-2020

Mileage in: 280128

Date: 09-20-70 Work Class: T Date and Time Finished:

Mileage out: 280/29

Complaints/Defects:

Notes/Measurements:

QNT-A

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857307, Technician: ~~Donna~~ Philipper.

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5142

DATE:

02-26-20

PM TYPE OR WORK ORDER #:

A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

REPLACE ONE front tire. AND.
bushing Sway bar.

[Signature]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Mileage in: 280128 Mileage out: 280129



MVA Transportation Inc.

Date: 02-26-20 Vehicle #: 5144

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting




Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 02-26-20 Vehicle #: 5142Mileage in: 280128 Mileage out: 280129

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
F		31) Front brake lining condition & measurement Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"	A,B,C,D	Lube chassis and suspension	NW
		32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	NW
F		33) Rear brake lining condition & measurement Pads R/R: <u>9</u> /32" L/R: <u>8</u> /32" Shoes R/R: /32" L/R: /32"	A,B,C,D	Lube doors and hood, locks and hinges	F
		34) Tire and wheel condition and measurements	A,B,C,D	Adjust service and parking brakes	NW
F		R/F: <u>3</u> /32" L/F: <u>10</u> /32" R/R: <u>9</u> /32" L/R: <u>9</u> /32" R/RO: <u>7</u> /32" L/RO: <u>6</u> /32"	A,B,C,D	Drain water from separator	NW
		35) Lug nuts condition	A,B,C,D	Rotate tires(as necessary, caps on rear)	NW
F		Air pressure adjustment FR. <u>75</u> RR. <u>85</u>	B,C,D	Change air filter	F
F		Wheel torque specs used: <u>140</u> ft. lbs.	B,C,D	Change fuel filter	NW
F		G) Lift inspection	B,C,D	Clean or change PCV valve	NW
F		1) Lift operation (fully stowed to fully deployed)	B,C,D	Clean or change crank case filter	NW
F		2) Lift control pendant condition and operation	B,C,D	Install new wiper blades	NW
F		3) Lift restraint belt condition and operation	C,D	Change transmission fluid and filter	
F		4) Outer roll stop condition and operation	C,D	Service front wheel bearings	
F		5) Inner roll stop condition and operation	C,D	Drain water from fuel tank	
F		6) Platform adjustments, condition and mounting	D	Replace accessory drive belts	
F		7) Standee arm condition and operation	D	Service and flush cooling system	
F		8) Proper signage and decals	D	Install new spark plugs & wires	
F		9) Manual backup pump condition and operation	D	Install new dist. cap & rotor	
F		10) Lift manual pump handle	D	Change differential fluid	
F		11) Hydraulic pump condition and operation	D	Check Exhaust and EGR system	
F		12) Hydraulic lines and cylinders condition	D	Check and service fuel & evap. System	
F		13) Hydraulic fluid level and condition	D	Evac and recharge A/C (add 1 oz. of oil)	
F		14) Base plate and arms welds & pivot points	A,B,C,D	Post service test drive (5 miles)	F
F		15) Lift springs and pins condition and operation	Initial or "N/A" each service performed per PM type		
F		16) Lift safety switches and adjustments	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
F		17) Hose and wire routing and connections			
F		18) Rollers and pivot point condition & operation			
F		19) Lift to vehicle mounting bolts and brackets			
F		20) Lift doors condition and operation			
F		21) Lift door lights condition and operation			
F		22) Lift interlock operation and condition			
F		(lift door open, e-brake down not able to shift)			
F		(e-brake off lift door closed no lift power)			
F		23) W/C tie downs condition and operation			
F		24) Tie down container secure and clean	Technician's Signature: <u>[Signature]</u> Date: <u>02-26-20</u>		
F		25) Tie down floor mounting brackets secure	Supervisor Signature: _____ Date: _____		
F		26) W/C shoulder belt condition and operation	Notes: _____		
F		27) Lift clean and no sharp edges	_____		
F		28) Lift shields secure and in good shape	_____		
F		29) Lift moves steady without drifting, jerking, or unusual speeds	_____		
F		30) No unusual lift noises	_____		
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	_____		
F		Check, torque or adjust lift base mounting bolts	_____		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5142	Repair Reason:	I
------------	------	----------------	---

Date and Time in : 01/03/2020, 10:15 PM

Mileage in: 270, 814

Date: 01/03/2020 Work Class: A

Date and Time Finished: 01/03/2020. 11:14 PM

Mileage out: 270,815

Complaints/Defects:

Notes/Measurements:

<i>Labor Information</i>			
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>
A		P M I	
A		BATTERIES CORROSION CLEAN	
Total Hours Worked:			

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802

Technician: HOPETON HAYE

Signature _____

4-6-66

ASE Employee #: 60152 ASE Technician: 60152

2020

ASE Signature: _____



PM DEFECT SHEET



H. M. Hay
MECHANIC'S SIGNATURE

BUS #: 5142

DATE:

01/03/2020

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

* HYDROBOOT LEAKS ON ARRIVAL.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Mileage in: **270,814** Mileage out: **270,815**



Date: **01/03/2020** Vehicle #: **5142**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: 01/03/2020 Vehicle #: 5142Mileage in: 270,814 Mileage out: 270,815

P	F	Item Inspected	ServType	Service Performed	Techs Initials
H		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	H
H		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	H
H		Pads R/F: <u>5/32"</u> L/F: <u>5/32"</u>	A,B,C,D	Lube drive shafts and universal joints	OK
H		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	H
H		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	H
H		Pads R/R: <u>8/32"</u> L/R: <u>8/32"</u>	A,B,C,D	Drain water from separator	N/A
N/A		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>	A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
H		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
H		R/F: <u>13/32"</u> L/F: <u>5/32"</u>	B,C,D	Change fuel filter	
H		R/R: <u>5/32"</u> L/R: <u>11/32"</u>	B,C,D	Clean or change PCV valve	
H		R/RO: <u>6/32"</u> L/RO: <u>10/32"</u>	B,C,D	Clean or change crank case filter	
H		35) Lug nuts condition	B,C,D	Install new wiper blades	
H		Air pressure adjustment FR. <u>60</u> RR. <u>65</u>	C,D	Change transmission fluid and filter	
H		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
H		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
H		2) Lift control pendant condition and operation	D	Service and flush cooling system	
H		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
H		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
H		5) Inner roll stop condition and operation	D	Change differential fluid	
H		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
H		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
H		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
H		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	H
H		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
H		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets. <u>A. M. H. M.</u> <u>01/03/2020</u> Technicians Signature Date <u>[Signature]</u> <u>1/6/20</u> Supervisor Signature Date Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		
H		12) Hydraulic lines and cylinders condition			
H		13) Hydraulic fluid level and condition			
H		14) Base plate and arms welds & pivot points			
H		15) Lift springs and pins condition and operation			
H		16) Lift safety switches and adjustments			
H		17) Hose and wire routing and connections			
H		18) Rollers and pivot point condition & operation			
H		19) Lift to vehicle mounting bolts and brackets			
H		20) Lift doors condition and operation			
H		21) Lift door lights condition and operation			
H		22) Lift interlock operation and condition			
H		(lift door open, e-brake down not able to shift)			
H		(e-brake off lift door closed no lift power)			
H		23) W/C tie downs condition and operation			
H		24) Tie down container secure and clean			
H		25) Tie down floor mounting brackets secure			
H		26) W/C shoulder belt condition and operation			
H		27) Lift clean and no sharp edges			
H		28) Lift shields secure and in good shape			
H		29) Lift moves steady without drifting, jerking, or unusual speeds			
H		30) No unusual lift noises			
H		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
H		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason:

Repair Reason: I

Date and Time in: 12/04/19

Mileage in: 266, 272

Date: 12/04/19 Work Class: A

Work Class: A Date and Time Finished: 12/04/19

Mileage out: 266, 273

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician:

Signature

Happy E

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5142

DATE:

12/04/2019

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

H. M. Amy

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

* Defective Anti-Sway Bar Bushing - Parts ordered
* Hydro Boost Leak

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 266,272 Mileage out: 266,273



Date: 12/04/19 Vehicle #: 5142

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: 12/04/19 Vehicle #: 5142Mileage in: 266,272Mileage out: 266,273

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: <u>6/32"</u> L/F: <u>6/32"</u>
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: <u>6/32"</u> L/R: <u>6/32"</u>
H		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
H		34) Tire and wheel condition and measurements
X		R/F: <u>3/32"</u> L/F: <u>6/32"</u>
H		R/R: <u>10/32"</u> L/R: <u>5/32"</u>
H		R/RO: <u>10/32"</u> L/RO: <u>9/32"</u>
H		35) Lug nuts condition
H		Air pressure adjustment FR. <u>60</u> RR. <u>65</u>
H		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	H
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Arj 12/04/19
Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason:

Date and Time in : 12-09-19 11:55

Mileage in: 256339

Date: 10-09-19 Work Class:

Date and Time Finished: 10-09-19

Mileage out: 250 340

Complaints/Defects:

PMI A

Notes/Measurements:

Labor Information

[illegible]

Parts Information

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	55	VJ780	ENGINE OIL	65	
A	55	LF3081	OIL FILTER	1	
A	55	BQS1329 B	BRAKE PAD.	1	
Total Parts Cost:					

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 808560 Technician: JASON GRIFFIN

Signature

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



John Smith
MECHANIC'S SIGNATURE

BUS #: *5122*

DATE: *10-09-19*

PM TYPE OR WORK ORDER #: *PMA*

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

REAR BRAKE NEED TO BE REPLACE SOON

John

10-09-19

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Date: 10-08-19 Vehicle #: 5147 Mileage in: 956339 Mileage out: 25490

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp: Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 10-09-19 Vehicle #: 5142Mileage in: 256339Mileage out: 256340

P	F	Item Inspected
<u>T</u>		30) Front brake condition and mounting
<u>T</u>		31) Front brake lining condition & measurement
<u>T</u>		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
<u>T</u>		32) Rear brake condition and mounting
<u>T</u>		33) Rear brake lining condition & measurement
<u>T</u>		Pads R/R: /32" L/R: /32"
<u>T</u>		Shoes R/R: /32" L/R: /32"
<u>T</u>		34) Tire and wheel condition and measurements
<u>T</u>		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
<u>T</u>		R/RI: <u>8</u> /32" L/RI: <u>5</u> /32"
<u>T</u>		R/RO: <u>8</u> /32" L/RO: <u>7</u> /32"
<u>T</u>		35) Lug nuts condition
<u>T</u>		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
<u>T</u>		Wheel torque specs used: <u>140</u> ft. lbs.
<u>T</u>		G) Lift inspection
<u>T</u>		1) Lift operation (fully stowed to fully deployed)
<u>T</u>		2) Lift control pendant condition and operation
<u>T</u>		3) Lift restraint belt condition and operation
<u>T</u>		4) Outer roll stop condition and operation
<u>T</u>		5) Inner roll stop condition and operation
<u>T</u>		6) Platform adjustments, condition and mounting
<u>T</u>		7) Standee arm condition and operation
<u>T</u>		8) Proper signage and decals
<u>T</u>		9) Manual backup pump condition and operation
<u>T</u>		10) Lift manual pump handle
<u>T</u>		11) Hydraulic pump condition and operation
<u>T</u>		12) Hydraulic lines and cylinders condition
<u>T</u>		13) Hydraulic fluid level and condition
<u>T</u>		14) Base plate and arms welds & pivot points
<u>T</u>		15) Lift springs and pins condition and operation
<u>T</u>		16) Lift safety switches and adjustments
<u>T</u>		17) Hose and wire routing and connections
<u>T</u>		18) Rollers and pivot point condition & operation
<u>T</u>		19) Lift to vehicle mounting bolts and brackets
<u>T</u>		20) Lift doors condition and operation
<u>T</u>		21) Lift door lights condition and operation
<u>T</u>		22) Lift interlock operation and condition
<u>T</u>		(lift door open, e-brake down not able to shift)
<u>T</u>		(e-brake off lift door closed no lift power)
<u>T</u>		23) W/C tie downs condition and operation
<u>T</u>		24) Tie down container secure and clean
<u>T</u>		25) Tie down floor mounting brackets secure
<u>T</u>		26) W/C shoulder belt condition and operation
<u>T</u>		27) Lift clean and no sharp edges
<u>T</u>		28) Lift shields secure and in good shape
<u>T</u>		29) Lift moves steady without drifting, jerking,
<u>T</u>		or unusual speeds
<u>T</u>		30) No unusual lift noises
<u>T</u>		Lube all lift pivot points, barriers, rollers, linkages
<u>T</u>		and bearings cleaning off all excess lube
<u>T</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>JK</u>
A,B,C,D	Lube chassis and suspension	<u>T</u>
A,B,C,D	Lube drive shafts and universal joints	<u>NA</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>T</u>
A,B,C,D	Adjust service and parking brakes	<u>OK</u>
A,B,C,D	Drain water from separator	<u>NA</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>OK</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>JK</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature [Signature]Date 10-09-19

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #:	5142	Repair Reason:
------------	------	----------------

Date and Time in :

Mileage in: 257.287

Date: 09/11/2019 Work Class: I Date and Time Finished:

Mileage out: 251288

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725

Technician: Looney Mueses

Signature 

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



Rooney Murray
MECHANIC'S SIGNATURE

BUS #: 5142

DATE: 09/11/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR STRACHES

OIL DRAIN PLUG HARD TO COME OUT

ROONEY MURRAY

09/11/2019

PASSENGER SEATBELT NOT RETRACTING

ROONEY MURRAY

09/11/2019

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **251287** Mileage out: **251288**



Date: **04/11/2019** Vehicle #: **5142**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C DDate: 09/11/2019 Vehicle #: 5142Mileage in: 251287 Mileage out: 251288

P	F	Item Inspected	ServType	Service Performed	Techs Initials
R		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	R
R		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	R
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"	A,B,C,D	Lube drive shafts and universal joints	NA
R		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
R		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	R
R		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"	A,B,C,D	Drain water from separator	NA
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	R
R		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
R		R/F: <u>8</u> /32" L/F: <u>8</u> /32"	B,C,D	Change fuel filter	
R		R/R: <u>6</u> /32" L/R: <u>8</u> /32"	B,C,D	Clean or change PCV valve	
R		R/RO: <u>6</u> /32" L/RO: <u>8</u> /32"	B,C,D	Clean or change crank case filter	
R		35) Lug nuts condition	B,C,D	Install new wiper blades	
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>	C,D	Change transmission fluid and filter	
R		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
R		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
R		2) Lift control pendant condition and operation	D	Service and flush cooling system	
R		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
R		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
R		5) Inner roll stop condition and operation	D	Change differential fluid	
R		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
R		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
R		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
R		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	R
R		10) Lift manual pump handle			
R		11) Hydraulic pump condition and operation			
R		12) Hydraulic lines and cylinders condition			
R		13) Hydraulic fluid level and condition			
R		14) Base plate and arms welds & pivot points			
R		15) Lift springs and pins condition and operation			
R		16) Lift safety switches and adjustments			
R		17) Hose and wire routing and connections			
R		18) Rollers and pivot point condition & operation			
R		19) Lift to vehicle mounting bolts and brackets			
R		20) Lift doors condition and operation			
R		21) Lift door lights condition and operation			
R		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
R		23) W/C tie downs condition and operation			
R		24) Tie down container secure and clean			
R		25) Tie down floor mounting brackets secure			
R		26) W/C shoulder belt condition and operation			
R		27) Lift clean and no sharp edges			
R		28) Lift shields secure and in good shape			
R		29) Lift moves steady without drifting, jerking, or unusual speeds			
R		30) No unusual lift noises			
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
R		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date 09/11/2019

Supervisor Signature

Date 9/16/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Mileage out: 241914

Notes/Measurements:

Total Parts Cost:

ASE Signature: _____



PM DEFECT SHEET



Y. Jurgendee
MECHANIC'S SIGNATURE

BUS #: 5122

DATE: 6/26/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Some minor scratches and oil soak gash

6/26/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **24192** Mileage out: **24194**



Date: **6/26/19** Vehicle #: **57142**

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			1) Driver carpet
		2) Driver seat condition and operation			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation & condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			2) Rear blower condition and operation
		E) Under hood inspection			1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:			Batt 2 volts: load amps:
		Batt 3 volts: load amps:			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:			Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)			2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition			5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition			7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition			9) Engine oil fluid level and condition
		10) Transmission oil level and condition			11) Power steering fluid level and condition
		12) Brake fluid level and condition			F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks			2) Steering shaft U joints
		3) Steering shaft bearings			4) Steering linkages
		5) I beam or control arm movements and rivets			6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition			8) Ball joints or kingpins
		9) Front spring condition and mounting			10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks			12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks			14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts			16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition			18) Drive shaft condition
		19) Universal joints and carrier bearings condition			20) No rear differential leaks
		21) Rear differential condition and mounting			22) Frame and cross members
		23) Rear shock absorbers			24) Rear springs condition and mounting
		25) No fuel leaks			26) Fuel tank condition and mounting
		27) No exhaust leaks			28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**Date: **6/26/19** Vehicle #: **5142**Mileage in: **24912**Mileage out: **24914**

P	F	Item Inspected	ServType	Service Performed	Techs Initials
Y		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	Y
Y		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	Y
Y		Pads R/F: 9 /32" L/F: 9 /32"	A,B,C,D	Lube drive shafts and universal joints	N/A
Y		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	Y
Y		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	Y
Y		Pads R/R: 6 /32" L/R: 6 /32"	A,B,C,D	Drain water from separator	N/A
Y		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	Y
Y		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
Y		R/F: 11 /32" L/F: 11 /32"	B,C,D	Change fuel filter	
Y		R/R: 10 /32" L/R: 11 /32"	B,C,D	Clean or change PCV valve	
Y		R/RO: 10 /32" L/RO: 10 /32"	B,C,D	Clean or change crank case filter	
Y		35) Lug nuts condition	B,C,D	Install new wiper blades	
Y		Air pressure adjustment FR. 70 RR. 70	C,D	Change transmission fluid and filter	
Y		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
Y		G) Lift inspection	C,D	Drain water from fuel tank	
Y		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
Y		2) Lift control pendant condition and operation	D	Service and flush cooling system	
Y		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
Y		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
Y		5) Inner roll stop condition and operation	D	Change differential fluid	
Y		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
Y		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
Y		8) Proper signage and decals	D	Evac and recharge A/C. (add 1 oz. of oil)	
Y		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	Y
Y		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
Y		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
Y		12) Hydraulic lines and cylinders condition			
Y		13) Hydraulic fluid level and condition			
Y		14) Base plate and arms welds & pivot points			
Y		15) Lift springs and pins condition and operation			
Y		16) Lift safety switches and adjustments			
Y		17) Hose and wire routing and connections			
Y		18) Rollers and pivot point condition & operation			
Y		19) Lift to vehicle mounting bolts and brackets			
Y		20) Lift doors condition and operation			
Y		21) Lift door lights condition and operation	Y Suggendero	6/26/19	
Y		22) Lift interlock operation and condition	Technicians Signature	Date	
Y		(lift door open, e-brake down not able to shift)			
Y		(e-brake off lift door closed no lift power)			
Y		23) W/C tie downs condition and operation	Supervisor Signature	Date	
Y		24) Tie down container secure and clean			
Y		25) Tie down floor mounting brackets secure	Notes:		
Y		26) W/C shoulder belt condition and operation			
Y		27) Lift clean and no sharp edges			
Y		28) Lift shields secure and in good shape			
Y		29) Lift moves steady without drifting, jerking, or unusual speeds			
Y		30) No unusual lift noises			
Y		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
Y		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: A Date and Time in: 8:04 Mileage in: 237126
Date: 05-22-19 Work Class: F Date and Time Finished: 11:45 Mileage out: 237127

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee # 4481 Technician:

Signature _____

ASE Employee #: 60418 ASE Technician:

ASE Signature:



PM DEFECT SHEET



Leon Thermidor
MECHANIC'S SIGNATURE

BUS #: *5142*

DATE: *05-22*

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① check SHOCK replace ~~2 new~~ *2 new* SHOCK all OK *05-22-1*

② check Tires ~~Front~~ and ~~Back~~ *Front and Back* replace *4 new* Tires all OK, *05-22-1*

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 237106 Mileage out: 237127



Date: 05-24-19 Vehicle #: 5140

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 05-22-19 Vehicle #: 5142Mileage in: 237126 Mileage out: 237127

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"	A,B,C,D	Lube drive shafts and universal joints	
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Drain water from separator	
		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
		R/F: <u>12</u> /32" L/F: <u>12</u> /32"	B,C,D	Change fuel filter	
		R/RI: <u>10</u> /32" L/RI: <u>12</u> /32"	B,C,D	Clean or change PCV valve	
		R/RO: <u>10</u> /32" L/RO: <u>12</u> /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
		2) Lift control pendant condition and operation	D	Service and flush cooling system	
		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	D	Change differential fluid	
		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
		10) Lift manual pump handle		Initial or "N/A" each service performed per PM type	
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: Jason Thermon Date: 5-22-19

Supervisor Signature: [Signature] Date: 6/3/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: P01A Date and Time in: 03/30/19 9:43 Mileage in: 227872

Date: 03/30/19 Work Class: _____ Date and Time Finished: 03/30/19 12:30 Mileage out: 227.875

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PH1A		A	55	SW80	Engine oil	65	
				A	55	FL3681	oil filter	1	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: _____ Technician: Harold Napoleon Signature: [Signature]

ASE Employee #: 62418 ASE Technician: ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5142 DATE: 03/30/19	PM TYPE OR WORK ORDER # : H
DESCRIPTION OF REPAIR NEEDED			
COMPLETED BY		DATE	
COMPLETED		DATE	

03/30/19	Rept	Check Brake, Add Coolant & Antifreeze Washer Fluid Changed tire & Driver side
----------	------	---



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 03/30/19 Vehicle #: 5142

Mileage in: 227872

Mileage out: 22785

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R	X	2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **227875** Mileage out: **227875**



Date: **03/30/19** Vehicle #: **5142**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10 /32" L/F: 10 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
		Shoes R/R: 7 /32" L/R: 7 /32"
		34) Tire and wheel condition and measurements
		R/F: 10 /32" L/F: 10 /32"
		R/R: 8 /32" L/R: 7 /32"
		R/R: 8 /32" L/R: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes:

Technicians Signature

Supervisor Signature

Date

Date

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Techs Initials
A,B,C,D Change oil and filter	
A,B,C,D Lube chassis and suspension	
A,B,C,D Lube drive shafts and universal joints	
A,B,C,D Lube doors and hood, locks and hinges	
A,B,C,D Adjust service and parking brakes	
A,B,C,D Drain water from separator	
A,B,C,D Rotate tires (as necessary, caps on rear)	
B,C,D Change air filter	
B,C,D Change fuel filter	
B,C,D Clean or change PCV valve	
B,C,D Clean or change crank case filter	
B,C,D Install new wiper blades	
C,D Change transmission fluid and filter	
C,D Service front wheel bearings	
C,D Drain water from fuel tank	
D Replace accessory drive belts	
D Service and flush cooling system	
D Install new spark plugs & wires	
D Install new dist. cap & rotor	
D Change differential fluid	
D Check Exhaust and EGR system	
D Check and service fuel & evap. System	
D Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Need to replace front brake	Yadu	3/3/19
-----------------------------	------	--------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**Date: 3/3/19 Vehicle #: 5142Mileage in: 223407 Mileage out: 223408

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
Y		1) Driver carpet
Y		2) Driver seat condition and operation
Y		3) Drivers door operation and condition
Y		4) Drivers seat belt operation and condition
Y		5) Engine starting and ignition system
Y		6) Instrument panel gauges & warning lights
Y		7) Instrument panel lighting & condition
Y		8) Horn operation
Y		9) Steering wheel tight, no excessive play
Y		10) Windshield wipers
Y		11) Windshield washer
Y		12) Sun visor condition and operation
Y		13) Parking brake operation & condition
Y		14) Parking and service brake pedal pads
Y		15) Passenger door operation
Y		16) No vibrations, pulsations or noises
		B) Walk around inspection
Y		1) Body damage (list on separate sheet)
Y		2) Headlights, high & low beam operation
Y		3) Parking lights operation & condition
Y		4) Marker lights operation & condition
Y		5) Directional signals operation & condition
Y		6) Hazard lights operation & condition
Y		7) Clearance lights operation and condition
Y		8) Brake lights operation & condition
Y		9) License plate lamp operation & condition
Y		10) License plates and tags
Y		11) Backup lights and alarms
Y		12) Reflectors and reflective bumper tape
Y		13) Exterior decals and signage
Y		14) Bumpers secure / in good condition
Y		15) Exterior mirrors secure / in good condition
Y		16) Exterior clean
		C) Interior inspection
Y		1) Passenger door and steps condition
Y		2) Handrails and stanchions condition
Y		3) Interior and modesty panels condition
Y		4) Flooring condition
Y		5) Interior lighting operation and condition
Y		6) Windows operation and condition
Y		7) Emergency Exits operation & condition
Y		8) Accessory operation & condition (radio, GPS)
Y		9) Passenger seats operation & condition
Y		10) Passenger seat belts operation & condition
Y		11) First aid & body fluid kits complete
Y		12) Triangle reflectors complete/good condition
Y		13) Stop request operation & condition
Y		14) Valid registration, insurance & accident pack
Y		15) Fire extinguisher in good condition & signed
Y		16) Interior decals and signage (incl. electrical)
Y		17) DVI's reviewed, addressed and signed off
Y		18) Interior clean
		D) HVAC system inspection
Y		1) Front blower condition and operation

P	F	Item Inspected
Y		2) Rear blower condition and operation
Y		3) Defroster operation
Y		4) Temp gets to 20 deg. F below ambient temp.
Y		5) Evaporator intake air filter condition
Y		6) Front heater condition and operation
Y		7) Rear heater condition and operation
Y		8) A/C compressors and condenser fans
		E) Under hood inspection
Y		1) Batteries & charging sys. (load alt B,C,D serv)
Y		Batt 1 volts: load volts: load amps:
Y		Batt 2 volts: load volts: load amps:
Y		Batt 3 volts: load volts: load amps:
Y		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
Y		Alt. 1 min volt: max volt: max amp:
Y		Alt. 2 min volt: max volt: max amp:
Y		(reference factory service manual for alternator spec)
Y		2) Wire and hose routing and connections
Y		3) Cooling system, hoses, water pump condition
Y		5) Accessory drive belts condition
Y		6) Pulleys and tensioned operation & condition
Y		7) Brake master cylinder and power booster
Y		8) Fan and fan clutch operation and condition
Y		9) Engine oil fluid level and condition
Y		10) Transmission oil level and condition
Y		11) Power steering fluid level and condition
Y		12) Brake fluid level and condition
		F) Vehicle rack inspection
Y		1) Steering gear box mount, condition & leaks
Y		2) Steering shaft U joints
Y		3) Steering shaft bearings
Y		4) Steering linkages
Y		5) I beam or control arm movements and rivets
Y		6) Radius arm condition and bushings condition
Y		7) Stabilizer bar condition and bushings condition
Y		8) Ball joints or kingpins
Y		9) Front spring condition and mounting
Y		10) Front shock absorber operation & condition
Y		11) Trans oil cooler & lines routing and leaks
Y		12) Engine oil cooler & lines routing and leaks
Y		13) Heater and A/C hose routing and leaks
Y		14) No engine oil leaks and fluid condition
Y		15) Engine mounts, brackets and bolts
Y		16) Transmission mounts, brackets and bolts
Y		17) No transmission oil leaks and fluid condition
Y		18) Drive shaft condition
Y		19) Universal joints and carrier bearings condition
Y		20) No rear differential leaks
Y		21) Rear differential condition and mounting
Y		22) Frame and cross members
Y		23) Rear shock absorbers
Y		24) Rear springs condition and mounting
Y		25) No fuel leaks
Y		26) Fuel tank condition and mounting
Y		27) No exhaust leaks
Y		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **223407** Mileage out: **223408**



Date: **3/3/19** Vehicle #: **5142**

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	✓
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	✓
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*
 Date: **3/3/19**


Supervisor Signature: *[Signature]*
 Date: **3/6/19**

Notes:

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 5 /32" L/F: 5 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 8 /32" L/R: 8 /32"
✓		Shoes R/R: 1/32" L/R: 1/32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 9 /32" L/F: 9 /32"
✓		R/R: 6 /32" L/R: 5 /32"
✓		R/R: 5 /32" L/R: 5 /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 70 RR, 70
✓		Wheel torque specs used: 140 ft. lbs.
✓		g) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
✓		(Lift door open, e-brake down not able to shift)
✓		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
✓		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5142 Repair Reason: W
Date: 1-3-19 Work Class: I Day: 1

Repair Reason: AC
Work Class: I Date: _____

18 Date and Time in: 1:45
Date and Time Finished: 3:45

Mileage in: 213504
Mileage out: 213507

Mileage out: 213507

Notes/Measurements:

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADWHAITH

Ausgabe

Signature

X Imparidade

ASE Employee #: 604182 ASE Technician:

4

Am

ASE Signature:



MECHANIC'S SIGNATURE		BUS #: 5142 DATE: 1-3-19	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED
Left Door hinge was scratched Yadin			



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 1-3-19 Vehicle #: 5142 Mileage in: 213506 Mileage out: 213507

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
✓		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **24506** Mileage out: **24507**



Date: **1/31/19** Vehicle #: **5142**

P	F	Item Inspected
☒		30) Front brake condition and mounting
☒		31) Front brake lining condition & measurement
☒		Pads R/F: 5 /32" L/F: 5 /32"
☒		32) Rear brake condition and mounting
☒		33) Rear brake lining condition & measurement
☒		Pads R/R: 6 /32" L/R: 6 /32"
☒		Shoes R/R: 6 /32" L/R: 6 /32"
☒		34) Tire and wheel condition and measurements
☒		R/F: 10 /32" L/F: 10 /32"
☒		R/R: 8 /32" L/R: 7 /32"
☒		R/R: 5 /32" L/R: 6 /32"
☒		35) Lug nuts condition
☒		Air pressure adjustment FR. 70 RR. 70
☒		Wheel torque specs used: 140 ft. lbs.
☒		G) Lift inspection
☒		1) Lift operation (fully stowed to fully deployed)
☒		2) Lift control pendant condition and operation
☒		3) Lift restraint belt condition and operation
☒		4) Outer roll stop condition and operation
☒		5) Inner roll stop condition and operation
☒		6) Platform adjustments, condition and mounting
☒		7) Standee arm condition and operation
☒		8) Proper signage and decals
☒		9) Manual backup pump condition and operation
☒		10) Lift manual pump handle
☒		11) Hydraulic pump condition and operation
☒		12) Hydraulic lines and cylinders condition
☒		13) Hydraulic fluid level and condition
☒		14) Base plate and arms welds & pivot points
☒		15) Lift springs and pins condition and operation
☒		16) Lift safety switches and adjustments
☒		17) Hose and wire routing and connections
☒		18) Rollers and pivot point condition & operation
☒		19) Lift to vehicle mounting bolts and brackets
☒		20) Lift doors condition and operation
☒		21) Lift door lights condition and operation
☒		22) Lift interlock operation and condition
☒		(Lift door open, e-brake down not able to shift)
☒		(e-brake off lift door closed no lift power)
☒		23) W/C tie downs condition and operation
☒		24) Tie down container secure and clean
☒		25) Tie down floor mounting brackets secure
☒		26) W/C shoulder belt condition and operation
☒		27) Lift clean and no sharp edges
☒		28) Lift shields secure and in good shape
☒		29) Lift moves steady without drifting, jerking,
☒		or unusual speeds
☒		30) No unusual lift noises
☒		Lube all lift pivot points, barriers, linkages
☒		and bearings cleaning off all excess lube
☒		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature

Technician Signature

Date

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
A,B,C,D Change oil and filter		
A,B,C,D Lube chassis and suspension		
A,B,C,D Lube drive shafts and universal joints		
A,B,C,D Lube doors and hood, locks and hinges		
A,B,C,D Adjust service and parking brakes		
A,B,C,D Drain water from separator		
A,B,C,D Rotate tires (as necessary, caps on rear)		
B,C,D Change air filter		
B,C,D Change fuel filter		
B,C,D Clean or change PCV valve		
B,C,D Clean or change crank case filter		
B,C,D Install new wiper blades		
C,D Change transmission fluid and filter		
C,D Service front wheel bearings		
C,D Drain water from fuel tank		
D Replace accessory drive belts		
D Service and flush cooling system		
D Install new spark plugs & wires		
D Install new dist. cap & rotor		
D Change differential fluid		
D Check Exhaust and EGR system		
D Check and service fuel & evap. System		
D Evac and recharge A/C (add 1 oz. of oil)		
A,B,C,D Post service test drive (5 miles)		

Dallas, TX 75206



#2101

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Date and Time in :

Date and Time Finished:

18:00

Mileage in:

Mileage out.

Complaints/Defects:

Notes/Measurements:

[illegible]



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>	
BUS # : 5142	DATE: 12/03/18
PM TYPE OR WORK ORDER #:	
DATE COMPLETED	COMPLETED BY
DESCRIPTION OF REPAIR NEEDED	

① Passenger Seat belt Buckle 1/10/03/18
check in all ok



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/03/18 Vehicle #: 5142 Mileage in: 208443 Mileage out: 208443

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **208443** Mileage out: **208443**



Date: **10/03/18** Vehicle #: **5142**

P	F	Item Inspected	Service Type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		Pads R/F: 6 /32" L/F: 6 /32"	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 6 /32" L/R: 6 /32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 8 /32" L/F: 8 /32"	A,B,C,D
		R/R: 5 /32" L/R: 5 /32"	A,B,C,D
		R/R: 5 /32" L/R: 5 /32"	A,B,C,D
		35) Lug nuts condition	A,B,C,D
		Air pressure adjustment FR. 65 RR. 70	A,B,C,D
		Wheel torque specs used: 140 ft. lbs.	A,B,C,D
		G) Lift inspection	A,B,C,D
		1) Lift operation (fully stowed to fully deployed)	A,B,C,D
		2) Lift control pendant condition and operation	A,B,C,D
		3) Lift restraint belt condition and operation	A,B,C,D
		4) Outer roll stop condition and operation	A,B,C,D
		5) Inner roll stop condition and operation	A,B,C,D
		6) Platform adjustments, condition and mounting	A,B,C,D
		7) Standee arm condition and operation	A,B,C,D
		8) Proper signage and decals	A,B,C,D
		9) Manual backup pump condition and operation	A,B,C,D
		10) Lift manual pump handle	A,B,C,D
		11) Hydraulic pump condition and operation	A,B,C,D
		12) Hydraulic lines and cylinders condition	A,B,C,D
		13) Hydraulic fluid level and condition	A,B,C,D
		14) Base plate and arms welds & pivot points	A,B,C,D
		15) Lift springs and pins condition and operation	A,B,C,D
		16) Lift safety switches and adjustments	A,B,C,D
		17) Hose and wire routing and connections	A,B,C,D
		18) Rollers and pivot point condition & operation	A,B,C,D
		19) Lift to vehicle mounting bolts and brackets	A,B,C,D
		20) Lift doors condition and operation	A,B,C,D
		21) Lift door lights condition and operation	A,B,C,D
		22) Lift interlock operation and condition	A,B,C,D
		(Lift door open, e-brake down not able to shift)	A,B,C,D
		(e-brake off lift door closed no lift power)	A,B,C,D
		23) W/C tie downs condition and operation	A,B,C,D
		24) Tie down container secure and clean	A,B,C,D
		25) Tie down floor mounting brackets secure	A,B,C,D
		26) W/C shoulder belt condition and operation	A,B,C,D
		27) Lift clean and no sharp edges	A,B,C,D
		28) Lift shields secure and in good shape	A,B,C,D
		29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
		30) No unusual lift noises	A,B,C,D
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D
		Check, torque or adjust lift base mounting bolts	A,B,C,D

Notes:

Supervisor Signature

Date

Technician's Signature

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	8
A,B,C,D	Lube chassis and suspension	M/A
A,B,C,D	Lube drive shafts and universal joints	M/A
A,B,C,D	Lube doors and hood, locks and hinges	5
A,B,C,D	Adjust service and parking brakes	M/A
A,B,C,D	Drain water from separator	M/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	M/A
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Date and Time in: 19:30

Mileage in: 198865

213

Mileage out: 198866

Complaints/Defects:

Notes/Measurements:

PMI ⑦

Labor Information				
Task	WAC	Repair Description/Comments	Hours	
A	58	PMI ⊕		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shawn Webb, Signature: [Signature]

Employee #: 816534 Technician:

Sharon M. Kelly

Signature _____

ASE Employee #: 20413 ASE Technician:

ASFE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>	
BUS #: 5142	DATE: 10/02/18
PM TYPE OR WORK ORDER #:	

DATE	COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	-----------	--------------	------------------------------

10/02/18	8444	① Vehicle needs to be checked Door Baggies back. Vehicle will need to be come to shop (Washed) Did put at (B57)
10/03/18		② Check Baggies all ok
10/03/18	8444	③ Fixed rear frame time replace tire was all ok



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 10/02/18 Vehicle #: 51242Mileage in: 198865Mileage out: 198866

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 19865 Mileage out:

998861



Date: 10/02/18 Vehicle #: _____

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		R/R: <u>6</u> /32" L/R: <u>2</u> /32"
		R/RO: <u>5</u> /32" L/RO: <u>2</u> /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. <u>65</u> R.R. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		e) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date _____


Supervisor Signature

Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

360 Campus Lane
Fairfield, CA 94534



1560 Work Order Division (0094)

3301 Electronics Way

West Palm Beach, Florida, 33407

Basic Information

Mileage in: 194000

Mileage out: 194001

Complaints/Defects:

Notes/Measurements

Labor Information

248

④

Parts Information

Task	WAC	Repair Description/Comments
------	-----	-----------------------------

Hours

Task	WAC	Part Number
------	-----	-------------

Description

Qty

post

58	7
----	---

P 142

④

55	45
----	----

5220

02/01/14

65

1

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534

Technician:

Signature:

AST Employee: baker

ASE Techs

ASE Singat

7



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #: 5142 DATE: 09/06/18	PM TYPE OR WORK ORDER #: 
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED 

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**Date: 09/06/18 Vehicle #: 5142 Mileage in: 194600 Mileage out: 194001

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 19400 Mileage out: 19400



Date: 9/6/18 Vehicle #: 5142

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		R/R: <u>5</u> /32" L/R: <u>5</u> /32"
		R/RO: <u>5</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	<u>S</u>
Lube chassis and suspension	A,B,C,D	<u>N/A</u>
Lube drive shafts and universal joints	A,B,C,D	<u>N/A</u>
Lube doors and hood, locks and hinges	A,B,C,D	<u>S</u>
Adjust service and parking brakes	A,B,C,D	<u>N/A</u>
Drain water from separator	A,B,C,D	<u>S</u>
Rotate tires (as necessary, caps on rear)	A,B,C,D	<u>S</u>
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	<u>S</u>
Post service test drive (5 miles)	A,B,C,D	<u>S</u>

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date


Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5142 Repair Reason: A Date and Time in: 07-10-18 17:00 Mileage in: 184387
Date: 07-10-18 Work Class: I Date and Time Finished: 07-10-18 19:00 Mileage out: 184389

Complaints/Defects:

PMI A

Notes/Measurements:

Labor Information					Parts Information					
Task	WAC	Repair Description/Comments	Hours		Task	WAC	Part Number	Description	Qty	Cost
					A	55	5W20	engine oil	6.5	
						55	1F3681	oil filter	1	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 815132 Technician: Spencer Blaine

Signature: [Signature]

ASE Employee #: 66458 ASE Technician: [Signature]

Signature: [Signature]

ASE Signature: [Signature]

Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #:	5142	DATE:	07.10.18	PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY					
DATE		COMPLETED					




Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 07-10-08 Vehicle #: 5142Mileage in: 184387 Mileage out: 184389

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	51142	Repair Reason:	A	Date and Time in:	06.04.18 8:30	Mileage in:	179626
Date:	06.04.18	Work Class:	T	Date and Time Finished:	06.04.18 10:00	Mileage out:	179628

Complaints/Defects:

PM 10

Notes/Measurements:

Labor Information

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician:

Edward Howard

Signature:

ASE Employee #: 60418 ASE Technician:

ASE Signature:

✓

Signature: _____

[illegible]



Preventive Maintenance Inspection and Service Checklist

Date: 06-04-18 Vehicle #: 5142

Circle Service Type: A B C D

Mileage in: 179626 Mileage out: 179628

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
2		1) Driver carpet
2		2) Driver seat condition and operation
2		3) Drivers door operation and condition
2		4) Drivers seat belt operation and condition
2		5) Engine starting and ignition system
2		6) Instrument panel gauges & warning lights
2		7) Instrument panel lighting & condition
2		8) Horn operation
2		9) Steering wheel tight, no excessive play
2		10) Windshield wipers
2		11) Windshield washer
2		12) Sun visor condition and operation
2		13) Parking brake operation & condition
2		14) Parking and service brake pedal pads
2		15) Passenger door operation
2		16) No vibrations, pulsations or noises
		B) Walk around inspection
2		1) Body damage (list on separate sheet)
2		2) Headlights, high & low beam operation
2		3) Parking lights operation & condition
2		4) Marker lights operation & condition
2		5) Directional signals operation & condition
2		6) Hazard lights operation & condition
2		7) Clearance lights operation and condition
2		8) Brake lights operation & condition
2		9) License plate lamp operation & condition
2		10) License plates and tags
2		11) Backup lights and alarms
2		12) Reflectors and reflective bumper tape
2		13) Exterior decals and signage
2		14) Bumpers secure / in good condition
2		15) Exterior mirrors secure / in good condition
2		16) Exterior clean
		C) Interior inspection
2		1) Passenger door and steps condition
2		2) Handrails and stanchions condition
2		3) Interior and modesty panels condition
2		4) Flooring condition
2		5) Interior lighting operation and condition
2		6) Windows operation and condition
2		7) Emergency Exits operation & condition
2		8) Accessory operation & condition (radio, GPS)
2		9) Passenger seats operation & condition
2		10) Passenger seat belts operation & condition
2		11) First aid & body fluid kits complete
2		12) Triangle reflectors complete/good condition
2		13) Stop request operation & condition
2		14) Valid registration, insurance & accident pack
2		15) Fire extinguisher in good condition & signed
2		16) Interior decals and signage (incl. electrical)
2		17) DVI's reviewed, addressed and signed off
2		18) Interior clean
		D) HVAC system inspection
2		1) Front blower condition and operation

P	F	Item Inspected
2		2) Rear blower condition and operation
2		3) Defroster operation
2		4) Temp gets to 20 deg. F below ambient temp.
2		5) Evaporator intake air filter condition
2		6) Front heater condition and operation
2		7) Rear heater condition and operation
2		8) A/C compressors and condenser fans
		E) Under hood inspection
2		1) Batteries & charging sys. (load alt B,C,D serv)
2		Batt 1 volts: load volts: load amps:
2		Batt 2 volts: load volts: load amps:
2		Batt 3 volts: load volts: load amps:
2		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
2		Alt. 1 min volt: max volt: max amp:
2		Alt. 2 min volt: max volt: max amp:
2		(reference factory service manual for alternator spec)
2		2) Wire and hose routing and connections
2		3) Cooling system, hoses, water pump condition
2		5) Accessory drive belts condition
2		6) Pulleys and tensioned operation & condition
2		7) Brake master cylinder and power booster
2		8) Fan and fan clutch operation and condition
2		9) Engine oil fluid level and condition
2		10) Transmission oil level and condition
2		11) Power steering fluid level and condition
2		12) Brake fluid level and condition
		F) Vehicle rack inspection
2		1) Steering gear box mount, condition & leaks
2		2) Steering shaft U joints
2		3) Steering shaft bearings
2		4) Steering linkages
2		5) I beam or control arm movements and rivets
2		6) Radius arm condition and bushings condition
2		7) Stabilizer bar condition and bushings condition
2		8) Ball joints or kingpins
2		9) Front spring condition and mounting
2		10) Front shock absorber operation & condition
2		11) Trans oil cooler & lines routing and leaks
2		12) Engine oil cooler & lines routing and leaks
2		13) Heater and A/C hose routing and leaks
2		14) No engine oil leaks and fluid condition
2		15) Engine mounts, brackets and bolts
2		16) Transmission mounts, brackets and bolts
2		17) No transmission oil leaks and fluid condition
2		18) Drive shaft condition
2		19) Universal joints and carrier bearings condition
2		20) No rear differential leaks
2		21) Rear differential condition and mounting
2		22) Frame and cross members
2		23) Rear shock absorbers
2		24) Rear springs condition and mounting
2		25) No fuel leaks
2		26) Fuel tank condition and mounting
2		27) No exhaust leaks
2		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **179628**

Mileage in: **179628**



Vehicle #: **5142**

Date: **6/4/18**

P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
		Shoes R/R: 10 /32" L/R: 10 /32"
		34 Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/R: 9 /32" L/R: 9 /32"
		35 Lug nuts condition
		Air pressure adjustment FR. 65 R.R. 70
		Wheel torque specs used: 110 ft. lbs.
		(G) Lift inspection
		1 Lift operation (fully stowed to fully deployed)
		2 Lift control pendant condition and operation
		3 Lift restraint belt condition and operation
		4 Outer roll stop condition and operation
		5 Inner roll stop condition and operation
		6 Platform adjustments, condition and mounting
		7 Standee arm condition and operation
		8 Proper signage and decals
		9 Manual backup pump condition and operation
		10 Lift manual pump handle
		11 Hydraulic pump condition and operation
		12 Hydraulic lines and cylinders condition
		13 Hydraulic fluid level and condition
		14 Base plate and arms welds & pivot points
		15 Lift springs and pins condition and operation
		16 Lift safety switches and adjustments
		17 Hose and wire routing and connections
		18 Rollers and pivot point condition & operation
		19 Lift to vehicle mounting bolts and brackets
		20 Lift doors condition and operation
		21 Lift door lights condition and operation
		22 Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23 W/C tie downs condition and operation
		24 Tie down container secure and clean
		25 Tie down floor mounting brackets secure
		26 W/C shoulder belt condition and operation
		27 Lift clean and no sharp edges
		28 Lift shields secure and in good shape
		29 Lift moves steady without drifting, jerking, or unusual speeds
		30 No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



MV Transportation
5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

WORK ORDER DIVISION (00347)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 540 Repair Reason: A Date and Time in: 2050 Mileage in: 284916
Date: 4/2/50 Work Class: J Date and Time Finished: 2300 Mileage out: 284918

Complaints/Defects:	Notes/Measurements:
PM A	

Complaints/Defects:	Notes/Measurements:
PM A	

Labor Information

<i>Labor Information</i>		
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>
		<i>Hours</i>
		Pan A
		Bolt Inspection
		Total Hours Worked:

ноприказу с. 111) а

Parts Information				
Task	WAC	Part Number	Description	Qty Cost
A	SS	W6700	Engine oil	65
A	SS	LF3881	Oil filter	1
A	SS	BRSD1329	Brake pad	1
A	SS	LT225/750R6	Tires	4
Total Parts Cost:				

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe H. Signature: [Signature]

ASE Employee #: 604182 ASE Technician: ASE Signature:

check engine light on

brake pads rear low

fire heads low rear

Dent on right rear fender

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

MECHANIC'S SIGNATURE


PM TYPE OR WORK ORDER #:

DATE:

BUS #:

5/14/20
4/6/20

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D** Mileage in: **884916** Mileage out: **884916**



Vehicle #: **5148**

Date: **4/6/20**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361307

5477/000001092/000000006



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice?

On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect?

If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do?

If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take?

The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do?

Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361307

5479/000001092/000000006



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Serie es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA02975	2015 E-350 Econoline	5128 scheduled for retirement
2	1FDEE3FLXFDA00711	2015 E-350 Econoline	5119 scheduled for retirement
3	1FDEE3FLXFDA07108	2015 E-350 Econoline	5145 RETIRED
4	1FDEE3FLXFDA07111	2015 E-350 Econoline	5148 RETIRED
5	1FDEE3FL0FDA00703	2015 E-350 Econoline	5111 scheduled for retirement
6	1FDEE3FL0FDA02984	2015 E-350 Econoline	5137 scheduled for retirement
7	1FDEE3FL1FDA00693	2015 E-350 Econoline	5101
8	1FDEE3FL1FDA07109	2015 E-350 Econoline	5146
9	1FDEE3FL1FDA07112	2015 E-350 Econoline	5149 Retired
10	1FDEE3FL2FDA02985	2015 E-350 Econoline	5138
11	1FDEE3FL2FDA00704	2015 E-350 Econoline	5112 scheduled for retirement
12	1FDEE3FL2FDA02971	2015 E-350 Econoline	5124 Retired
13	1FDEE3FL2FDA07104	2015 E-350 Econoline	5141 scheduled for retirement
14	1FDEE3FL3FDA07113	2015 E-350 Econoline	5150 scheduled for retirement
15	1FDEE3FL4FDA02972	2015 E-350 Econoline	5125 scheduled for retirement
16	1FDEE3FL4FDA02969	2015 E-350 Econoline	5122 scheduled for retirement
17	1FDEE3FL4FDA07105	2015 E-350 Econoline	5142 scheduled for retirement
18	1FDEE3FL5FDA00700	2015 E-350 Econoline	5108
19	1FDEE3FL5FDA02978	2015 E-350 Econoline	5131
20	1FDEE3FL5FDA02981	2015 E-350 Econoline	5134 scheduled for retirement
21	1FDEE3FL5FDA07114	2015 E-350 Econoline	5151 Retired
22	1FDEE3FL6FDA00706	2015 E-350 Econoline	5114
23	1FDEE3FL6FDA02973	2015 E-350 Econoline	5126
24	1FDEE3FL6FDA07106	2015 E-350 Econoline	5143 scheduled for retirement
25	1FDEE3FL7FDA02979	2015 E-350 Econoline	5132
26	1FDEE3FL7FDA02982	2015 E-350 Econoline	5135 retired
27	1FDEE3FL7FDA00701	2015 E-350 Econoline	5109
28	1FDEE3FL7FDA07115	2015 E-350 Econoline	5152 retired
29	1FDEE3FL8FDA00707	2015 E-350 Econoline	5115
30	1FDEE3FL8FDA02974	2015 E-350 Econoline	5127 retired
31	1FDEE3FL8FDA07107	2015 E-350 Econoline	5144
32	1FDEE3FL9FDA00697	2015 E-350 Econoline	5105
33	1FDEE3FL9FDA00702	2015 E-350 Econoline	5110
34	1FDEE3FL9FDA07102	2015 E-350 Econoline	5139 scheduled for retirement

8 retired
13 scheduled

