


5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Date and Time in : 20:51

Mileage in: 190845

23:27

Mileage out: 190.845

Complaints/Defects:

Notes/Measurements:

PMIA

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Foodsq. FVrier

Signature:

ASE Employee #: 6041308 ASE Technician: _____

ASE Signature:

1



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: <i>5122</i>	DATE: <i>06/07/18</i>	PM TYPE OR WORK ORDER #: <i>PM14</i>
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	

[illegible]



Preventive Maintenance Inspection and Service Checklist

Date: 06/07/12 Vehicle #: 3122

Circle Service Type: A B C D

Mileage in: 190845

Mileage out: 190848

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
☒	☒	B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
☒	☒	C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
☒	☒	D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
☒	☒	E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
☒	☒	F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **190345** Mileage out: **190342**



Date: **06/07/18** Vehicle #: **5122**

Item Inspected

30 Front brake condition and mounting

31 Front brake lining condition & measurement

32 Rear brake condition and mounting

33 Rear brake lining condition & measurement

Pads R/R: **10 / 32** L/R: **10 / 32**

Shoes R/R: **10 / 32** L/R: **10 / 32**

34 Tire and wheel condition and measurements

R/F: **10 / 32** L/F: **10 / 32**

R/R: **9 / 32** L/R: **9 / 32**

R/R: **9 / 32** L/R: **9 / 32**

35 Lug nuts condition

Air pressure adjustment FR. **65** RR. **70**

Wheel torque specs used: **140 ft. lbs.**

G Lift inspection

1 Lift operation (fully stowed to fully deployed)

2 Lift control pendant condition and operation

3 Lift restraint belt condition and operation

4 Outer roll stop condition and operation

5 Inner roll stop condition and operation

6 Platform adjustments, condition and mounting

7 Standee arm condition and operation

8 Proper signage and decals

9 Manual backup pump condition and operation

10 Lift manual pump handle

11 Hydraulic pump condition and operation

12 Hydraulic lines and cylinders condition

13 Hydraulic fluid level and condition

14 Base plate and arms welds & pivot points

15 Lift springs and pins condition and operation

16 Lift safety switches and adjustments

17 Hose and wire routing and connections

18 Rollers and pivot point condition & operation

19 Lift to vehicle mounting bolts and brackets

20 Lift doors condition and operation

21 Lift door lights condition and operation

22 Lift interlock operation and condition

(Lift door open, e-brake down not able to shift)

(e-brake off lift door closed no lift power)

23 W/C tie downs condition and operation

24 Tie down container secure and clean

25 Tie down floor mounting brackets secure

26 W/C shoulder belt condition and operation

27 Lift clean and no sharp edges

28 Lift shields secure and in good shape

29 Lift moves steady without drifting, jerking, or unusual speeds

30 No unusual lift noises

Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube

Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Technician Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Notes:


Date

Date

06/07/18
6/5/18

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: A

Date and Time in : 00.12

Date: 07/21/2

Work Class: 7

De

Time Finished:

25:12

Mileage in: 1457.97
Mileage out: 1957.96

Mileage out: 195.799

Complaints/Defects:

PMIA

Notes/Measurements

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PMIA		A	55	LF3681	oil filter	1	
				A	55	5W20	engine oil	6.5	
				A	55	3757	Hydros sign	1	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according M/T Transportation Inc guidelines using standard H. tool.

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: Fondson Twice

Signature: [Signature]

Total Parts Cost:

Employee #: 848194 Technician: _____

Foodson Frier

Signature:

Cumprill

ASE Employee #: 604182 ASE Technician:

ACE ciastka

Signature: _____

MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
<i>[Signature]</i>		5122	07/17/12	FMTD
DESCRIPTION OF REPAIR NEEDED				
COMPLETED BY		DATE COMPLETED		
Replace left front turn signal Jungbauer 07/17/12				



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 07/17/13 Vehicle #: 5122

Mileage in: 195782 Mileage out: 195799

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**
 Mileage in: **155293** Mileage out: **155299**



Date: **02/17/18** Vehicle #: **5182**

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Supervisor's Signature

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 9 /32" L/F: 9 /32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 10 /32" L/R: 10 /32"		F
34) Tire and wheel condition and measurements		F
R/F: 10 /32" L/F: 10 /32"		F
R/R: 10 /32" L/R: 10 /32"		F
R/RO: 8 /32" L/RO: 10 /32"		F
35) Lug nuts condition		F
Air pressure adjustment FR. 65 RR. 70		F
Wheel torque specs used: 140 ft. lbs.		F
g) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C tie downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204



WPB 94
3301 Electronics Way
West Palm Beach, FL, 33407

Basic Information									
Vehicle #:	<u>5122</u>	Repair Reason:	<u>A</u>	Date and Time in :	<u>09/15/18</u>				
Date:	<u>09/15/18</u>	Work Class:	<u>1</u>	Date and Time Finished:	<u>09/15/18</u>				
Complaints/Defects:			Mileage in: <u>205505</u>						
			Mileage out: <u>205506</u>						
Notes/Measurements:									
<u>PMT A</u>									
Labor Information			Parts Information						
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	SS	PMT A		A	SS	3w20	Oil	65	
				A	SS	LF3681	Belt Hoses	1	
				A	SS	BC32-2459	Brake pads	1	
				A	SS	17326730	Oil pump	1	
Total Hours Worked:				Total Parts Cost:					

service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician:

Technician:

Shawn M. O'Neil

Signature:

transportation Inc. policies.

ASE Employee #: 60482 ASE Technician:

ASF Technician:

10

MV Transportation Inc.

MECHANIC'S SIGNATURE 		BUS #: 5122		DATE: 9/15/18		PM TYPE OR WORK ORDER #:	
DATE		COMPLETED BY		COMPLETED		DESCRIPTION OF REPAIR NEEDED	

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 9/15/18 Vehicle #: 5122 Mileage in: 205505 Mileage out: 205506

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: **4/15/18** Vehicle #: **5122** Mileage in: **205505** Mileage out: **205506**

P	F	Item Inspected	ServType
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		Pads R/F: 8/32" L/F: 8/32"	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 6/32" L/R: 6/32"	A,B,C,D
		Shoes R/R: 6/32" L/R: 6/32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 6/32" L/F: 6/32"	B,C,D
		R/R: 6/32" L/R: 6/32"	B,C,D
		R/RO: 6/32" L/RO: 6/32"	B,C,D
		35) Lug nuts condition	B,C,D
		Air pressure adjustment FR. 70RR	C,D
		Wheel torque specs used: 140 ft. lbs.	C,D
		G) Lift inspection	
		1) Lift operation (fully stowed to fully deployed)	D
		2) Lift control pendant condition and operation	D
		3) Lift restraint belt condition and operation	D
		4) Outer roll stop condition and operation	D
		5) Inner roll stop condition and operation	D
		6) Platform adjustments, condition and mounting	D
		7) Standee arm condition and operation	D
		8) Proper signage and decals	D
		9) Manual backup pump condition and operation	A,B,C,D
		10) Lift manual pump handle	A,B,C,D
		11) Hydraulic pump condition and operation	A,B,C,D
		12) Hydraulic lines and cylinders condition	A,B,C,D
		13) Hydraulic fluid level and condition	A,B,C,D
		14) Base plate and arms welds & pivot points	A,B,C,D
		15) Lift springs and pins condition and operation	A,B,C,D
		16) Lift safety switches and adjustments	A,B,C,D
		17) Hose and wire routing and connections	A,B,C,D
		18) Rollers and pivot point condition & operation	A,B,C,D
		19) Lift to vehicle mounting bolts and brackets	A,B,C,D
		20) Lift doors condition and operation	A,B,C,D
		21) Lift door lights condition and operation	A,B,C,D
		22) Lift interlock operation and condition	A,B,C,D
		(Lift door open, e-brake down not able to shift)	A,B,C,D
		(e-brake off lift door closed no lift power)	A,B,C,D
		23) W/C tie downs condition and operation	A,B,C,D
		24) Tie down container secure and clean	A,B,C,D
		25) Tie down floor mounting brackets secure	A,B,C,D
		26) W/C shoulder belt condition and operation	A,B,C,D
		27) Lift clean and no sharp edges	A,B,C,D
		28) Lift shields secure and in good shape	A,B,C,D
		29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
		30) No unusual lift noises	A,B,C,D
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D
		Check, torque or adjust lift base mounting bolts	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Techs Initials	Service Performed	ServType
	Change oil and filter	A,B,C,D
	Lube chassis and suspension	A,B,C,D
	Lube drive shafts and universal joints	A,B,C,D
	Lube doors and hood, locks and hinges	A,B,C,D
	Adjust service and parking brakes	A,B,C,D
	Drain water from separator	A,B,C,D
	Rotate tires (as necessary, caps on rear)	A,B,C,D
	Change air filter	B,C,D
	Change fuel filter	B,C,D
	Clean or change PCV valve	B,C,D
	Clean or change crank case filter	B,C,D
	Install new wiper blades	B,C,D
	Change transmission fluid and filter	C,D
	Service front wheel bearings	C,D
	Drain water from fuel tank	C,D
	Replace accessory drive belts	D
	Service and flush cooling system	D
	Install new spark plugs & wires	D
	Install new dist. cap & rotor	D
	Change differential fluid	D
	Check Exhaust and EGR system	D
	Check and service fuel & evap. System	D
	Evac and recharge A/C (add 1 oz. of oil)	D
	Post service test drive (5 miles)	A,B,C,D

Technician's Signature: *[Signature]* Date: **09/15/18**
 Supervisor Signature: *[Signature]* Date: **09/17/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1723

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5122 Repair Reason: W Date and Time in: 10.18.18 18:30 Mileage in: 2100 Mileage out: 98
Date: 10.18.18 Work Class: 1 Date and Time Finished: 10.18.18 20:00

PMI A

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84513a Technician:

Wm. H. Wood

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 10-18-18 Vehicle #: 5122Mileage in: 210098 Mileage out: 210099

P	F	Item Inspected
<u>2</u>		A) Vehicle drive in inspection (5 miles)
<u>2</u>		1) Driver carpet
<u>2</u>		2) Driver seat condition and operation
<u>2</u>		3) Drivers door operation and condition
<u>2</u>		4) Drivers seat belt operation and condition
<u>2</u>		5) Engine starting and ignition system
<u>2</u>		6) Instrument panel gauges & warning lights
<u>2</u>		7) Instrument panel lighting & condition
<u>2</u>		8) Horn operation
<u>2</u>		9) Steering wheel tight, no excessive play
<u>2</u>		10) Windshield wipers
<u>2</u>		11) Windshield washer
<u>2</u>		12) Sun visor condition and operation
<u>2</u>		13) Parking brake operation & condition
<u>2</u>		14) Parking and service brake pedal pads
<u>2</u>		15) Passenger door operation
<u>2</u>		16) No vibrations, pulsations or noises
<u>2</u>		B) Walk around inspection
<u>2</u>		1) Body damage (list on separate sheet)
<u>2</u>		2) Headlights, high & low beam operation
<u>2</u>		3) Parking lights operation & condition
<u>2</u>		4) Marker lights operation & condition
<u>2</u>		5) Directional signals operation & condition
<u>2</u>		6) Hazard lights operation & condition
<u>2</u>		7) Clearance lights operation and condition
<u>2</u>		8) Brake lights operation & condition
<u>2</u>		9) License plate lamp operation & condition
<u>2</u>		10) License plates and tags
<u>2</u>		11) Backup lights and alarms
<u>2</u>		12) Reflectors and reflective bumper tape
<u>2</u>		13) Exterior decals and signage
<u>2</u>		14) Bumpers secure / in good condition
<u>2</u>		15) Exterior mirrors secure / in good condition
<u>2</u>		16) Exterior clean
<u>2</u>		C) Interior inspection
<u>2</u>		1) Passenger door and steps condition
<u>2</u>		2) Handrails and stanchions condition
<u>2</u>		3) Interior and modesty panels condition
<u>2</u>		4) Flooring condition
<u>2</u>		5) Interior lighting operation and condition
<u>2</u>		6) Windows operation and condition
<u>2</u>		7) Emergency Exits operation & condition
<u>2</u>		8) Accessory operation & condition (radio, GPS)
<u>2</u>		9) Passenger seats operation & condition
<u>2</u>		10) Passenger seat belts operation & condition
<u>2</u>		11) First aid & body fluid kits complete
<u>2</u>		12) Triangle reflectors complete/good condition
<u>2</u>		13) Stop request operation & condition
<u>2</u>		14) Valid registration, insurance & accident pack
<u>2</u>		15) Fire extinguisher in good condition & signed
<u>2</u>		16) Interior decals and signage (incl. electrical)
<u>2</u>		17) DVI's reviewed, addressed and signed off
<u>2</u>		18) Interior clean
<u>2</u>		D) HVAC system inspection
<u>2</u>		1) Front blower condition and operation

P	F	Item Inspected
<u>2</u>		2) Rear blower condition and operation
<u>2</u>		3) Defroster operation
<u>2</u>		4) Temp gets to 20 deg. F below ambient temp.
<u>2</u>		5) Evaporator intake air filter condition
<u>2</u>		6) Front heater condition and operation
<u>2</u>		7) Rear heater condition and operation
<u>2</u>		8) A/C compressors and condenser fans
<u>2</u>		E) Under hood inspection
<u>2</u>		1) Batteries & charging sys. (load alt B,C,D serv)
<u>2</u>		Batt 1 volts: load volts: load amps:
<u>2</u>		Batt 2 volts: load volts: load amps:
<u>2</u>		Batt 3 volts: load volts: load amps:
<u>2</u>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<u>2</u>		Alt. 1 min volt: max volt: max amp:
<u>2</u>		Alt. 2 min volt: max volt: max amp:
<u>2</u>		(reference factory service manual for alternator spec)
<u>2</u>		2) Wire and hose routing and connections
<u>2</u>		3) Cooling system, hoses, water pump condition
<u>2</u>		5) Accessory drive belts condition
<u>2</u>		6) Pulleys and tensioned operation & condition
<u>2</u>		7) Brake master cylinder and power booster
<u>2</u>		8) Fan and fan clutch operation and condition
<u>2</u>		9) Engine oil fluid level and condition
<u>2</u>		10) Transmission oil level and condition
<u>2</u>		11) Power steering fluid level and condition
<u>2</u>		12) Brake fluid level and condition
<u>2</u>		F) Vehicle rack inspection
<u>2</u>		1) Steering gear box mount, condition & leaks
<u>2</u>		2) Steering shaft U joints
<u>2</u>		3) Steering shaft bearings
<u>2</u>		4) Steering linkages
<u>2</u>		5) I beam or control arm movements and rivets
<u>2</u>		6) Radius arm condition and bushings condition
<u>2</u>		7) Stabilizer bar condition and bushings condition
<u>2</u>		8) Ball joints or kingpins
<u>2</u>		9) Front spring condition and mounting
<u>2</u>		10) Front shock absorber operation & condition
<u>2</u>		11) Trans oil cooler & lines routing and leaks
<u>2</u>		12) Engine oil cooler & lines routing and leaks
<u>2</u>		13) Heater and A/C hose routing and leaks
<u>2</u>		14) No engine oil leaks and fluid condition
<u>2</u>		15) Engine mounts, brackets and bolts
<u>2</u>		16) Transmission mounts, brackets and bolts
<u>2</u>		17) No transmission oil leaks and fluid condition
<u>2</u>		18) Drive shaft condition
<u>2</u>		19) Universal joints and carrier bearings condition
<u>2</u>		20) No rear differential leaks
<u>2</u>		21) Rear differential condition and mounting
<u>2</u>		22) Frame and cross members
<u>2</u>		23) Rear shock absorbers
<u>2</u>		24) Rear springs condition and mounting
<u>2</u>		25) No fuel leaks
<u>2</u>		26) Fuel tank condition and mounting
<u>2</u>		27) No exhaust leaks
<u>2</u>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **210098** Mileage out: **210099**



Date: **10-18-88** Vehicle #: **5122**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 / 32" L/F: 8 / 32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6 / 32" L/R: 6 / 32"
		Shoes R/R: 6 / 32" L/R: 6 / 32"
		34) Tire and wheel condition and measurements
		R/F: 10 / 32" L/F: 10 / 32"
		R/R: 3 / 32" L/R: 3 / 32"
		R/R: 6 / 32" L/R: 6 / 32"
		35) Lug nuts condition
		Air pressure adjustment F.R. RR. ft. lbs.
		Wheel torque specs used:
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time in: 17:00 Mileage in: 214628
Date: 12/19/13 Work Class: I Date and Time Finished: 19:30 Mileage out: 214628

Complaints/Defects: TME Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	TME		A	55	5W20	engine oil	6.5	
				A	55	LE3681	spark plug	1	
				A	55	025 75T 16	tie rod	4	
				A	55	brsd1329	rear brake pads	4	
04	55	brake inspection							
						</			

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 348194 Technician: Robert Taylor Signature: [Signature]
ASE Employee #: 64151 ASE Technician: [Signature] ASE Signature: [Signature]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 12/19/18

Vehicle #: 5002

Mileage in: 219628

Mileage out: 219628

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **219638**
 Mileage out: **219428**



Date: **12/19/18** Vehicle #: **5102**

Item Inspected	Service Type	Service Performed	Tech's Initials
30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	F
32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	H10
33) Rear brake lining condition & measurement	A,B,C,D	Lube doors and hood, locks and hinges	H10
34) Tire and wheel condition and measurements	A,B,C,D	Adjust service and parking brakes	H10
Shoes R/R: 3/32" L/R: 3/32"	A,B,C,D	Drain water from separator	F
Pads R/R: 3/32" L/R: 3/32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	F
35) Lug nuts condition	A,B,C,D	Change air filter	F
Air pressure adjustment FR. 65 RR. 30	A,B,C,D	Change fuel filter	F
Wheel torque specs used: 140 ft. lbs.	A,B,C,D	Change crank case filter	F
(G) Lift inspection	A,B,C,D	Change transmission fluid and filter	F
1) Lift operation (fully stowed to fully deployed)	A,B,C,D	Service front wheel bearings	F
2) Lift control pendant condition and operation	A,B,C,D	Drain water from fuel tank	F
3) Lift restraint belt condition and operation	A,B,C,D	Replace accessory drive belts	F
4) Outer roll stop condition and operation	A,B,C,D	Service and flush cooling system	F
5) Inner roll stop condition and operation	A,B,C,D	Install new spark plugs & wires	F
6) Platform adjustments, condition and mounting	A,B,C,D	Install new dist. cap & rotor	F
7) Standee arm condition and operation	A,B,C,D	Change differential fluid	F
8) Proper signage and decals	A,B,C,D	Check Exhaust and EGR system	F
9) Manual backup pump condition and operation	A,B,C,D	Check and service fuel & evaporator system	F
10) Lift manual pump handle	A,B,C,D	Evac and recharge A/C (add 1 oz. of oil)	F
11) Hydraulic pump condition and operation	A,B,C,D	Post service test drive (5 miles)	F
12) Hydraulic lines and cylinders condition	A,B,C,D		
13) Hydraulic fluid level and condition	A,B,C,D		
14) Base plate and arms welds & pivot points	A,B,C,D		
15) Lift springs and pins condition and operation	A,B,C,D		
16) Lift safety switches and adjustments	A,B,C,D		
17) Hose and wire routing and connections	A,B,C,D		
18) Rollers and pivot point condition & operation	A,B,C,D		
19) Lift to vehicle mounting bolts and brackets	A,B,C,D		
20) Lift doors condition and operation	A,B,C,D		
21) Lift door lights condition and operation	A,B,C,D		
22) Lift interlock operation and condition	A,B,C,D		
(Lift door open, e-brake down not able to shift)	A,B,C,D		
23) W/C tie downs condition and operation	A,B,C,D		
24) Tie down container secure and clean	A,B,C,D		
25) Tie down floor mounting brackets secure	A,B,C,D		
26) W/C shoulder belt condition and operation	A,B,C,D		
27) Lift clean and no sharp edges	A,B,C,D		
28) Lift shields secure and in good shape	A,B,C,D		
29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D		
30) No unusual lift noises	A,B,C,D		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	A,B,C,D		
Check, torque or adjust lift base mounting bolts	A,B,C,D		

Notes:

Supervisor Signature

Date

Technician's Signature

Date

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	H10
A,B,C,D	Lube doors and hood, locks and hinges	H10
A,B,C,D	Adjust service and parking brakes	H10
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires (as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	F
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	F
D	Replace accessory drive belts	F
D	Service and flush cooling system	F
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	F
D	Change differential fluid	F
D	Check Exhaust and EGR system	F
D	Check and service fuel & evaporator system	F
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #:	5122	Repair Reason:	A	Date and Time in:	7:40	Mileage in:	224553
Date:	1/21/19	Work Class:	I	Date and Time Finished:	8:55	Mileage out:	224553

Vehicle #:	5122	Repair Reason:	A	Date and Time in:	7:40	Mileage in:	224553
Date:	1/21/19	Work Class:	I	Date and Time Finished:	8:55	Mileage out:	224553

Mileage in: 224553
Mileage out: 224553

Notes/Measurements

Parts Information

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: VAUGHN T. VEGGIERDIO Signature: V. T. Veggierdio

ASE Signature:

ASE Signature:

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 1/21/19 Vehicle #: 5122Mileage in: 224553 Mileage out: 224553

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



712

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5122 Repair Reason: _____

Date and Time in

Date: 03-19-19 Work Class

Work Class

Date and Time Finished:

03.19.19

Mileage in:

Mileage out: 833605

Complaints/Defects:

Notes/Measurements:

PH 5

[illegible]

<i>I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.</i>	Employee #: <i>845132</i>	Technician: <i>Mike</i>	Total Parts Cost:
--	----------------------------------	--------------------------------	--------------------------

ASE Employee #: 60492 ASE Technician: [Signature]

ASE Signature: 

INVESTMENT

COMPLETED BY	COMPLETED
DATE	

DATE: 03-19-19

5122

asphare headbont



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 03-19-19 Vehicle #: 5122Mileage in: 233604 Mileage out: 233605

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **93605** Mileage in: **93604**



Date: **03-19-19** Vehicle #: **5192**

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (8 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Date

Supervisor's Signature

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 3 /32" L/F: 3 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 0 /32" L/R: 0 /32"		
Shoes R/R: 0 /32" L/R: 0 /32"		
34) Tire and wheel condition and measurements		
R/F: 10 /32" L/F: 10 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/R: 8 /32" L/R: 8 /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 110 RR. 110 ft. lbs.		
Wheel torque specs used: 110 ft. lbs.		
(G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time in: _____
Date: 04/18/19 Work Class: I Date and Time Finished: _____

Mileage in: 238 426
Mileage out: 238 427

Complaints/Defects:

PMIA

Notes/Measurements:

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	PAID	
04	55	brake inspection	
Total Hours Worked:			

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 817154 Technician: _____

Fordson Fervier

Signature

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5122

DATE:

04/19/19

PM TYPE OR WORK ORDER #:

PM11

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace Front tires

[Signature]

04/19/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 23842

Mileage in: 23842

Vehicle #: 5100

Date: 04/19/15



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver seat condition and operation
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting
P	F	Item Inspected



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 04/19/19 Vehicle #: 3122Mileage in: 238426 Mileage out: 238422

P	F	Item Inspected	ServType	Service Performed	Techs Initials
F		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	F
F		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	F
F		Pads R/F: <u>9</u> /32" L/F: <u>8</u> /32"	A,B,C,D	Lube drive shafts and universal joints	HIA
F		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	F
F		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	HIA
F		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"	A,B,C,D	Drain water from separator	HIA
HIA		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	F
F		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
F		R/F: <u>4</u> /32" L/F: <u>3</u> /32"	B,C,D	Change fuel filter	
F		R/RI: <u>9</u> /32" L/RI: <u>9</u> /32"	B,C,D	Clean or change PCV valve	
F		R/RO: <u>9</u> /32" L/RO: <u>9</u> /32"	B,C,D	Clean or change crank case filter	
F		35) Lug nuts condition	B,C,D	Install new wiper blades	
F		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
F		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
F		G) Lift inspection	C,D	Drain water from fuel tank	
F		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
F		2) Lift control pendant condition and operation	D	Service and flush cooling system	
F		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
F		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
F		5) Inner roll stop condition and operation	D	Change differential fluid	
F		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
F		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
F		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
F		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	F
F		10) Lift manual pump handle			
F		11) Hydraulic pump condition and operation			
F		12) Hydraulic lines and cylinders condition			
F		13) Hydraulic fluid level and condition			
F		14) Base plate and arms welds & pivot points			
F		15) Lift springs and pins condition and operation			
F		16) Lift safety switches and adjustments			
F		17) Hose and wire routing and connections			
F		18) Rollers and pivot point condition & operation			
F		19) Lift to vehicle mounting bolts and brackets			
F		20) Lift doors condition and operation			
F		21) Lift door lights condition and operation			
F		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
F		23) W/C tie downs condition and operation			
F		24) Tie down container secure and clean			
F		25) Tie down floor mounting brackets secure			
F		26) W/C shoulder belt condition and operation			
F		27) Lift clean and no sharp edges			
F		28) Lift shields secure and in good shape			
F		29) Lift moves steady without drifting, jerking, or unusual speeds			
F		30) No unusual lift noises			
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
F		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason:

Date and Time in : 06.05.19

Mileage in: 2480.82

Date: 06-25-10 Work Class:

Date and Time Finished: 06.25.19.

Mileage out:

Complaints/Defects:

178

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature

Employee #: 865132 Technician: Sydney Plante

ASE Signature:

ASE Employee #: ASE Technician:

MECHANIC'S SIGNATURE		BUS #: 5122		DATE: 06-25-19		PM TYPE OR WORK ORDER #:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		DATE		COMPLETED	

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: **218082** Mileage out: **218023**

Date: **06.25.19** Vehicle #: **5192**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 06.25.19 Vehicle #: 5122Mileage in: 248082 Mileage out: 248083

P	F	Item Inspected
1		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		34) Tire and wheel condition and measurements
2		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
2		R/R: <u>6</u> /32" L/R: <u>6</u> /32"
2		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
2		Wheel torque specs used: <u>740</u> ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
2		(lift door open, e-brake down not able to shift)
2		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking,
2		or unusual speeds
2		30) No unusual lift noises
2		Lube all lift pivot points, barriers, rollers, linkages
2		and bearings cleaning off all excess lube
2		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (8 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason:

Date and Time in: 10:00

Mileage in: 252884

Date: 05-1-19 Work Class:

Date and Time Finished: 72:00

Mileage out: 720

Complaints/Defects:

8-1-10

Notes/Measurements:

[illegible]

Labor Information

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation. Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician:

Theresa J. Thompson

ASE Employee #:

ASE Technician:

ASE Signature: _____



PM DEFECT SHEET



Jean Thermidor

MECHANIC'S SIGNATURE

BUS #: 5122

DATE:

08-1-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① check Headlight
replace new Headlight
lamps all OK.

~~287~~

08-1-19

② check Heater Hose
replace a new Heater
Hoses all OK.

~~287~~

08-1-19

Preventive Maintenance Inspection and Service Checklist



Date: 08-1-19 Vehicle #: 5122

Mileage in: 25284

Mileage out: 25585

Circle Service Type: A B C D

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv.)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting
P	F	Item Inspected



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 08-1-19 Vehicle #: 5122Mileage in: 252884 Mileage out: 252885

P	F	Item Inspected
1		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
3		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
4		32) Rear brake condition and mounting
5		33) Rear brake lining condition & measurement
6		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
7		Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"
8		34) Tire and wheel condition and measurements
9		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
10		R/RI: <u>8</u> /32" L/RI: <u>10</u> /32"
11		R/RO: <u>8</u> /32" L/RO: <u>10</u> /32"
12		35) Lug nuts condition
13		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
14		Wheel torque specs used: <u>140</u> ft. lbs.
15		G) Lift inspection
16		1) Lift operation (fully stowed to fully deployed)
17		2) Lift control pendant condition and operation
18		3) Lift restraint belt condition and operation
19		4) Outer roll stop condition and operation
20		5) Inner roll stop condition and operation
21		6) Platform adjustments, condition and mounting
22		7) Standee arm condition and operation
23		8) Proper signage and decals
24		9) Manual backup pump condition and operation
25		10) Lift manual pump handle
26		11) Hydraulic pump condition and operation
27		12) Hydraulic lines and cylinders condition
28		13) Hydraulic fluid level and condition
29		14) Base plate and arms welds & pivot points
30		15) Lift springs and pins condition and operation
31		16) Lift safety switches and adjustments
32		17) Hose and wire routing and connections
33		18) Rollers and pivot point condition & operation
34		19) Lift to vehicle mounting bolts and brackets
35		20) Lift doors condition and operation
36		21) Lift door lights condition and operation
37		22) Lift interlock operation and condition
38		(lift door open, e-brake down not able to shift)
39		(e-brake off lift door closed no lift power)
40		23) W/C tie downs condition and operation
41		24) Tie down container secure and clean
42		25) Tie down floor mounting brackets secure
43		26) W/C shoulder belt condition and operation
44		27) Lift clean and no sharp edges
45		28) Lift shields secure and in good shape
46		29) Lift moves steady without drifting, jerking,
47		or unusual speeds
48		30) No unusual lift noises
49		Lube all lift pivot points, barriers, rollers, linkages
50		and bearings cleaning off all excess lube
51		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 08-1-19
Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time in:

Date: 06/03/19 Work Class: Date and Time Finished:

Mileage in: 262407.

Mileage out: 262'408

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 85672 Technician: Ronney Murray

Signature

863725

ASE Employee #: ASE Technician:

ASE Signature:



PM DEFECT SHEET



Rooney Murray
MECHANIC'S SIGNATURE

BUS #: 5122

DATE: 10/03/19

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches + DENTS

PASSENGER SEATBELT NOT RESTRAINING

Rooney Murray

10/03/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **242408**

Mileage in: **242407**

5122

Vehicle #: **10/03/19**

Date: **10/03/19**



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **10/03/19**Vehicle #: **5122**Mileage in: **262407**Mileage out: **262408**

P	F	Item Inspected	ServType	Service Performed	Techs Initials
R		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	R
R		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	R
R		Pads R/F: 5 /32" L/F: 5 /32"	A,B,C,D	Lube drive shafts and universal joints	NA
R		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
R		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	R
R		Pads R/R: 5 /32" L/R: 5 /32"	A,B,C,D	Drain water from separator	NA
NA		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	R
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
R		R/F: 6 /32" L/F: 6 /32"	B,C,D	Change fuel filter	
R		R/RI: 5 /32" L/RI: 5 /32"	B,C,D	Clean or change PCV valve	
R		R/RO: 6 /32" L/RO: 5 /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
R		Air pressure adjustment FR. 65 RR. 75	C,D	Change transmission fluid and filter	
R		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
R		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
R		2) Lift control pendant condition and operation	D	Service and flush cooling system	
R		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
R		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
R		5) Inner roll stop condition and operation	D	Change differential fluid	
R		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
R		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
R		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
R		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	R
R		10) Lift manual pump handle			
R		11) Hydraulic pump condition and operation			
R		12) Hydraulic lines and cylinders condition			
R		13) Hydraulic fluid level and condition			
R		14) Base plate and arms welds & pivot points			
R		15) Lift springs and pins condition and operation			
R		16) Lift safety switches and adjustments			
R		17) Hose and wire routing and connections			
R		18) Rollers and pivot point condition & operation			
R		19) Lift to vehicle mounting bolts and brackets			
R		20) Lift doors condition and operation			
R		21) Lift door lights condition and operation			
R		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
R		23) W/C tie downs condition and operation			
R		24) Tie down container secure and clean			
R		25) Tie down floor mounting brackets secure			
R		26) W/C shoulder belt condition and operation			
R		27) Lift clean and no sharp edges			
R		28) Lift shields secure and in good shape			
R		29) Lift moves steady without drifting, jerking, or unusual speeds			
R		30) No unusual lift noises			
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
R		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature
Technicians Signature

10/03/19
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: _____ Date and Time in: _____ Mileage in: 267305
Date: 11-06-19 Work Class: _____ Date and Time Finished: _____ Mileage out: 287310

Complaints/Defects:
perform PM's A service

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		Replace oil filter				LF-3681		1	
		Replace motor oil				5W30		7 qts	
		Replace motor oil cap						1	
		Replace fire extinguisher						1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 83708 Technician: Carver Hase Signature: Carver Hase

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____



PM DEFECT SHEET



BUS #:

DATE:

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage out: **267310**



Date: **11-06-19** Vehicle #: **5122**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B.C.D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive

Inspection and Service Checklist

Circle Service Type: A B C DDate: 11-06-19 Vehicle #: 5122Mileage in: 267305 Mileage out: 267310

P	F	Item Inspected
CM		30) Front brake condition and mounting
CM		31) Front brake lining condition & measurement
CM		Pads R/F: <u>11</u> /32" L/F: <u>11</u> /32"
CM		32) Rear brake condition and mounting
CM		33) Rear brake lining condition & measurement
CM		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
CM		Shoes R/R: <u>5</u> /32" L/R: <u>5</u> /32"
CM		34) Tire and wheel condition and measurements
CM		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
CM		R/R: <u>8</u> /32" L/R: <u>8</u> /32"
CM		R/RO: <u>5</u> /32" L/RO: <u>8</u> /32"
CM		35) Lug nuts condition
CM		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
CM		Wheel torque specs used: <u>150</u> ft. lbs.
CM		G) Lift inspection
CM		1) Lift operation (fully stowed to fully deployed)
CM		2) Lift control pendant condition and operation
CM		3) Lift restraint belt condition and operation
CM		4) Outer roll stop condition and operation
CM		5) Inner roll stop condition and operation
CM		6) Platform adjustments, condition and mounting
CM		7) Standee arm condition and operation
CM		8) Proper signage and decals
CM		9) Manual backup pump condition and operation
CM		10) Lift manual pump handle
CM		11) Hydraulic pump condition and operation
CM		12) Hydraulic lines and cylinders condition
CM		13) Hydraulic fluid level and condition
CM		14) Base plate and arms welds & pivot points
CM		15) Lift springs and pins condition and operation
CM		16) Lift safety switches and adjustments
CM		17) Hose and wire routing and connections
CM		18) Rollers and pivot point condition & operation
CM		19) Lift to vehicle mounting bolts and brackets
CM		20) Lift doors condition and operation
CM		21) Lift door lights condition and operation
CM		22) Lift interlock operation and condition
CM		(lift door open, e-brake down not able to shift)
CM		(e-brake off lift door closed no lift power)
CM		23) W/C tie downs condition and operation
CM		24) Tie down container secure and clean
CM		25) Tie down floor mounting brackets secure
CM		26) W/C shoulder belt condition and operation
CM		27) Lift clean and no sharp edges
CM		28) Lift shields secure and in good shape
CM		29) Lift moves steady without drifting, jerking,
CM		or unusual speeds
CM		30) No unusual lift noises
CM		Lube all lift pivot points, barriers, rollers, linkages
CM		and bearings cleaning off all excess lube
CM		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	CM
A,B,C,D	Lube chassis and suspension	CM
A,B,C,D	Lube drive shafts and universal joints	CM
A,B,C,D	Lube doors and hood, locks and hinges	CM
A,B,C,D	Adjust service and parking brakes	CM
A,B,C,D	Drain water from separator	CM
A,B,C,D	Rotate tires(as necessary, caps on rear)	CM
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	CM
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: Cornel Mase Date: 11-06-19

Supervisor Signature: _____ Date: _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5122

Date and Time in: 12:20

Mileage in: 276895

Vehicle #: 5122 Repair Reason: A Date and Time Finished: _____
 Date: 1/12/20 Work Class: T Date and Time Finished: _____

Mileage out: 276897

Complaints/Defects:

Notes/Measurements:

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe to be driven. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies ready for service.

Employee #: 632995 Technician: YADUVANTH YUGERDEO

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

[illegible]

Total Parts Cost:



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 2/10/20 Vehicle #: 5122 Mileage in: 276895 Mileage out: 276899

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **276895**

Mileage out: **276897**



Date: **2/10/20** Vehicle #: **5122**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 9 /32" L/F: 9 /32"
		32) Rear brake condition and mounting
		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: 10 /32" L/R: 10 /32"
		34) Tire and wheel condition and measurements
		R/F: 10 /32" L/F: 10 /32"
		R/R: 10 /32" L/R: 9 /32"
		R/RO: 10 /32" L/RO: 10 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 70 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stander arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature: **[Signature]** Date: **2/10/20**

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation

5910 N Cenrtal Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time in:
 Date: 02/15/2020 Work Class: F Date and Time Finished:

Mileage in: 281774
Mileage out: 281775

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repair's according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician:

ASE Employee #: 604182 ASE Technician:

Signature

ASE Signature:



PM DEFECT SHEET



Reaney Murray
MECHANIC'S SIGNATURE

BUS #: 5122

DATE:

03/15/2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches & DENTS

SEAT BELT BEHIND DRIVER NOT RETRACTING

Reaney Murray

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 281774 Mileage out: 281775



Date: 03/15/20 Vehicle #: 5122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 03/15/2020 Vehicle #: 5122Mileage in: 281724 Mileage out: 281775

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
R		34) Tire and wheel condition and measurements
R		R/F: <u>7</u> /32" L/F: <u>5</u> /32"
R		R/RI: <u>5</u> /32" L/RI: <u>5</u> /32"
R		R/RO: <u>6</u> /32" L/RO: <u>5</u> /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
R		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
R		(lift door open, e-brake down not able to shift)
R		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking,
R		or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages
R		and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

03/15/2020
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Vehicle #: 5122 Repair Reason: A Date and Time in: _____ Mileage in: 290963
Date: 07/07/2020 Work Class: I- Date and Time Finished: _____ Mileage out: 290964

QNT A

PMI A

Labor Information			
Task	WAC	Repair Description/Comments	Hours
A	58	P.M.T. A	
A	04	BRAKE INSPECTION	
Total Hours Worked:			

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature _____

ASE Signature:

[illegible]

Total Parts Cost:

Signature *K. J. Anderson*

ASE Signature:

DATE	COMPLETED	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED

Recovery Library 07/07/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage In: 290963 Mileage Out: 290964



Date: 07/07/20 Vehicle #: 5182

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		4) Accessory drive belts condition
		5) Pulleys and tensioned operation & condition
		6) Brake master cylinder and power booster
		7) Fan and fan clutch operation and condition
		8) Engine oil fluid level and condition
		9) Transmission oil level and condition
		10) Power steering fluid level and condition
		11) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **290963** Mileage out: **290964**

Date: **07/01/2020** Vehicle #: **5122**



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		Pads R/R: 8 /32" L/R: 2 /32"
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 2 /32"
		34) Tire and wheel condition and measurements
		Shoes R/R: 8 /32" L/R: 8 /32"
		35) Lug nuts condition
		R/R: 5 /32" L/R: 6 /32"
		R/R: 5 /32" L/R: 6 /32"
		R/F: 9 /32" L/F: 9 /32"
		Wheel torque specs used: 140 ft. lbs.
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Technician's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evaporator system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **Michael Murphy** Date: **07/01/2020**

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407



Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time
 Date: 08-28-2024 Work Class: I Date and Time Finished:

Date and Time in: 08-20-2020

Mileage in: 295656
Mileage out: 295653

Complaints/Defects:

Notes/Measurements:

<i>Labor Information</i>		
<i>Task</i>	<i>WAC Repair Description/Comments</i>	<i>Hours</i>
A 58	G M I A	
		Total Hours Worked:

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and

Employee #: 857302 Technician: Terrence Pittman


Signature _____

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5122 DATE: 08-20-2020	PM TYPE OR WORK ORDER # :	DESCRIPTION OF REPAIR NEEDED	COMPLETED BY DATE
---	--	----------------------------------	---------------------------	------------------------------	----------------------

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 295652 Mileage out: 295657



Date: 08-20-2007 Vehicle #: 5122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooding condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exit operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: (A) B C D

Mileage in: 295657 Mileage out: 295657

Date: 08-20-2020 Vehicle #: 5122

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	F
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	F
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Clean or change crank case filter	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 08-20-2020

Supervisor Signature

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 6 / 32" L/F: 6 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 9 / 32" L/R: 9 / 32"		
34) Tire and wheel condition and measurements		
Shoes R/R: / 32" L/R: / 32"		
R/R: 8 / 32" L/R: 8 / 32"		
R/R: 6 / 32" L/R: 6 / 32"		
35) Lug nuts condition		
Air pressure adjustment F.R. 65 RR. 45		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Basic Information

Vehicle #: 5122 Repair Reason: A Date and Time in: _____ Mileage in: 305033
Date: 01/20/20 Work Class: 7 Date and Time Finished: _____ Mileage out: 305034

Complaints/Defects:

Print

Notes/Measurements:

<i>Labor Information</i>			
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>
A	58	PMA	
04	56	brace inspection	
Total Hours Worked:			

<i>Parts Information</i>					
Task	WAC	Part Number	Description	Qty	Cost
A	55	S W 20	engine oil	6.5	
A	55	LF 3681	oil filler	1	
					Total Parts Cost:

I have performed the repair's according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 348184 Technician:

Foodism Fevicy

Signature

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #:	5122	DATE:	11/20/20	PM TYPE OR WORK ORDER #:	PM24
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY					
		DATE COMPLETED					

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: 305033 Mileage out: 305034



Date: 11/08/00 Vehicle #: 5122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **305033** Mileage out: **305034**



P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 10/32" L/F: 10/32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 9/32" L/R: 8/32"
		Shoes R/R: 1/32" L/R: 1/32"
		34 Tire and wheel condition and measurements
		R/F: 7/32" L/F: 9/32"
		R/R: 8/32" L/R: 8/32"
		R/O: 8/32" L/O: 8/32"
		35 Lug nuts condition
		Air pressure adjustment FR. 65 RR. 30
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1 Lift operation (fully stowed to fully deployed)
		2 Lift control pendant condition and operation
		3 Lift restraint belt condition and operation
		4 Outer roll stop condition and operation
		5 Inner roll stop condition and operation
		6 Platform adjustments, condition and mounting
		7 Standee arm condition and operation
		8 Proper signage and decals
		9 Manual backup pump condition and operation
		10 Lift manual pump handle
		11 Hydraulic pump condition and operation
		12 Hydraulic lines and cylinders condition
		13 Hydraulic fluid level and condition
		14 Base plate and arms welds & pivot points
		15 Lift springs and pins condition and operation
		16 Lift safety switches and adjustments
		17 Hose and wire routing and connections
		18 Rollers and pivot point condition & operation
		19 Lift to vehicle mounting bolts and brackets
		20 Lift doors condition and operation
		21 Lift door lights condition and operation
		22 Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23 W/C tie downs condition and operation
		24 Tie down container secure and clean
		25 Tie down floor mounting brackets secure
		26 W/C shoulder belt condition and operation
		27 Lift clean and no sharp edges
		28 Lift shields secure and in good shape
		29 Lift moves steady without drifting, jerking, or unusual speeds
		30 No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Technician's Signature

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: B Date and Time in: 11:10 Mileage in: 200601
Date: 8/13/18 Work Class: T Date and Time Finished: 12:45 Mileage out: 200603

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	P.W. - B		B	55	LE3681	OIL FILTER	1	
				B	55	5W20	OIL	65	
				B	55	AF25590	AIR FILTER	1	
				B	55	WW2001PF	WIPER BLADES	2	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUWALTA JAGGERDO Signature: [Signature]
ASE Employee #: 60418 ASE Technician: [Signature] ASE Signature: [Signature]

PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>Yadunath Sengupta</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #:	PM TYPE OR WORK ORDER #:	COMPLETED BY	DATE
5122	8/13/18		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 8/13/18 Vehicle #: 5122

Mileage in: 200601 Mileage out: 200603

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 200601 Mileage out: 200603



Date: 8/13/18 Vehicle #: 5122

Item Inspected	Initial
30) Front brake condition and mounting	Y
31) Front brake lining condition & measurement	Y
Pads R/F: 6 /32" L/F: 6 /32"	Y
32) Rear brake condition and mounting	Y
33) Rear brake lining condition & measurement	Y
Pads R/R: 5 /32" L/R: 5 /32"	Y
Shoes R/R: /32" L/R: /32"	Y
34) Tire and wheel condition and measurements	Y
R/F: 10 /32" L/F: 10 /32"	Y
R/R: 8 /32" L/R: 8 /32"	Y
R/R: 8 /32" L/R: 8 /32"	Y
35) Lug nuts condition	Y
Air pressure adjustment FR. 70 RR. 70	Y
Wheel torque specs used: 140 ft. lbs.	Y
G) Lift inspection	Y
1) Lift operation (fully stowed to fully deployed)	Y
2) Lift control pendant condition and operation	Y
3) Lift restraint belt condition and operation	Y
4) Outer roll stop condition and operation	Y
5) Inner roll stop condition and operation	Y
6) Platform adjustments, condition and mounting	Y
7) Standee arm condition and operation	Y
8) Proper signage and decals	Y
9) Manual backup pump condition and operation	Y
10) Lift manual pump, handle	Y
11) Hydraulic pump condition and operation	Y
12) Hydraulic lines and cylinders condition	Y
13) Hydraulic fluid level and condition	Y
14) Base plate and arms welds & pivot points	Y
15) Lift springs and pins condition and operation	Y
16) Lift safety switches and adjustments	Y
17) Hose and wire routing and connections	Y
18) Rollers and pivot point condition & operation	Y
19) Lift to vehicle mounting bolts and brackets	Y
20) Lift doors condition and operation	Y
21) Lift door lights condition and operation	Y
22) Lift interlock operation and condition	Y
(Lift door open, e-brake down not able to shift)	Y
(e-brake off lift door closed no lift power)	Y
23) W/C the downs condition and operation	Y
24) Tie down container secure and clean	Y
25) Tie down floor mounting brackets, secure	Y
26) W/C shoulder belt condition and operation	Y
27) Lift clean and no sharp edges	Y
28) Lift shields secure and in good shape	Y
29) Lift moves steady without drifting, jerking, or unusual speeds	Y
30) No unusual lift noises	Y
Lube all lift pivot points, barters, rollers, linkages and bearings cleaning off all excess lube	Y
Check, torque or adjust lift base mounting bolts	Y

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial
Change oil and filter	A,B,C,D	Y
Lube chassis and suspension	A,B,C,D	Y
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	Y
Adjust service and parking brakes	A,B,C,D	Y
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	Y
Change air filter	B,C,D	Y
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	Y
Change transmission fluid and filter	C,D	Y
Service front wheel bearings	C,D	Y
Drain water from fuel tank	C,D	Y
Replace accessory drive belts	D	Y
Service and flush cooling system	D	Y
Install new spark plugs & wires	D	Y
Install new dist. cap & rotor	D	Y
Change differential fluid	D	Y
Check Exhaust and EGR system	D	Y
Check and service fuel & evap. system	D	Y
Evac and recharge A/C (add 1 oz. of oil)	D	Y
Post service test drive (5 miles)	A,B,C,D	Y

Technician's Signature: *[Signature]* Date: 8/13/18
Supervisor's Signature: *[Signature]* Date: 8/14/18

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



#480

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Vehicle #: 5122 Repair Reason: _____



Date and Time in :

16:45

Mileage in: 229 139

Date: 02/19/2019 Work Class: I

5

Date and Time Finished:

17:55

Mileage out: 229140

Complaints/Defects:

Notes/Measurements:

Labor Information

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician:

Naamdy Mueay

Signature

Transportation, Inc., Portland, Ore.


ASE Employee #: 60412 ASE Technician:

Level

ASE Signature: _____



PM DEFECT SHEET



MECHANIC'S SIGNATURE 		DESCRIPTION OF REPAIR NEEDED	
BUS #:	DATE:	COMPLETED BY	DATE
5122	02/19/2019		
PM TYPE OR WORK ORDER #:			

Winter Drive	02/19/2019	02/19/2019
WILPER BLADES	02/19/2019	02/19/2019
GL DRAIN PLUS	02/19/2019	02/19/2019

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 02/19/19 Vehicle #: 5122

Mileage in: 229139

Mileage out: 229140

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** **B** **C** **D**

Mileage out: **225140**

Mileage in: **229139**



Date: **02/19/19** Vehicle #: **5122**

Service Performed	Technician Initials
A,B,C,D Change oil and filter	R
A,B,C,D Lube chassis and suspension	R
A,B,C,D Lube drive shafts and universal joints	NA
A,B,C,D Lube doors and hood, locks and hinges	NA
A,B,C,D Adjust service and parking brakes	NA
A,B,C,D Drain water from separator	NA
A,B,C,D Rotate tires (as necessary, caps on rear)	NA
B,C,D Change air filter	NA
B,C,D Change fuel filter	NA
B,C,D Clean or change PCV valve	NA
B,C,D Clean or change crank case filter	NA
B,C,D Install new wiper blades	NA
C,D Change transmission fluid and filter	NA
C,D Service front wheel bearings	NA
C,D Drain water from fuel tank	NA
D Replace accessory drive belts	NA
D Service and flush cooling system	NA
D Install new spark plugs & wires	NA
D Install new dist. cap & rotor	NA
D Change differential fluid	NA
D Check Exhaust and EGR system	NA
D Check and service fuel & evap. system	NA
D Evac and recharge A/C (add 1 oz. of oil)	NA
A,B,C,D Post service test drive (5 miles)	2

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date

Date

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 6 /32" L/F: 6 /32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 /32" L/R: 8 /32"		
34) Tire and wheel condition and measurements		
Shoes R/R: /32" L/R: /32"		
R/F: 6 /32" L/F: 6 /32"		
R/R: 8 /32" L/R: 8 /32"		
R/O: 8 /32" L/R: 8 /32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 75		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: B Date and Time
Date: 08-30-19 Work Class: I Date and Time Finished:

Mileage in: 957.597
Mileage out: 257.598

Complaints/Defects:

QWERTY

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 85302. Technician: Turner, T. Signature: _____

ASE Employee #: 60452 ASE Technician: ASE Signature:



PM DEFECT SHEET



BUS #: 5122

DATE: 08-30-2019

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

this vehicle is good to work.

08-30-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 254597 Mileage out: 254598



Date: 08/30/14 Vehicle #: 6122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Engine starting and ignition system
		5) Instrument panel gauges & warning lights
		6) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 08-30-19

Vehicle #:

5122

Circle Service Type: A B C D

Mileage in:

257597

Mileage out:

257598

P	F	Item Inspected
		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>8</u> /32" L/F: <u>7</u> /32"
		R/R: <u>7</u> /32" L/R: <u>5</u> /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5122	Repair Reason:	B	Date and Time in :	05/16/20	8:34	Mileage in:	286498
Date:	05/16/20	Work Class:	T	Date and Time Finished:	05/16/20	11:48	Mileage out:	286499

Complaints/Defects:

2nd

Notes/Measurements:

<i>Labor Information</i>					
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>	<i>Hours</i>		
B	58	PMB			
04	55	bare inspection			
			Total Hours Worked:		

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
B	55	JWL 20	ENGINE OIL	6.5	
B	55	LF 3681	OIL FILTER	1	
B	55	AFF 25590	AIR FILTER	1	
B	55	NW 2001FP	wiper blade	2	
B	55	BB 237E39SA	SHOCKER CABLE	1	
B	55	2001X31	TIRE	1	
B	55	MPP 501-0129	SPEEDING GEAR BOX	1	
Total Parts Cost:					

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.


Employee #: 848194 Technician:

Rodson Fevric Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS # : 5122	DATE: 05/16/20	PM TYPE OR WORK ORDER # : 7M13
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 88498 Mileage out: 286499



Date: 05/16/20 Vehicle #: 5122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps: (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **280498**

Mileage out: **280499**



Date: **05/16/20** Vehicle #: **5122**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 9 / 32" L/R: 9 / 32"
		Shoes R/R: 9 / 32" L/R: 9 / 32"
		34) Tire and wheel condition and measurements
		R/F: 3 / 32" L/F: 8 / 32"
		R/R: 9 / 32" L/R: 9 / 32"
		R/RO: 9 / 32" L/RO: 9 / 32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 20
		Wheel torque specs used: 190 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Technician's Signature: *[Signature]*

Date: **05/16/20**

Supervisor Signature: _____

Date: _____


Notes: _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	F
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	N/A
Clean or change PCV valve	B,C,D	N/A
Clean or change crank case filter	B,C,D	N/A
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

1841

Date: 5/11/18	Work Class: T	Date and Time Finished: 5/11/18 (11:30)	Mileage out: 186560
---------------	---------------	---	---------------------

Date: 5/11/18	Work Class: T	Date and Time Finished: 5/11/18 (11:30)	Mileage out: 186560
---------------	---------------	---	---------------------

Date: 5/11/18	Work Class: T	Date and Time Finished: 5/11/18 (11:30)	Mileage out: 186560
---------------	---------------	---	---------------------

Date: 5/11/18	Work Class: T	Date and Time Finished: 5/11/18 (11:30)	Mileage out: 186560
---------------	---------------	---	---------------------

Notes/Measurements


PMIC

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	SS	PM J C		C	SS	SU20	ENG OIL	6.5	
				C	SS	MERCOM LV	TRAN FILTER	10	
				C	SS	LF3681	OIL FILTER	1	
				C	SS	AFTS590	AIR FILTER	1	
			5	C	SS	FT180	TRAN FILTER	1	
				C	SS	WU2001PF	W BLADE	2.	

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 844796 Technician: G. Tupper Signature: G. Tupper

ASE Employee #: 604182 ASE Technician: ~~604182~~ ASE Signature: [Signature]



PM DEFECT SHEET

MECHANIC'S SIGNATURE		BUS #:	DATE:
G. Juppender		5122	5/11/18
PM TYPE OR WORK ORDER #:			
COMPLETED BY		DATE	COMPLETED
DESCRIPTION OF REPAIR NEEDED			
① w/c left sensor fell off			
② Rep fix sensor and is O.K.			
G. Juppender 5/11/18			



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 5/11/18 Vehicle #: 5122 Mileage in: 186558 Mileage out: 186560

P	F	Item Inspected
<u>B</u>		A) Vehicle drive in inspection (5 miles)
<u>G</u>		1) Driver carpet
<u>G</u>		2) Driver seat condition and operation
<u>G</u>		3) Drivers door operation and condition
<u>G</u>		4) Drivers seat belt operation and condition
<u>G</u>		5) Engine starting and ignition system
<u>G</u>		6) Instrument panel gauges & warning lights
<u>G</u>		7) Instrument panel lighting & condition
<u>G</u>		8) Horn operation
<u>G</u>		9) Steering wheel tight, no excessive play
<u>G</u>		10) Windshield wipers
<u>G</u>		11) Windshield washer
<u>G</u>		12) Sun visor condition and operation
<u>G</u>		13) Parking brake operation & condition
<u>G</u>		14) Parking and service brake pedal pads
<u>G</u>		15) Passenger door operation
<u>G</u>		16) No vibrations, pulsations or noises
<u>B</u>		B) Walk around inspection
<u>G</u>		1) Body damage (list on separate sheet)
<u>G</u>		2) Headlights, high & low beam operation
<u>G</u>		3) Parking lights operation & condition
<u>G</u>		4) Marker lights operation & condition
<u>G</u>		5) Directional signals operation & condition
<u>G</u>		6) Hazard lights operation & condition
<u>G</u>		7) Clearance lights operation and condition
<u>G</u>		8) Brake lights operation & condition
<u>G</u>		9) License plate lamp operation & condition
<u>G</u>		10) License plates and tags
<u>G</u>		11) Backup lights and alarms
<u>G</u>		12) Reflectors and reflective bumper tape
<u>G</u>		13) Exterior decals and signage
<u>G</u>		14) Bumpers secure / in good condition
<u>G</u>		15) Exterior mirrors secure / in good condition
<u>G</u>		16) Exterior clean
<u>B</u>		C) Interior inspection
<u>G</u>		1) Passenger door and steps condition
<u>G</u>		2) Handrails and stanchions condition
<u>G</u>		3) Interior and modesty panels condition
<u>G</u>		4) Flooring condition
<u>G</u>		5) Interior lighting operation and condition
<u>G</u>		6) Windows operation and condition
<u>G</u>		7) Emergency Exits operation & condition
<u>G</u>		8) Accessory operation & condition (radio, GPS)
<u>G</u>		9) Passenger seats operation & condition
<u>G</u>		10) Passenger seat belts operation & condition
<u>G</u>		11) First aid & body fluid kits complete
<u>G</u>		12) Triangle reflectors complete/good condition
<u>G</u>		13) Stop request operation & condition
<u>G</u>		14) Valid registration, insurance & accident pack
<u>G</u>		15) Fire extinguisher in good condition & signed
<u>G</u>		16) Interior decals and signage (incl. electrical)
<u>G</u>		17) DVI's reviewed, addressed and signed off
<u>G</u>		18) Interior clean
<u>B</u>		D) HVAC system inspection
<u>G</u>		1) Front blower condition and operation

P	F	Item Inspected
<u>G</u>		2) Rear blower condition and operation
<u>G</u>		3) Defroster operation
<u>G</u>		4) Temp gets to 20 deg. F below ambient temp.
<u>G</u>		5) Evaporator intake air filter condition
<u>G</u>		6) Front heater condition and operation
<u>G</u>		7) Rear heater condition and operation
<u>G</u>		8) A/C compressors and condenser fans
<u>B</u>		E) Under hood inspection
<u>G</u>		1) Batteries & charging sys. (load alt B <u>C</u> D serv)
<u>G</u>		Batt 1 volts: <u>12.6</u> load volts: load amps:
<u>G</u>		Batt 2 volts: <u>12.6</u> load volts: load amps:
<u>N/A</u>		Batt 3 volts: load volts: load amps:
<u>N/A</u>		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
<u>G</u>		Alt. 1 min volt: <u>13.6</u> max volt: max amp:
<u>N/A</u>		Alt. 2 min volt: max volt: max amp:
<u>N/A</u>		(reference factory service manual for alternator spec)
<u>G</u>		2) Wire and hose routing and connections
<u>G</u>		3) Cooling system, hoses, water pump condition
<u>G</u>		5) Accessory drive belts condition
<u>G</u>		6) Pulleys and tensioned operation & condition
<u>G</u>		7) Brake master cylinder and power booster
<u>G</u>		8) Fan and fan clutch operation and condition
<u>G</u>		9) Engine oil fluid level and condition
<u>G</u>		10) Transmission oil level and condition
<u>G</u>		11) Power steering fluid level and condition
<u>G</u>		12) Brake fluid level and condition
<u>B</u>		F) Vehicle rack inspection
<u>G</u>		1) Steering gear box mount, condition & leaks
<u>G</u>		2) Steering shaft U joints
<u>G</u>		3) Steering shaft bearings
<u>G</u>		4) Steering linkages
<u>G</u>		5) I beam or control arm movements and rivets
<u>G</u>		6) Radius arm condition and bushings condition
<u>G</u>		7) Stabilizer bar condition and bushings condition
<u>G</u>		8) Ball joints or kingpins
<u>G</u>		9) Front spring condition and mounting
<u>G</u>		10) Front shock absorber operation & condition
<u>G</u>		11) Trans oil cooler & lines routing and leaks
<u>G</u>		12) Engine oil cooler & lines routing and leaks
<u>G</u>		13) Heater and A/C hose routing and leaks
<u>G</u>		14) No engine oil leaks and fluid condition
<u>G</u>		15) Engine mounts, brackets and bolts
<u>G</u>		16) Transmission mounts, brackets and bolts
<u>G</u>		17) No transmission oil leaks and fluid condition
<u>G</u>		18) Drive shaft condition
<u>G</u>		19) Universal joints and carrier bearings condition
<u>G</u>		20) No rear differential leaks
<u>G</u>		21) Rear differential condition and mounting
<u>G</u>		22) Frame and cross members
<u>G</u>		23) Rear shock absorbers
<u>G</u>		24) Rear springs condition and mounting
<u>G</u>		25) No fuel leaks
<u>G</u>		26) Fuel tank condition and mounting
<u>G</u>		27) No exhaust leaks
<u>G</u>		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

© D

Mileage in: 186558
Mileage out:

186560

Date: 2/11/18 Vehicle #: 5122

Date: 5/11/18



P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10 /32" L/F: 10 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
		R/F: 12 /32" L/F: 12 /32"
		R/R: 12 /32" L/R: 12 /32"
		R/RO: 12 /32" L/RO: 12 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	G
A,B,C,D	Lube chassis and suspension	G
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	G
A,B,C,D	Adjust service and parking brakes	G
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	B/K
B,C,D	Change air filter	G
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	G
C,D	Change transmission fluid and filter	G
C,D	Service front wheel bearings	G
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	G

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Date _____

Supervisor Signature

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a P sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#1231 Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5122	Repair Reason:	C	Date and Time in:	14:00	Mileage in:	243214
Date:	05-23-19	Work Class:	F	Date and Time Finished:	18:30	Mileage out:	243220

Complaints/Defects:

Per I.D.

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846121 Technician:

ASE Employee #: 604182 ASE Technician:

ASE Signature:

2

PM DEFECT SHEET



Jean Theodor
MECHANIC'S SIGNATURE

BUS #: 5122

DATE: 05-23-19

PM TYPE OR WORK ORDER #:

[illegible]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 243219 Mileage out: 243220



Date: 05-25-19 Vehicle #: 5122

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel, gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B **C** DDate: 05-23-19 Vehicle #: 0122Mileage in: 243219Mileage out: 243220

P	F	Item Inspected
2		30) Front brake condition and mounting
3		31) Front brake lining condition & measurement
3		Pads R/F: <u>9</u> /32" L/F: <u>9</u> /32"
3		32) Rear brake condition and mounting
3		33) Rear brake lining condition & measurement
3		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
3		Shoes R/R: /32" L/R: /32"
3		34) Tire and wheel condition and measurements
3		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
3		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
3		R/O: <u>7</u> /32" L/O: <u>7</u> /32"
3		35) Lug nuts condition
3		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
3		Wheel torque specs used: <u>110</u> ft. lbs.
3		G) Lift inspection
3		1) Lift operation (fully stowed to fully deployed)
3		2) Lift control pendant condition and operation
3		3) Lift restraint belt condition and operation
3		4) Outer roll stop condition and operation
3		5) Inner roll stop condition and operation
3		6) Platform adjustments, condition and mounting
3		7) Standee arm condition and operation
3		8) Proper signage and decals
3		9) Manual backup pump condition and operation
3		10) Lift manual pump handle
3		11) Hydraulic pump condition and operation
3		12) Hydraulic lines and cylinders condition
3		13) Hydraulic fluid level and condition
3		14) Base plate and arms welds & pivot points
3		15) Lift springs and pins condition and operation
3		16) Lift safety switches and adjustments
3		17) Hose and wire routing and connections
3		18) Rollers and pivot point condition & operation
3		19) Lift to vehicle mounting bolts and brackets
3		20) Lift doors condition and operation
3		21) Lift door lights condition and operation
3		22) Lift interlock operation and condition
3		(lift door open, e-brake down not able to shift)
3		(e-brake off lift door closed no lift power)
3		23) W/C tie downs condition and operation
3		24) Tie down container secure and clean
3		25) Tie down floor mounting brackets secure
3		26) W/C shoulder belt condition and operation
3		27) Lift clean and no sharp edges
3		28) Lift shields secure and in good shape
3		29) Lift moves steady without drifting, jerking, or unusual speeds
3		30) No unusual lift noises
3		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
3		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>JT</u>
A,B,C,D	Lube chassis and suspension	<u>JT</u>
A,B,C,D	Lube drive shafts and universal joints	<u>JT</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>JT</u>
A,B,C,D	Adjust service and parking brakes	<u>JT</u>
A,B,C,D	Drain water from separator	<u>JT</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>JT</u>
B,C,D	Change air filter	<u>JT</u>
B,C,D	Change fuel filter	<u>JT</u>
B,C,D	Clean or change PCV valve	<u>JT</u>
B,C,D	Clean or change crank case filter	<u>JT</u>
B,C,D	Install new wiper blades	<u>JT</u>
C,D	Change transmission fluid and filter	<u>JT</u>
C,D	Service front wheel bearings	<u>JT</u>
C,D	Drain water from fuel tank	<u>JT</u>
D	Replace accessory drive belts	<u>JT</u>
D	Service and flush cooling system	<u>JT</u>
D	Install new spark plugs & wires	<u>JT</u>
D	Install new dist. cap & rotor	<u>JT</u>
D	Change differential fluid	<u>JT</u>
D	Check Exhaust and EGR system	<u>JT</u>
D	Check and service fuel & evap. System	<u>JT</u>
D	Evac and recharge A/C (add 1 oz. of oil)	<u>JT</u>
A,B,C,D	Post service test drive (5 miles)	<u>JT</u>
Initial or "N/A" each service performed per PM type		


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 05-23-19
Technician's Signature Date

A. Jemal 6/3/19
Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 522 Repair Reason: 522

Date and Time in :

Mileage in: 200 gk

Date: 9/29/20 Work Class:

Mileage in: 300.48
Mileage out: 300.96

Complaints/Defects:

pmc

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation Inc. sources.

Employee #: 849102 Technician:

Signature



ASE Employee #: 604182-ASE Technician:

ASE Signature:

BUS # : 5122 DATE : 9/29/20		PM TYPE OR WORK ORDER # : 2	MECHANIC'S SIGNATURE 
DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED	

Food have a dent

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 5122 Mileage out: 300096



Date: 9/29/00 Vehicle #: 5122

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Vehicle #: 5122

Mileage in: 300095 Mileage out: 300096

Circle Service Type: A B C D

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7/32" L/F: 7/32"
		32) Rear brake condition and mounting
		Pads R/R: 3/32" L/R: 5/32"
		Shoes R/R: 1/32" L/R: 1/32"
		34) Tire and wheel condition and measurements
		R/F: 8/32" L/F: 8/32"
		R/R: 7/32" L/R: 8/32"
		R/O: 2/32" L/R: 8/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 65
		Wheel torque specs used: 45 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: 9/29/00

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: D Date and Time in: 16:01 Mileage in: 214248
Date: 11/20/18 Work Class: T Date and Time Finished: 23:42 Mileage out: 214248

Complaints/Defects: _____ Notes/Measurements: _____

PMID _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	58	PMID		D	55	3M20	onfire oil	6.5	
				D	55	FE 3681	oil filter	1	
				D	55	VF 25580	air filter	1	
				D	55	WW 2001A	wiper blade	2	
				D	55	metcon 1v	trans fluid	10	
				D	55	ET 180	trans filter	1	
				D	55	SP 524	spark plug	2	
				D	55	80X 40	diff/drain pan	4	
04	55	brake inspection		D	55	AC 22 9439 A	intake gasket	1	
				D	55	KO 61360	drive belt	1	
						AC 22 9439 B	intake gasket	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84894 Technician: Travis Ferrier Signature: [Signature]
ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]

[illegible]



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 11/20/18 Vehicle #: 5122Mileage in: 214749 Mileage out: 214750

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: <u>12.9</u> load volts: load amps:
F		Batt 2 volts: <u>12.8</u> load volts: load amps:
F		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: 21494 Mileage out: 214750



Date: 11/30/12 Vehicle #: 5102

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		R/R: <u>4</u> /32" L/R: <u>6</u> /32"
		R/R: <u>3</u> /32" L/R: <u>6</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65</u> RR. <u>30</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Techns Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HIA
A,B,C,D	Lube doors and hood, locks and hinges	HIA
A,B,C,D	Adjust service and parking brakes	HIA
A,B,C,D	Drain water from separator	HIA
A,B,C,D	Rotate tires (as necessary, caps on rear)	HIA
B,C,D	Change air filter	F
B,C,D	Change fuel filter	HIA
B,C,D	Clean or change PCV valve	HIA
B,C,D	Clean or change crank case filter	HIA
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	HIA
D	Replace accessory drive belts	HIA
D	Service and flush cooling system	HIA
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	HIA
D	Change differential fluid	HIA
D	Check Exhaust and EGR system	HIA
D	Check and service fuel & evap. System	HIA
D	Evac and recharge A/C (add 1 oz. of oil)	HIA
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5122 Repair Reason: D Date and Time in: _____
Date: 12/7/19 Work Class: T Date and Time Finished: _____
Mileage in: 27228
Mileage out: 27299

Complaints/Defects: PMI D

Notes/Measurements: _____

Labor Information

Task	WAC	Repair Description/Comments	Hours
		<u>D 55 PMI D</u>	
		<u>04 58 Brake Inspection</u>	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
<u>SS</u>	<u>SS</u>	<u>VV1700</u>	<u>Engine Oil</u>	<u>6.5</u>	
<u>SS</u>	<u>SS</u>	<u>LF3681</u>	<u>Oil Filter</u>	<u>1</u>	
<u>SS</u>	<u>SS</u>	<u>Mercon LV</u>	<u>Trans Fluid</u>	<u>10</u>	
<u>SS</u>	<u>SS</u>	<u>FT180</u>	<u>Trans Filter</u>	<u>1</u>	
<u>SS</u>	<u>SS</u>	<u>BRSD129</u>	<u>Brake Pads</u>	<u>1</u>	
<u>SS</u>	<u>SS</u>	<u>AF35590</u>	<u>Air Filter</u>	<u>1</u>	
<u>SS</u>	<u>SS</u>	<u>SP521</u>	<u>Spark Plugs</u>	<u>8</u>	
<u>SS</u>	<u>SS</u>	<u>KAC360</u>	<u>Serpentine Belt</u>	<u>1</u>	
<u>SS</u>	<u>SS</u>	<u>LT225/75R16</u>	<u>Tires</u>	<u>2</u>	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: De Ball

Signature [Signature]

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



BUS #: 5122

DATE:

12/17/19

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Rear bumper misaligned
did adjustment to the rear
bumper

Joe

Driver seat need replacing

Differential drain plug cannot
be removed due to over tighten

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage In: **272298** Mileage Out: **272299**



Date: **12/17/19** Vehicle #: **5122**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		4) Accessory drive belts condition
		5) Pulleys and tensioned operation & condition
		6) Brake master cylinder and power booster
		7) Fan and fan clutch operation and condition
		8) Engine oil fluid level and condition
		9) Transmission oil level and condition
		10) Power steering fluid level and condition
		11) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 12/17/19 Vehicle #: 5122 Mileage in: 272298 Mileage out: 272299

Circle Service Type: A B C D

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>3</u> /32" L/R: <u>3</u> /32"
		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		R/O: <u>10</u> /32" L/O: <u>10</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
C,D	Replace accessory drive belts	
C,D	Service and flush cooling system	
C,D	Install new spark plugs & wires	
C,D	Install new dist. cap & rotor	
C,D	Change differential fluid	
C,D	Check Exhaust and EGR system	
C,D	Check and service fuel & evap. System	
C,D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361307

5477/000001092/000000006



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice?

On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect?

If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do?

If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take?

The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do?

Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361307

5479/000001092/000000006



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Serie es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente



BOCC OF PALM BEACH
301 N OLIVE AVE
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA02975	2015 E-350 Econoline	5128 scheduled for retirement
2	1FDEE3FLXFDA00711	2015 E-350 Econoline	5119 scheduled for retirement
3	1FDEE3FLXFDA07108	2015 E-350 Econoline	5145 RETIRED
4	1FDEE3FLXFDA07111	2015 E-350 Econoline	5148 RETIRED
5	1FDEE3FL0FDA00703	2015 E-350 Econoline	5111 scheduled for retirement
6	1FDEE3FL0FDA02984	2015 E-350 Econoline	5137 scheduled for retirement
7	1FDEE3FL1FDA00693	2015 E-350 Econoline	5101
8	1FDEE3FL1FDA07109	2015 E-350 Econoline	5146
9	1FDEE3FL1FDA07112	2015 E-350 Econoline	5149 Retired
10	1FDEE3FL2FDA02985	2015 E-350 Econoline	5138
11	1FDEE3FL2FDA00704	2015 E-350 Econoline	5112 scheduled for retirement
12	1FDEE3FL2FDA02971	2015 E-350 Econoline	5124 Retired
13	1FDEE3FL2FDA07104	2015 E-350 Econoline	5141 scheduled for retirement
14	1FDEE3FL3FDA07113	2015 E-350 Econoline	5150 scheduled for retirement
15	1FDEE3FL4FDA02972	2015 E-350 Econoline	5125 scheduled for retirement
16	1FDEE3FL4FDA02969	2015 E-350 Econoline	5122 scheduled for retirement
17	1FDEE3FL4FDA07105	2015 E-350 Econoline	5142 scheduled for retirement
18	1FDEE3FL5FDA00700	2015 E-350 Econoline	5108
19	1FDEE3FL5FDA02978	2015 E-350 Econoline	5131
20	1FDEE3FL5FDA02981	2015 E-350 Econoline	5134 scheduled for retirement
21	1FDEE3FL5FDA07114	2015 E-350 Econoline	5151 Retired
22	1FDEE3FL6FDA00706	2015 E-350 Econoline	5114
23	1FDEE3FL6FDA02973	2015 E-350 Econoline	5126
24	1FDEE3FL6FDA07106	2015 E-350 Econoline	5143 scheduled for retirement
25	1FDEE3FL7FDA02979	2015 E-350 Econoline	5132
26	1FDEE3FL7FDA02982	2015 E-350 Econoline	5135 retired
27	1FDEE3FL7FDA00701	2015 E-350 Econoline	5109
28	1FDEE3FL7FDA07115	2015 E-350 Econoline	5152 retired
29	1FDEE3FL8FDA00707	2015 E-350 Econoline	5115
30	1FDEE3FL8FDA02974	2015 E-350 Econoline	5127 retired
31	1FDEE3FL8FDA07107	2015 E-350 Econoline	5144
32	1FDEE3FL9FDA00697	2015 E-350 Econoline	5105
33	1FDEE3FL9FDA00702	2015 E-350 Econoline	5110
34	1FDEE3FL9FDA07102	2015 E-350 Econoline	5139 scheduled for retirement

8 retired
13 scheduled

