


5910 N Central Expy Way Suite 145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

## Basic Information

Date and Time in : 17:07

17:07  
18:30

Mileage in: 184745

Mileage out: 184962

## Complaints/Defects

PPT ④

## Notes/Measurements:

## Labor Information

| Labor Information   |     |                             |       |  | Parts Information |     |             |             |     |      |
|---------------------|-----|-----------------------------|-------|--|-------------------|-----|-------------|-------------|-----|------|
| Task                | WAC | Repair Description/Comments | Hours |  | Task              | WAC | Part Number | Description | Qty | Cost |
| A 58                |     | pm 2                        | 1     |  | A 55              |     | 5230        | Oil Filter  | 1   | 6.5  |
|                     |     |                             |       |  | A 55              |     | 368         | Oil Filter  | 1   |      |
|                     |     |                             |       |  | 07                |     | 413         | Speed Pump  | 1   |      |
| Total Hours Worked: |     |                             |       |  | Total Parts Cost: |     |             |             |     |      |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shaan Maharaj

Signature: [Signature]

Total Parts Cost: [Blank]

ASE Employee #: 60417 ASE Technician: \_\_\_\_\_

ASE Signature:



# PM DEFECT SHEET



|                                                                                                               |  |                                     |
|---------------------------------------------------------------------------------------------------------------|--|-------------------------------------|
| MECHANIC'S SIGNATURE<br> |  | BUS #:<br>5112-94                   |
| DATE: 06/25/18                                                                                                |  | PM TYPE OR WORK ORDER #:<br>5112-94 |

|                   |              |                              |
|-------------------|--------------|------------------------------|
| DATE<br>COMPLETED | COMPLETED BY | DESCRIPTION OF REPAIR NEEDED |
|-------------------|--------------|------------------------------|

|                                                                                           |                         |
|-------------------------------------------------------------------------------------------|-------------------------|
| ④ Rear left door handle<br>does not work. Check for all ok<br>at this time                | 06/25/18<br>[Signature] |
| ③ Head lamp & side mirror<br>not working. Check & replace<br>head lamp bulb & side mirror | 06/25/18<br>[Signature] |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 06/25/18 Vehicle #: 5112-94 Mileage in: 184740 Mileage out: 184742

| P                                   | F | Item Inspected                                     |
|-------------------------------------|---|----------------------------------------------------|
| <input checked="" type="checkbox"/> |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| <input checked="" type="checkbox"/> |   | 1) Driver carpet                                   |
| <input checked="" type="checkbox"/> |   | 2) Driver seat condition and operation             |
| <input checked="" type="checkbox"/> |   | 3) Drivers door operation and condition            |
| <input checked="" type="checkbox"/> |   | 4) Drivers seat belt operation and condition       |
| <input checked="" type="checkbox"/> |   | 5) Engine starting and ignition system             |
| <input checked="" type="checkbox"/> |   | 6) Instrument panel gauges & warning lights        |
| <input checked="" type="checkbox"/> |   | 7) Instrument panel lighting & condition           |
| <input checked="" type="checkbox"/> |   | 8) Horn operation                                  |
| <input checked="" type="checkbox"/> |   | 9) Steering wheel tight, no excessive play         |
| <input checked="" type="checkbox"/> |   | 10) Windshield wipers                              |
| <input checked="" type="checkbox"/> |   | 11) Windshield washer                              |
| <input checked="" type="checkbox"/> |   | 12) Sun visor condition and operation              |
| <input checked="" type="checkbox"/> |   | 13) Parking brake operation & condition            |
| <input checked="" type="checkbox"/> |   | 14) Parking and service brake pedal pads           |
| <input checked="" type="checkbox"/> |   | 15) Passenger door operation                       |
| <input checked="" type="checkbox"/> |   | 16) No vibrations, pulsations or noises            |
| <input checked="" type="checkbox"/> |   | <b>B) Walk around inspection</b>                   |
| <input checked="" type="checkbox"/> |   | 1) Body damage (list on separate sheet)            |
| <input checked="" type="checkbox"/> |   | 2) Headlights, high & low beam operation           |
| <input checked="" type="checkbox"/> |   | 3) Parking lights operation & condition            |
| <input checked="" type="checkbox"/> |   | 4) Marker lights operation & condition             |
| <input checked="" type="checkbox"/> |   | 5) Directional signals operation & condition       |
| <input checked="" type="checkbox"/> |   | 6) Hazard lights operation & condition             |
| <input checked="" type="checkbox"/> |   | 7) Clearance lights operation and condition        |
| <input checked="" type="checkbox"/> |   | 8) Brake lights operation & condition              |
| <input checked="" type="checkbox"/> |   | 9) License plate lamp operation & condition        |
| <input checked="" type="checkbox"/> |   | 10) License plates and tags                        |
| <input checked="" type="checkbox"/> |   | 11) Backup lights and alarms                       |
| <input checked="" type="checkbox"/> |   | 12) Reflectors and reflective bumper tape          |
| <input checked="" type="checkbox"/> |   | 13) Exterior decals and signage                    |
| <input checked="" type="checkbox"/> |   | 14) Bumpers secure / in good condition             |
| <input checked="" type="checkbox"/> |   | 15) Exterior mirrors secure / in good condition    |
| <input checked="" type="checkbox"/> |   | 16) Exterior clean                                 |
| <input checked="" type="checkbox"/> |   | <b>C) Interior inspection</b>                      |
| <input checked="" type="checkbox"/> |   | 1) Passenger door and steps condition              |
| <input checked="" type="checkbox"/> |   | 2) Handrails and stanchions condition              |
| <input checked="" type="checkbox"/> |   | 3) Interior and modesty panels condition           |
| <input checked="" type="checkbox"/> |   | 4) Flooring condition                              |
| <input checked="" type="checkbox"/> |   | 5) Interior lighting operation and condition       |
| <input checked="" type="checkbox"/> |   | 6) Windows operation and condition                 |
| <input checked="" type="checkbox"/> |   | 7) Emergency Exits operation & condition           |
| <input checked="" type="checkbox"/> |   | 8) Accessory operation & condition (radio, GPS)    |
| <input checked="" type="checkbox"/> |   | 9) Passenger seats operation & condition           |
| <input checked="" type="checkbox"/> |   | 10) Passenger seat belts operation & condition     |
| <input checked="" type="checkbox"/> |   | 11) First aid & body fluid kits complete           |
| <input checked="" type="checkbox"/> |   | 12) Triangle reflectors complete/good condition    |
| <input checked="" type="checkbox"/> |   | 13) Stop request operation & condition             |
| <input checked="" type="checkbox"/> |   | 14) Valid registration, insurance & accident pack  |
| <input checked="" type="checkbox"/> |   | 15) Fire extinguisher in good condition & signed   |
| <input checked="" type="checkbox"/> |   | 16) Interior decals and signage (incl. electrical) |
| <input checked="" type="checkbox"/> |   | 17) DVI's reviewed, addressed and signed off       |
| <input checked="" type="checkbox"/> |   | 18) Interior clean                                 |
| <input checked="" type="checkbox"/> |   | <b>D) HVAC system inspection</b>                   |
| <input checked="" type="checkbox"/> |   | 1) Front blower condition and operation            |

| P                                   | F | Item Inspected                                         |
|-------------------------------------|---|--------------------------------------------------------|
| <input checked="" type="checkbox"/> |   | 2) Rear blower condition and operation                 |
| <input checked="" type="checkbox"/> |   | 3) Defroster operation                                 |
| <input checked="" type="checkbox"/> |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| <input checked="" type="checkbox"/> |   | 5) Evaporator intake air filter condition              |
| <input checked="" type="checkbox"/> |   | 6) Front heater condition and operation                |
| <input checked="" type="checkbox"/> |   | 7) Rear heater condition and operation                 |
| <input checked="" type="checkbox"/> |   | 8) A/C compressors and condenser fans                  |
| <input checked="" type="checkbox"/> |   | <b>E) Under hood inspection</b>                        |
| <input checked="" type="checkbox"/> |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
| <input checked="" type="checkbox"/> |   | Batt 1 volts: load volts: load amps:                   |
| <input checked="" type="checkbox"/> |   | Batt 2 volts: load volts: load amps:                   |
| <input checked="" type="checkbox"/> |   | Batt 3 volts: load volts: load amps:                   |
| <input checked="" type="checkbox"/> |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
| <input checked="" type="checkbox"/> |   | Alt. 1 min volt: max volt: max amp:                    |
| <input checked="" type="checkbox"/> |   | Alt. 2 min volt: max volt: max amp:                    |
| <input checked="" type="checkbox"/> |   | (reference factory service manual for alternator spec) |
| <input checked="" type="checkbox"/> |   | 2) Wire and hose routing and connections               |
| <input checked="" type="checkbox"/> |   | 3) Cooling system, hoses, water pump condition         |
| <input checked="" type="checkbox"/> |   | 5) Accessory drive belts condition                     |
| <input checked="" type="checkbox"/> |   | 6) Pulleys and tensioned operation & condition         |
| <input checked="" type="checkbox"/> |   | 7) Brake master cylinder and power booster             |
| <input checked="" type="checkbox"/> |   | 8) Fan and fan clutch operation and condition          |
| <input checked="" type="checkbox"/> |   | 9) Engine oil fluid level and condition                |
| <input checked="" type="checkbox"/> |   | 10) Transmission oil level and condition               |
| <input checked="" type="checkbox"/> |   | 11) Power steering fluid level and condition           |
| <input checked="" type="checkbox"/> |   | 12) Brake fluid level and condition                    |
| <input checked="" type="checkbox"/> |   | <b>F) Vehicle rack inspection</b>                      |
| <input checked="" type="checkbox"/> |   | 1) Steering gear box mount, condition & leaks          |
| <input checked="" type="checkbox"/> |   | 2) Steering shaft U joints                             |
| <input checked="" type="checkbox"/> |   | 3) Steering shaft bearings                             |
| <input checked="" type="checkbox"/> |   | 4) Steering linkages                                   |
| <input checked="" type="checkbox"/> |   | 5) I beam or control arm movements and rivets          |
| <input checked="" type="checkbox"/> |   | 6) Radius arm condition and bushings condition         |
| <input checked="" type="checkbox"/> |   | 7) Stabilizer bar condition and bushings condition     |
| <input checked="" type="checkbox"/> |   | 8) Ball joints or kingpins                             |
| <input checked="" type="checkbox"/> |   | 9) Front spring condition and mounting                 |
| <input checked="" type="checkbox"/> |   | 10) Front shock absorber operation & condition         |
| <input checked="" type="checkbox"/> |   | 11) Trans oil cooler & lines routing and leaks         |
| <input checked="" type="checkbox"/> |   | 12) Engine oil cooler & lines routing and leaks        |
| <input checked="" type="checkbox"/> |   | 13) Heater and A/C hose routing and leaks              |
| <input checked="" type="checkbox"/> |   | 14) No engine oil leaks and fluid condition            |
| <input checked="" type="checkbox"/> |   | 15) Engine mounts, brackets and bolts                  |
| <input checked="" type="checkbox"/> |   | 16) Transmission mounts, brackets and bolts            |
| <input checked="" type="checkbox"/> |   | 17) No transmission oil leaks and fluid condition      |
| <input checked="" type="checkbox"/> |   | 18) Drive shaft condition                              |
| <input checked="" type="checkbox"/> |   | 19) Universal joints and carrier bearings condition    |
| <input checked="" type="checkbox"/> |   | 20) No rear differential leaks                         |
| <input checked="" type="checkbox"/> |   | 21) Rear differential condition and mounting           |
| <input checked="" type="checkbox"/> |   | 22) Frame and cross members                            |
| <input checked="" type="checkbox"/> |   | 23) Rear shock absorbers                               |
| <input checked="" type="checkbox"/> |   | 24) Rear springs condition and mounting                |
| <input checked="" type="checkbox"/> |   | 25) No fuel leaks                                      |
| <input checked="" type="checkbox"/> |   | 26) Fuel tank condition and mounting                   |
| <input checked="" type="checkbox"/> |   | 27) No exhaust leaks                                   |
| <input checked="" type="checkbox"/> |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **184740** Mileage Out: **184742**



Date: **06/25/18**

| P | F | Item Inspected                                                                           |
|---|---|------------------------------------------------------------------------------------------|
|   |   | 30 Front brake condition and mounting                                                    |
|   |   | 31 Front brake lining condition & measurement                                            |
|   |   | Pads R/F: <b>9</b> /32" L/F: <b>9</b> /32"                                               |
|   |   | 32 Rear brake condition and mounting                                                     |
|   |   | 33 Rear brake lining condition & measurement                                             |
|   |   | Pads R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                             |
|   |   | Shoes R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                            |
|   |   | 34 Tire and wheel condition and measurements                                             |
|   |   | R/F: <b>8</b> /32" L/F: <b>8</b> /32"                                                    |
|   |   | R/R: <b>7</b> /32" L/R: <b>5</b> /32"                                                    |
|   |   | R/RO: <b>7</b> /32" L/RO: <b>5</b> /32"                                                  |
|   |   | 35 Lug nuts condition                                                                    |
|   |   | Air pressure adjustment FR. <b>70RR. 70</b>                                              |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.                                             |
|   |   | <b>G) Lift inspection</b>                                                                |
|   |   | 1 Lift operation (fully stowed to fully deployed)                                        |
|   |   | 2 Lift control pendant condition and operation                                           |
|   |   | 3 Lift restraint belt condition and operation                                            |
|   |   | 4 Outer roll stop condition and operation                                                |
|   |   | 5 Inner roll stop condition and operation                                                |
|   |   | 6 Platform adjustments, condition and mounting                                           |
|   |   | 7 Standee arm condition and operation                                                    |
|   |   | 8 Proper signage and decals                                                              |
|   |   | 9 Manual backup pump condition and operation                                             |
|   |   | 10 Lift manual pump handle                                                               |
|   |   | 11 Hydraulic pump condition and operation                                                |
|   |   | 12 Hydraulic lines and cylinders condition                                               |
|   |   | 13 Hydraulic fluid level and condition                                                   |
|   |   | 14 Base plate and arms welds & pivot points                                              |
|   |   | 15 Lift springs and pins condition and operation                                         |
|   |   | 16 Lift safety switches and adjustments                                                  |
|   |   | 17 Hose and wire routing and connections                                                 |
|   |   | 18 Rollers and pivot point condition & operation                                         |
|   |   | 19 Lift to vehicle mounting bolts and brackets                                           |
|   |   | 20 Lift doors condition and operation                                                    |
|   |   | 21 Lift door lights condition and operation                                              |
|   |   | 22 Lift interlock operation and condition                                                |
|   |   | (Lift door open, e-brake down not able to shift)                                         |
|   |   | (e-brake off lift door closed no lift power)                                             |
|   |   | 23 W/C the downs condition and operation                                                 |
|   |   | 24 Tie down container secure and clean                                                   |
|   |   | 25 Tie down floor mounting brackets secure                                               |
|   |   | 26 W/C shoulder belt condition and operation                                             |
|   |   | 27 Lift clean and no sharp edges                                                         |
|   |   | 28 Lift shields secure and in good shape                                                 |
|   |   | 29 Lift moves steady without drifting, jerking, or unusual speeds                        |
|   |   | 30 No unusual lift noises                                                                |
|   |   | Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                         |

Notes:

Supervisor Signature

Technicians Signature

Date

Date

| Service Performed                         | Service Type | Initial or "N/A" each service performed per PM type |
|-------------------------------------------|--------------|-----------------------------------------------------|
| Change oil and filter                     | A,B,C,D      |                                                     |
| Lube chassis and suspension               | A,B,C,D      |                                                     |
| Lube drive shafts and universal joints    | A,B,C,D      |                                                     |
| Lube doors and hood, locks and hinges     | A,B,C,D      |                                                     |
| Adjust service and parking brakes         | A,B,C,D      |                                                     |
| Drain water from separator                | A,B,C,D      |                                                     |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      |                                                     |
| Change air filter                         | B,C,D        |                                                     |
| Change fuel filter                        | B,C,D        |                                                     |
| Change or change PCV valve                | B,C,D        |                                                     |
| Clean or change crank case filter         | B,C,D        |                                                     |
| Install new wiper blades                  | B,C,D        |                                                     |
| Change transmission fluid and filter      | C,D          |                                                     |
| Service front wheel bearings              | C,D          |                                                     |
| Drain water from fuel tank                | C,D          |                                                     |
| Replace accessory drive belts             | D            |                                                     |
| Service and flush cooling system          | D            |                                                     |
| Install new spark plugs & wires           | D            |                                                     |
| Install new dist. cap & rotor             | D            |                                                     |
| Change differential fluid                 | D            |                                                     |
| Check Exhaust and EGR system              | D            |                                                     |
| Check and service fuel & evap. System     | D            |                                                     |
| Evac and recharge A/C (add 1 oz. of oil)  | D            |                                                     |
| Post service test drive (5 miles)         | A,B,C,D      |                                                     |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Dallas, TX 75206



West Palm Beach, FL 33407

Mileage in: 189617  
Mileage out: 189619

**Notes/Measurements:**

PMH

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 00808560 Technician: JASON GRIFFIN Signature: Jason Griffin

Signature Soren Joly


ASE Signature:

Heaven





# PM DEFECT SHEET



MECHANIC'S SIGNATURE

*[Signature]*

BUS #:

5112

DATE:

08-02-18

PM TYPE OR WORK ORDER #:

PMTA

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE

COMPLETED

Scuff marks on rear bumper  
Scuff marks on passenger side and driver's side mirror

Noted

Noted





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 08-02-18 Vehicle #: 5112

Mileage in: 189617 Mileage out: 189619

| P                                   | F | Item Inspected                                     |
|-------------------------------------|---|----------------------------------------------------|
| <input checked="" type="checkbox"/> |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| <input checked="" type="checkbox"/> |   | 1) Driver carpet                                   |
| <input checked="" type="checkbox"/> |   | 2) Driver seat condition and operation             |
| <input checked="" type="checkbox"/> |   | 3) Drivers door operation and condition            |
| <input checked="" type="checkbox"/> |   | 4) Drivers seat belt operation and condition       |
| <input checked="" type="checkbox"/> |   | 5) Engine starting and ignition system             |
| <input checked="" type="checkbox"/> |   | 6) Instrument panel gauges & warning lights        |
| <input checked="" type="checkbox"/> |   | 7) Instrument panel lighting & condition           |
| <input checked="" type="checkbox"/> |   | 8) Horn operation                                  |
| <input checked="" type="checkbox"/> |   | 9) Steering wheel tight, no excessive play         |
| <input checked="" type="checkbox"/> |   | 10) Windshield wipers                              |
| <input checked="" type="checkbox"/> |   | 11) Windshield washer                              |
| <input checked="" type="checkbox"/> |   | 12) Sun visor condition and operation              |
| <input checked="" type="checkbox"/> |   | 13) Parking brake operation & condition            |
| <input checked="" type="checkbox"/> |   | 14) Parking and service brake pedal pads           |
| <input checked="" type="checkbox"/> |   | 15) Passenger door operation                       |
| <input checked="" type="checkbox"/> |   | 16) No vibrations, pulsations or noises            |
| <input checked="" type="checkbox"/> |   | <b>B) Walk around inspection</b>                   |
| <input checked="" type="checkbox"/> |   | 1) Body damage (list on separate sheet)            |
| <input checked="" type="checkbox"/> |   | 2) Headlights, high & low beam operation           |
| <input checked="" type="checkbox"/> |   | 3) Parking lights operation & condition            |
| <input checked="" type="checkbox"/> |   | 4) Marker lights operation & condition             |
| <input checked="" type="checkbox"/> |   | 5) Directional signals operation & condition       |
| <input checked="" type="checkbox"/> |   | 6) Hazard lights operation & condition             |
| <input checked="" type="checkbox"/> |   | 7) Clearance lights operation and condition        |
| <input checked="" type="checkbox"/> |   | 8) Brake lights operation & condition              |
| <input checked="" type="checkbox"/> |   | 9) License plate lamp operation & condition        |
| <input checked="" type="checkbox"/> |   | 10) License plates and tags                        |
| <input checked="" type="checkbox"/> |   | 11) Backup lights and alarms                       |
| <input checked="" type="checkbox"/> |   | 12) Reflectors and reflective bumper tape          |
| <input checked="" type="checkbox"/> |   | 13) Exterior decals and signage                    |
| <input checked="" type="checkbox"/> |   | 14) Bumpers secure / in good condition             |
| <input checked="" type="checkbox"/> |   | 15) Exterior mirrors secure / in good condition    |
| <input checked="" type="checkbox"/> |   | 16) Exterior clean                                 |
| <input checked="" type="checkbox"/> |   | <b>C) Interior inspection</b>                      |
| <input checked="" type="checkbox"/> |   | 1) Passenger door and steps condition              |
| <input checked="" type="checkbox"/> |   | 2) Handrails and stanchions condition              |
| <input checked="" type="checkbox"/> |   | 3) Interior and modesty panels condition           |
| <input checked="" type="checkbox"/> |   | 4) Flooring condition                              |
| <input checked="" type="checkbox"/> |   | 5) Interior lighting operation and condition       |
| <input checked="" type="checkbox"/> |   | 6) Windows operation and condition                 |
| <input checked="" type="checkbox"/> |   | 7) Emergency Exits operation & condition           |
| <input checked="" type="checkbox"/> |   | 8) Accessory operation & condition (radio, GPS)    |
| <input checked="" type="checkbox"/> |   | 9) Passenger seats operation & condition           |
| <input checked="" type="checkbox"/> |   | 10) Passenger seat belts operation & condition     |
| <input checked="" type="checkbox"/> |   | 11) First aid & body fluid kits complete           |
| <input checked="" type="checkbox"/> |   | 12) Triangle reflectors complete/good condition    |
| <input checked="" type="checkbox"/> |   | 13) Stop request operation & condition             |
| <input checked="" type="checkbox"/> |   | 14) Valid registration, insurance & accident pack  |
| <input checked="" type="checkbox"/> |   | 15) Fire extinguisher in good condition & signed   |
| <input checked="" type="checkbox"/> |   | 16) Interior decals and signage (incl. electrical) |
| <input checked="" type="checkbox"/> |   | 17) DVI's reviewed, addressed and signed off       |
| <input checked="" type="checkbox"/> |   | 18) Interior clean                                 |
| <input checked="" type="checkbox"/> |   | <b>D) HVAC system inspection</b>                   |
| <input checked="" type="checkbox"/> |   | 1) Front blower condition and operation            |

| P                                   | F | Item Inspected                                         |
|-------------------------------------|---|--------------------------------------------------------|
| <input checked="" type="checkbox"/> |   | 2) Rear blower condition and operation                 |
| <input checked="" type="checkbox"/> |   | 3) Defroster operation                                 |
| <input checked="" type="checkbox"/> |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| <input checked="" type="checkbox"/> |   | 5) Evaporator intake air filter condition              |
| <input checked="" type="checkbox"/> |   | 6) Front heater condition and operation                |
| <input checked="" type="checkbox"/> |   | 7) Rear heater condition and operation                 |
| <input checked="" type="checkbox"/> |   | 8) A/C compressors and condenser fans                  |
| <input checked="" type="checkbox"/> |   | <b>E) Under hood inspection</b>                        |
| <input checked="" type="checkbox"/> |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|                                     |   | Batt 1 volts:      load volts:      load amps:         |
|                                     |   | Batt 2 volts:      load volts:      load amps:         |
|                                     |   | Batt 3 volts:      load volts:      load amps:         |
|                                     |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|                                     |   | Alt. 1 min volt:      max volt:      max amp:          |
|                                     |   | Alt. 2 min volt:      max volt:      max amp:          |
| <input checked="" type="checkbox"/> |   | (reference factory service manual for alternator spec) |
| <input checked="" type="checkbox"/> |   | 2) Wire and hose routing and connections               |
| <input checked="" type="checkbox"/> |   | 3) Cooling system, hoses, water pump condition         |
| <input checked="" type="checkbox"/> |   | 5) Accessory drive belts condition                     |
| <input checked="" type="checkbox"/> |   | 6) Pulleys and tensioned operation & condition         |
| <input checked="" type="checkbox"/> |   | 7) Brake master cylinder and power booster             |
| <input checked="" type="checkbox"/> |   | 8) Fan and fan clutch operation and condition          |
| <input checked="" type="checkbox"/> |   | 9) Engine oil fluid level and condition                |
| <input checked="" type="checkbox"/> |   | 10) Transmission oil level and condition               |
| <input checked="" type="checkbox"/> |   | 11) Power steering fluid level and condition           |
| <input checked="" type="checkbox"/> |   | 12) Brake fluid level and condition                    |
| <input checked="" type="checkbox"/> |   | <b>F) Vehicle rack inspection</b>                      |
| <input checked="" type="checkbox"/> |   | 1) Steering gear box mount, condition & leaks          |
| <input checked="" type="checkbox"/> |   | 2) Steering shaft U joints                             |
| <input checked="" type="checkbox"/> |   | 3) Steering shaft bearings                             |
| <input checked="" type="checkbox"/> |   | 4) Steering linkages                                   |
| <input checked="" type="checkbox"/> |   | 5) I beam or control arm movements and rivets          |
| <input checked="" type="checkbox"/> |   | 6) Radius arm condition and bushings condition         |
| <input checked="" type="checkbox"/> |   | 7) Stabilizer bar condition and bushings condition     |
| <input checked="" type="checkbox"/> |   | 8) Ball joints or kingpins                             |
| <input checked="" type="checkbox"/> |   | 9) Front spring condition and mounting                 |
| <input checked="" type="checkbox"/> |   | 10) Front shock absorber operation & condition         |
| <input checked="" type="checkbox"/> |   | 11) Trans oil cooler & lines routing and leaks         |
| <input checked="" type="checkbox"/> |   | 12) Engine oil cooler & lines routing and leaks        |
| <input checked="" type="checkbox"/> |   | 13) Heater and A/C hose routing and leaks              |
| <input checked="" type="checkbox"/> |   | 14) No engine oil leaks and fluid condition            |
| <input checked="" type="checkbox"/> |   | 15) Engine mounts, brackets and bolts                  |
| <input checked="" type="checkbox"/> |   | 16) Transmission mounts, brackets and bolts            |
| <input checked="" type="checkbox"/> |   | 17) No transmission oil leaks and fluid condition      |
| <input checked="" type="checkbox"/> |   | 18) Drive shaft condition                              |
| <input checked="" type="checkbox"/> |   | 19) Universal joints and carrier bearings condition    |
| <input checked="" type="checkbox"/> |   | 20) No rear differential leaks                         |
| <input checked="" type="checkbox"/> |   | 21) Rear differential condition and mounting           |
| <input checked="" type="checkbox"/> |   | 22) Frame and cross members                            |
| <input checked="" type="checkbox"/> |   | 23) Rear shock absorbers                               |
| <input checked="" type="checkbox"/> |   | 24) Rear springs condition and mounting                |
| <input checked="" type="checkbox"/> |   | 25) No fuel leaks                                      |
| <input checked="" type="checkbox"/> |   | 26) Fuel tank condition and mounting                   |
| <input checked="" type="checkbox"/> |   | 27) No exhaust leaks                                   |
| <input checked="" type="checkbox"/> |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **189617** Mileage out: **189619**



Date: **08-02-18** Vehicle #: **5112**

| Service Performed                                 | Technician's Initials |
|---------------------------------------------------|-----------------------|
| A,B,C,D Change oil and filter                     | <b>TC</b>             |
| A,B,C,D Lube chassis and suspension               | <b>TC</b>             |
| A,B,C,D Lube drive shafts and universal joints    | <b>N/A</b>            |
| A,B,C,D Lube doors and hood, locks and hinges     | <b>TC</b>             |
| A,B,C,D Adjust service and parking brakes         | <b>TC</b>             |
| A,B,C,D Drain water from separator                | <b>N/A</b>            |
| A,B,C,D Rotate tires (as necessary, caps on rear) | <b>OK</b>             |
| B,C,D Change air filter                           |                       |
| B,C,D Change fuel filter                          |                       |
| B,C,D Clean or change PCV valve                   |                       |
| B,C,D Clean or change crank case filter           |                       |
| B,C,D Install new wiper blades                    |                       |
| C,D Change transmission fluid and filter          |                       |
| C,D Service front wheel bearings                  |                       |
| C,D Drain water from fuel tank                    |                       |
| D Replace accessory drive belts                   |                       |
| D Service and flush cooling system                |                       |
| D Install new spark plugs & wires                 |                       |
| D Install new dist. cap & rotor                   |                       |
| D Change differential fluid                       |                       |
| D Check Exhaust and EGR system                    |                       |
| D Check and service fuel & evap. system           |                       |
| D Evac and recharge A/C (add 1 oz. of oil)        |                       |
| A,B,C,D Post service test drive (5 miles)         | <b>TC</b>             |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Date

Notes:

| Item Inspected                                                                                    | P | F |
|---------------------------------------------------------------------------------------------------|---|---|
| 30) Front brake condition and mounting                                                            |   |   |
| 31) Front brake lining condition & measurement                                                    |   |   |
| Pads R/F: <b>8 / 32"</b> L/F: <b>8 / 32"</b>                                                      |   |   |
| 32) Rear brake condition and mounting                                                             |   |   |
| 33) Rear brake lining condition & measurement                                                     |   |   |
| Pads R/R: <b>8 / 32"</b> L/R: <b>8 / 32"</b>                                                      |   |   |
| 34) Tire and wheel condition and measurements                                                     |   |   |
| R/F: <b>10 / 32"</b> L/F: <b>8 / 32"</b>                                                          |   |   |
| R/R: <b>7 / 32"</b> L/R: <b>4 / 32"</b>                                                           |   |   |
| R/R: <b>7 / 32"</b> L/R: <b>4 / 32"</b>                                                           |   |   |
| 35) Lug nuts condition                                                                            |   |   |
| Air pressure adjustment FR. <b>65 RR. 70</b>                                                      |   |   |
| Wheel torque specs used: <b>14</b> ft. lbs.                                                       |   |   |
| G) Lift inspection                                                                                |   |   |
| 1) Lift operation (fully stowed to fully deployed)                                                |   |   |
| 2) Lift control pendant condition and operation                                                   |   |   |
| 3) Lift restraint belt condition and operation                                                    |   |   |
| 4) Outer roll stop condition and operation                                                        |   |   |
| 5) Inner roll stop condition and operation                                                        |   |   |
| 6) Platform adjustments, condition and mounting                                                   |   |   |
| 7) Standee arm condition and operation                                                            |   |   |
| 8) Proper signage and decals                                                                      |   |   |
| 9) Manual backup pump condition and operation                                                     |   |   |
| 10) Lift manual pump handle                                                                       |   |   |
| 11) Hydraulic pump condition and operation                                                        |   |   |
| 12) Hydraulic lines and cylinders condition                                                       |   |   |
| 13) Hydraulic fluid level and condition                                                           |   |   |
| 14) Base plate and arms welds & pivot points                                                      |   |   |
| 15) Lift springs and pins condition and operation                                                 |   |   |
| 16) Lift safety switches and adjustments                                                          |   |   |
| 17) Hose and wire routing and connections                                                         |   |   |
| 18) Rollers and pivot point condition & operation                                                 |   |   |
| 19) Lift to vehicle mounting bolts and brackets                                                   |   |   |
| 20) Lift doors condition and operation                                                            |   |   |
| 21) Lift door lights condition and operation                                                      |   |   |
| 22) Lift interlock operation and condition                                                        |   |   |
| (Lift door open, e-brake down not able to shift)                                                  |   |   |
| (e-brake off lift door closed no lift power)                                                      |   |   |
| 23) W/C tie downs condition and operation                                                         |   |   |
| 24) Tie down container secure and clean                                                           |   |   |
| 25) Tie down floor mounting brackets secure                                                       |   |   |
| 26) W/C shoulder belt condition and operation                                                     |   |   |
| 27) Lift clean and no sharp edges                                                                 |   |   |
| 28) Lift shields secure and in good shape                                                         |   |   |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                |   |   |
| 30) No unusual lift noises                                                                        |   |   |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |   |   |
| Check, torque or adjust lift base mounting bolts                                                  |   |   |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

Dallas, TX 75206



#175

3301 Electronics Way  
West Palm Beach, FL 33407

Vehicle #: 5112

Repair Reason: A

Date and Time in : 9:45

Mileage in: 199351

Date: 10/8/18

Work Class:

Date and Time Finished:

10:54

Mileage out: 199353

Notes/Measurements:

[illegible]

*I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.*

Employee #: 632995

Technician:

VALIDAÇÃO

Signature

V. I. Ispasand

ASE Employee #:

ASE Technician:

ASE Signature:

2



|                              |  |                          |  |       |  |
|------------------------------|--|--------------------------|--|-------|--|
| MECHANIC'S SIGNATURE         |  | BUS #:                   |  | DATE: |  |
|                              |  | PM TYPE OR WORK ORDER #: |  |       |  |
| COMPLETED BY                 |  | COMPLETED                |  | DATE  |  |
| DESCRIPTION OF REPAIR NEEDED |  |                          |  |       |  |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 10/8/18 Vehicle #: 5112Mileage in: 199351Mileage out: 199353

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| ✓ |   | 1) Driver carpet                                   |
| ✓ |   | 2) Driver seat condition and operation             |
| ✓ |   | 3) Drivers door operation and condition            |
| ✓ |   | 4) Drivers seat belt operation and condition       |
| ✓ |   | 5) Engine starting and ignition system             |
| ✓ |   | 6) Instrument panel gauges & warning lights        |
| ✓ |   | 7) Instrument panel lighting & condition           |
| ✓ |   | 8) Horn operation                                  |
| ✓ |   | 9) Steering wheel tight, no excessive play         |
| ✓ |   | 10) Windshield wipers                              |
| ✓ |   | 11) Windshield washer                              |
| ✓ |   | 12) Sun visor condition and operation              |
| ✓ |   | 13) Parking brake operation & condition            |
| ✓ |   | 14) Parking and service brake pedal pads           |
| ✓ |   | 15) Passenger door operation                       |
| ✓ |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
| ✓ |   | 1) Body damage (list on separate sheet)            |
| ✓ |   | 2) Headlights, high & low beam operation           |
| ✓ |   | 3) Parking lights operation & condition            |
| ✓ |   | 4) Marker lights operation & condition             |
| ✓ |   | 5) Directional signals operation & condition       |
| ✓ |   | 6) Hazard lights operation & condition             |
| ✓ |   | 7) Clearance lights operation and condition        |
| ✓ |   | 8) Brake lights operation & condition              |
| ✓ |   | 9) License plate lamp operation & condition        |
| ✓ |   | 10) License plates and tags                        |
| ✓ |   | 11) Backup lights and alarms                       |
| ✓ |   | 12) Reflectors and reflective bumper tape          |
| ✓ |   | 13) Exterior decals and signage                    |
| ✓ |   | 14) Bumpers secure / in good condition             |
| ✓ |   | 15) Exterior mirrors secure / in good condition    |
| ✓ |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
| ✓ |   | 1) Passenger door and steps condition              |
| ✓ |   | 2) Handrails and stanchions condition              |
| ✓ |   | 3) Interior and modesty panels condition           |
| ✓ |   | 4) Flooring condition                              |
| ✓ |   | 5) Interior lighting operation and condition       |
| ✓ |   | 6) Windows operation and condition                 |
| ✓ |   | 7) Emergency Exits operation & condition           |
| ✓ |   | 8) Accessory operation & condition (radio, GPS)    |
| ✓ |   | 9) Passenger seats operation & condition           |
| ✓ |   | 10) Passenger seat belts operation & condition     |
| ✓ |   | 11) First aid & body fluid kits complete           |
| ✓ |   | 12) Triangle reflectors complete/good condition    |
| ✓ |   | 13) Stop request operation & condition             |
| ✓ |   | 14) Valid registration, insurance & accident pack  |
| ✓ |   | 15) Fire extinguisher in good condition & signed   |
| ✓ |   | 16) Interior decals and signage (incl. electrical) |
| ✓ |   | 17) DVI's reviewed, addressed and signed off       |
| ✓ |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
| ✓ |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| ✓ |   | 2) Rear blower condition and operation                 |
| ✓ |   | 3) Defroster operation                                 |
| ✓ |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| ✓ |   | 5) Evaporator intake air filter condition              |
| ✓ |   | 6) Front heater condition and operation                |
| ✓ |   | 7) Rear heater condition and operation                 |
| ✓ |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
| ✓ |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts:      load volts:      load amps:         |
|   |   | Batt 2 volts:      load volts:      load amps:         |
|   |   | Batt 3 volts:      load volts:      load amps:         |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt:      max volt:      max amp:          |
|   |   | Alt. 2 min volt:      max volt:      max amp:          |
|   |   | (reference factory service manual for alternator spec) |
| ✓ |   | 2) Wire and hose routing and connections               |
| ✓ |   | 3) Cooling system, hoses, water pump condition         |
| ✓ |   | 5) Accessory drive belts condition                     |
| ✓ |   | 6) Pulleys and tensioned operation & condition         |
| ✓ |   | 7) Brake master cylinder and power booster             |
| ✓ |   | 8) Fan and fan clutch operation and condition          |
| ✓ |   | 9) Engine oil fluid level and condition                |
| ✓ |   | 10) Transmission oil level and condition               |
| ✓ |   | 11) Power steering fluid level and condition           |
| ✓ |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
| ✓ |   | 1) Steering gear box mount, condition & leaks          |
| ✓ |   | 2) Steering shaft U joints                             |
| ✓ |   | 3) Steering shaft bearings                             |
| ✓ |   | 4) Steering linkages                                   |
| ✓ |   | 5) I beam or control arm movements and rivets          |
| ✓ |   | 6) Radius arm condition and bushings condition         |
| ✓ |   | 7) Stabilizer bar condition and bushings condition     |
| ✓ |   | 8) Ball joints or kingpins                             |
| ✓ |   | 9) Front spring condition and mounting                 |
| ✓ |   | 10) Front shock absorber operation & condition         |
| ✓ |   | 11) Trans oil cooler & lines routing and leaks         |
| ✓ |   | 12) Engine oil cooler & lines routing and leaks        |
| ✓ |   | 13) Heater and A/C hose routing and leaks              |
| ✓ |   | 14) No engine oil leaks and fluid condition            |
| ✓ |   | 15) Engine mounts, brackets and bolts                  |
| ✓ |   | 16) Transmission mounts, brackets and bolts            |
| ✓ |   | 17) No transmission oil leaks and fluid condition      |
| ✓ |   | 18) Drive shaft condition                              |
| ✓ |   | 19) Universal joints and carrier bearings condition    |
| ✓ |   | 20) No rear differential leaks                         |
| ✓ |   | 21) Rear differential condition and mounting           |
| ✓ |   | 22) Frame and cross members                            |
| ✓ |   | 23) Rear shock absorbers                               |
| ✓ |   | 24) Rear springs condition and mounting                |
| ✓ |   | 25) No fuel leaks                                      |
| ✓ |   | 26) Fuel tank condition and mounting                   |
| ✓ |   | 27) No exhaust leaks                                   |
| ✓ |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: **199351** Mileage out: **199353**



Date: **10/8/18** Vehicle #: **5112**

| P | F | Item Inspected                                                                                    |
|---|---|---------------------------------------------------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                                                            |
|   |   | 31) Front brake lining condition & measurement                                                    |
|   |   | Pads R/F: <b>8</b> /32" L/F: <b>8</b> /32"                                                        |
|   |   | 32) Rear brake condition and mounting                                                             |
|   |   | 33) Rear brake lining condition & measurement                                                     |
|   |   | Pads R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                        |
|   |   | Shoes R/R: /32" L/R: /32"                                                                         |
|   |   | 34) Tire and wheel condition and measurements                                                     |
|   |   | R/F: <b>11</b> /32" L/F: <b>11</b> /32"                                                           |
|   |   | R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                                           |
|   |   | R/RO: <b>10</b> /32" L/RO: <b>10</b> /32"                                                         |
|   |   | 35) Lug nuts condition                                                                            |
|   |   | Air pressure adjustment FR. <b>70</b> RR. <b>70</b>                                               |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.                                                      |
|   |   | G) Lift inspection                                                                                |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                |
|   |   | 2) Lift control pendant condition and operation                                                   |
|   |   | 3) Lift restraint belt condition and operation                                                    |
|   |   | 4) Outer roll stop condition and operation                                                        |
|   |   | 5) Inner roll stop condition and operation                                                        |
|   |   | 6) Platform adjustments, condition and mounting                                                   |
|   |   | 7) Standee arm condition and operation                                                            |
|   |   | 8) Proper signage and decals                                                                      |
|   |   | 9) Manual backup pump condition and operation                                                     |
|   |   | 10) Lift manual pump handle                                                                       |
|   |   | 11) Hydraulic pump condition and operation                                                        |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |
|   |   | 13) Hydraulic fluid level and condition                                                           |
|   |   | 14) Base plate and arms welds & pivot points                                                      |
|   |   | 15) Lift springs and pins condition and operation                                                 |
|   |   | 16) Lift safety switches and adjustments                                                          |
|   |   | 17) Hose and wire routing and connections                                                         |
|   |   | 18) Rollers and pivot point condition & operation                                                 |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
|   |   | 20) Lift doors condition and operation                                                            |
|   |   | 21) Lift door lights condition and operation                                                      |
|   |   | 22) Lift interlock operation and condition                                                        |
|   |   | (Lift door open, e-brake down not able to shift)                                                  |
|   |   | (e-brake off lift door closed no lift power)                                                      |
|   |   | 23) W/C tie downs condition and operation                                                         |
|   |   | 24) Tie down container secure and clean                                                           |
|   |   | 25) Tie down floor mounting brackets secure                                                       |
|   |   | 26) W/C shoulder belt condition and operation                                                     |
|   |   | 27) Lift clean and no sharp edges                                                                 |
|   |   | 28) Lift shields secure and in good shape                                                         |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
|   |   | 30) No unusual lift noises                                                                        |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

| Service Performed                         | Service Type | Initial or "N/A" each service performed per PM type |
|-------------------------------------------|--------------|-----------------------------------------------------|
| Change oil and filter                     | A,B,C,D      |                                                     |
| Lube chassis and suspension               | A,B,C,D      |                                                     |
| Lube drive shafts and universal joints    | A,B,C,D      |                                                     |
| Lube doors and hood, locks and hinges     | A,B,C,D      |                                                     |
| Adjust service and parking brakes         | A,B,C,D      |                                                     |
| Drain water from separator                | A,B,C,D      |                                                     |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      |                                                     |
| Change air filter                         | B,C,D        |                                                     |
| Change fuel filter                        | B,C,D        |                                                     |
| Clean or change PCV valve                 | B,C,D        |                                                     |
| Clean or change crank case filter         | B,C,D        |                                                     |
| Install new wiper blades                  | B,C,D        |                                                     |
| Change transmission fluid and filter      | C,D          |                                                     |
| Service front wheel bearings              | C,D          |                                                     |
| Drain water from fuel tank                | C,D          |                                                     |
| Replace accessory drive belts             | D            |                                                     |
| Service and flush cooling system          | D            |                                                     |
| Install new spark plugs & wires           | D            |                                                     |
| Install new dist. cap & rotor             | D            |                                                     |
| Change differential fluid                 | D            |                                                     |
| Check Exhaust and EGR system              | D            |                                                     |
| Check and service fuel & evap. System     | D            |                                                     |
| Evac and recharge A/C (add 1 oz. of oil)  | D            |                                                     |
| Post service test drive (5 miles)         | A,B,C,D      |                                                     |


Technician Signature: **[Signature]** Date: **10/8/18**  
 Supervisor Signature: **[Signature]** Date: **10/11/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Dallas, TX 75206



Work Order Division (0094)  
3301 Electronics Way  
West Palm Beach, FL 33407

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112

Repair Reason:

*A*

Date and Time in: 11.07.08

19:00 Mileage in: 204.381

Date: 11/07/18

Work Class:

Date and Time Finished:

11.07.18

1900 Mileage in.  
2000 Mileage out.

2004 201

### Complaints/Defects:

Notes/Measurements:

PMI

| Labor Information   |     |                             |       | Parts Information |     |             |             |     |      |
|---------------------|-----|-----------------------------|-------|-------------------|-----|-------------|-------------|-----|------|
| Task                | WAC | Repair Description/Comments | Hours | Task              | WAC | Part Number | Description | Qty | Cost |
| A                   | 58  | PMI H                       |       | A                 | 55  | 5W90        | engine oil  | 6.5 |      |
|                     |     |                             |       | A                 | 55  | LF3681      | oil filter  | 1   |      |
|                     |     |                             |       | A                 | 55  | BC322457    | Brake Pad   | 1   |      |
| Total Hours Worked: |     |                             |       | Total Parts Cost: |     |             |             |     |      |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Deborah Alvin Signature: [Signature]

Employee #: 845132 Technician:

Thomas Oliver

Signature

ASE Employee #: 6004182 ASE Technician: 7

ASE Signature:

Initian: *[Signature]*

ASE Signature: \_\_\_\_\_



|                               |  |                              |      |
|-------------------------------|--|------------------------------|------|
| MECHANIC'S SIGNATURE          |  | DESCRIPTION OF REPAIR NEEDED |      |
| BUS #: 8112<br>DATE: 11.07.18 |  | COMPLETED BY                 | DATE |
| PM TYPE OR WORK ORDER #:      |  | COMPLETED                    |      |





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 11-07-18 Vehicle #: 3112 Mileage in: 204331 Mileage out: 204332

| P        | F | Item Inspected                                     |
|----------|---|----------------------------------------------------|
| <u>1</u> |   | A) Vehicle drive in inspection (5 miles)           |
| <u>2</u> |   | 1) Driver carpet                                   |
| <u>2</u> |   | 2) Driver seat condition and operation             |
| <u>2</u> |   | 3) Drivers door operation and condition            |
| <u>2</u> |   | 4) Drivers seat belt operation and condition       |
| <u>2</u> |   | 5) Engine starting and ignition system             |
| <u>2</u> |   | 6) Instrument panel gauges & warning lights        |
| <u>2</u> |   | 7) Instrument panel lighting & condition           |
| <u>2</u> |   | 8) Horn operation                                  |
| <u>2</u> |   | 9) Steering wheel tight, no excessive play         |
| <u>2</u> |   | 10) Windshield wipers                              |
| <u>2</u> |   | 11) Windshield washer                              |
| <u>2</u> |   | 12) Sun visor condition and operation              |
| <u>2</u> |   | 13) Parking brake operation & condition            |
| <u>2</u> |   | 14) Parking and service brake pedal pads           |
| <u>2</u> |   | 15) Passenger door operation                       |
| <u>2</u> |   | 16) No vibrations, pulsations or noises            |
| <u>1</u> |   | B) Walk around inspection                          |
| <u>2</u> |   | 1) Body damage (list on separate sheet)            |
| <u>2</u> |   | 2) Headlights, high & low beam operation           |
| <u>2</u> |   | 3) Parking lights operation & condition            |
| <u>2</u> |   | 4) Marker lights operation & condition             |
| <u>2</u> |   | 5) Directional signals operation & condition       |
| <u>2</u> |   | 6) Hazard lights operation & condition             |
| <u>2</u> |   | 7) Clearance lights operation and condition        |
| <u>2</u> |   | 8) Brake lights operation & condition              |
| <u>2</u> |   | 9) License plate lamp operation & condition        |
| <u>2</u> |   | 10) License plates and tags                        |
| <u>2</u> |   | 11) Backup lights and alarms                       |
| <u>2</u> |   | 12) Reflectors and reflective bumper tape          |
| <u>2</u> |   | 13) Exterior decals and signage                    |
| <u>2</u> |   | 14) Bumpers secure / in good condition             |
| <u>2</u> |   | 15) Exterior mirrors secure / in good condition    |
| <u>2</u> |   | 16) Exterior clean                                 |
| <u>1</u> |   | C) Interior inspection                             |
| <u>2</u> |   | 1) Passenger door and steps condition              |
| <u>2</u> |   | 2) Handrails and stanchions condition              |
| <u>2</u> |   | 3) Interior and modesty panels condition           |
| <u>2</u> |   | 4) Flooring condition                              |
| <u>2</u> |   | 5) Interior lighting operation and condition       |
| <u>2</u> |   | 6) Windows operation and condition                 |
| <u>2</u> |   | 7) Emergency Exits operation & condition           |
| <u>2</u> |   | 8) Accessory operation & condition (radio, GPS)    |
| <u>2</u> |   | 9) Passenger seats operation & condition           |
| <u>2</u> |   | 10) Passenger seat belts operation & condition     |
| <u>2</u> |   | 11) First aid & body fluid kits complete           |
| <u>2</u> |   | 12) Triangle reflectors complete/good condition    |
| <u>2</u> |   | 13) Stop request operation & condition             |
| <u>2</u> |   | 14) Valid registration, insurance & accident pack  |
| <u>2</u> |   | 15) Fire extinguisher in good condition & signed   |
| <u>2</u> |   | 16) Interior decals and signage (incl. electrical) |
| <u>2</u> |   | 17) DVI's reviewed, addressed and signed off       |
| <u>2</u> |   | 18) Interior clean                                 |
| <u>1</u> |   | D) HVAC system inspection                          |
| <u>2</u> |   | 1) Front blower condition and operation            |

| P        | F | Item Inspected                                         |
|----------|---|--------------------------------------------------------|
| <u>2</u> |   | 2) Rear blower condition and operation                 |
| <u>2</u> |   | 3) Defroster operation                                 |
| <u>2</u> |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| <u>2</u> |   | 5) Evaporator intake air filter condition              |
| <u>2</u> |   | 6) Front heater condition and operation                |
| <u>2</u> |   | 7) Rear heater condition and operation                 |
| <u>2</u> |   | 8) A/C compressors and condenser fans                  |
| <u>1</u> |   | E) Under hood inspection                               |
| <u>2</u> |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
| <u>2</u> |   | Batt 1 volts: load volts: load amps:                   |
| <u>2</u> |   | Batt 2 volts: load volts: load amps:                   |
| <u>2</u> |   | Batt 3 volts: load volts: load amps:                   |
| <u>2</u> |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
| <u>2</u> |   | Alt. 1 min volt: max volt: max amp:                    |
| <u>2</u> |   | Alt. 2 min volt: max volt: max amp:                    |
| <u>2</u> |   | (reference factory service manual for alternator spec) |
| <u>2</u> |   | 2) Wire and hose routing and connections               |
| <u>2</u> |   | 3) Cooling system, hoses, water pump condition         |
| <u>2</u> |   | 5) Accessory drive belts condition                     |
| <u>2</u> |   | 6) Pulleys and tensioned operation & condition         |
| <u>2</u> |   | 7) Brake master cylinder and power booster             |
| <u>2</u> |   | 8) Fan and fan clutch operation and condition          |
| <u>2</u> |   | 9) Engine oil fluid level and condition                |
| <u>2</u> |   | 10) Transmission oil level and condition               |
| <u>2</u> |   | 11) Power steering fluid level and condition           |
| <u>2</u> |   | 12) Brake fluid level and condition                    |
| <u>1</u> |   | F) Vehicle rack inspection                             |
| <u>2</u> |   | 1) Steering gear box mount, condition & leaks          |
| <u>2</u> |   | 2) Steering shaft U joints                             |
| <u>2</u> |   | 3) Steering shaft bearings                             |
| <u>2</u> |   | 4) Steering linkages                                   |
| <u>2</u> |   | 5) I beam or control arm movements and rivets          |
| <u>2</u> |   | 6) Radius arm condition and bushings condition         |
| <u>2</u> |   | 7) Stabilizer bar condition and bushings condition     |
| <u>2</u> |   | 8) Ball joints or kingpins                             |
| <u>2</u> |   | 9) Front spring condition and mounting                 |
| <u>2</u> |   | 10) Front shock absorber operation & condition         |
| <u>2</u> |   | 11) Trans oil cooler & lines routing and leaks         |
| <u>2</u> |   | 12) Engine oil cooler & lines routing and leaks        |
| <u>2</u> |   | 13) Heater and A/C hose routing and leaks              |
| <u>2</u> |   | 14) No engine oil leaks and fluid condition            |
| <u>2</u> |   | 15) Engine mounts, brackets and bolts                  |
| <u>2</u> |   | 16) Transmission mounts, brackets and bolts            |
| <u>2</u> |   | 17) No transmission oil leaks and fluid condition      |
| <u>2</u> |   | 18) Drive shaft condition                              |
| <u>2</u> |   | 19) Universal joints and carrier bearings condition    |
| <u>2</u> |   | 20) No rear differential leaks                         |
| <u>2</u> |   | 21) Rear differential condition and mounting           |
| <u>2</u> |   | 22) Frame and cross members                            |
| <u>2</u> |   | 23) Rear shock absorbers                               |
| <u>2</u> |   | 24) Rear springs condition and mounting                |
| <u>2</u> |   | 25) No fuel leaks                                      |
| <u>2</u> |   | 26) Fuel tank condition and mounting                   |
| <u>2</u> |   | 27) No exhaust leaks                                   |
| <u>2</u> |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **20431**

Mileage out: **20433**

**204332**



Date: **11-07-18** Vehicle #: **5118**

| Service Performed                         | Service Type |
|-------------------------------------------|--------------|
| Change oil and filter                     | A,B,C,D      |
| Lube chassis and suspension               | A,B,C,D      |
| Lube drive shafts and universal joints    | A,B,C,D      |
| Lube doors and hood, locks and hinges     | A,B,C,D      |
| Adjust service and parking brakes         | A,B,C,D      |
| Drain water from separator                | A,B,C,D      |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      |
| Change air filter                         | B,C,D        |
| Change fuel filter                        | B,C,D        |
| Clean or change PCV valve                 | B,C,D        |
| Clean or change crank case filter         | B,C,D        |
| Install new wiper blades                  | B,C,D        |
| Change transmission fluid and filter      | C,D          |
| Service front wheel bearings              | C,D          |
| Drain water from fuel tank                | C,D          |
| Replace accessory drive belts             | D            |
| Service and flush cooling system          | D            |
| Install new spark plugs & wires           | D            |
| Install new dist. cap & rotor             | D            |
| Change differential fluid                 | D            |
| Check Exhaust and EGR system              | D            |
| Check and service fuel & evap. System     | D            |
| Evac and recharge A/C (add 1 oz. of oil)  | D            |
| A,B,C,D Post service test drive (5 miles) | A,B,C,D      |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **11-07-18**  
 Supervisor Signature: *[Signature]* Date: **11-13-18**


Notes:

| Item Inspected                                                                                    | P | F |
|---------------------------------------------------------------------------------------------------|---|---|
| 30) Front brake lining condition and measurement                                                  |   |   |
| 31) Front brake lining condition & measurement                                                    |   |   |
| 32) Rear brake lining condition & measurement                                                     |   |   |
| 33) Rear brake lining condition & measurement                                                     |   |   |
| Pads R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                        |   |   |
| 34) Tire and wheel condition and measurements                                                     |   |   |
| R/F: <b>8</b> /32" L/F: <b>8</b> /32"                                                             |   |   |
| R/R: <b>5</b> /32" L/R: <b>5</b> /32"                                                             |   |   |
| R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                             |   |   |
| 35) Lug nuts condition                                                                            |   |   |
| Air pressure adjustment FR. <b>30</b> RR. <b>30</b>                                               |   |   |
| Wheel torque specs used: <b>110</b> ft. lbs.                                                      |   |   |
| 36) Lift inspection                                                                               |   |   |
| 1) Lift operation (fully stowed to fully deployed)                                                |   |   |
| 2) Lift control pendant condition and operation                                                   |   |   |
| 3) Lift restraint belt condition and operation                                                    |   |   |
| 4) Outer roll stop condition and operation                                                        |   |   |
| 5) Inner roll stop condition and operation                                                        |   |   |
| 6) Platform adjustments, condition and mounting                                                   |   |   |
| 7) Stander arm condition and operation                                                            |   |   |
| 8) Proper signage and decals                                                                      |   |   |
| 9) Manual backup pump condition and operation                                                     |   |   |
| 10) Lift manual pump handle                                                                       |   |   |
| 11) Hydraulic pump condition and operation                                                        |   |   |
| 12) Hydraulic lines and cylinders condition                                                       |   |   |
| 13) Hydraulic fluid level and condition                                                           |   |   |
| 14) Base plate and arms welds & pivot points                                                      |   |   |
| 15) Lift springs and pins condition and operation                                                 |   |   |
| 16) Lift safety switches and adjustments                                                          |   |   |
| 17) Hose and wire routing and connections                                                         |   |   |
| 18) Rollers and pivot point condition & operation                                                 |   |   |
| 19) Lift to vehicle mounting bolts and brackets                                                   |   |   |
| 20) Lift doors condition and operation                                                            |   |   |
| 21) Lift door lights condition and operation                                                      |   |   |
| 22) Lift interlock operation and condition                                                        |   |   |
| (Lift door open, e-brake down not able to shift)                                                  |   |   |
| (e-brake off lift door closed no lift power)                                                      |   |   |
| 23) W/C tie downs condition and operation                                                         |   |   |
| 24) Tie down container secure and clean                                                           |   |   |
| 25) Tie down floor mounting brackets secure                                                       |   |   |
| 26) W/C shoulder belt condition and operation                                                     |   |   |
| 27) Lift clean and no sharp edges                                                                 |   |   |
| 28) Lift shields secure and in good shape                                                         |   |   |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                |   |   |
| 30) No unusual lift noises                                                                        |   |   |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |   |   |
| Check, torque or adjust lift base mounting bolts                                                  |   |   |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Dallas, TX 75206



3301 Electronics Way  
West Palm Beach, FL 33407

Mileage out: 214012

**Notes/Measurements:**

Total Parts Cost:

ASE Signature:





# PM DEFECT SHEET



|                                              |                        |
|----------------------------------------------|------------------------|
| MECHANIC'S SIGNATURE<br><i>Sean Theramid</i> |                        |
| BUS # : <i>5112</i>                          | DATE : <i>11/17/19</i> |
| PM TYPE OR WORK ORDER # :                    |                        |

|      |              |                              |
|------|--------------|------------------------------|
| DATE | COMPLETED BY | DESCRIPTION OF REPAIR NEEDED |
|------|--------------|------------------------------|

|          |                    |                                                        |
|----------|--------------------|--------------------------------------------------------|
| 11/17/19 | <i>[Signature]</i> | ① <del>check</del> check Headlight lamp<br>all OK now. |
|----------|--------------------|--------------------------------------------------------|





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 11/7/19 Vehicle #: 5112

Mileage in: 244010 Mileage out: 244010

| P        | F | Item Inspected                                     | P        | F | Item Inspected                                         |
|----------|---|----------------------------------------------------|----------|---|--------------------------------------------------------|
|          |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |          |   | <b>2) Rear blower condition and operation</b>          |
| <u>Y</u> |   | 1) Driver carpet                                   | <u>Y</u> |   | 3) Defroster operation                                 |
| <u>Y</u> |   | 2) Driver seat condition and operation             | <u>Y</u> |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| <u>Y</u> |   | 3) Drivers door operation and condition            | <u>Y</u> |   | 5) Evaporator intake air filter condition              |
| <u>Y</u> |   | 4) Drivers seat belt operation and condition       | <u>Y</u> |   | 6) Front heater condition and operation                |
| <u>Y</u> |   | 5) Engine starting and ignition system             | <u>Y</u> |   | 7) Rear heater condition and operation                 |
| <u>Y</u> |   | 6) Instrument panel gauges & warning lights        | <u>Y</u> |   | 8) A/C compressors and condenser fans                  |
| <u>Y</u> |   | 7) Instrument panel lighting & condition           |          |   | <b>E) Under hood inspection</b>                        |
| <u>Y</u> |   | 8) Horn operation                                  |          |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
| <u>Y</u> |   | 9) Steering wheel tight, no excessive play         |          |   | Batt 1 volts: load volts: load amps:                   |
| <u>Y</u> |   | 10) Windshield wipers                              |          |   | Batt 2 volts: load volts: load amps:                   |
| <u>Y</u> |   | 11) Windshield washer                              |          |   | Batt 3 volts: load volts: load amps:                   |
| <u>Y</u> |   | 12) Sun visor condition and operation              |          |   | battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)    |
| <u>Y</u> |   | 13) Parking brake operation & condition            |          |   | Alt. 1 min volt: max volt: max amp:                    |
| <u>Y</u> |   | 14) Parking and service brake pedal pads           |          |   | Alt. 2 min volt: max volt: max amp:                    |
| <u>Y</u> |   | 15) Passenger door operation                       |          |   | (reference factory service manual for alternator spec) |
| <u>Y</u> |   | 16) No vibrations, pulsations or noises            |          |   | 2) Wire and hose routing and connections               |
|          |   | <b>B) Walk around inspection</b>                   |          |   | 3) Cooling system, hoses, water pump condition         |
| <u>Y</u> |   | 1) Body damage (list on separate sheet)            |          |   | 5) Accessory drive belts condition                     |
| <u>Y</u> |   | 2) Headlights, high & low beam operation           |          |   | 6) Pulleys and tensioned operation & condition         |
| <u>Y</u> |   | 3) Parking lights operation & condition            |          |   | 7) Brake master cylinder and power booster             |
| <u>Y</u> |   | 4) Marker lights operation & condition             |          |   | 8) Fan and fan clutch operation and condition          |
| <u>Y</u> |   | 5) Directional signals operation & condition       |          |   | 9) Engine oil fluid level and condition                |
| <u>Y</u> |   | 6) Hazard lights operation & condition             |          |   | 10) Transmission oil level and condition               |
| <u>Y</u> |   | 7) Clearance lights operation and condition        |          |   | 11) Power steering fluid level and condition           |
| <u>Y</u> |   | 8) Brake lights operation & condition              |          |   | 12) Brake fluid level and condition                    |
| <u>Y</u> |   | 9) License plate lamp operation & condition        |          |   | <b>F) Vehicle rack inspection</b>                      |
| <u>Y</u> |   | 10) License plates and tags                        |          |   | 1) Steering gear box mount, condition & leaks          |
| <u>Y</u> |   | 11) Backup lights and alarms                       |          |   | 2) Steering shaft U joints                             |
| <u>Y</u> |   | 12) Reflectors and reflective bumper tape          |          |   | 3) Steering shaft bearings                             |
| <u>Y</u> |   | 13) Exterior decals and signage                    |          |   | 4) Steering linkages                                   |
| <u>Y</u> |   | 14) Bumpers secure / in good condition             |          |   | 5) I beam or control arm movements and rivets          |
| <u>Y</u> |   | 15) Exterior mirrors secure / in good condition    |          |   | 6) Radius arm condition and bushings condition         |
| <u>Y</u> |   | 16) Exterior clean                                 |          |   | 7) Stabilizer bar condition and bushings condition     |
|          |   | <b>C) Interior inspection</b>                      |          |   | 8) Ball joints or kingpins                             |
| <u>Y</u> |   | 1) Passenger door and steps condition              |          |   | 9) Front spring condition and mounting                 |
| <u>Y</u> |   | 2) Handrails and stanchions condition              |          |   | 10) Front shock absorber operation & condition         |
| <u>Y</u> |   | 3) Interior and modesty panels condition           |          |   | 11) Trans oil cooler & lines routing and leaks         |
| <u>Y</u> |   | 4) Flooring condition                              |          |   | 12) Engine oil cooler & lines routing and leaks        |
| <u>Y</u> |   | 5) Interior lighting operation and condition       |          |   | 13) Heater and A/C hose routing and leaks              |
| <u>Y</u> |   | 6) Windows operation and condition                 |          |   | 14) No engine oil leaks and fluid condition            |
| <u>Y</u> |   | 7) Emergency Exits operation & condition           |          |   | 15) Engine mounts, brackets and bolts                  |
| <u>Y</u> |   | 8) Accessory operation & condition (radio, GPS)    |          |   | 16) Transmission mounts, brackets and bolts            |
| <u>Y</u> |   | 9) Passenger seats operation & condition           |          |   | 17) No transmission oil leaks and fluid condition      |
| <u>Y</u> |   | 10) Passenger seat belts operation & condition     |          |   | 18) Drive shaft condition                              |
| <u>Y</u> |   | 11) First aid & body fluid kits complete           |          |   | 19) Universal joints and carrier bearings condition    |
| <u>Y</u> |   | 12) Triangle reflectors complete/good condition    |          |   | 20) No rear differential leaks                         |
| <u>Y</u> |   | 13) Stop request operation & condition             |          |   | 21) Rear differential condition and mounting           |
| <u>Y</u> |   | 14) Valid registration, insurance & accident pack  |          |   | 22) Frame and cross members                            |
| <u>Y</u> |   | 15) Fire extinguisher in good condition & signed   |          |   | 23) Rear shock absorbers                               |
| <u>Y</u> |   | 16) Interior decals and signage (incl. electrical) |          |   | 24) Rear springs condition and mounting                |
| <u>Y</u> |   | 17) DVI's reviewed, addressed and signed off       |          |   | 25) No fuel leaks                                      |
| <u>Y</u> |   | 18) Interior clean                                 |          |   | 26) Fuel tank condition and mounting                   |
|          |   | <b>D) HVAC system inspection</b>                   |          |   | 27) No exhaust leaks                                   |
|          |   | 1) Front blower condition and operation            |          |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **21400** Mileage out: **21401.2**



Date: **11/17/19** Vehicle #: **5112**

| Service Performed                         | Service Type | Initials   |
|-------------------------------------------|--------------|------------|
| Change oil and filter                     | A,B,C,D      | <b>3</b>   |
| Lube chassis and suspension               | A,B,C,D      | <b>3</b>   |
| Lube drive shafts and universal joints    | A,B,C,D      | <b>N/A</b> |
| Lube doors and hood, locks and hinges     | A,B,C,D      | <b>3</b>   |
| Adjust service and parking brakes         | A,B,C,D      | <b>N/A</b> |
| Drain water from separator                | A,B,C,D      | <b>N/A</b> |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      | <b>3</b>   |
| Change air filter                         | B,C,D        |            |
| Change fuel filter                        | B,C,D        |            |
| Clean or change PCV valve                 | B,C,D        |            |
| Clean or change crank case filter         | B,C,D        |            |
| Install new wiper blades                  | B,C,D        |            |
| Change transmission fluid and filter      | C,D          |            |
| Service front wheel bearings              | C,D          |            |
| Drain water from fuel tank                | C,D          |            |
| Replace accessory drive belts             | D            |            |
| Service and flush cooling system          | D            |            |
| Install new spark plugs & wires           | D            |            |
| Install new dist. cap & rotor             | D            |            |
| Change differential fluid                 | D            |            |
| Check Exhaust and EGR system              | D            |            |
| Check and service fuel & evap. System     | D            |            |
| Evac and recharge A/C (add 1 oz. of oil)  | D            |            |
| Post service test drive (5 miles)         | A,B,C,D      | <b>3</b>   |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: **Jean Theron** Date: **11/17/19**  
 Supervisor Signature: **[Signature]** Date: **11/18/19**

Notes:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

| Item Inspected                                                                           | P          | F |
|------------------------------------------------------------------------------------------|------------|---|
| 30) Front brake condition and mounting                                                   | <b>3</b>   |   |
| 31) Front brake lining condition & measurement                                           | <b>3</b>   |   |
| Pads R/F: <b>6</b> /32" L/F: <b>6</b> /32"                                               | <b>3</b>   |   |
| 32) Rear brake condition and mounting                                                    | <b>3</b>   |   |
| 33) Rear brake lining condition & measurement                                            | <b>3</b>   |   |
| Pads R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                             | <b>3</b>   |   |
| Shoes R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                            | <b>3</b>   |   |
| 34) Tire and wheel condition and measurements                                            | <b>N/A</b> |   |
| R/F: <b>11</b> /32" L/F: <b>6</b> /32"                                                   | <b>3</b>   |   |
| R/R: <b>6</b> /32" L/R: <b>11</b> /32"                                                   | <b>3</b>   |   |
| R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                    | <b>3</b>   |   |
| 35) Lug nuts condition                                                                   | <b>3</b>   |   |
| Air pressure adjustment FR. <b>30</b> RR. <b>30</b> ft. lbs.                             | <b>3</b>   |   |
| Wheel torque specs used: <b>140</b> ft. lbs.                                             | <b>3</b>   |   |
| 6) Lift inspection                                                                       | <b>3</b>   |   |
| 1) Lift operation (fully stowed to fully deployed)                                       | <b>3</b>   |   |
| 2) Lift control pendant condition and operation                                          | <b>3</b>   |   |
| 3) Lift restraint belt condition and operation                                           | <b>3</b>   |   |
| 4) Outer roll stop condition and operation                                               | <b>3</b>   |   |
| 5) Inner roll stop condition and operation                                               | <b>3</b>   |   |
| 6) Platform adjustments, condition and mounting                                          | <b>3</b>   |   |
| 7) Stander arm condition and operation                                                   | <b>3</b>   |   |
| 8) Proper signage and decals                                                             | <b>3</b>   |   |
| 9) Manual backup pump condition and operation                                            | <b>3</b>   |   |
| 10) Lift manual pump handle                                                              | <b>3</b>   |   |
| 11) Hydraulic pump condition and operation                                               | <b>3</b>   |   |
| 12) Hydraulic lines and cylinders condition                                              | <b>3</b>   |   |
| 13) Hydraulic fluid level and condition                                                  | <b>3</b>   |   |
| 14) Base plate and arms welds & pivot points                                             | <b>3</b>   |   |
| 15) Lift springs and pins condition and operation                                        | <b>3</b>   |   |
| 16) Lift safety switches and adjustments                                                 | <b>3</b>   |   |
| 17) Hose and wire routing and connections                                                | <b>3</b>   |   |
| 18) Rollers and pivot point condition & operation                                        | <b>3</b>   |   |
| 19) Lift to vehicle mounting bolts and brackets                                          | <b>3</b>   |   |
| 20) Lift doors condition and operation                                                   | <b>3</b>   |   |
| 21) Lift door lights condition and operation                                             | <b>3</b>   |   |
| 22) Lift interlock operation and condition                                               | <b>3</b>   |   |
| (Lift door open, e-brake down not able to shift)                                         |            |   |
| (e-brake off lift door closed no lift power)                                             |            |   |
| 23) W/C tie downs condition and operation                                                | <b>3</b>   |   |
| 24) Tie down container secure and clean                                                  | <b>3</b>   |   |
| 25) Tie down floor mounting brackets secure                                              | <b>3</b>   |   |
| 26) W/C shoulder belt condition and operation                                            | <b>3</b>   |   |
| 27) Lift clean and no sharp edges                                                        | <b>3</b>   |   |
| 28) Lift shields secure and in good shape                                                | <b>3</b>   |   |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                       | <b>3</b>   |   |
| 30) No unusual lift noises                                                               | <b>3</b>   |   |
| Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube | <b>3</b>   |   |
| Check, torque or adjust lift base mounting bolts                                         | <b>3</b>   |   |



5910 N Central Expy Suite 1145  
Dallas, TX 75206



3301 Electronics Way  
West Palm Beach, FL 33407

Mileage in: 218582

Mileage out: 218584

**Notes/Measurements:**

Chen 4/2/20

.....

[illegible]

I have performed the repairs according to MV Transportation, Inc. practices, using acceptable materials and parts, and have followed all MV Transportation, Inc. policies, ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 682995 Technician: YADUVRAITH JAGGERD Signature: Y Jaggerd

ASE Employee #: 60752 ASE Technician: Y Jaggerd ASE Signature: Y Jaggerd





# PM DEFECT SHEET



|                                            |  |                |                  |                          |
|--------------------------------------------|--|----------------|------------------|--------------------------|
| MECHANIC'S SIGNATURE<br><i>[Signature]</i> |  | BUS #:<br>5112 | DATE:<br>2/15/19 | PM TYPE OR WORK ORDER #: |
| DESCRIPTION OF REPAIR NEEDED               |  | COMPLETED BY   |                  |                          |
|                                            |  | DATE COMPLETED |                  |                          |

|                            |                             |         |         |
|----------------------------|-----------------------------|---------|---------|
| engine mount was damaged   | Replace mount and all is OK | Yadn    | 2/15/19 |
| and Replace two Rear Tires | Yadn                        | 2/15/19 |         |
| Misc Brigs and Seals.      | o.k at this time.           |         |         |





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Date: 2/15/19 Vehicle #: 5112

Mileage in: 218582 Mileage out: 218584

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| ✓ |   | 1) Driver carpet                                   |
| ✓ |   | 2) Driver seat condition and operation             |
| ✓ |   | 3) Drivers door operation and condition            |
| ✓ |   | 4) Drivers seat belt operation and condition       |
| ✓ |   | 5) Engine starting and ignition system             |
| ✓ |   | 6) Instrument panel gauges & warning lights        |
| ✓ |   | 7) Instrument panel lighting & condition           |
| ✓ |   | 8) Horn operation                                  |
| ✓ |   | 9) Steering wheel tight, no excessive play         |
| ✓ |   | 10) Windshield wipers                              |
| ✓ |   | 11) Windshield washer                              |
| ✓ |   | 12) Sun visor condition and operation              |
| ✓ |   | 13) Parking brake operation & condition            |
| ✓ |   | 14) Parking and service brake pedal pads           |
| ✓ |   | 15) Passenger door operation                       |
| ✓ |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
| ✓ |   | 1) Body damage (list on separate sheet)            |
| ✓ |   | 2) Headlights, high & low beam operation           |
| ✓ |   | 3) Parking lights operation & condition            |
| ✓ |   | 4) Marker lights operation & condition             |
| ✓ |   | 5) Directional signals operation & condition       |
| ✓ |   | 6) Hazard lights operation & condition             |
| ✓ |   | 7) Clearance lights operation and condition        |
| ✓ |   | 8) Brake lights operation & condition              |
| ✓ |   | 9) License plate lamp operation & condition        |
| ✓ |   | 10) License plates and tags                        |
| ✓ |   | 11) Backup lights and alarms                       |
| ✓ |   | 12) Reflectors and reflective bumper tape          |
| ✓ |   | 13) Exterior decals and signage                    |
| ✓ |   | 14) Bumpers secure / in good condition             |
| ✓ |   | 15) Exterior mirrors secure / in good condition    |
| ✓ |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
| ✓ |   | 1) Passenger door and steps condition              |
| ✓ |   | 2) Handrails and stanchions condition              |
| ✓ |   | 3) Interior and modesty panels condition           |
| ✓ |   | 4) Flooring condition                              |
| ✓ |   | 5) Interior lighting operation and condition       |
| ✓ |   | 6) Windows operation and condition                 |
| ✓ |   | 7) Emergency Exits operation & condition           |
| ✓ |   | 8) Accessory operation & condition (radio, GPS)    |
| ✓ |   | 9) Passenger seats operation & condition           |
| ✓ |   | 10) Passenger seat belts operation & condition     |
| ✓ |   | 11) First aid & body fluid kits complete           |
| ✓ |   | 12) Triangle reflectors complete/good condition    |
| ✓ |   | 13) Stop request operation & condition             |
| ✓ |   | 14) Valid registration, insurance & accident pack  |
| ✓ |   | 15) Fire extinguisher in good condition & signed   |
| ✓ |   | 16) Interior decals and signage (incl. electrical) |
| ✓ |   | 17) DVI's reviewed, addressed and signed off       |
| ✓ |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
| ✓ |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| ✓ |   | 2) Rear blower condition and operation                 |
| ✓ |   | 3) Defroster operation                                 |
| ✓ |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| ✓ |   | 5) Evaporator intake air filter condition              |
| ✓ |   | 6) Front heater condition and operation                |
| ✓ |   | 7) Rear heater condition and operation                 |
| ✓ |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
| ✓ |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts:      load volts:      load amps:         |
|   |   | Batt 2 volts:      load volts:      load amps:         |
|   |   | Batt 3 volts:      load volts:      load amps:         |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt:      max volt:      max amp:          |
|   |   | Alt. 2 min volt:      max volt:      max amp:          |
|   |   | (reference factory service manual for alternator spec) |
| ✓ |   | 2) Wire and hose routing and connections               |
| ✓ |   | 3) Cooling system, hoses, water pump condition         |
| ✓ |   | 5) Accessory drive belts condition                     |
| ✓ |   | 6) Pulleys and tensioned operation & condition         |
| ✓ |   | 7) Brake master cylinder and power booster             |
| ✓ |   | 8) Fan and fan clutch operation and condition          |
| ✓ |   | 9) Engine oil fluid level and condition                |
| ✓ |   | 10) Transmission oil level and condition               |
| ✓ |   | 11) Power steering fluid level and condition           |
| ✓ |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
| ✓ |   | 1) Steering gear box mount, condition & leaks          |
| ✓ |   | 2) Steering shaft U joints                             |
| ✓ |   | 3) Steering shaft bearings                             |
| ✓ |   | 4) Steering linkages                                   |
| ✓ |   | 5) I beam or control arm movements and rivets          |
| ✓ |   | 6) Radius arm condition and bushings condition         |
| ✓ |   | 7) Stabilizer bar condition and bushings condition     |
| ✓ |   | 8) Ball joints or kingpins                             |
| ✓ |   | 9) Front spring condition and mounting                 |
| ✓ |   | 10) Front shock absorber operation & condition         |
| ✓ |   | 11) Trans oil cooler & lines routing and leaks         |
| ✓ |   | 12) Engine oil cooler & lines routing and leaks        |
| ✓ |   | 13) Heater and A/C hose routing and leaks              |
| ✓ |   | 14) No engine oil leaks and fluid condition            |
| ✓ |   | 15) Engine mounts, brackets and bolts                  |
| ✓ |   | 16) Transmission mounts, brackets and bolts            |
| ✓ |   | 17) No transmission oil leaks and fluid condition      |
| ✓ |   | 18) Drive shaft condition                              |
| ✓ |   | 19) Universal joints and carrier bearings condition    |
| ✓ |   | 20) No rear differential leaks                         |
| ✓ |   | 21) Rear differential condition and mounting           |
| ✓ |   | 22) Frame and cross members                            |
| ✓ |   | 23) Rear shock absorbers                               |
| ✓ |   | 24) Rear springs condition and mounting                |
| ✓ |   | 25) No fuel leaks                                      |
| ✓ |   | 26) Fuel tank condition and mounting                   |
| ✓ |   | 27) No exhaust leaks                                   |
| ✓ |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **218582** Mileage out: **218584**



Date: **2/13/19** Vehicle #: **5112**

| Service Performed                                 | Technician's Signature | Supervisor's Signature | Notes: |
|---------------------------------------------------|------------------------|------------------------|--------|
| A,B,C,D Change oil and filter                     |                        |                        |        |
| A,B,C,D Lube chassis and suspension               |                        |                        |        |
| A,B,C,D Lube drive shafts and universal joints    |                        |                        |        |
| A,B,C,D Lube doors and hood, locks and hinges     |                        |                        |        |
| A,B,C,D Adjust service and parking brakes         |                        |                        |        |
| A,B,C,D Drain water from separator                |                        |                        |        |
| A,B,C,D Rotate tires (as necessary, caps on rear) |                        |                        |        |
| B,C,D Change air filter                           |                        |                        |        |
| B,C,D Change fuel filter                          |                        |                        |        |
| B,C,D Clean or change PCV valve                   |                        |                        |        |
| B,C,D Clean or change crank case filter           |                        |                        |        |
| B,C,D Install new wiper blades                    |                        |                        |        |
| C,D Change transmission fluid and filter          |                        |                        |        |
| C,D Service front wheel bearings                  |                        |                        |        |
| C,D Drain water from fuel tank                    |                        |                        |        |
| D Replace accessory drive belts                   |                        |                        |        |
| D Service and flush cooling system                |                        |                        |        |
| D Install new spark plugs & wires                 |                        |                        |        |
| D Install new dist. cap & rotor                   |                        |                        |        |
| D Change differential fluid                       |                        |                        |        |
| D Check Exhaust and EGR system                    |                        |                        |        |
| D Check and service fuel & evap. System           |                        |                        |        |
| D Evac and recharge A/C (add 1 oz. of oil)        |                        |                        |        |
| A,B,C,D Post service test drive (5 miles)         |                        |                        |        |

Date: **2/13/19**

Technician's Signature: *[Signature]*

Supervisor's Signature: *[Signature]*

Notes:

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

| Item Inspected                                                                                    | P |
|---------------------------------------------------------------------------------------------------|---|
| 30) Front brake condition and mounting                                                            | Y |
| 31) Front brake lining condition & measurement                                                    | Y |
| Pads R/F: <b>6</b> /32" L/F: <b>6</b> /32"                                                        | Y |
| 32) Rear brake condition and mounting                                                             | Y |
| 33) Rear brake lining condition & measurement                                                     | Y |
| Pads R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                        | Y |
| 34) Tire and wheel condition and measurements                                                     | Y |
| R/F: <b>10</b> /32" L/F: <b>7</b> /32"                                                            | Y |
| R/R: <b>2</b> /32" L/R: <b>8</b> /32"                                                             | Y |
| R/RO: <b>2</b> /32" L/RO: <b>7</b> /32"                                                           | Y |
| 35) Lug nuts condition                                                                            | Y |
| Air pressure adjustment FR. <b>70</b> RR. <b>70</b>                                               | Y |
| Wheel torque specs used: <b>140</b> ft. lbs.                                                      | Y |
| G) Lift inspection                                                                                | Y |
| 1) Lift operation (fully stowed to fully deployed)                                                | Y |
| 2) Lift control pendant condition and operation                                                   | Y |
| 3) Lift restraint belt condition and operation                                                    | Y |
| 4) Outer roll stop condition and operation                                                        | Y |
| 5) Inner roll stop condition and operation                                                        | Y |
| 6) Platform adjustments, condition and mounting                                                   | Y |
| 7) Standee arm condition and operation                                                            | Y |
| 8) Proper signage and decals                                                                      | Y |
| 9) Manual backup pump condition and operation                                                     | Y |
| 10) Lift manual pump handle                                                                       | Y |
| 11) Hydraulic pump condition and operation                                                        | Y |
| 12) Hydraulic lines and cylinders condition                                                       | Y |
| 13) Hydraulic fluid level and condition                                                           | Y |
| 14) Base plate and arms welds & pivot points                                                      | Y |
| 15) Lift springs and pins condition and operation                                                 | Y |
| 16) Lift safety switches and adjustments                                                          | Y |
| 17) Hose and wire routing and connections                                                         | Y |
| 18) Rollers and pivot point condition & operation                                                 | Y |
| 19) Lift to vehicle mounting bolts and brackets                                                   | Y |
| 20) Lift doors condition and operation                                                            | Y |
| 21) Lift door lights condition and operation                                                      | Y |
| 22) Lift interlock operation and condition                                                        | Y |
| (Lift door open, e-brake down not able to shift)                                                  | Y |
| (e-brake off lift door closed no lift power)                                                      | Y |
| 23) W/C tie downs condition and operation                                                         | Y |
| 24) Tie down container secure and clean                                                           | Y |
| 25) Tie down floor mounting brackets secure                                                       | Y |
| 26) W/C shoulder belt condition and operation                                                     | Y |
| 27) Lift clean and no sharp edges                                                                 | Y |
| 28) Lift shields secure and in good shape                                                         | Y |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                | Y |
| 30) No unusual lift noises                                                                        | Y |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube | Y |
| Check, torque or adjust lift base mounting bolts                                                  | Y |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Dallas, TX 75206



West Palm Beach, FL 33407

Mileage out: 227.968

Notes/Measurements:

[illegible]



|         |     |                                       |
|---------|-----|---------------------------------------|
| 4/15/19 | ADP | Add coolant & windshield washer fluid |
|---------|-----|---------------------------------------|





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 4/15/19 Vehicle #: 5112Mileage in: 227967 Mileage out: 227968

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| R |   | 1) Driver carpet                                   |
| R |   | 2) Driver seat condition and operation             |
| R |   | 3) Drivers door operation and condition            |
| R |   | 4) Drivers seat belt operation and condition       |
| R |   | 5) Engine starting and ignition system             |
| R |   | 6) Instrument panel gauges & warning lights        |
| R |   | 7) Instrument panel lighting & condition           |
| R |   | 8) Horn operation                                  |
| R |   | 9) Steering wheel tight, no excessive play         |
| R |   | 10) Windshield wipers                              |
| R |   | 11) Windshield washer                              |
| R |   | 12) Sun visor condition and operation              |
| R |   | 13) Parking brake operation & condition            |
| R |   | 14) Parking and service brake pedal pads           |
| R |   | 15) Passenger door operation                       |
| R |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
| R |   | 1) Body damage (list on separate sheet)            |
| R |   | 2) Headlights, high & low beam operation           |
| R |   | 3) Parking lights operation & condition            |
| R |   | 4) Marker lights operation & condition             |
| R |   | 5) Directional signals operation & condition       |
| R |   | 6) Hazard lights operation & condition             |
| R |   | 7) Clearance lights operation and condition        |
| R |   | 8) Brake lights operation & condition              |
| R |   | 9) License plate lamp operation & condition        |
| R |   | 10) License plates and tags                        |
| R |   | 11) Backup lights and alarms                       |
| R |   | 12) Reflectors and reflective bumper tape          |
| R |   | 13) Exterior decals and signage                    |
| R |   | 14) Bumpers secure / in good condition             |
| R |   | 15) Exterior mirrors secure / in good condition    |
| R |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
| R |   | 1) Passenger door and steps condition              |
| R |   | 2) Handrails and stanchions condition              |
| R |   | 3) Interior and modesty panels condition           |
| R |   | 4) Flooring condition                              |
| R |   | 5) Interior lighting operation and condition       |
| R |   | 6) Windows operation and condition                 |
| R |   | 7) Emergency Exits operation & condition           |
| R |   | 8) Accessory operation & condition (radio, GPS)    |
| R |   | 9) Passenger seats operation & condition           |
| R |   | 10) Passenger seat belts operation & condition     |
| R |   | 11) First aid & body fluid kits complete           |
| R |   | 12) Triangle reflectors complete/good condition    |
| R |   | 13) Stop request operation & condition             |
| R |   | 14) Valid registration, insurance & accident pack  |
| R |   | 15) Fire extinguisher in good condition & signed   |
| R |   | 16) Interior decals and signage (incl. electrical) |
| R |   | 17) DVI's reviewed, addressed and signed off       |
| R |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
| R |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| R |   | 2) Rear blower condition and operation                 |
| R |   | 3) Defroster operation                                 |
| R |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| R |   | 5) Evaporator intake air filter condition              |
| R |   | 6) Front heater condition and operation                |
| R |   | 7) Rear heater condition and operation                 |
| R |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load volts: load amps:                   |
|   |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
| R |   | 2) Wire and hose routing and connections               |
| R |   | 3) Cooling system, hoses, water pump condition         |
| R |   | 5) Accessory drive belts condition                     |
| R |   | 6) Pulleys and tensioned operation & condition         |
| R |   | 7) Brake master cylinder and power booster             |
| R |   | 8) Fan and fan clutch operation and condition          |
| R |   | 9) Engine oil fluid level and condition                |
| R |   | 10) Transmission oil level and condition               |
| R |   | 11) Power steering fluid level and condition           |
| R |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
| R |   | 1) Steering gear box mount, condition & leaks          |
| R |   | 2) Steering shaft U joints                             |
| R |   | 3) Steering shaft bearings                             |
| R |   | 4) Steering linkages                                   |
| R |   | 5) I beam or control arm movements and rivets          |
| R |   | 6) Radius arm condition and bushings condition         |
| R |   | 7) Stabilizer bar condition and bushings condition     |
| R |   | 8) Ball joints or kingpins                             |
| R |   | 9) Front spring condition and mounting                 |
| R |   | 10) Front shock absorber operation & condition         |
| R |   | 11) Trans oil cooler & lines routing and leaks         |
| R |   | 12) Engine oil cooler & lines routing and leaks        |
| R |   | 13) Heater and A/C hose routing and leaks              |
| R |   | 14) No engine oil leaks and fluid condition            |
| R |   | 15) Engine mounts, brackets and bolts                  |
| R |   | 16) Transmission mounts, brackets and bolts            |
| R |   | 17) No transmission oil leaks and fluid condition      |
| R |   | 18) Drive shaft condition                              |
| R |   | 19) Universal joints and carrier bearings condition    |
| R |   | 20) No rear differential leaks                         |
| R |   | 21) Rear differential condition and mounting           |
| R |   | 22) Frame and cross members                            |
| R |   | 23) Rear shock absorbers                               |
| R |   | 24) Rear springs condition and mounting                |
| R |   | 25) No fuel leaks                                      |
| R |   | 26) Fuel tank condition and mounting                   |
| R |   | 27) No exhaust leaks                                   |
| R |   | 28) Exhaust system condition and mounting              |







5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112 Repair Reason: \_\_\_\_\_

Date and Time in: 05.15.19

Date: 05.15.17 Work Class: I Date and Time Finished: 05.15.19

Mileage in: 232 172

Mileage out: 232 773

## Complaints/Defects:

PTA

**Notes/Measurements:**

[illegible]

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 865132 Technician:

Ernest Rasmus

Signature

ASE Employee #: ASE Technician:

ASE Signature: \_\_\_\_\_





|                              |  |              |                |
|------------------------------|--|--------------|----------------|
| MECHANIC'S SIGNATURE         |  | BUS #: 5112  | DATE: 05.15.19 |
| DESCRIPTION OF REPAIR NEEDED |  | COMPLETED BY | DATE COMPLETED |
| replace 2 Front tires        |  | Jeffrey      | 05.15.19       |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **232973**

Mileage out: **232973**



Date: **05.15.19** Vehicle #: **5112**

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition, and operation            |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel, gauges & warning lights       |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load volts: load amps:                   |
|   |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: **05-15-17** Vehicle #: **5112**

Mileage in: **232 772** Mileage out: **232 773**

| P | F | Item Inspected                                                                                    |
|---|---|---------------------------------------------------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                                                            |
|   |   | 31) Front brake lining condition & measurement                                                    |
|   |   | Pads R/F: <b>10</b> /32" L/F: <b>10</b> /32"                                                      |
|   |   | 32) Rear brake condition and mounting                                                             |
|   |   | 33) Rear brake lining condition & measurement                                                     |
|   |   | Pads R/R: <b>7</b> /32" L/R: <b>7</b> /32"                                                        |
|   |   | Shoes R/R: <b>7</b> /32" L/R: <b>7</b> /32"                                                       |
|   |   | 34) Tire and wheel condition and measurements                                                     |
|   |   | R/F: <b>3</b> /32" L/F: <b>3</b> /32"                                                             |
|   |   | R/RI: <b>7</b> /32" L/RI: <b>7</b> /32"                                                           |
|   |   | R/RO: <b>7</b> /32" L/RO: <b>7</b> /32"                                                           |
|   |   | 35) Lug nuts condition                                                                            |
|   |   | Air pressure adjustment FR. <b>70</b> RR. <b>70</b>                                               |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.                                                      |
|   |   | <b>G) Lift inspection</b>                                                                         |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                |
|   |   | 2) Lift control pendant condition and operation                                                   |
|   |   | 3) Lift restraint belt condition and operation                                                    |
|   |   | 4) Outer roll stop condition and operation                                                        |
|   |   | 5) Inner roll stop condition and operation                                                        |
|   |   | 6) Platform adjustments, condition and mounting                                                   |
|   |   | 7) Standee arm condition and operation                                                            |
|   |   | 8) Proper signage and decals                                                                      |
|   |   | 9) Manual backup pump condition and operation                                                     |
|   |   | 10) Lift manual pump handle                                                                       |
|   |   | 11) Hydraulic pump condition and operation                                                        |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |
|   |   | 13) Hydraulic fluid level and condition                                                           |
|   |   | 14) Base plate and arms welds & pivot points                                                      |
|   |   | 15) Lift springs and pins condition and operation                                                 |
|   |   | 16) Lift safety switches and adjustments                                                          |
|   |   | 17) Hose and wire routing and connections                                                         |
|   |   | 18) Rollers and pivot point condition & operation                                                 |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
|   |   | 20) Lift doors condition and operation                                                            |
|   |   | 21) Lift door lights condition and operation                                                      |
|   |   | 22) Lift interlock operation and condition                                                        |
|   |   | (lift door open, e-brake down not able to shift)                                                  |
|   |   | (e-brake off lift door closed no lift power)                                                      |
|   |   | 23) W/C tie downs condition and operation                                                         |
|   |   | 24) Tie down container secure and clean                                                           |
|   |   | 25) Tie down floor mounting brackets secure                                                       |
|   |   | 26) W/C shoulder belt condition and operation                                                     |
|   |   | 27) Lift clean and no sharp edges                                                                 |
|   |   | 28) Lift shields secure and in good shape                                                         |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
|   |   | 30) No unusual lift noises                                                                        |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |

| ServType                                            | Service Performed                        | Techs Initials |
|-----------------------------------------------------|------------------------------------------|----------------|
| A,B,C,D                                             | Change oil and filter                    |                |
| A,B,C,D                                             | Lube chassis and suspension              |                |
| A,B,C,D                                             | Lube drive shafts and universal joints   |                |
| A,B,C,D                                             | Lube doors and hood, locks and hinges    |                |
| A,B,C,D                                             | Adjust service and parking brakes        |                |
| A,B,C,D                                             | Drain water from separator               |                |
| A,B,C,D                                             | Rotate tires(as necessary, caps on rear) |                |
| B,C,D                                               | Change air filter                        |                |
| B,C,D                                               | Change fuel filter                       |                |
| B,C,D                                               | Clean or change PCV valve                |                |
| B,C,D                                               | Clean or change crank case filter        |                |
| B,C,D                                               | Install new wiper blades                 |                |
| C,D                                                 | Change transmission fluid and filter     |                |
| C,D                                                 | Service front wheel bearings             |                |
| C,D                                                 | Drain water from fuel tank               |                |
| D                                                   | Replace accessory drive belts            |                |
| D                                                   | Service and flush cooling system         |                |
| D                                                   | Install new spark plugs & wires          |                |
| D                                                   | Install new dist. cap & rotor            |                |
| D                                                   | Change differential fluid                |                |
| D                                                   | Check Exhaust and EGR system             |                |
| D                                                   | Check and service fuel & evap. System    |                |
| D                                                   | Evac and recharge A/C (add 1 oz. of oil) |                |
| A,B,C,D                                             | Post service test drive (10 miles)       |                |
| Initial or "N/A" each service performed per PM type |                                          |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Date: **05-15-19**

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



**MV Transportation**  
5910 N Central Expwy Way Suite 1145  
Dallas, TX 75206



**Work Order Division (0094)**  
3301 Electronics Way  
West Palm Beach, FL 33407

**Basic Information**

Vehicle #: 5118 Repair Reason: A Date and Time in: 07-24-19 Mileage in: 248650  
Date: 07-24-19 Work Class: I Date and Time Finished: 07-24-19 Mileage out: 242651

Complaints/Defects:

PNT A

Notes/Measurements:

| Labor Information |     |                             |       | Parts Information |     |             |             |     |      |
|-------------------|-----|-----------------------------|-------|-------------------|-----|-------------|-------------|-----|------|
| Task              | WAC | Repair Description/Comments | Hours | Task              | WAC | Part Number | Description | Qty | Cost |
| A                 | 58  | PNT A                       |       | A                 | 55  | 5W/90       | engine oil  | 6.5 |      |
|                   |     |                             |       | A                 | 55  | AF 3681     | oil filter  | 1   |      |
|                   |     |                             |       | A                 | 55  | 9001831     | tires       | 2   |      |
|                   |     |                             |       | A                 | 55  | A13         | brake pads  | 1   |      |
|                   |     |                             |       | A                 | 55  | ASH-1154    | shock       | 2   |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 825132 Technician: Jeffrey Thomas Signature: [Signature]  
ASE Employee #: \_\_\_\_\_ ASE Technician: \_\_\_\_\_ ASE Signature: \_\_\_\_\_





# PM DEFECT SHEET



*[Signature]*  
MECHANIC'S SIGNATURE

BUS #: 5112

DATE: 07.24.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE  
COMPLETED

rotate front tires to R1 tires

*[Signature]*

07.24.19

replace front tires

*[Signature]*

07.24.19



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 849650 Mileage out: 849651



Date: 07-04-19 Vehicle #: 5112

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load at B,C,D serv)      |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07.24.19 Vehicle #: 5116Mileage in: 242630 Mileage out: 242651

| P | F | Item Inspected                                                                                                                                 | ServType                                                                                                                                                                                                                                                                                                                                                                                                                                | Service Performed                        | Techs Initials |
|---|---|------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------|----------------|
| 2 |   | 30) Front brake condition and mounting                                                                                                         | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Change oil and filter                    | [Signature]    |
| 2 |   | 31) Front brake lining condition & measurement                                                                                                 | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Lube chassis and suspension              |                |
| 2 |   | Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"                                                                                                     | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Lube drive shafts and universal joints   |                |
| 2 |   | 32) Rear brake condition and mounting                                                                                                          | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Lube doors and hood, locks and hinges    |                |
| 2 |   | 33) Rear brake lining condition & measurement                                                                                                  | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Adjust service and parking brakes        |                |
| 2 |   | Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"                                                                                                     | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Drain water from separator               |                |
| 2 |   | Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"                                                                                                    | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Rotate tires(as necessary, caps on rear) |                |
| 2 |   | 34) Tire and wheel condition and measurements                                                                                                  | B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                   | Change air filter                        |                |
| 2 |   | R/F: <u>6</u> /32" L/F: <u>6</u> /32"                                                                                                          | B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                   | Change fuel filter                       |                |
| 2 |   | R/R: <u>6</u> /32" L/R: <u>3</u> /32"                                                                                                          | B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                   | Clean or change PCV valve                |                |
| 2 |   | R/RO: <u>6</u> /32" L/RO: <u>3</u> /32"                                                                                                        | B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                   | Clean or change crank case filter        | [Signature]    |
| 2 |   | 35) Lug nuts condition                                                                                                                         | B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                   | Install new wiper blades                 |                |
| 2 |   | Air pressure adjustment FR. <u>70</u> RR. <u>70</u>                                                                                            | C,D                                                                                                                                                                                                                                                                                                                                                                                                                                     | Change transmission fluid and filter     |                |
| 2 |   | Wheel torque specs used: <u>240</u> ft. lbs.                                                                                                   | C,D                                                                                                                                                                                                                                                                                                                                                                                                                                     | Service front wheel bearings             |                |
| 2 |   | G) Lift inspection                                                                                                                             | C,D                                                                                                                                                                                                                                                                                                                                                                                                                                     | Drain water from fuel tank               |                |
| 2 |   | 1) Lift operation (fully stowed to fully deployed)                                                                                             | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Replace accessory drive belts            |                |
| 2 |   | 2) Lift control pendant condition and operation                                                                                                | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Service and flush cooling system         |                |
| 2 |   | 3) Lift restraint belt condition and operation                                                                                                 | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Install new spark plugs & wires          |                |
| 2 |   | 4) Outer roll stop condition and operation                                                                                                     | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Install new dist. cap & rotor            |                |
| 2 |   | 5) Inner roll stop condition and operation                                                                                                     | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Change differential fluid                |                |
| 2 |   | 6) Platform adjustments, condition and mounting                                                                                                | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Check Exhaust and EGR system             | [Signature]    |
| 2 |   | 7) Standee arm condition and operation                                                                                                         | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Check and service fuel & evap. System    |                |
| 2 |   | 8) Proper signage and decals                                                                                                                   | D                                                                                                                                                                                                                                                                                                                                                                                                                                       | Evac and recharge A/C (add 1 oz. of oil) |                |
| 2 |   | 9) Manual backup pump condition and operation                                                                                                  | A,B,C,D                                                                                                                                                                                                                                                                                                                                                                                                                                 | Post service test drive (8 miles)        |                |
| 2 |   | 10) Lift manual pump handle                                                                                                                    | Initial or "N/A" each service performed per PM type                                                                                                                                                                                                                                                                                                                                                                                     |                                          |                |
| 2 |   | 11) Hydraulic pump condition and operation                                                                                                     | <p>All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.</p> |                                          |                |
| 2 |   | 12) Hydraulic lines and cylinders condition                                                                                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 13) Hydraulic fluid level and condition                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 14) Base plate and arms welds & pivot points                                                                                                   |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 15) Lift springs and pins condition and operation                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 16) Lift safety switches and adjustments                                                                                                       |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 17) Hose and wire routing and connections                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 18) Rollers and pivot point condition & operation                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 19) Lift to vehicle mounting bolts and brackets                                                                                                |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 20) Lift doors condition and operation                                                                                                         |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 21) Lift door lights condition and operation                                                                                                   | Technician's Signature                                                                                                                                                                                                                                                                                                                                                                                                                  | Date <u>07.24.19</u>                     |                |
| 2 |   | 22) Lift interlock operation and condition<br>(lift door open, e-brake down not able to shift)<br>(e-brake off lift door closed no lift power) |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 23) W/C tie downs condition and operation                                                                                                      | Supervisor Signature                                                                                                                                                                                                                                                                                                                                                                                                                    | Date                                     |                |
| 2 |   | 24) Tie down container secure and clean                                                                                                        |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 25) Tie down floor mounting brackets secure                                                                                                    | Notes:                                                                                                                                                                                                                                                                                                                                                                                                                                  |                                          |                |
| 2 |   | 26) W/C shoulder belt condition and operation                                                                                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 27) Lift clean and no sharp edges                                                                                                              |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 28) Lift shields secure and in good shape                                                                                                      |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 29) Lift moves steady without drifting, jerking,<br>or unusual speeds                                                                          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
| 2 |   | 30) No unusual lift noises                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
|   |   | Lube all lift pivot points, barriers, rollers, linkages<br>and bearings cleaning off all excess lube                                           |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |
|   |   | Check, torque or adjust lift base mounting bolts                                                                                               |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                                          |                |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.









# PM DEFECT SHEET



BUS #: 5112

DATE: 8/23/19

PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE  
COMPLETED

Minor strakes

Acc. DRIVE BELT CRACKED (ON ORDER)

8/23/19



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **247174** Mileage out: **247175**



Date: **8/23/19** Vehicle #: **5112**

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B, C, D serv)   |
|   |   | Batt 1 volts: load amps: load volts: load amps:        |
|   |   | Batt 2 volts: load amps: load volts: load amps:        |
|   |   | Batt 3 volts: load amps: load volts: load amps:        |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp: max volt: max amp:           |
|   |   | Alt. 2 min volt: max amp: max volt: max amp:           |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **8/23/19** Vehicle #: **5112**Mileage in: **247174** Mileage out: **247175**

| P | F | Item Inspected                                          |
|---|---|---------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                  |
|   |   | 31) Front brake lining condition & measurement          |
|   |   | Pads R/F: <b>7</b> /32" L/F: <b>7</b> /32"              |
|   |   | 32) Rear brake condition and mounting                   |
|   |   | 33) Rear brake lining condition & measurement           |
|   |   | Pads R/R: <b>5</b> /32" L/R: <b>5</b> /32"              |
|   |   | Shoes R/R: <b>5</b> /32" L/R: <b>5</b> /32"             |
|   |   | 34) Tire and wheel condition and measurements           |
|   |   | R/F: <b>8</b> /32" L/F: <b>8</b> /32"                   |
|   |   | R/RI: <b>6</b> /32" L/RI: <b>6</b> /32"                 |
|   |   | R/RO: <b>5</b> /32" L/RO: <b>7</b> /32"                 |
|   |   | 35) Lug nuts condition                                  |
|   |   | Air pressure adjustment FR. <b>65</b> RR. <b>75</b>     |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.            |
|   |   | G) Lift inspection                                      |
|   |   | 1) Lift operation (fully stowed to fully deployed)      |
|   |   | 2) Lift control pendant condition and operation         |
|   |   | 3) Lift restraint belt condition and operation          |
|   |   | 4) Outer roll stop condition and operation              |
|   |   | 5) Inner roll stop condition and operation              |
|   |   | 6) Platform adjustments, condition and mounting         |
|   |   | 7) Standee arm condition and operation                  |
|   |   | 8) Proper signage and decals                            |
|   |   | 9) Manual backup pump condition and operation           |
|   |   | 10) Lift manual pump handle                             |
|   |   | 11) Hydraulic pump condition and operation              |
|   |   | 12) Hydraulic lines and cylinders condition             |
|   |   | 13) Hydraulic fluid level and condition                 |
|   |   | 14) Base plate and arms welds & pivot points            |
|   |   | 15) Lift springs and pins condition and operation       |
|   |   | 16) Lift safety switches and adjustments                |
|   |   | 17) Hose and wire routing and connections               |
|   |   | 18) Rollers and pivot point condition & operation       |
|   |   | 19) Lift to vehicle mounting bolts and brackets         |
|   |   | 20) Lift doors condition and operation                  |
|   |   | 21) Lift door lights condition and operation            |
|   |   | 22) Lift interlock operation and condition              |
|   |   | (lift door open, e-brake down not able to shift)        |
|   |   | (e-brake off lift door closed no lift power)            |
|   |   | 23) W/C tie downs condition and operation               |
|   |   | 24) Tie down container secure and clean                 |
|   |   | 25) Tie down floor mounting brackets secure             |
|   |   | 26) W/C shoulder belt condition and operation           |
|   |   | 27) Lift clean and no sharp edges                       |
|   |   | 28) Lift shields secure and in good shape               |
|   |   | 29) Lift moves steady without drifting, jerking,        |
|   |   | or unusual speeds                                       |
|   |   | 30) No unusual lift noises                              |
|   |   | Lube all lift pivot points, barriers, rollers, linkages |
|   |   | and bearings cleaning off all excess lube               |
|   |   | Check, torque or adjust lift base mounting bolts        |

| ServType                                            | Service Performed                        | Techs Initials |
|-----------------------------------------------------|------------------------------------------|----------------|
| A,B,C,D                                             | Change oil and filter                    | <b>R</b>       |
| A,B,C,D                                             | Lube chassis and suspension              | <b>R</b>       |
| A,B,C,D                                             | Lube drive shafts and universal joints   | <b>NA</b>      |
| A,B,C,D                                             | Lube doors and hood, locks and hinges    | <b>R</b>       |
| A,B,C,D                                             | Adjust service and parking brakes        | <b>R</b>       |
| A,B,C,D                                             | Drain water from separator               | <b>NA</b>      |
| A,B,C,D                                             | Rotate tires(as necessary, caps on rear) | <b>R</b>       |
| B,C,D                                               | Change air filter                        |                |
| B,C,D                                               | Change fuel filter                       |                |
| B,C,D                                               | Clean or change PCV valve                |                |
| B,C,D                                               | Clean or change crank case filter        |                |
| B,C,D                                               | Install new wiper blades                 |                |
| C,D                                                 | Change transmission fluid and filter     |                |
| C,D                                                 | Service front wheel bearings             |                |
| C,D                                                 | Drain water from fuel tank               |                |
| D                                                   | Replace accessory drive belts            |                |
| D                                                   | Service and flush cooling system         |                |
| D                                                   | Install new spark plugs & wires          |                |
| D                                                   | Install new dist. cap & rotor            |                |
| D                                                   | Change differential fluid                |                |
| D                                                   | Check Exhaust and EGR system             |                |
| D                                                   | Check and service fuel & evap. System    |                |
| D                                                   | Evac and recharge A/C (add 1 oz. of oil) |                |
| A,B,C,D                                             | Post service test drive (5 miles)        |                |
| Initial or "N/A" each service performed per PM type |                                          |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

*[Signature]*  
Technician's Signature

**8/23/19**  
Date

Supervisor Signature


Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



#2445

Mileage out: 256.84

PM I (A)

Notes/Measurements:

[illegible][illegible]

Employee #: 6534 Technician: *Shamir*

ASE Employee #: \_\_\_\_\_ ASE Technician: \_\_\_\_\_

ASE Signature:





# PM DEFECT SHEET



Carnes Masse  
MECHANIC'S SIGNATURE

BUS #: 5112

DATE: 10/28/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① Front Brakes low Need  
Reploring. Check good  
replace front pads all ok

Carnes  
Masse

10/28/19

② Rear Brakes pads low.  
Need reploring  
Check and replace rear  
brakes pads

Carnes  
Masse

10/28/19



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **25483**

Mileage out: **25484**



Date: **10/28/19** Vehicle #: **512**

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B, C, D serv)   |
|   |   | Batt 1 volts: load volts: load amps:                   |
|   |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/28/19

Vehicle #: 5112

Mileage in: 25083

Mileage out: 25484

| P          | F | Item Inspected                                          |
|------------|---|---------------------------------------------------------|
| <u>S</u>   |   | 30) Front brake condition and mounting                  |
| <u>S</u>   |   | 31) Front brake lining condition & measurement          |
| <u>X</u>   |   | Pads R/F: <u>2</u> /32" L/F: <u>2</u> /32"              |
| <u>S</u>   |   | 32) Rear brake condition and mounting                   |
| <u>S</u>   |   | 33) Rear brake lining condition & measurement           |
| <u>X</u>   |   | Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"              |
| <u>N/A</u> |   | Shoes R/R: /32" L/R: /32"                               |
| <u>S</u>   |   | 34) Tire and wheel condition and measurements           |
| <u>S</u>   |   | R/F: /32" L/F: /32"                                     |
| <u>S</u>   |   | R/RI: /32" L/RI: /32"                                   |
| <u>S</u>   |   | R/RO: /32" L/RO: /32"                                   |
| <u>S</u>   |   | 35) Lug nuts condition                                  |
| <u>S</u>   |   | Air pressure adjustment FR. <u>70</u> RR. <u>70</u>     |
| <u>S</u>   |   | Wheel torque specs used: <u>140</u> ft. lbs.            |
| <u>S</u>   |   | G) Lift inspection                                      |
| <u>S</u>   |   | 1) Lift operation (fully stowed to fully deployed)      |
| <u>S</u>   |   | 2) Lift control pendant condition and operation         |
| <u>S</u>   |   | 3) Lift restraint belt condition and operation          |
| <u>S</u>   |   | 4) Outer roll stop condition and operation              |
| <u>S</u>   |   | 5) Inner roll stop condition and operation              |
| <u>S</u>   |   | 6) Platform adjustments, condition and mounting         |
| <u>S</u>   |   | 7) Standee arm condition and operation                  |
| <u>S</u>   |   | 8) Proper signage and decals                            |
| <u>S</u>   |   | 9) Manual backup pump condition and operation           |
| <u>S</u>   |   | 10) Lift manual pump handle                             |
| <u>S</u>   |   | 11) Hydraulic pump condition and operation              |
| <u>S</u>   |   | 12) Hydraulic lines and cylinders condition             |
| <u>S</u>   |   | 13) Hydraulic fluid level and condition                 |
| <u>S</u>   |   | 14) Base plate and arms welds & pivot points            |
| <u>S</u>   |   | 15) Lift springs and pins condition and operation       |
| <u>S</u>   |   | 16) Lift safety switches and adjustments                |
| <u>S</u>   |   | 17) Hose and wire routing and connections               |
| <u>S</u>   |   | 18) Rollers and pivot point condition & operation       |
| <u>S</u>   |   | 19) Lift to vehicle mounting bolts and brackets         |
| <u>S</u>   |   | 20) Lift doors condition and operation                  |
| <u>S</u>   |   | 21) Lift door lights condition and operation            |
| <u>S</u>   |   | 22) Lift interlock operation and condition              |
| <u>S</u>   |   | (lift door open, e-brake down not able to shift)        |
| <u>S</u>   |   | (e-brake off lift door closed no lift power)            |
| <u>S</u>   |   | 23) W/C tie downs condition and operation               |
| <u>S</u>   |   | 24) Tie down container secure and clean                 |
| <u>S</u>   |   | 25) Tie down floor mounting brackets secure             |
| <u>S</u>   |   | 26) W/C shoulder belt condition and operation           |
| <u>S</u>   |   | 27) Lift clean and no sharp edges                       |
| <u>S</u>   |   | 28) Lift shields secure and in good shape               |
| <u>S</u>   |   | 29) Lift moves steady without drifting, jerking,        |
| <u>S</u>   |   | or unusual speeds                                       |
| <u>S</u>   |   | 30) No unusual lift noises                              |
| <u>S</u>   |   | Lube all lift pivot points, barriers, rollers, linkages |
| <u>S</u>   |   | and bearings cleaning off all excess lube               |
| <u>S</u>   |   | Check, torque or adjust lift base mounting bolts        |

| ServType | Service Performed                        | Techs Initials |
|----------|------------------------------------------|----------------|
| A,B,C,D  | Change oil and filter                    | <u>S</u>       |
| A,B,C,D  | Lube chassis and suspension              | <u>N/A</u>     |
| A,B,C,D  | Lube drive shafts and universal joints   | <u>N/A</u>     |
| A,B,C,D  | Lube doors and hood, locks and hinges    | <u>S</u>       |
| A,B,C,D  | Adjust service and parking brakes        | <u>N/A</u>     |
| A,B,C,D  | Drain water from separator               | <u>N/A</u>     |
| A,B,C,D  | Rotate tires(as necessary, caps on rear) | <u>OK</u>      |
| B,C,D    | Change air filter                        |                |
| B,C,D    | Change fuel filter                       |                |
| B,C,D    | Clean or change PCV valve                |                |
| B,C,D    | Clean or change crank case filter        |                |
| B,C,D    | Install new wiper blades                 |                |
| C,D      | Change transmission fluid and filter     |                |
| C,D      | Service front wheel bearings             |                |
| C,D      | Drain water from fuel tank               |                |
| D        | Replace accessory drive belts            |                |
| D        | Service and flush cooling system         |                |
| D        | Install new spark plugs & wires          |                |
| D        | Install new dist. cap & rotor            |                |
| D        | Change differential fluid                |                |
| D        | Check Exhaust and EGR system             |                |
| D        | Check and service fuel & evap. System    |                |
| D        | Evac and recharge A/C (add 1 oz. of oil) |                |
| A,B,C,D  | Post service test drive (5 miles)        | <u>S</u>       |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



**MV Transportation**  
5910 N Cenrial Expy Way Suite 1145  
Dallas, TX 75206

#2046 Work Order Division (0094)  
3301 Electronics Way  
West Palm Beach, FL 33407



### Basic Information

Vehicle #: 5112 Repair Reason: A Date and Time in: \_\_\_\_\_ Mileage in: 241081  
Date: 12/01/2019 Work Class: \_\_\_\_\_ Date and Time Finished: \_\_\_\_\_ Mileage out: 241082

Complaints/Defects:

**Notes/Measurements:**

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murray

Signature Rebecca J. Miller

ASE Employee #:

ASE Technician:

ASE Signature:





DATE: 12/01/2019

PM TYPE OR WORK ORDER #:

*Reddy Mung*  
MECHANIC'S SIGNATURE

[illegible]



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **261082**

Mileage in: **241081**

**5134**

Vehicle #: **12/01/2015**

Date: **12/01/2015**



| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/01/2019 Vehicle #: 5112Mileage in: 241081 Mileage out: 241082

| P  | F | Item Inspected                                                                                    |
|----|---|---------------------------------------------------------------------------------------------------|
| R  |   | 30) Front brake condition and mounting                                                            |
| R  |   | 31) Front brake lining condition & measurement                                                    |
| R  |   | Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"                                                        |
| R  |   | 32) Rear brake condition and mounting                                                             |
| R  |   | 33) Rear brake lining condition & measurement                                                     |
| R  |   | Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"                                                        |
| NA |   | Shoes R/R: /32" L/R: /32"                                                                         |
|    |   | 34) Tire and wheel condition and measurements                                                     |
| R  |   | R/F: <u>7</u> /32" L/F: <u>7</u> /32"                                                             |
| R  |   | R/R: <u>5</u> /32" L/R: <u>5</u> /32"                                                             |
| R  | X | R/O: <u>1</u> /32" L/O: <u>5</u> /32"                                                             |
|    |   | 35) Lug nuts condition                                                                            |
| R  |   | Air pressure adjustment FR. <u>65 RR. 75</u>                                                      |
| R  |   | Wheel torque specs used: <u>140</u> ft. lbs.                                                      |
|    |   | G) Lift inspection                                                                                |
| R  |   | 1) Lift operation (fully stowed to fully deployed)                                                |
| R  |   | 2) Lift control pendant condition and operation                                                   |
| R  |   | 3) Lift restraint belt condition and operation                                                    |
| R  |   | 4) Outer roll stop condition and operation                                                        |
| R  |   | 5) Inner roll stop condition and operation                                                        |
| R  |   | 6) Platform adjustments, condition and mounting                                                   |
| R  |   | 7) Standee arm condition and operation                                                            |
| R  |   | 8) Proper signage and decals                                                                      |
| R  |   | 9) Manual backup pump condition and operation                                                     |
| R  |   | 10) Lift manual pump handle                                                                       |
| R  |   | 11) Hydraulic pump condition and operation                                                        |
| R  |   | 12) Hydraulic lines and cylinders condition                                                       |
| R  |   | 13) Hydraulic fluid level and condition                                                           |
| R  |   | 14) Base plate and arms welds & pivot points                                                      |
| R  |   | 15) Lift springs and pins condition and operation                                                 |
| R  |   | 16) Lift safety switches and adjustments                                                          |
| R  |   | 17) Hose and wire routing and connections                                                         |
| R  |   | 18) Rollers and pivot point condition & operation                                                 |
| R  |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
| R  |   | 20) Lift doors condition and operation                                                            |
| R  |   | 21) Lift door lights condition and operation                                                      |
| R  |   | 22) Lift interlock operation and condition                                                        |
|    |   | (lift door open, e-brake down not able to shift)                                                  |
|    |   | (e-brake off lift door closed no lift power)                                                      |
| R  |   | 23) W/C tie downs condition and operation                                                         |
| R  |   | 24) Tie down container secure and clean                                                           |
| R  |   | 25) Tie down floor mounting brackets secure                                                       |
| R  |   | 26) W/C shoulder belt condition and operation                                                     |
| R  |   | 27) Lift clean and no sharp edges                                                                 |
| R  |   | 28) Lift shields secure and in good shape                                                         |
| R  |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
| R  |   | 30) No unusual lift noises                                                                        |
| R  |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
| R  |   | Check, torque or adjust lift base mounting bolts                                                  |

| ServType                                            | Service Performed                        | Techs Initials |
|-----------------------------------------------------|------------------------------------------|----------------|
| A,B,C,D                                             | Change oil and filter                    | R              |
| A,B,C,D                                             | Lube chassis and suspension              | R              |
| A,B,C,D                                             | Lube drive shafts and universal joints   | NA             |
| A,B,C,D                                             | Lube doors and hood, locks and hinges    | R              |
| A,B,C,D                                             | Adjust service and parking brakes        | R              |
| A,B,C,D                                             | Drain water from separator               | NA             |
| A,B,C,D                                             | Rotate tires(as necessary, caps on rear) | R              |
| B,C,D                                               | Change air filter                        |                |
| B,C,D                                               | Change fuel filter                       |                |
| B,C,D                                               | Clean or change PCV valve                |                |
| B,C,D                                               | Clean or change crank case filter        |                |
| B,C,D                                               | Install new wiper blades                 |                |
| C,D                                                 | Change transmission fluid and filter     |                |
| C,D                                                 | Service front wheel bearings             |                |
| C,D                                                 | Drain water from fuel tank               |                |
| D                                                   | Replace accessory drive belts            |                |
| D                                                   | Service and flush cooling system         |                |
| D                                                   | Install new spark plugs & wires          |                |
| D                                                   | Install new dist. cap & rotor            |                |
| D                                                   | Change differential fluid                |                |
| D                                                   | Check Exhaust and EGR system             |                |
| D                                                   | Check and service fuel & evap. System    |                |
| D                                                   | Evac and recharge A/C (add 1 oz. of oil) |                |
| A,B,C,D                                             | Post service test drive (5 miles)        | R              |
| Initial or "N/A" each service performed per PM type |                                          |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

*Robert M. King*  
Technicians Signature

12/01/2019  
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.





**MV Transportation**  
5910 N Central Expy Way Suite 1145  
Dallas, TX 75206

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112 Repair Reason: 5/12 Date and Time in: 5/12  
 Date: 5/12/20 Work Class: 1 Date and Time Finished: 5/12/20

Mileage in: 270905  
Mileage out: 270904

Complaints/Defects:

228A

**Notes/Measurements:**

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

Total Hours Worked: \_\_\_\_\_

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature \_\_\_\_\_

Signature: \_\_\_\_\_

ASE Signature: \_\_\_\_\_

ASE Employee #: 604182 ASE Technician: \_\_\_\_\_





# PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5112

DATE:

02/11/20

PM TYPE OR WORK ORDER #:

A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE  
COMPLETED

replace ignition coil

J. J. J.

02/11/20

replace spark plug

J. J. J.

02/11/20



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **27040** Mileage out: **27090**



Date: **02/11/00** Vehicle #: **5112**

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B, C, D serv)   |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Date: 02/11/20 Vehicle #: 5112Circle Service Type: A B C DMileage in: 270905 Mileage out: 270906

| P | F | Item Inspected                                          |
|---|---|---------------------------------------------------------|
| 2 |   | 30) Front brake condition and mounting                  |
| 2 |   | 31) Front brake lining condition & measurement          |
| 2 |   | Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"              |
| 2 |   | 32) Rear brake condition and mounting                   |
| 2 |   | 33) Rear brake lining condition & measurement           |
| 2 |   | Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"              |
| 2 |   | Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"             |
| 2 |   | 34) Tire and wheel condition and measurements           |
| 2 |   | R/F: <u>7</u> /32" L/F: <u>7</u> /32"                   |
| 2 |   | R/R: <u>8</u> /32" L/R: <u>8</u> /32"                   |
| 2 |   | R/O: <u>8</u> /32" L/O: <u>8</u> /32"                   |
| 2 |   | 35) Lug nuts condition                                  |
| 2 |   | Air pressure adjustment FR. <u>70</u> RR. <u>70</u>     |
| 2 |   | Wheel torque specs used: <u>140</u> ft. lbs.            |
| 2 |   | G) Lift inspection                                      |
| 2 |   | 1) Lift operation (fully stowed to fully deployed)      |
| 2 |   | 2) Lift control pendant condition and operation         |
| 2 |   | 3) Lift restraint belt condition and operation          |
| 2 |   | 4) Outer roll stop condition and operation              |
| 2 |   | 5) Inner roll stop condition and operation              |
| 2 |   | 6) Platform adjustments, condition and mounting         |
| 2 |   | 7) Standee arm condition and operation                  |
| 2 |   | 8) Proper signage and decals                            |
| 2 |   | 9) Manual backup pump condition and operation           |
| 2 |   | 10) Lift manual pump handle                             |
| 2 |   | 11) Hydraulic pump condition and operation              |
| 2 |   | 12) Hydraulic lines and cylinders condition             |
| 2 |   | 13) Hydraulic fluid level and condition                 |
| 2 |   | 14) Base plate and arms welds & pivot points            |
| 2 |   | 15) Lift springs and pins condition and operation       |
| 2 |   | 16) Lift safety switches and adjustments                |
| 2 |   | 17) Hose and wire routing and connections               |
| 2 |   | 18) Rollers and pivot point condition & operation       |
| 2 |   | 19) Lift to vehicle mounting bolts and brackets         |
| 2 |   | 20) Lift doors condition and operation                  |
| 2 |   | 21) Lift door lights condition and operation            |
| 2 |   | 22) Lift interlock operation and condition              |
| 2 |   | (lift door open, e-brake down not able to shift)        |
| 2 |   | (e-brake off lift door closed no lift power)            |
| 2 |   | 23) W/C tie downs condition and operation               |
| 2 |   | 24) Tie down container secure and clean                 |
| 2 |   | 25) Tie down floor mounting brackets secure             |
| 2 |   | 26) W/C shoulder belt condition and operation           |
| 2 |   | 27) Lift clean and no sharp edges                       |
| 2 |   | 28) Lift shields secure and in good shape               |
| 2 |   | 29) Lift moves steady without drifting, jerking,        |
| 2 |   | or unusual speeds                                       |
| 2 |   | 30) No unusual lift noises                              |
| 2 |   | Lube all lift pivot points, barriers, rollers, linkages |
| 2 |   | and bearings cleaning off all excess lube               |
| 2 |   | Check, torque or adjust lift base mounting bolts        |

| ServType | Service Performed                         | Techs Initials |
|----------|-------------------------------------------|----------------|
| A,B,C,D  | Change oil and filter                     |                |
| A,B,C,D  | Lube chassis and suspension               |                |
| A,B,C,D  | Lube drive shafts and universal joints    |                |
| A,B,C,D  | Lube doors and hood, locks and hinges     |                |
| A,B,C,D  | Adjust service and parking brakes         |                |
| A,B,C,D  | Drain water from separator                |                |
| A,B,C,D  | Rotate tires(as necessary, caps on rear)  |                |
| B,C,D    | Change air filter                         |                |
| B,C,D    | Change fuel filter                        |                |
| B,C,D    | Clean or change PCV valve                 |                |
| B,C,D    | Clean or change crank case filter         |                |
| B,C,D    | Install new wiper blades                  |                |
| C,D      | Change transmission fluid and filter      |                |
| C,D      | Service front wheel bearings              |                |
| C,D      | Drain water from fuel tank                |                |
| D        | Replace accessory drive belts             |                |
| D        | Service and flush cooling system          |                |
| D        | Install new spark plugs & wires           |                |
| D        | Install new dist. cap & rotor             |                |
| D        | Change differential fluid                 |                |
| D        | Check Exhaust and EGR system              |                |
| D        | Check and service fuel & evap. System     |                |
| D        | Evac and recharge A/C (add 1 oz. of oil)  |                |
| A,B,C,D  | Post service test drive ( <u>5</u> miles) |                |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

|            |         |                |   |                         |       |              |        |
|------------|---------|----------------|---|-------------------------|-------|--------------|--------|
| Vehicle #: | 5112    | Repair Reason: | A | Date and Time In:       | 9:02  | Mileage in:  | 275700 |
| Date:      | 3/14/20 | Work Class:    | I | Date and Time Finished: | 10:35 | Mileage out: | 275702 |

Complaints/Defects:

Notes/Measurements:

**Labor Information**

| <i>Labor Information</i> |            |                                    |                     |
|--------------------------|------------|------------------------------------|---------------------|
| <i>Task</i>              | <i>WAC</i> | <i>Repair Description/Comments</i> | <i>Hours</i>        |
| A                        | 58         | P w ix                             |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    |                     |
|                          |            |                                    | Total Hours Worked: |

## Paris Information

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUVANTH YUGGERRAO Signature: X Sugendero

ASE Employee #: 604182 ASE Technician: \_\_\_\_\_

ASE Signature:





# PM DEFECT SHEET



*y. Terggendo*  
MECHANIC'S SIGNATURE

BUS #: *5112*

DATE:

*3/16/20*

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE

COMPLETED

*Buses have some minor scratches  
and dents all is OK*

*yadu*

*3/16/20*



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **275700** Mileage out: **275702**



Date: **3/16/20** Vehicle #: **5112**

| P | F | Item Inspected                                                   | P | F | Item Inspected                                                  |
|---|---|------------------------------------------------------------------|---|---|-----------------------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>                  |   |   | <b>1) Driver carpet</b>                                         |
|   |   | <b>2) Driver seat condition and operation</b>                    |   |   | <b>3) Drivers door operation and condition</b>                  |
|   |   | <b>4) Drivers seat belt operation and condition</b>              |   |   | <b>5) Engine starting and ignition system</b>                   |
|   |   | <b>6) Instrument panel gauges &amp; warning lights</b>           |   |   | <b>7) Instrument panel lighting &amp; condition</b>             |
|   |   | <b>8) Horn operation</b>                                         |   |   | <b>9) Steering wheel tight, no excessive play</b>               |
|   |   | <b>10) Windshield wipers</b>                                     |   |   | <b>11) Windshield washer</b>                                    |
|   |   | <b>12) Sun visor condition and operation</b>                     |   |   | <b>13) Parking brake operation &amp; condition</b>              |
|   |   | <b>14) Parking and service brake pedal pads</b>                  |   |   | <b>15) Passenger door operation</b>                             |
|   |   | <b>16) No vibrations, pulsations or noises</b>                   |   |   | <b>B) Walk around inspection</b>                                |
|   |   | <b>1) Body damage (list on separate sheet)</b>                   |   |   | <b>2) Headlights, high &amp; low beam operation</b>             |
|   |   | <b>3) Parking lights operation &amp; condition</b>               |   |   | <b>4) Marker lights operation &amp; condition</b>               |
|   |   | <b>5) Directional signals operation &amp; condition</b>          |   |   | <b>6) Hazard lights operation &amp; condition</b>               |
|   |   | <b>7) Clearance lights operation and condition</b>               |   |   | <b>8) Brake lights operation &amp; condition</b>                |
|   |   | <b>9) License plate lamp operation &amp; condition</b>           |   |   | <b>10) License plates and tags</b>                              |
|   |   | <b>11) Backup lights and alarms</b>                              |   |   | <b>12) Reflectors and reflective bumper tape</b>                |
|   |   | <b>13) Exterior decals and signage</b>                           |   |   | <b>14) Bumpers secure / in good condition</b>                   |
|   |   | <b>15) Exterior mirrors secure / in good condition</b>           |   |   | <b>16) Exterior clean</b>                                       |
|   |   | <b>C) Interior inspection</b>                                    |   |   | <b>1) Passenger door and steps condition</b>                    |
|   |   | <b>2) Handrails and stanchions condition</b>                     |   |   | <b>3) Interior and modesty panels condition</b>                 |
|   |   | <b>4) Flooring condition</b>                                     |   |   | <b>5) Interior lighting operation and condition</b>             |
|   |   | <b>6) Windows operation and condition</b>                        |   |   | <b>7) Emergency Exits operation &amp; condition</b>             |
|   |   | <b>8) Accessory operation &amp; condition (radio, GPS)</b>       |   |   | <b>9) Passenger seats operation &amp; condition</b>             |
|   |   | <b>10) Passenger seat belts operation &amp; condition</b>        |   |   | <b>11) First aid &amp; body fluid kits complete</b>             |
|   |   | <b>12) Triangle reflectors complete/good condition</b>           |   |   | <b>13) Stop request operation &amp; condition</b>               |
|   |   | <b>14) Valid registration, insurance &amp; accident pack</b>     |   |   | <b>15) Fire extinguisher in good condition &amp; signed</b>     |
|   |   | <b>16) Interior decals and signage (incl. electrical)</b>        |   |   | <b>17) DVI's reviewed, addressed and signed off</b>             |
|   |   | <b>18) Interior clean</b>                                        |   |   | <b>D) HVAC system inspection</b>                                |
|   |   | <b>1) Front blower condition and operation</b>                   |   |   | <b>2) Rear blower condition and operation</b>                   |
|   |   | <b>E) Under hood inspection</b>                                  |   |   | <b>1) Batteries &amp; charging sys. (load alt B, C, D serv)</b> |
|   |   | <b>2) Batteries 1 volts: load amps: Batt 1 volts: load amps:</b> |   |   | <b>3) Defroster operation</b>                                   |
|   |   | <b>4) Temp gets to 20 deg. F below ambient temp.</b>             |   |   | <b>5) Evaporator intake air filter condition</b>                |
|   |   | <b>6) Front heater condition and operation</b>                   |   |   | <b>7) Rear heater condition and operation</b>                   |
|   |   | <b>8) A/C compressors and condenser fans</b>                     |   |   | <b>9) Under hood inspection</b>                                 |
|   |   | <b>1) Batteries &amp; charging sys. (load alt B, C, D serv)</b>  |   |   | <b>2) Wire and hose routing and connections</b>                 |
|   |   | <b>3) Cooling system, hoses, water pump condition</b>            |   |   | <b>5) Accessory drive belts condition</b>                       |
|   |   | <b>6) Pulleys and tensioned operation &amp; condition</b>        |   |   | <b>7) Brake master cylinder and power booster</b>               |
|   |   | <b>8) Fan and fan clutch operation and condition</b>             |   |   | <b>9) Engine oil fluid level and condition</b>                  |
|   |   | <b>10) Transmission oil level and condition</b>                  |   |   | <b>11) Power steering fluid level and condition</b>             |
|   |   | <b>12) Brake fluid level and condition</b>                       |   |   | <b>F) Vehicle rack inspection</b>                               |
|   |   | <b>1) Steering gear box mount, condition &amp; leaks</b>         |   |   | <b>2) Steering shaft U joints</b>                               |
|   |   | <b>3) Steering shaft bearings</b>                                |   |   | <b>4) Steering linkages</b>                                     |
|   |   | <b>5) I beam or control arm movements and rivets</b>             |   |   | <b>6) Radius arm condition and bushings condition</b>           |
|   |   | <b>7) Stabilizer bar condition and bushings condition</b>        |   |   | <b>8) Ball joints or kingpins</b>                               |
|   |   | <b>9) Front spring condition and mounting</b>                    |   |   | <b>10) Front shock absorber operation &amp; condition</b>       |
|   |   | <b>11) Trans oil cooler &amp; lines routing and leaks</b>        |   |   | <b>12) Engine oil cooler &amp; lines routing and leaks</b>      |
|   |   | <b>13) Heater and A/C hose routing and leaks</b>                 |   |   | <b>14) No engine oil leaks and fluid condition</b>              |
|   |   | <b>15) Engine mounts, brackets and bolts</b>                     |   |   | <b>16) Transmission mounts, brackets and bolts</b>              |
|   |   | <b>17) No transmission oil leaks and fluid condition</b>         |   |   | <b>18) Drive shaft condition</b>                                |
|   |   | <b>19) Universal joints and carrier bearings condition</b>       |   |   | <b>20) No rear differential leaks</b>                           |
|   |   | <b>21) Rear differential condition and mounting</b>              |   |   | <b>22) Frame and cross members</b>                              |
|   |   | <b>23) Rear shock absorbers</b>                                  |   |   | <b>24) Rear springs condition and mounting</b>                  |
|   |   | <b>25) No fuel leaks</b>                                         |   |   | <b>26) Fuel tank condition and mounting</b>                     |
|   |   | <b>27) No exhaust leaks</b>                                      |   |   | <b>28) Exhaust system condition and mounting</b>                |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 3/16/20 Vehicle #: 5112 Mileage in: 275700 Mileage out: 275702

| P | F | Item Inspected                                                                                    | ServType | Service Performed                                                                                                                                                                                                                                                                                                                                                                                                                       | Techs Initials |
|---|---|---------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|
| Y |   | 30) Front brake condition and mounting                                                            | A,B,C,D  | Change oil and filter                                                                                                                                                                                                                                                                                                                                                                                                                   | Y              |
| Y |   | 31) Front brake lining condition & measurement                                                    | A,B,C,D  | Lube chassis and suspension                                                                                                                                                                                                                                                                                                                                                                                                             | Y              |
| Y |   | Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"                                                        | A,B,C,D  | Lube drive shafts and universal joints                                                                                                                                                                                                                                                                                                                                                                                                  | N/A            |
| Y |   | 32) Rear brake condition and mounting                                                             | A,B,C,D  | Lube doors and hood, locks and hinges                                                                                                                                                                                                                                                                                                                                                                                                   | Y              |
| Y |   | 33) Rear brake lining condition & measurement                                                     | A,B,C,D  | Adjust service and parking brakes                                                                                                                                                                                                                                                                                                                                                                                                       | Y              |
| Y |   | Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"                                                        | A,B,C,D  | Drain water from separator                                                                                                                                                                                                                                                                                                                                                                                                              | N/A            |
| Y |   | Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"                                                       | A,B,C,D  | Rotate tires(as necessary, caps on rear)                                                                                                                                                                                                                                                                                                                                                                                                | Y              |
| Y |   | 34) Tire and wheel condition and measurements                                                     | B,C,D    | Change air filter                                                                                                                                                                                                                                                                                                                                                                                                                       |                |
| Y |   | R/F: <u>9</u> /32" L/F: <u>9</u> /32"                                                             | B,C,D    | Change fuel filter                                                                                                                                                                                                                                                                                                                                                                                                                      |                |
| Y |   | R/R: <u>8</u> /32" L/R: <u>9</u> /32"                                                             | B,C,D    | Clean or change PCV valve                                                                                                                                                                                                                                                                                                                                                                                                               |                |
| Y |   | R/RO: <u>9</u> /32" L/RO: <u>7</u> /32"                                                           | B,C,D    | Clean or change crank case filter                                                                                                                                                                                                                                                                                                                                                                                                       |                |
| Y |   | 35) Lug nuts condition                                                                            | B,C,D    | Install new wiper blades                                                                                                                                                                                                                                                                                                                                                                                                                |                |
| Y |   | Air pressure adjustment FR. <u>70</u> RR. <u>70</u>                                               | C,D      | Change transmission fluid and filter                                                                                                                                                                                                                                                                                                                                                                                                    |                |
| Y |   | Wheel torque specs used: <u>140</u> ft. lbs.                                                      | C,D      | Service front wheel bearings                                                                                                                                                                                                                                                                                                                                                                                                            |                |
|   |   | G) Lift inspection                                                                                | C,D      | Drain water from fuel tank                                                                                                                                                                                                                                                                                                                                                                                                              |                |
| Y |   | 1) Lift operation (fully stowed to fully deployed)                                                | D        | Replace accessory drive belts                                                                                                                                                                                                                                                                                                                                                                                                           |                |
| Y |   | 2) Lift control pendant condition and operation                                                   | D        | Service and flush cooling system                                                                                                                                                                                                                                                                                                                                                                                                        |                |
| Y |   | 3) Lift restraint belt condition and operation                                                    | D        | Install new spark plugs & wires                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 4) Outer roll stop condition and operation                                                        | D        | Install new dist. cap & rotor                                                                                                                                                                                                                                                                                                                                                                                                           |                |
| Y |   | 5) Inner roll stop condition and operation                                                        | D        | Change differential fluid                                                                                                                                                                                                                                                                                                                                                                                                               |                |
| Y |   | 6) Platform adjustments, condition and mounting                                                   | D        | Check Exhaust and EGR system                                                                                                                                                                                                                                                                                                                                                                                                            |                |
| Y |   | 7) Standee arm condition and operation                                                            | D        | Check and service fuel & evap. System                                                                                                                                                                                                                                                                                                                                                                                                   |                |
| Y |   | 8) Proper signage and decals                                                                      | D        | Evac and recharge A/C (add 1 oz. of oil)                                                                                                                                                                                                                                                                                                                                                                                                |                |
| Y |   | 9) Manual backup pump condition and operation                                                     | A,B,C,D  | Post service test drive (5 miles)                                                                                                                                                                                                                                                                                                                                                                                                       | Y              |
| Y |   | 10) Lift manual pump handle                                                                       |          | Initial or "N/A" each service performed per PM type                                                                                                                                                                                                                                                                                                                                                                                     |                |
| Y |   | 11) Hydraulic pump condition and operation                                                        |          | <p>All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.</p> |                |
| Y |   | 12) Hydraulic lines and cylinders condition                                                       |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 13) Hydraulic fluid level and condition                                                           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 14) Base plate and arms welds & pivot points                                                      |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 15) Lift springs and pins condition and operation                                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 16) Lift safety switches and adjustments                                                          |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 17) Hose and wire routing and connections                                                         |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 18) Rollers and pivot point condition & operation                                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 19) Lift to vehicle mounting bolts and brackets                                                   |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 20) Lift doors condition and operation                                                            |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 21) Lift door lights condition and operation                                                      |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 22) Lift interlock operation and condition                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | (lift door open, e-brake down not able to shift)                                                  |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | (e-brake off lift door closed no lift power)                                                      |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 23) W/C tie downs condition and operation                                                         |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 24) Tie down container secure and clean                                                           |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 25) Tie down floor mounting brackets secure                                                       |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 26) W/C shoulder belt condition and operation                                                     |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 27) Lift clean and no sharp edges                                                                 |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 28) Lift shields secure and in good shape                                                         |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | 30) No unusual lift noises                                                                        |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |
| Y |   | Check, torque or adjust lift base mounting bolts                                                  |          |                                                                                                                                                                                                                                                                                                                                                                                                                                         |                |

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.





3301 Electronics Way  
West Palm Beach, FL 33407

Vehicle #: 5102 Repair Reason: A Date and Time in: 07-04-2020 Mileage in: 284972  
Date: 07-04-20 Work Class: A Date and Time Finished: Mileage out: 284973

WIA

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have collected all relevant information.

ready for service, I have used parts that ~~are~~ from MY Transportation, Inc. approved vendors and have followed all MY Transportation, Inc. policies.

Employee #: 057302 Technician: TERMIER TURNER Signature: [Signature]


Signature

ASE Employee #: \_\_\_\_\_ ASE Technician: \_\_\_\_\_

ASE Signature:



**PM DEFECT SHEET**



|                              |  |                  |  |
|------------------------------|--|------------------|--|
| MECHANIC'S SIGNATURE         |  | DATE: 07-04-2020 |  |
| PM TYPE OR WORK ORDER #:     |  | BUS #: 5112      |  |
| COMPLETED BY                 |  | COMPLETED DATE   |  |
| DESCRIPTION OF REPAIR NEEDED |  |                  |  |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 284972 Mileage out: 284973



Date: 07-04-20 Vehicle #: 5112

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B, C, D serv)   |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist



Date: 07-04-2020 Vehicle #: 5112

Circle Service-Type: A B C D  
Mileage in: 28497 Mileage out: 28497

| P | F | Item Inspected                                                                                    |
|---|---|---------------------------------------------------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                                                            |
|   |   | 31) Front brake lining condition & measurement                                                    |
|   |   | Pads R/F: 9 / 32" L/F: 7 / 32"                                                                    |
|   |   | 32) Rear brake condition and mounting                                                             |
|   |   | 33) Rear brake lining condition & measurement                                                     |
|   |   | Pads R/R: 5 / 32" L/R: 5 / 32"                                                                    |
|   |   | Shoes R/R: / 32" L/R: / 32"                                                                       |
|   |   | 34) Tire and wheel condition and measurements                                                     |
|   |   | R/F: 8 / 32" L/F: 8 / 32"                                                                         |
|   |   | R/R: 8 / 32" L/R: 8 / 32"                                                                         |
|   |   | R/R: 8 / 32" L/R: 8 / 32"                                                                         |
|   |   | 35) Lug nuts condition                                                                            |
|   |   | Air pressure adjustment FR: 45 RR: 45                                                             |
|   |   | Wheel torque specs used: 140 ft. lbs.                                                             |
|   |   | G) Lift inspection                                                                                |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                |
|   |   | 2) Lift control pendant condition and operation                                                   |
|   |   | 3) Lift restraint belt condition and operation                                                    |
|   |   | 4) Outer roll stop condition and operation                                                        |
|   |   | 5) Inner roll stop condition and operation                                                        |
|   |   | 6) Platform adjustments, condition and mounting                                                   |
|   |   | 7) Standee arm condition and operation                                                            |
|   |   | 8) Proper signage and decals                                                                      |
|   |   | 9) Manual backup pump condition and operation                                                     |
|   |   | 10) Lift manual pump handle                                                                       |
|   |   | 11) Hydraulic pump condition and operation                                                        |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |
|   |   | 13) Hydraulic fluid level and condition                                                           |
|   |   | 14) Base plate and arms welds & pivot points                                                      |
|   |   | 15) Lift springs and pins condition and operation                                                 |
|   |   | 16) Lift safety switches and adjustments                                                          |
|   |   | 17) Hose and wire routing and connections                                                         |
|   |   | 18) Rollers and pivot point condition & operation                                                 |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
|   |   | 20) Lift doors condition and operation                                                            |
|   |   | 21) Lift door lights condition and operation                                                      |
|   |   | 22) Lift interlock operation and condition                                                        |
|   |   | (Lift door open, e-brake down not able to shift)                                                  |
|   |   | (e-brake off lift door closed no lift power)                                                      |
|   |   | 23) W/C the downs condition and operation                                                         |
|   |   | 24) Tie down container secure and clean                                                           |
|   |   | 25) Tie down floor mounting brackets secure                                                       |
|   |   | 26) W/C shoulder belt condition and operation                                                     |
|   |   | 27) Lift clean and no sharp edges                                                                 |
|   |   | 28) Lift shields secure and in good shape                                                         |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
|   |   | 30) No unusual lift noises                                                                        |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |

| Service Performed                                 | Technician Initials |
|---------------------------------------------------|---------------------|
| A,B,C,D Change oil and filter                     |                     |
| A,B,C,D Lube chassis and suspension               |                     |
| A,B,C,D Lube drive shafts and universal joints    |                     |
| A,B,C,D Lube doors and hood, locks and hinges     |                     |
| A,B,C,D Adjust service and parking brakes         |                     |
| A,B,C,D Drain water from separator                |                     |
| A,B,C,D Rotate tires (as necessary, caps on rear) |                     |
| B,C,D Change air filter                           |                     |
| B,C,D Change fuel filter                          |                     |
| B,C,D Clean or change PCV valve                   |                     |
| B,C,D Clean or change crank case filter           |                     |
| B,C,D Install new wiper blades                    |                     |
| C,D Change transmission fluid and filter          |                     |
| C,D Service front wheel bearings                  |                     |
| C,D Drain water from fuel tank                    |                     |
| D Replace accessory drive belts                   |                     |
| D Service and flush cooling system                |                     |
| D Install new spark plugs & wires                 |                     |
| D Install new dist. cap & rotor                   |                     |
| D Change differential fluid                       |                     |
| D Check Exhaust and EGR system                    |                     |
| D Check and service fuel & evap. System           |                     |
| D Evac and recharge A/C (add 1 oz. of oil)        |                     |
| A,B,C,D Post service test drive (5 miles)         |                     |

Technician Signature: [Signature] Date: 07-04-2020

Supervisor Signature

Date

Notes:

Initial or "N/A" each service performed per PM type

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



# MV Transportation

5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 51V2 Repair Reason: VA Date and Time In: 08-13-20 Mileage in: 289652  
Date: 08-13-20 Work Class: 1 Date and Time Finished: Mileage out: 289652

Complaints/Defects:

QNTA

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

**Total Parts Cost:**

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: F. E. V. E. N. S. E. N. Signature: \_\_\_\_\_

Signature \_\_\_\_\_

ASE Employee #: 604182 ASE Technician:

ASE Signature:



the front A/C is not good  
anyone at the A/C machine is  
not. look to reason and  
in fact the first.



# Preventive Maintenance Inspection and Service Checklist



Date: 08-13-00 Vehicle #: 5112  
 Circle Service Type: (A) B C D  
 Mileage in: 289651 Mileage out: 289652

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)               |
|   |   | 1) Driver carpet                                       |
|   |   | 2) Driver seat condition and operation                 |
|   |   | 3) Drivers door operation and condition                |
|   |   | 4) Drivers seat belt operation and condition           |
|   |   | 5) Engine starting and ignition system                 |
|   |   | 6) Instrument panel gauges & warning lights            |
|   |   | 7) Instrument panel lighting & condition               |
|   |   | 8) Horn operation                                      |
|   |   | 9) Steering wheel tight, no excessive play             |
|   |   | 10) Windshield wipers                                  |
|   |   | 11) Windshield washer                                  |
|   |   | 12) Sun visor condition and operation                  |
|   |   | 13) Parking brake operation & condition                |
|   |   | 14) Parking and service brake pedal pads               |
|   |   | 15) Passenger door operation                           |
|   |   | 16) No vibrations, pulsations or noises                |
|   |   | B) Walk around inspection                              |
|   |   | 1) Body damage (list on separate sheet)                |
|   |   | 2) Headlights, high & low beam operation               |
|   |   | 3) Parking lights operation & condition                |
|   |   | 4) Marker lights operation & condition                 |
|   |   | 5) Directional signals operation & condition           |
|   |   | 6) Hazard lights operation & condition                 |
|   |   | 7) Clearance lights operation & condition              |
|   |   | 8) Brake lights operation & condition                  |
|   |   | 9) License plate lamp operation & condition            |
|   |   | 10) License plates and tags                            |
|   |   | 11) Backup lights and alarms                           |
|   |   | 12) Reflectors and reflective bumper tape              |
|   |   | 13) Exterior decals and signage                        |
|   |   | 14) Bumpers secure / in good condition                 |
|   |   | 15) Exterior mirrors secure / in good condition        |
|   |   | 16) Exterior clean                                     |
|   |   | C) Interior inspection                                 |
|   |   | 1) Passenger door and steps condition                  |
|   |   | 2) Handrails and stanchions condition                  |
|   |   | 3) Interior and modesty panels condition               |
|   |   | 4) Flooring condition                                  |
|   |   | 5) Interior lighting operation and condition           |
|   |   | 6) Windows operation and condition                     |
|   |   | 7) Emergency Exits operation & condition               |
|   |   | 8) Accessory operation & condition (radio, GPS)        |
|   |   | 9) Passenger seats operation & condition               |
|   |   | 10) Passenger seat belts operation & condition         |
|   |   | 11) First aid & body fluid kits complete               |
|   |   | 12) Triangle reflectors complete/good condition        |
|   |   | 13) Stop request operation & condition                 |
|   |   | 14) Valid registration, insurance & accident pack      |
|   |   | 15) Fire extinguisher in good condition & signed       |
|   |   | 16) Interior decals and signage (incl. electrical)     |
|   |   | 17) DVI's reviewed, addressed and signed off           |
|   |   | 18) Interior clean                                     |
|   |   | D) HVAC system inspection                              |
|   |   | 1) Front blower condition and operation                |
| P | F | Item Inspected                                         |
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**  
 Mileage in: **28965**  
 Mileage out: **28965**

Date: **8-13-2020** Vehicle #: **5112**

| Service Performed                          | Service Type | Initials |
|--------------------------------------------|--------------|----------|
| Change oil and filter                      | A,B,C,D      | F        |
| Lube chassis and suspension                | A,B,C,D      | F        |
| Lube drive shafts and universal joints     | A,B,C,D      | K/A      |
| Lube doors and hood, locks and hinges      | A,B,C,D      | K/A      |
| Adjust service and parking brakes          | A,B,C,D      | F        |
| Drain water from separator                 | A,B,C,D      | F        |
| Rotate tires (as necessary, caps on rear)  | A,B,C,D      | F        |
| Change air filter                          | B,C,D        |          |
| Change fuel filter                         | B,C,D        |          |
| Clean or change PCV valve                  | B,C,D        |          |
| Clean or change crank case filter          | B,C,D        |          |
| Install new wiper blades                   | B,C,D        |          |
| Change transmission fluid and filter       | C,D          |          |
| Service front wheel bearings               | C,D          |          |
| Drain water from fuel tank                 | C,D          |          |
| Replace accessory drive belts              | D            |          |
| Service and flush cooling system           | D            |          |
| Install new spark plugs & wires            | D            |          |
| Install new dist. cap & rotor              | D            |          |
| Change differential fluid                  | D            |          |
| Check Exhaust and EGR system               | D            |          |
| Check and service fuel & evaporator system | D            |          |
| Evac and recharge A/C (add 1 oz. of oil)   | D            |          |
| Post service test drive (5 miles)          | A,B,C,D      | F        |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

| Item Inspected                                                                                    | P | F |
|---------------------------------------------------------------------------------------------------|---|---|
| 30) Front brake condition and mounting                                                            |   |   |
| 31) Front brake lining condition & measurement                                                    |   |   |
| Pads R/F: <b>C</b> /32" L/F: <b>C</b> /32"                                                        |   |   |
| 32) Rear brake condition and mounting                                                             |   |   |
| 33) Rear brake lining condition & measurement                                                     |   |   |
| Pads R/R: <b>3</b> /32" L/R: <b>3</b> /32"                                                        |   |   |
| Shoes R/R: <b>3</b> /32" L/R: <b>3</b> /32"                                                       |   |   |
| 34) Tire and wheel condition and measurements                                                     |   |   |
| R/F: <b>9</b> /32" L/F: <b>9</b> /32"                                                             |   |   |
| R/R: <b>8</b> /32" L/R: <b>8</b> /32"                                                             |   |   |
| R/O: <b>7</b> /32" L/R: <b>7</b> /32"                                                             |   |   |
| 35) Lug nuts condition                                                                            |   |   |
| Air pressure adjustment <b>FR. 65 R/45</b>                                                        |   |   |
| Wheel torque specs used: <b>140</b> ft. lbs.                                                      |   |   |
| G) Lift inspection                                                                                |   |   |
| 1) Lift operation (fully stowed to fully deployed)                                                |   |   |
| 2) Lift control pendant condition and operation                                                   |   |   |
| 3) Lift restraint belt condition and operation                                                    |   |   |
| 4) Outer roll stop condition and operation                                                        |   |   |
| 5) Inner roll stop condition and operation                                                        |   |   |
| 6) Platform adjustments, condition and mounting                                                   |   |   |
| 7) Stander arm condition and operation                                                            |   |   |
| 8) Proper signage and decals                                                                      |   |   |
| 9) Manual backup pump condition and operation                                                     |   |   |
| 10) Lift manual pump handle                                                                       |   |   |
| 11) Hydraulic pump condition and operation                                                        |   |   |
| 12) Hydraulic lines and cylinders condition                                                       |   |   |
| 13) Hydraulic fluid level and condition                                                           |   |   |
| 14) Base plate and arms welds & pivot points                                                      |   |   |
| 15) Lift springs and pins condition and operation                                                 |   |   |
| 16) Lift safety switches and adjustments                                                          |   |   |
| 17) Hose and wire routing and connections                                                         |   |   |
| 18) Rollers and pivot point condition & operation                                                 |   |   |
| 19) Lift to vehicle mounting bolts and brackets                                                   |   |   |
| 20) Lift doors condition and operation                                                            |   |   |
| 21) Lift door lights condition and operation                                                      |   |   |
| 22) Lift interlock operation and condition                                                        |   |   |
| (Lift door open, e-brake down not able to shift)                                                  |   |   |
| (e-brake off lift door closed no lift power)                                                      |   |   |
| 23) W/C tie downs condition and operation                                                         |   |   |
| 24) Tie down container secure and clean                                                           |   |   |
| 25) Tie down floor mounting brackets secure                                                       |   |   |
| 26) W/C shoulder belt condition and operation                                                     |   |   |
| 27) Lift clean and no sharp edges                                                                 |   |   |
| 28) Lift shields secure and in good shape                                                         |   |   |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                |   |   |
| 30) No unusual lift noises                                                                        |   |   |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |   |   |
| Check, torque or adjust lift base mounting bolts                                                  |   |   |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



3301 Electronics Way  
West Palm Beach, FL 33407

Vehicle #: 5112 Repair Reason: A Date and Time in: \_\_\_\_\_ Mileage in: 299053  
Date: 11/03/20 Work Class: E Date and Time Finished: \_\_\_\_\_ Mileage out: 299054

Q 352

Notes/Measurements:

| Labor Information   |     |                             |       |
|---------------------|-----|-----------------------------|-------|
| Task                | WAC | Repair Description/Comments | Hours |
| A                   | 53  | PMF A                       |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
| 04                  | 55  | brake inspection            |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
|                     |     |                             |       |
| Total Hours Worked: |     |                             |       |

[illegible]

Total Hours Worked:

|                   |  |
|-------------------|--|
| Total Parts Cost: |  |
|-------------------|--|

*I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies*

Employee #: 343194 Technician: \_\_\_\_\_

Hoodson Frazier Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature: \_\_\_\_\_









# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 299053 Mileage out: 299054

Date: 11/03/00 Vehicle #: 5112

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                          |
|---|---|---------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                  |
|   |   | 3) Defroster operation                                  |
|   |   | 4) Temp gets to 20 deg. F. below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition               |
|   |   | 6) Front heater condition and operation                 |
|   |   | 7) Rear heater condition and operation                  |
|   |   | 8) A/C compressors and condenser fans                   |
|   |   | E) Under hood inspection                                |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)      |
|   |   | Batt 1 volts: load amps:                                |
|   |   | Batt 2 volts: load amps:                                |
|   |   | Batt 3 volts: load amps:                                |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)    |
|   |   | Alt. 1 min volt: max amp:                               |
|   |   | Alt. 2 min volt: max amp:                               |
|   |   | (reference factory service manual for alternator speed) |
|   |   | 2) Wire and hose routing and connections                |
|   |   | 3) Cooling system, hoses, water pump condition          |
|   |   | 5) Accessory drive belts condition                      |
|   |   | 6) Pulleys and tensioned operation & condition          |
|   |   | 7) Brake master cylinder and power booster              |
|   |   | 8) Fan and fan clutch operation and condition           |
|   |   | 9) Engine oil fluid level and condition                 |
|   |   | 10) Transmission oil level and condition                |
|   |   | 11) Power steering fluid level and condition            |
|   |   | 12) Brake fluid level and condition                     |
|   |   | F) Vehicle rack inspection                              |
|   |   | 1) Steering gear box mount, condition & leaks           |
|   |   | 2) Steering shaft U joints                              |
|   |   | 3) Steering shaft bearings                              |
|   |   | 4) Steering linkages                                    |
|   |   | 5) I beam or control arm movements and rivets           |
|   |   | 6) Radius arm condition and bushings condition          |
|   |   | 7) Stabilizer bar condition and bushings condition      |
|   |   | 8) Ball joints or kingpins                              |
|   |   | 9) Front spring condition and mounting                  |
|   |   | 10) Front shock absorber operation & condition          |
|   |   | 11) Trans oil cooler & lines routing and leaks          |
|   |   | 12) Engine oil cooler & lines routing and leaks         |
|   |   | 13) Heater and A/C hose routing and leaks               |
|   |   | 14) No engine oil leaks and fluid condition             |
|   |   | 15) Engine mounts, brackets and bolts                   |
|   |   | 16) Transmission mounts, brackets and bolts             |
|   |   | 17) No transmission oil leaks and fluid condition       |
|   |   | 18) Drive shaft condition                               |
|   |   | 19) Universal joints and carrier bearings condition     |
|   |   | 20) No rear differential leaks                          |
|   |   | 21) Rear differential condition and mounting            |
|   |   | 22) Frame and cross members                             |
|   |   | 23) Rear shock absorbers                                |
|   |   | 24) Rear springs condition and mounting                 |
|   |   | 25) No fuel leaks                                       |
|   |   | 26) Fuel tank condition and mounting                    |
|   |   | 27) No exhaust leaks                                    |
|   |   | 28) Exhaust system condition and mounting               |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **299053** Mileage out: **299054**

Date: **11/03/20** Vehicle #: **5112**



| Item Inspected                                                                           | Service Type | Technician Initials |
|------------------------------------------------------------------------------------------|--------------|---------------------|
| 30) Front brake condition and mounting                                                   | A,B,C,D      | <b>MM</b>           |
| 31) Front brake lining condition & measurement                                           | A,B,C,D      | <b>MM</b>           |
| Pads R/F: <b>9</b> /32" L/F: <b>9</b> /32"                                               | A,B,C,D      | <b>MM</b>           |
| 32) Rear brake condition and mounting                                                    | A,B,C,D      | <b>MM</b>           |
| 33) Rear brake lining condition & measurement                                            | A,B,C,D      | <b>MM</b>           |
| Pads R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                             | A,B,C,D      | <b>MM</b>           |
| Shoes R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                            | A,B,C,D      | <b>MM</b>           |
| 34) Tire and wheel condition and measurements                                            | A,B,C,D      | <b>MM</b>           |
| R/R: <b>6</b> /32" L/R: <b>6</b> /32"                                                    | A,B,C,D      | <b>MM</b>           |
| R/R: <b>4</b> /32" L/R: <b>4</b> /32"                                                    | A,B,C,D      | <b>MM</b>           |
| R/R: <b>4</b> /32" L/R: <b>4</b> /32"                                                    | A,B,C,D      | <b>MM</b>           |
| 35) Lug nuts condition                                                                   | A,B,C,D      | <b>MM</b>           |
| Air pressure adjustment FR. <b>65</b> RR. <b>70</b>                                      | A,B,C,D      | <b>MM</b>           |
| Wheel torque specs used: <b>140</b> ft. lbs.                                             | A,B,C,D      | <b>MM</b>           |
| (G) Lift inspection                                                                      | A,B,C,D      | <b>MM</b>           |
| 1) Lift operation (fully stowed to fully deployed)                                       | A,B,C,D      | <b>MM</b>           |
| 2) Lift control pendant condition and operation                                          | A,B,C,D      | <b>MM</b>           |
| 3) Lift restraint belt condition and operation                                           | A,B,C,D      | <b>MM</b>           |
| 4) Outer roll stop condition and operation                                               | A,B,C,D      | <b>MM</b>           |
| 5) Inner roll stop condition and operation                                               | A,B,C,D      | <b>MM</b>           |
| 6) Platform adjustments, condition and mounting                                          | A,B,C,D      | <b>MM</b>           |
| 7) Standee arm condition and operation                                                   | A,B,C,D      | <b>MM</b>           |
| 8) Proper signage and decals                                                             | A,B,C,D      | <b>MM</b>           |
| 9) Manual backup pump condition and operation                                            | A,B,C,D      | <b>MM</b>           |
| 10) Lift manual pump handle                                                              | A,B,C,D      | <b>MM</b>           |
| 11) Hydraulic pump condition and operation                                               | A,B,C,D      | <b>MM</b>           |
| 12) Hydraulic lines and cylinders condition                                              | A,B,C,D      | <b>MM</b>           |
| 13) Hydraulic fluid level and condition                                                  | A,B,C,D      | <b>MM</b>           |
| 14) Base plate and arms welds & pivot points                                             | A,B,C,D      | <b>MM</b>           |
| 15) Lift springs and pins condition and operation                                        | A,B,C,D      | <b>MM</b>           |
| 16) Lift safety switches and adjustments                                                 | A,B,C,D      | <b>MM</b>           |
| 17) Hose and wire routing and connections                                                | A,B,C,D      | <b>MM</b>           |
| 18) Rollers and pivot point condition & operation                                        | A,B,C,D      | <b>MM</b>           |
| 19) Lift to vehicle mounting bolts and brackets                                          | A,B,C,D      | <b>MM</b>           |
| 20) Lift doors condition and operation                                                   | A,B,C,D      | <b>MM</b>           |
| 21) Lift door lights condition and operation                                             | A,B,C,D      | <b>MM</b>           |
| 22) Lift interlock operation and condition                                               | A,B,C,D      | <b>MM</b>           |
| (Lift door open, e-brake down not able to shift)                                         | A,B,C,D      | <b>MM</b>           |
| (e-brake off lift door closed no lift power)                                             | A,B,C,D      | <b>MM</b>           |
| 23) W/C tie downs condition and operation                                                | A,B,C,D      | <b>MM</b>           |
| 24) Tie down container secure and clean                                                  | A,B,C,D      | <b>MM</b>           |
| 25) Tie down floor mounting brackets secure                                              | A,B,C,D      | <b>MM</b>           |
| 26) W/C shoulder belt condition and operation                                            | A,B,C,D      | <b>MM</b>           |
| 27) Lift clean and no sharp edges                                                        | A,B,C,D      | <b>MM</b>           |
| 28) Lift shields secure and in good shape                                                | A,B,C,D      | <b>MM</b>           |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                       | A,B,C,D      | <b>MM</b>           |
| 30) No unusual lift noises                                                               | A,B,C,D      | <b>MM</b>           |
| Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube | A,B,C,D      | <b>MM</b>           |
| Check, torque or adjust lift base mounting bolts                                         | A,B,C,D      | <b>MM</b>           |

| Service Performed                         | Service Type | Technician Initials |
|-------------------------------------------|--------------|---------------------|
| Change oil and filter                     | A,B,C,D      | <b>MM</b>           |
| Lube chassis and suspension               | A,B,C,D      | <b>MM</b>           |
| Lube drive shafts and universal joints    | A,B,C,D      | <b>MM</b>           |
| Lube doors and hood, locks and hinges     | A,B,C,D      | <b>MM</b>           |
| Adjust service and parking brakes         | A,B,C,D      | <b>MM</b>           |
| Drain water from separator                | A,B,C,D      | <b>MM</b>           |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      | <b>MM</b>           |
| Change air filter                         | A,B,C,D      | <b>MM</b>           |
| Change fuel filter                        | A,B,C,D      | <b>MM</b>           |
| Clean or change PCV valve                 | A,B,C,D      | <b>MM</b>           |
| Clean or change crank case filter         | A,B,C,D      | <b>MM</b>           |
| Install new wiper blades                  | A,B,C,D      | <b>MM</b>           |
| Change transmission fluid and filter      | A,B,C,D      | <b>MM</b>           |
| Service front wheel bearings              | A,B,C,D      | <b>MM</b>           |
| Drain water from fuel tank                | A,B,C,D      | <b>MM</b>           |
| Replace accessory drive belts             | A,B,C,D      | <b>MM</b>           |
| Service and flush cooling system          | A,B,C,D      | <b>MM</b>           |
| Install new spark plugs & wires           | A,B,C,D      | <b>MM</b>           |
| Install new dist. cap & rotor             | A,B,C,D      | <b>MM</b>           |
| Change differential fluid                 | A,B,C,D      | <b>MM</b>           |
| Check Exhaust and EGR system              | A,B,C,D      | <b>MM</b>           |
| Check and service fuel & evap. system     | A,B,C,D      | <b>MM</b>           |
| Evac and recharge A/C (add 1 oz. of oil)  | A,B,C,D      | <b>MM</b>           |
| Post service test drive (5 miles)         | A,B,C,D      | <b>MM</b>           |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature: **[Signature]** Date: **10/03/20**

Supervisor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



## MV Transportation

5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112 Repair Reason: A Date and Time In: 12-11-2020 Mileage in: 303799  
Date: 12-11-20 Work Class: T Date and Time Finished: Mileage out: 303800

Complaints/Defects:

Notes/Measurements:

### Labor Information

[illegible]

### Part's Information

[illegible]

I have performed the repair's according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: TEVUN FINTZ WEL



Signature

ASE Employee #: 604 / 82-ASE Technician:

ASE Signature:



PM DEFECT SHEET



|                                                                                                               |              |                                 |  |                          |
|---------------------------------------------------------------------------------------------------------------|--------------|---------------------------------|--|--------------------------|
| MECHANIC'S SIGNATURE<br> |              | BUS #: 5112<br>DATE: 12-11-2020 |  | PM TYPE OR WORK ORDER #: |
| DATE                                                                                                          | COMPLETED BY | DESCRIPTION OF REPAIR NEEDED    |  |                          |

3 replaced two front fenders and 3 rear fenders. This bus used to replace Hydrocast.

207-11-21



# Preventive Maintenance Inspection and Service Checklist



Date: 12-11-00 Vehicle #: 5112

Circle Service Type: (A) B C D  
Mileage in: 303799 Mileage out: 303800

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load volts: load amps:                   |
|   |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist



Date: 12-11-20 Vehicle #: 5112

Circle Service Type: A B C D Mileage in: 30319 Mileage out: 303800

| Service Performed                         | Service Type | Initial or "N/A" each service performed per PM type |
|-------------------------------------------|--------------|-----------------------------------------------------|
| Change oil and filter                     | A,B,C,D      | F                                                   |
| Lube chassis and suspension               | A,B,C,D      | N/A                                                 |
| Lube drive shafts and universal joints    | A,B,C,D      | N/A                                                 |
| Lube doors and hood, locks and hinges     | A,B,C,D      | N/A                                                 |
| Adjust service and parking brakes         | A,B,C,D      | N/A                                                 |
| Drain water from separator                | A,B,C,D      | N/A                                                 |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      | N/A                                                 |
| Change air filter                         | B,C,D        | N/A                                                 |
| Change fuel filter                        | B,C,D        | N/A                                                 |
| Clean or change PCV valve                 | B,C,D        | N/A                                                 |
| Clean or change crank case filter         | B,C,D        | N/A                                                 |
| Install new wiper blades                  | B,C,D        | N/A                                                 |
| Change transmission fluid and filter      | C,D          | N/A                                                 |
| Service front wheel bearings              | C,D          | N/A                                                 |
| Drain water from fuel tank                | C,D          | N/A                                                 |
| Replace accessory drive belts             | D            | N/A                                                 |
| Service and flush cooling system          | D            | N/A                                                 |
| Install new spark plugs & wires           | D            | N/A                                                 |
| Install new dist. cap & rotor             | D            | N/A                                                 |
| Change differential fluid                 | D            | N/A                                                 |
| Check Exhaust and EGR system              | D            | N/A                                                 |
| Check and service fuel & evap. System     | D            | N/A                                                 |
| Evac and recharge A/C (add 1 oz. of oil)  | A,B,C,D      | N/A                                                 |
| Post service test drive (5 miles)         | A,B,C,D      | N/A                                                 |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date

Date


Notes:

| Item Inspected                                                                                    | P | F |
|---------------------------------------------------------------------------------------------------|---|---|
| 30) Front brake condition and mounting                                                            |   |   |
| 31) Front brake lining condition & measurement                                                    |   |   |
| Pads R/F: 8 L/F: 8                                                                                |   |   |
| 32) Rear brake condition and mounting                                                             |   |   |
| 33) Rear brake lining condition & measurement                                                     |   |   |
| Pads R/R: 6 L/R: 6                                                                                |   |   |
| 34) Tire and wheel condition and measurements                                                     |   |   |
| Shoes R/R: /32" L/R: /32"                                                                         |   |   |
| R/F: 3 L/F: 3                                                                                     |   |   |
| R/R: 4 L/R: 3                                                                                     |   |   |
| R/R: 4 L/R: 3                                                                                     |   |   |
| 35) Lug nuts condition                                                                            |   |   |
| Air pressure adjustment FR 65 RR 45                                                               |   |   |
| Wheel torque specs used: 140 ft. lbs.                                                             |   |   |
| 36) Lift inspection                                                                               |   |   |
| 1) Lift operation (fully stowed to fully deployed)                                                |   |   |
| 2) Lift control pendant condition and operation                                                   |   |   |
| 3) Lift restraint belt condition and operation                                                    |   |   |
| 4) Outer roll stop condition and operation                                                        |   |   |
| 5) Inner roll stop condition and operation                                                        |   |   |
| 6) Platform adjustments, condition and mounting                                                   |   |   |
| 7) Standee arm condition and operation                                                            |   |   |
| 8) Proper signage and decals                                                                      |   |   |
| 9) Manual backup pump condition and operation                                                     |   |   |
| 10) Lift manual pump handle                                                                       |   |   |
| 11) Hydraulic pump condition and operation                                                        |   |   |
| 12) Hydraulic lines and cylinders condition                                                       |   |   |
| 13) Hydraulic fluid level and condition                                                           |   |   |
| 14) Base plate and arms welds & pivot points                                                      |   |   |
| 15) Lift springs and pins condition and operation                                                 |   |   |
| 16) Lift safety switches and adjustments                                                          |   |   |
| 17) Hose and wire routing and connections                                                         |   |   |
| 18) Rollers and pivot point condition & operation                                                 |   |   |
| 19) Lift to vehicle mounting bolts and brackets                                                   |   |   |
| 20) Lift doors condition and operation                                                            |   |   |
| 21) Lift door lights condition and operation                                                      |   |   |
| 22) Lift interlock operation and condition                                                        |   |   |
| (Lift door open, e-brake down not able to shift)                                                  |   |   |
| (e-brake off lift door closed no lift power)                                                      |   |   |
| 23) W/C the downs condition and operation                                                         |   |   |
| 24) Tie down container secure and clean                                                           |   |   |
| 25) Tie down floor mounting brackets secure                                                       |   |   |
| 26) W/C shoulder belt condition and operation                                                     |   |   |
| 27) Lift clean and no sharp edges                                                                 |   |   |
| 28) Lift shields secure and in good shape                                                         |   |   |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                |   |   |
| 30) No unusual lift noises                                                                        |   |   |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |   |   |
| Check, torque or adjust lift base mounting bolts                                                  |   |   |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Central Expy Way Suite 145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

## Basic Information

Vehicle #: 5112 Repair Reason: B Date and Time in: 7:20  
Date: 5/24/18 Work Class: I Date and Time Finished: 8:44

Mileage in: 179980  
Mileage out: 179982

Complaints/Defects:

Notes/Measurements:

| Labor Information   |     |                             |       | Parts Information |     |             |              |     |      |
|---------------------|-----|-----------------------------|-------|-------------------|-----|-------------|--------------|-----|------|
| Task                | WAC | Repair Description/Comments | Hours | Task              | WAC | Part Number | Description  | Qty | Cost |
| B                   | 58  | PW-B                        |       | B                 | 55  | FL8205      | oil FILTER   | 1   |      |
|                     |     |                             |       | B                 | 55  | 5W-30       | oil          | 1   |      |
|                     |     |                             |       | B                 | 55  | F75Z-67308  | oil PLUG     | 1   |      |
|                     |     |                             |       | B                 | 55  | AF25590     | AIR FILTER   | 1   |      |
|                     |     |                             |       | B                 | 55  | WW2001 PE   | WIPER BLADES | 2   |      |
| Total Hours Worked: |     |                             |       | Total Parts Cost: |     |             |              |     |      |

**Total Hours Worked:** \_\_\_\_\_

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature: \_\_\_\_\_

Employee #: 632995 Technician: ~~YADAVANATH~~ JUSGERRID

Signature: Y. Ingersoll

ASE Employee #: 604182 ASE Technician:

ASE Signature:



[illegible]

|                              |  |              |                |
|------------------------------|--|--------------|----------------|
| MECHANIC'S SIGNATURE         |  | BUS #:       | DATE:          |
| PM TYPE OR WORK ORDER #:     |  |              |                |
| DESCRIPTION OF REPAIR NEEDED |  | COMPLETED BY | DATE COMPLETED |

# PM DEFECT SHEET







# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C D

Date: 5/24/18 Vehicle #: 5112

Mileage in: 179980 Mileage out: 179982

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| ✓ |   | 1) Driver carpet                                   |
| ✓ |   | 2) Driver seat condition and operation             |
| ✓ |   | 3) Drivers door operation and condition            |
| ✓ |   | 4) Drivers seat belt operation and condition       |
| ✓ |   | 5) Engine starting and ignition system             |
| ✓ |   | 6) Instrument panel gauges & warning lights        |
| ✓ |   | 7) Instrument panel lighting & condition           |
| ✓ |   | 8) Horn operation                                  |
| ✓ |   | 9) Steering wheel tight, no excessive play         |
| ✓ |   | 10) Windshield wipers                              |
| ✓ |   | 11) Windshield washer                              |
| ✓ |   | 12) Sun visor condition and operation              |
| ✓ |   | 13) Parking brake operation & condition            |
| ✓ |   | 14) Parking and service brake pedal pads           |
| ✓ |   | 15) Passenger door operation                       |
| ✓ |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
| ✓ |   | 1) Body damage (list on separate sheet)            |
| ✓ |   | 2) Headlights, high & low beam operation           |
| ✓ |   | 3) Parking lights operation & condition            |
| ✓ |   | 4) Marker lights operation & condition             |
| ✓ |   | 5) Directional signals operation & condition       |
| ✓ |   | 6) Hazard lights operation & condition             |
| ✓ |   | 7) Clearance lights operation and condition        |
| ✓ |   | 8) Brake lights operation & condition              |
| ✓ |   | 9) License plate lamp operation & condition        |
| ✓ |   | 10) License plates and tags                        |
| ✓ |   | 11) Backup lights and alarms                       |
| ✓ |   | 12) Reflectors and reflective bumper tape          |
| ✓ |   | 13) Exterior decals and signage                    |
| ✓ |   | 14) Bumpers secure / in good condition             |
| ✓ |   | 15) Exterior mirrors secure / in good condition    |
| ✓ |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
| ✓ |   | 1) Passenger door and steps condition              |
| ✓ |   | 2) Handrails and stanchions condition              |
| ✓ |   | 3) Interior and modesty panels condition           |
| ✓ |   | 4) Flooring condition                              |
| ✓ |   | 5) Interior lighting operation and condition       |
| ✓ |   | 6) Windows operation and condition                 |
| ✓ |   | 7) Emergency Exits operation & condition           |
| ✓ |   | 8) Accessory operation & condition (radio, GPS)    |
| ✓ |   | 9) Passenger seats operation & condition           |
| ✓ |   | 10) Passenger seat belts operation & condition     |
| ✓ |   | 11) First aid & body fluid kits complete           |
| ✓ |   | 12) Triangle reflectors complete/good condition    |
| ✓ |   | 13) Stop request operation & condition             |
| ✓ |   | 14) Valid registration, insurance & accident pack  |
| ✓ |   | 15) Fire extinguisher in good condition & signed   |
| ✓ |   | 16) Interior decals and signage (incl. electrical) |
| ✓ |   | 17) DVI's reviewed, addressed and signed off       |
| ✓ |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
| ✓ |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| ✓ |   | 2) Rear blower condition and operation                 |
| ✓ |   | 3) Defroster operation                                 |
| ✓ |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| ✓ |   | 5) Evaporator intake air filter condition              |
| ✓ |   | 6) Front heater condition and operation                |
| ✓ |   | 7) Rear heater condition and operation                 |
| ✓ |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
| ✓ |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts:      load volts:      load amps:         |
|   |   | Batt 2 volts:      load volts:      load amps:         |
|   |   | Batt 3 volts:      load volts:      load amps:         |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt:      max volt:      max amp:          |
|   |   | Alt. 2 min volt:      max volt:      max amp:          |
|   |   | (reference factory service manual for alternator spec) |
| ✓ |   | 2) Wire and hose routing and connections               |
| ✓ |   | 3) Cooling system, hoses, water pump condition         |
| ✓ |   | 5) Accessory drive belts condition                     |
| ✓ |   | 6) Pulleys and tensioned operation & condition         |
| ✓ |   | 7) Brake master cylinder and power booster             |
| ✓ |   | 8) Fan and fan clutch operation and condition          |
| ✓ |   | 9) Engine oil fluid level and condition                |
| ✓ |   | 10) Transmission oil level and condition               |
| ✓ |   | 11) Power steering fluid level and condition           |
| ✓ |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
| ✓ |   | 1) Steering gear box mount, condition & leaks          |
| ✓ |   | 2) Steering shaft U joints                             |
| ✓ |   | 3) Steering shaft bearings                             |
| ✓ |   | 4) Steering linkages                                   |
| ✓ |   | 5) I beam or control arm movements and rivets          |
| ✓ |   | 6) Radius arm condition and bushings condition         |
| ✓ |   | 7) Stabilizer bar condition and bushings condition     |
| ✓ |   | 8) Ball joints or kingpins                             |
| ✓ |   | 9) Front spring condition and mounting                 |
| ✓ |   | 10) Front shock absorber operation & condition         |
| ✓ |   | 11) Trans oil cooler & lines routing and leaks         |
| ✓ |   | 12) Engine oil cooler & lines routing and leaks        |
| ✓ |   | 13) Heater and A/C hose routing and leaks              |
| ✓ |   | 14) No engine oil leaks and fluid condition            |
| ✓ |   | 15) Engine mounts, brackets and bolts                  |
| ✓ |   | 16) Transmission mounts, brackets and bolts            |
| ✓ |   | 17) No transmission oil leaks and fluid condition      |
| ✓ |   | 18) Drive shaft condition                              |
| ✓ |   | 19) Universal joints and carrier bearings condition    |
| ✓ |   | 20) No rear differential leaks                         |
| ✓ |   | 21) Rear differential condition and mounting           |
| ✓ |   | 22) Frame and cross members                            |
| ✓ |   | 23) Rear shock absorbers                               |
| ✓ |   | 24) Rear springs condition and mounting                |
| ✓ |   | 25) No fuel leaks                                      |
| ✓ |   | 26) Fuel tank condition and mounting                   |
| ✓ |   | 27) No exhaust leaks                                   |
| ✓ |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **179980** Mileage out: **179982**



Date: **5/24/18** Vehicle #: **5112**

| P | F | Item Inspected                                                                                    |
|---|---|---------------------------------------------------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                                                            |
|   |   | 31) Front brake lining condition & measurement                                                    |
|   |   | Pads R/F: <b>8</b> /32" L/F: <b>8</b> /32"                                                        |
|   |   | 32) Rear brake condition and mounting                                                             |
|   |   | 33) Rear brake lining condition & measurement                                                     |
|   |   | Pads R/R: <b>5</b> /32" L/R: <b>5</b> /32"                                                        |
|   |   | Shoes R/R: <b>5</b> /32" L/R: <b>5</b> /32"                                                       |
|   |   | 34) Tire and wheel condition and measurements                                                     |
|   |   | R/F: <b>9</b> /32" L/F: <b>10</b> /32"                                                            |
|   |   | R/R: <b>10</b> /32" L/R: <b>6</b> /32"                                                            |
|   |   | R/R: <b>10</b> /32" L/R: <b>7</b> /32"                                                            |
|   |   | 35) Lug nuts condition                                                                            |
|   |   | Air pressure adjustment FR. <b>70</b> RR. <b>70</b>                                               |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.                                                      |
|   |   | (G) Lift inspection                                                                               |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                |
|   |   | 2) Lift control pendant condition and operation                                                   |
|   |   | 3) Lift restraint belt condition and operation                                                    |
|   |   | 4) Outer roll stop condition and operation                                                        |
|   |   | 5) Inner roll stop condition and operation                                                        |
|   |   | 6) Platform adjustments, condition and mounting                                                   |
|   |   | 7) Standee arm condition and operation                                                            |
|   |   | 8) Proper signage and decals                                                                      |
|   |   | 9) Manual backup pump condition and operation                                                     |
|   |   | 10) Lift manual pump handle                                                                       |
|   |   | 11) Hydraulic pump condition and operation                                                        |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |
|   |   | 13) Hydraulic fluid level and condition                                                           |
|   |   | 14) Base plate and arms welds & pivot points                                                      |
|   |   | 15) Lift springs and pins condition and operation                                                 |
|   |   | 16) Lift safety switches and adjustments                                                          |
|   |   | 17) Hose and wire routing and connections                                                         |
|   |   | 18) Rollers and pivot point condition & operation                                                 |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
|   |   | 20) Lift doors condition and operation                                                            |
|   |   | 21) Lift door lights condition and operation                                                      |
|   |   | 22) Lift interlock operation and condition                                                        |
|   |   | (Lift door open, e-brake down not able to shift)                                                  |
|   |   | (e-brake off lift door closed no lift power)                                                      |
|   |   | 23) W/C tie downs condition and operation                                                         |
|   |   | 24) Tie down container secure and clean                                                           |
|   |   | 25) Tie down floor mounting brackets secure                                                       |
|   |   | 26) W/C shoulder belt condition and operation                                                     |
|   |   | 27) Lift clean and no sharp edges                                                                 |
|   |   | 28) Lift shields secure and in good shape                                                         |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
|   |   | 30) No unusual lift noises                                                                        |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |

| Service Performed                         | Service Type | Initial or "N/A" each service performed per PM type |
|-------------------------------------------|--------------|-----------------------------------------------------|
| Change oil and filter                     | A,B,C,D      | Y                                                   |
| Lube chassis and suspension               | A,B,C,D      | Y                                                   |
| Lube drive shafts and universal joints    | A,B,C,D      | N/A                                                 |
| Lube doors and hood, locks and hinges     | A,B,C,D      | Y                                                   |
| Adjust service and parking brakes         | A,B,C,D      | Y                                                   |
| Drain water from separator                | A,B,C,D      | N/A                                                 |
| Rotate tires (as necessary, caps on rear) | A,B,C,D      | Y                                                   |
| Change air filter                         | B,C,D        | Y                                                   |
| Change fuel filter                        | B,C,D        | N/A                                                 |
| Clean or change PCV valve                 | B,C,D        | N/A                                                 |
| Clean or change crank case filter         | B,C,D        | N/A                                                 |
| Install new wiper blades                  | B,C,D        | Y                                                   |
| Change transmission fluid and filter      | C,D          | Y                                                   |
| Service front wheel bearings              | C,D          |                                                     |
| Drain water from fuel tank                | C,D          |                                                     |
| Replace accessory drive belts             | D            |                                                     |
| Service and flush cooling system          | D            |                                                     |
| Install new spark plugs & wires           | D            |                                                     |
| Install new dist. cap & rotor             | D            |                                                     |
| Change differential fluid                 | D            |                                                     |
| Check Exhaust and EGR system              | D            |                                                     |
| Check and service fuel & evap. System     | D            |                                                     |
| Evac and recharge A/C (add 1 oz. of oil)  | D            |                                                     |
| Post service test drive (5 miles)         | A,B,C,D      | Y                                                   |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **5/24/18**  
 Supervisor's Signature: *[Signature]* Date: **5/25/18**

Notes:

\_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Central Expy Way Suite 1145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

#2168

Repair Reason: B

Mileage in: 209254

8.55

Mileage out: 209356

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUVAKH JUEGEBDO Signature: Y. Juegendo

ASE Employee #: 604182 ASE Technician: ASE Signature:

Total Parts Cost:

ASE Signature:

WALTER J. GARDNER  
Signature:   
ASE Signature: 









# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12/14/18 Vehicle #: 5112

Mileage in: 209354 Mileage out: 209356

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
| Y |   | 1) Driver carpet                                   |
| Y |   | 2) Driver seat condition and operation             |
| Y |   | 3) Drivers door operation and condition            |
| Y |   | 4) Drivers seat belt operation and condition       |
| Y |   | 5) Engine starting and ignition system             |
| Y |   | 6) Instrument panel gauges & warning lights        |
| Y |   | 7) Instrument panel lighting & condition           |
| Y |   | 8) Horn operation                                  |
| Y |   | 9) Steering wheel tight, no excessive play         |
| Y |   | 10) Windshield wipers                              |
| Y |   | 11) Windshield washer                              |
| Y |   | 12) Sun visor condition and operation              |
| Y |   | 13) Parking brake operation & condition            |
| Y |   | 14) Parking and service brake pedal pads           |
| Y |   | 15) Passenger door operation                       |
| Y |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
| Y |   | 1) Body damage (list on separate sheet)            |
| Y |   | 2) Headlights, high & low beam operation           |
| Y |   | 3) Parking lights operation & condition            |
| Y |   | 4) Marker lights operation & condition             |
| Y |   | 5) Directional signals operation & condition       |
| Y |   | 6) Hazard lights operation & condition             |
| Y |   | 7) Clearance lights operation and condition        |
| Y |   | 8) Brake lights operation & condition              |
| Y |   | 9) License plate lamp operation & condition        |
| Y |   | 10) License plates and tags                        |
| Y |   | 11) Backup lights and alarms                       |
| Y |   | 12) Reflectors and reflective bumper tape          |
| Y |   | 13) Exterior decals and signage                    |
| Y |   | 14) Bumpers secure / in good condition             |
| Y |   | 15) Exterior mirrors secure / in good condition    |
| Y |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
| Y |   | 1) Passenger door and steps condition              |
| Y |   | 2) Handrails and stanchions condition              |
| Y |   | 3) Interior and modesty panels condition           |
| Y |   | 4) Flooring condition                              |
| Y |   | 5) Interior lighting operation and condition       |
| Y |   | 6) Windows operation and condition                 |
| Y |   | 7) Emergency Exits operation & condition           |
| Y |   | 8) Accessory operation & condition (radio, GPS)    |
| Y |   | 9) Passenger seats operation & condition           |
| Y |   | 10) Passenger seat belts operation & condition     |
| Y |   | 11) First aid & body fluid kits complete           |
| Y |   | 12) Triangle reflectors complete/good condition    |
| Y |   | 13) Stop request operation & condition             |
| Y |   | 14) Valid registration, insurance & accident pack  |
| Y |   | 15) Fire extinguisher in good condition & signed   |
| Y |   | 16) Interior decals and signage (incl. electrical) |
| Y |   | 17) DVI's reviewed, addressed and signed off       |
| Y |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
| Y |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| Y |   | 2) Rear blower condition and operation                 |
| Y |   | 3) Defroster operation                                 |
| Y |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| Y |   | 5) Evaporator intake air filter condition              |
| Y |   | 6) Front heater condition and operation                |
| Y |   | 7) Rear heater condition and operation                 |
| Y |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
| Y |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts:      load volts:      load amps:         |
|   |   | Batt 2 volts:      load volts:      load amps:         |
|   |   | Batt 3 volts:      load volts:      load amps:         |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt:      max volt:      max amp:          |
|   |   | Alt. 2 min volt:      max volt:      max amp:          |
|   |   | (reference factory service manual for alternator spec) |
| Y |   | 2) Wire and hose routing and connections               |
| Y |   | 3) Cooling system, hoses, water pump condition         |
| Y |   | 5) Accessory drive belts condition                     |
| Y |   | 6) Pulleys and tensioned operation & condition         |
| Y |   | 7) Brake master cylinder and power booster             |
| Y |   | 8) Fan and fan clutch operation and condition          |
| Y |   | 9) Engine oil fluid level and condition                |
| Y |   | 10) Transmission oil level and condition               |
| Y |   | 11) Power steering fluid level and condition           |
| Y |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
| Y |   | 1) Steering gear box mount, condition & leaks          |
| Y |   | 2) Steering shaft U joints                             |
| Y |   | 3) Steering shaft bearings                             |
| Y |   | 4) Steering linkages                                   |
| Y |   | 5) I beam or control arm movements and rivets          |
| Y |   | 6) Radius arm condition and bushings condition         |
| Y |   | 7) Stabilizer bar condition and bushings condition     |
| Y |   | 8) Ball joints or kingpins                             |
| Y |   | 9) Front spring condition and mounting                 |
| Y |   | 10) Front shock absorber operation & condition         |
| Y |   | 11) Trans oil cooler & lines routing and leaks         |
| Y |   | 12) Engine oil cooler & lines routing and leaks        |
| Y |   | 13) Heater and A/C hose routing and leaks              |
| Y |   | 14) No engine oil leaks and fluid condition            |
| Y |   | 15) Engine mounts, brackets and bolts                  |
| Y |   | 16) Transmission mounts, brackets and bolts            |
| Y |   | 17) No transmission oil leaks and fluid condition      |
| Y |   | 18) Drive shaft condition                              |
| Y |   | 19) Universal joints and carrier bearings condition    |
| Y |   | 20) No rear differential leaks                         |
| Y |   | 21) Rear differential condition and mounting           |
| Y |   | 22) Frame and cross members                            |
| Y |   | 23) Rear shock absorbers                               |
| Y |   | 24) Rear springs condition and mounting                |
| Y |   | 25) No fuel leaks                                      |
| Y |   | 26) Fuel tank condition and mounting                   |
| Y |   | 27) No exhaust leaks                                   |
| Y |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 209354 Mileage out: 209356



Date: 12/11/18 Vehicle #: 5112

| Service Performed                                 | Technician Initials |
|---------------------------------------------------|---------------------|
| A,B,C,D Change oil and filter                     | Y                   |
| A,B,C,D Lube chassis and suspension               | N/A                 |
| A,B,C,D Lube drive shafts and universal joints    | N/A                 |
| A,B,C,D Lube doors and hood, locks and hinges     | Y                   |
| A,B,C,D Adjust service and parking brakes         | Y                   |
| A,B,C,D Drain water from separator                | N/A                 |
| A,B,C,D Rotate tires (as necessary, caps on rear) | Y                   |
| B,C,D Change air filter                           | Y                   |
| B,C,D Change fuel filter                          | N/A                 |
| B,C,D Clean or change PCV valve                   | N/A                 |
| B,C,D Clean or change crank case filter           | N/A                 |
| B,C,D Install new wiper blades                    | Y                   |
| C,D Change transmission fluid and filter          | Y                   |
| C,D Service front wheel bearings                  | Y                   |
| C,D Drain water from fuel tank                    | Y                   |
| D Replace accessory drive belts                   | Y                   |
| D Service and flush cooling system                | Y                   |
| D Install new spark plugs & wires                 | Y                   |
| D Install new dist. cap & rotor                   | Y                   |
| D Change differential fluid                       | Y                   |
| D Check Exhaust and EGR system                    | Y                   |
| D Check and service fuel & evap. System           | Y                   |
| D Evac and recharge A/C (add 1 oz. of oil)        | Y                   |
| A,B,C,D Post service test drive (5 miles)         | Y                   |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

12/11/18

Supervisor Signature

Date

Notes:

| Item Inspected                                     | P | F |
|----------------------------------------------------|---|---|
| 30) Front brake condition and mounting             | Y |   |
| 31) Front brake lining condition & measurement     | Y |   |
| Pads R/F: 6 /32" L/F: 6 /32"                       | Y |   |
| 32) Rear brake condition and mounting              | Y |   |
| 33) Rear brake lining condition & measurement      | Y |   |
| Pads R/R: 2 /32" L/R: 2 /32"                       | Y |   |
| Shoes R/R: /32" L/R: /32"                          | Y |   |
| 34) Tire and wheel condition and measurements      | Y |   |
| R/F: 8 /32" L/F: 9 /32"                            | Y |   |
| R/R: 9 /32" L/R: 8 /32"                            | Y |   |
| R/R: 9 /32" L/R: 7 /32"                            | Y |   |
| 35) Lug nuts condition                             | Y |   |
| Air pressure adjustment FR. 70 RR. 70              | Y |   |
| Wheel torque specs used: (40 ft. lbs.)             | Y |   |
| G) Lift inspection                                 |   |   |
| 1) Lift operation (fully stowed to fully deployed) | Y |   |
| 2) Lift control pendant condition and operation    | Y |   |
| 3) Lift restraint belt condition and operation     | Y |   |
| 4) Outer roll stop condition and operation         | Y |   |
| 5) Inner roll stop condition and operation         | Y |   |
| 6) Platform adjustments, condition and mounting    | Y |   |
| 7) Standee arm condition and operation             | Y |   |
| 8) Proper signage and decals                       | Y |   |
| 9) Manual backup pump condition and operation      | Y |   |
| 10) Lift manual pump handle                        | Y |   |
| 11) Hydraulic pump condition and operation         | Y |   |
| 12) Hydraulic lines and cylinders condition        | Y |   |
| 13) Hydraulic fluid level and condition            | Y |   |
| 14) Base plate and arms welds & pivot points       | Y |   |
| 15) Lift springs and pins condition and operation  | Y |   |
| 16) Lift safety switches and adjustments           | Y |   |
| 17) Hose and wire routing and connections          | Y |   |
| 18) Rollers and pivot point condition & operation  | Y |   |
| 19) Lift to vehicle mounting bolts and brackets    | Y |   |
| 20) Lift doors condition and operation             | Y |   |
| 21) Lift door lights condition and operation       | Y |   |
| 22) Lift interlock operation and condition         | Y |   |
| (Lift door open, e-brake down not able to shift)   | Y |   |
| (e-brake off lift door closed no lift power)       | Y |   |
| 23) W/C tie downs condition and operation          | Y |   |
| 24) Tie down container secure and clean            | Y |   |
| 25) Tie down floor mounting brackets secure        | Y |   |
| 26) W/C shoulder belt condition and operation      | Y |   |
| 27) Lift clean and no sharp edges                  | Y |   |
| 28) Lift shields secure and in good shape          | Y |   |
| 29) Lift moves steady without drifting, jerking,   | Y |   |
| or unusual speeds                                  | Y |   |
| 30) No unusual lift noises                         | Y |   |
| Lube all lift pivot points, barriers, linkages     | Y |   |
| and bearings cleaning off all excess lube          | Y |   |
| Check, torque or adjust lift base mounting bolts   | Y |   |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



**Work Order Division (0094)**

3301 Electronics Way  
West Palm Beach, FL 33407



| Complaints/Defects: | Notes/Measurements: |
|---------------------|---------------------|
| DM                  |                     |
|                     |                     |

| Complaints/Defects: | Notes/Measurements: |
|---------------------|---------------------|
| DM                  |                     |
|                     |                     |

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 81653 ✓ Technician: Sham Noh Signature: \_\_\_\_\_

ASE Employee #:

ASE Signature:





# PM DEFECT SHEET



*[Signature]*  
MECHANIC'S SIGNATURE

BUS #: 5112

DATE: 08/18/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE  
COMPLETED

① Left door handle loose  
check Riv all ok

*[Signature]*

08/18/19



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 23783

Mileage Out: 23783



Date: 05/18/19 Vehicle #: 5112

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel, gauges & warning lights       |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                                             |
|---|---|----------------------------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                                     |
|   |   | 3) Defroster operation                                                     |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.                              |
|   |   | 5) Evaporator intake air filter condition                                  |
|   |   | 6) Front heater condition and operation                                    |
|   |   | 7) Rear heater condition and operation                                     |
|   |   | 8) A/C compressors and condenser fans                                      |
|   |   | <b>E) Under hood inspection</b>                                            |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)                         |
|   |   | Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps: |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)                       |
|   |   | Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:                        |
|   |   | (reference factory service manual for alternator spec)                     |
|   |   | 2) Wire and hose routing and connections                                   |
|   |   | 3) Cooling system, hoses, water pump condition                             |
|   |   | 5) Accessory drive belts condition                                         |
|   |   | 6) Pulleys and tensioned operation & condition                             |
|   |   | 7) Brake master cylinder and power booster                                 |
|   |   | 8) Fan and fan clutch operation and condition                              |
|   |   | 9) Engine oil fluid level and condition                                    |
|   |   | 10) Transmission oil level and condition                                   |
|   |   | 11) Power steering fluid level and condition                               |
|   |   | 12) Brake fluid level and condition                                        |
|   |   | <b>F) Vehicle rack inspection</b>                                          |
|   |   | 1) Steering gear box mount, condition & leaks                              |
|   |   | 2) Steering shaft U joints                                                 |
|   |   | 3) Steering shaft bearings                                                 |
|   |   | 4) Steering linkages                                                       |
|   |   | 5) I beam or control arm movements and rivets                              |
|   |   | 6) Radius arm condition and bushings condition                             |
|   |   | 7) Stabilizer bar condition and bushings condition                         |
|   |   | 8) Ball joints or kingpins                                                 |
|   |   | 9) Front spring condition and mounting                                     |
|   |   | 10) Front shock absorber operation & condition                             |
|   |   | 11) Trans oil cooler & lines routing and leaks                             |
|   |   | 12) Engine oil cooler & lines routing and leaks                            |
|   |   | 13) Heater and A/C hose routing and leaks                                  |
|   |   | 14) No engine oil leaks and fluid condition                                |
|   |   | 15) Engine mounts, brackets and bolts                                      |
|   |   | 16) Transmission mounts, brackets and bolts                                |
|   |   | 17) No transmission oil leaks and fluid condition                          |
|   |   | 18) Drive shaft condition                                                  |
|   |   | 19) Universal joints and carrier bearings condition                        |
|   |   | 20) No rear differential leaks                                             |
|   |   | 21) Rear differential condition and mounting                               |
|   |   | 22) Frame and cross members                                                |
|   |   | 23) Rear shock absorbers                                                   |
|   |   | 24) Rear springs condition and mounting                                    |
|   |   | 25) No fuel leaks                                                          |
|   |   | 26) Fuel tank condition and mounting                                       |
|   |   | 27) No exhaust leaks                                                       |
|   |   | 28) Exhaust system condition and mounting                                  |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/18/19 Vehicle #: 5112 Mileage in: 237836 Mileage out: 237837

| P | F | Item Inspected                                                                                    | ServType | Service Performed                                   | Techs Initials |
|---|---|---------------------------------------------------------------------------------------------------|----------|-----------------------------------------------------|----------------|
|   |   | 30) Front brake condition and mounting                                                            | A,B,C,D  | Change oil and filter                               | S              |
|   |   | 31) Front brake lining condition & measurement                                                    | A,B,C,D  | Lube chassis and suspension                         | N/A            |
|   |   | Pads R/F: 9/32" L/F: 9/32"                                                                        | A,B,C,D  | Lube drive shafts and universal joints              | N/A            |
|   |   | 32) Rear brake condition and mounting                                                             | A,B,C,D  | Lube doors and hood, locks and hinges               | S              |
|   |   | 33) Rear brake lining condition & measurement                                                     | A,B,C,D  | Adjust service and parking brakes                   | N/A            |
|   |   | Pads R/R: 6/32" L/R: 6/32"                                                                        | A,B,C,D  | Drain water from separator                          | N/A            |
|   |   | Shoes R/R: /32" L/R: /32"                                                                         | A,B,C,D  | Rotate tires(as necessary, caps on rear)            | S              |
|   |   | 34) Tire and wheel condition and measurements                                                     | B,C,D    | Change air filter                                   | S              |
|   |   | R/F: 11/32" L/F: 11/32"                                                                           | B,C,D    | Change fuel filter                                  | N/A            |
|   |   | R/R: 6/32" L/R: 6/32"                                                                             | B,C,D    | Clean or change PCV valve                           | N/A            |
|   |   | R/RO: 6/32" L/RO: 6/32"                                                                           | B,C,D    | Clean or change crank case filter                   | N/A            |
|   |   | 35) Lug nuts condition                                                                            | B,C,D    | Install new wiper blades                            | S              |
|   |   | Air pressure adjustment FR. 70 RR. 90                                                             | C,D      | Change transmission fluid and filter                |                |
|   |   | Wheel torque specs used: 140 ft. lbs.                                                             | C,D      | Service front wheel bearings                        |                |
|   |   | G) Lift Inspection                                                                                | C,D      | Drain water from fuel tank                          |                |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                | D        | Replace accessory drive belts                       |                |
|   |   | 2) Lift control pendant condition and operation                                                   | D        | Service and flush cooling system                    |                |
|   |   | 3) Lift restraint belt condition and operation                                                    | D        | Install new spark plugs & wires                     |                |
|   |   | 4) Outer roll stop condition and operation                                                        | D        | Install new dist. cap & rotor                       |                |
|   |   | 5) Inner roll stop condition and operation                                                        | D        | Change differential fluid                           |                |
|   |   | 6) Platform adjustments, condition and mounting                                                   | D        | Check Exhaust and EGR system                        |                |
|   |   | 7) Standee arm condition and operation                                                            | D        | Check and service fuel & evap. System               |                |
|   |   | 8) Proper signage and decals                                                                      | D        | Evac and recharge A/C (add 1.oz. of oil)            | S              |
|   |   | 9) Manual backup pump condition and operation                                                     | A,B,C,D  | Post service test drive (5 miles)                   | S              |
|   |   | 10) Lift manual pump handle                                                                       |          | Initial or "N/A" each service performed per PM type |                |
|   |   | 11) Hydraulic pump condition and operation                                                        |          |                                                     |                |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |          |                                                     |                |
|   |   | 13) Hydraulic fluid level and condition                                                           |          |                                                     |                |
|   |   | 14) Base plate and arms welds & pivot points                                                      |          |                                                     |                |
|   |   | 15) Lift springs and pins condition and operation                                                 |          |                                                     |                |
|   |   | 16) Lift safety switches and adjustments                                                          |          |                                                     |                |
|   |   | 17) Hose and wire routing and connections                                                         |          |                                                     |                |
|   |   | 18) Rollers and pivot point condition & operation                                                 |          |                                                     |                |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |          |                                                     |                |
|   |   | 20) Lift doors condition and operation                                                            |          |                                                     |                |
|   |   | 21) Lift door lights condition and operation                                                      |          |                                                     |                |
|   |   | 22) Lift interlock operation and condition                                                        |          |                                                     |                |
|   |   | (lift door open, e-brake down not able to shift)                                                  |          |                                                     |                |
|   |   | (e-brake off lift door closed no lift power)                                                      |          |                                                     |                |
|   |   | 23) W/C tie downs condition and operation                                                         |          |                                                     |                |
|   |   | 24) Tie down container secure and clean                                                           |          |                                                     |                |
|   |   | 25) Tie down floor mounting brackets secure                                                       |          |                                                     |                |
|   |   | 26) W/C shoulder belt condition and operation                                                     |          |                                                     |                |
|   |   | 27) Lift clean and no sharp edges                                                                 |          |                                                     |                |
|   |   | 28) Lift shields secure and in good shape                                                         |          |                                                     |                |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |          |                                                     |                |
|   |   | 30) No unusual lift noises                                                                        |          |                                                     |                |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |          |                                                     |                |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |          |                                                     |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



**MV Transportation**  
5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



**Work Order Division (0094)**

3301 Electronics Way

West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112 Repair Reason: \_\_\_\_\_

Date and Time in: 10:00

Mileage in: 7600 &amp;

Date: 01-7-20 Work Class: T

10.00  
12.00

Mileage in: 6600.6  
Mileage out: 7060.9

Complaints/Defects:

day I Rs.

**Notes/Measurements:**

[illegible]

**Total Hours Worked:**

Total Parts Cost:

*I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used \_\_\_\_\_ Total Parts Cost: \_\_\_\_\_*

Employee #: 957302 Technician: FENSEN Signature: [Signature]  
 I have used parts that are from MP Transportation, Inc. approved vendors and have followed all MP Transportation, Inc. policies,  
 and for service.

Signature \_\_\_\_\_

ASE Employee #:

ASE Technician:

ASE Signature:





# PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS #: 5112

DATE: 01-07-2020

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

This vehicle is Good to work.

*[Signature]*

01-07-20



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 266008 Mileage out: 266009



Date: 01-7-20 Vehicle #: 5112

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load amps: load amps:                    |
|   |   | Batt 2 volts: load amps: load amps:                    |
|   |   | Batt 3 volts: load amps: load amps:                    |
|   |   | (battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date 01-7-20 Vehicle #: 5112Mileage in: 266009 Mileage out: 266009

| P | F | Item Inspected                                                                                    | ServType | Service Performed                        | Techs Initials |
|---|---|---------------------------------------------------------------------------------------------------|----------|------------------------------------------|----------------|
|   |   | 30) Front brake condition and mounting                                                            | A,B,C,D  | Change oil and filter                    |                |
|   |   | 31) Front brake lining condition & measurement                                                    | A,B,C,D  | Lube chassis and suspension              |                |
|   |   | Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"                                                      | A,B,C,D  | Lube drive shafts and universal joints   |                |
|   |   | 32) Rear brake condition and mounting                                                             | A,B,C,D  | Lube doors and hood, locks and hinges    |                |
|   |   | 33) Rear brake lining condition & measurement                                                     | A,B,C,D  | Adjust service and parking brakes        |                |
|   |   | Pads R/R: <u>9</u> /32" L/R: <u>9</u> /32"                                                        | A,B,C,D  | Drain water from separator               |                |
|   |   | Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"                                                     | A,B,C,D  | Rotate tires(as necessary, caps on rear) |                |
|   |   | 34) Tire and wheel condition and measurements                                                     | B,C,D    | Change air filter                        |                |
|   |   | R/F: <u>9</u> /32" L/F: <u>10</u> /32"                                                            | B,C,D    | Change fuel filter                       |                |
|   |   | R/RI: <u>10</u> /32" L/RI: <u>10</u> /32"                                                         | B,C,D    | Clean or change PCV valve                |                |
|   |   | R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"                                                         | B,C,D    | Clean or change crank case filter        |                |
|   |   | 35) Lug nuts condition                                                                            | B,C,D    | Install new wiper blades                 |                |
|   |   | Air pressure adjustment FR. <u>65</u> RR. <u>70</u> .                                             | C,D      | Change transmission fluid and filter     |                |
|   |   | Wheel torque specs used: <u>140</u> ft. lbs.                                                      | C,D      | Service front wheel bearings             |                |
|   |   | G) Lift inspection                                                                                | C,D      | Drain water from fuel tank               |                |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                                | D        | Replace accessory drive belts            |                |
|   |   | 2) Lift control pendant condition and operation                                                   | D        | Service and flush cooling system         |                |
|   |   | 3) Lift restraint belt condition and operation                                                    | D        | Install new spark plugs & wires          |                |
|   |   | 4) Outer roll stop condition and operation                                                        | D        | Install new dist. cap & rotor            |                |
|   |   | 5) Inner roll stop condition and operation                                                        | D        | Change differential fluid                |                |
|   |   | 6) Platform adjustments, condition and mounting                                                   | D        | Check Exhaust and EGR system             |                |
|   |   | 7) Standee arm condition and operation                                                            | D        | Check and service fuel & evap. System    |                |
|   |   | 8) Proper signage and decals                                                                      | D        | Evac and recharge A/C (add 1 oz. of oil) |                |
|   |   | 9) Manual backup pump condition and operation                                                     | A,B,C,D  | Post service test drive (5 miles)        |                |
|   |   | 10) Lift manual pump handle                                                                       |          |                                          |                |
|   |   | 11) Hydraulic pump condition and operation                                                        |          |                                          |                |
|   |   | 12) Hydraulic lines and cylinders condition                                                       |          |                                          |                |
|   |   | 13) Hydraulic fluid level and condition                                                           |          |                                          |                |
|   |   | 14) Base plate and arms welds & pivot points                                                      |          |                                          |                |
|   |   | 15) Lift springs and pins condition and operation                                                 |          |                                          |                |
|   |   | 16) Lift safety switches and adjustments                                                          |          |                                          |                |
|   |   | 17) Hose and wire routing and connections                                                         |          |                                          |                |
|   |   | 18) Rollers and pivot point condition & operation                                                 |          |                                          |                |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                                   |          |                                          |                |
|   |   | 20) Lift doors condition and operation                                                            |          |                                          |                |
|   |   | 21) Lift door lights condition and operation                                                      |          |                                          |                |
|   |   | 22) Lift interlock operation and condition                                                        |          |                                          |                |
|   |   | (lift door open, e-brake down not able to shift)                                                  |          |                                          |                |
|   |   | (e-brake off lift door closed no lift power)                                                      |          |                                          |                |
|   |   | 23) W/C tie downs condition and operation                                                         |          |                                          |                |
|   |   | 24) Tie down container secure and clean                                                           |          |                                          |                |
|   |   | 25) Tie down floor mounting brackets secure                                                       |          |                                          |                |
|   |   | 26) W/C shoulder belt condition and operation                                                     |          |                                          |                |
|   |   | 27) Lift clean and no sharp edges                                                                 |          |                                          |                |
|   |   | 28) Lift shields secure and in good shape                                                         |          |                                          |                |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |          |                                          |                |
|   |   | 30) No unusual lift noises                                                                        |          |                                          |                |
|   |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |          |                                          |                |
|   |   | Check, torque or adjust lift base mounting bolts                                                  |          |                                          |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



**MV Transportation**  
5910 N Central Expy Way Suite 1145  
Dallas, TX 75206



**Work Order Division (0094)**  
3301 Electronics Way  
West Palm Beach, FL 33407

**Basic Information**

Vehicle #: 5112 Repair Reason: CS Date and Time In: 09-25-2020 Mileage in: 294199  
Date: 09-25-20 Work Class: I Date and Time Finished: Mileage out: 294200

Complaints/Defects: RMIS

Notes/Measurements:


| Labor Information |     |                             |       | Parts Information |     |             |             |     |      |
|-------------------|-----|-----------------------------|-------|-------------------|-----|-------------|-------------|-----|------|
| Task              | WAC | Repair Description/Comments | Hours | Task              | WAC | Part Number | Description | Qty | Cost |
| CS                | 58  | RMIS                        |       | CS                | 55  | 50020       | ENGINE OIL  | 8.5 |      |
|                   |     |                             |       | CS                | 55  | 1F-3681     | OIL FILTER  | 1   |      |
|                   |     |                             |       | CS                | 55  | 20011F      | WIPER BLADE | 2   |      |
|                   |     |                             |       | CS                | 55  | AF-25590    | AIR FILTER  | 1   |      |
|                   |     |                             |       | CS                | 55  | BRSD-1328   | FRONT BRAKE | 1   |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |
|                   |     |                             |       |                   |     |             |             |     |      |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicles are safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: TERMON FLETCHER Signature: [Signature] ASE Employee #: 604182 ASE Technician: ASE Signature: [Signature]



# PM DEFECT SHEET



MECHANIC'S SIGNATURE

*[Signature]*

DESCRIPTION OF REPAIR NEEDED

DATE COMPLETED

PM TYPE OR WORK ORDER #:

BUS #: 5112 DATE: 09-25-2020

Replace front brakes and check bushing sway bar link. 07-15-20



# Preventive Maintenance Inspection and Service Checklist



Date: 09-25-20 Vehicle #: 5112

Circle Service Type: A (B) C D  
 Mileage in: 294194 Mileage out: 294800

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation & condition          |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D 294200  
Mileage in: 294199 (B) Mileage out: 294200



Date: 09-25-20 Vehicle #: 5112

| Service Type                                        | Service Performed                         | Tech's Initials |
|-----------------------------------------------------|-------------------------------------------|-----------------|
| A,B,C,D                                             | Change oil and filter                     | F               |
| A,B,C,D                                             | Lube chassis and suspension               | F               |
| A,B,C,D                                             | Lube drive shafts and universal joints    | F               |
| A,B,C,D                                             | Lube doors and hood, locks and hinges     | F               |
| A,B,C,D                                             | Adjust service and parking brakes         | F               |
| A,B,C,D                                             | Drain water from separator                | F               |
| A,B,C,D                                             | Rotate tires (as necessary, caps on rear) | F               |
| B,C,D                                               | Change air filter                         | F               |
| B,C,D                                               | Change fuel filter                        | F               |
| B,C,D                                               | Clean or change PCV valve                 | F               |
| B,C,D                                               | Clean or change crank case filter         | F               |
| B,C,D                                               | Install new wiper blades                  | F               |
| C,D                                                 | Change transmission fluid and filter      | F               |
| C,D                                                 | Service front wheel bearings              | F               |
| C,D                                                 | Drain water from fuel tank                | F               |
| D                                                   | Replace accessory drive belts             | F               |
| D                                                   | Service and flush cooling system          | F               |
| D                                                   | Install new spark plugs & wires           | F               |
| D                                                   | Install new dist. cap & rotor             | F               |
| D                                                   | Change differential fluid                 | F               |
| D                                                   | Check Exhaust and EGR system              | F               |
| D                                                   | Check and service fuel & evap. System     | F               |
| D                                                   | Evac and recharge A/C (add 1 oz. of oil)  | F               |
| A,B,C,D                                             | Post service test drive (5 miles)         | F               |
| Initial or "N/A" each service performed per PM type |                                           |                 |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: [Signature] Date: 09-25-20

Supervisor Signature: \_\_\_\_\_ Date: \_\_\_\_\_

Notes:

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

| P | F | Item Inspected                                                                           |
|---|---|------------------------------------------------------------------------------------------|
|   |   | 30) Front brake condition and mounting                                                   |
|   |   | 31) Front brake lining condition & measurement                                           |
|   |   | Pads R/F: 5 /32" L/F: 3 /32"                                                             |
|   |   | 32) Rear brake condition and mounting                                                    |
|   |   | 33) Rear brake lining condition & measurement                                            |
|   |   | Pads R/R: 7 /32" L/R: 7 /32"                                                             |
|   |   | Shoes R/R: /32" L/R: /32"                                                                |
|   |   | 34) Tire and wheel condition and measurements                                            |
|   |   | R/F: 9 /32" L/F: 9 /32"                                                                  |
|   |   | R/R: 6 /32" L/R: 7 /32"                                                                  |
|   |   | R/R: 7 /32" L/R: 7 /32"                                                                  |
|   |   | 35) Lug nuts condition                                                                   |
|   |   | Air pressure adjustment FR: 65 RR: 45                                                    |
|   |   | Wheel torque specs used: 140 ft. lbs.                                                    |
|   |   | G) Lift inspection                                                                       |
|   |   | 1) Lift operation (fully stowed to fully deployed)                                       |
|   |   | 2) Lift control pendant condition and operation                                          |
|   |   | 3) Lift restraint belt condition and operation                                           |
|   |   | 4) Outer roll stop condition and operation                                               |
|   |   | 5) Inner roll stop condition and operation                                               |
|   |   | 6) Platform adjustments, condition and mounting                                          |
|   |   | 7) Standee arm condition and operation                                                   |
|   |   | 8) Proper signage and decals                                                             |
|   |   | 9) Manual backup pump condition and operation                                            |
|   |   | 10) Lift manual pump handle                                                              |
|   |   | 11) Hydraulic pump condition and operation                                               |
|   |   | 12) Hydraulic lines and cylinders condition                                              |
|   |   | 13) Hydraulic fluid level and condition                                                  |
|   |   | 14) Base plate and arms welds & pivot points                                             |
|   |   | 15) Lift springs and pins condition and operation                                        |
|   |   | 16) Lift safety switches and adjustments                                                 |
|   |   | 17) Hose and wire routing and connections                                                |
|   |   | 18) Rollers and pivot point condition & operation                                        |
|   |   | 19) Lift to vehicle mounting bolts and brackets                                          |
|   |   | 20) Lift doors condition and operation                                                   |
|   |   | 21) Lift door lights condition and operation                                             |
|   |   | 22) Lift interlock operation and condition                                               |
|   |   | (Lift door open, e-brake down not able to shift)                                         |
|   |   | (e-brake off lift door closed no lift power)                                             |
|   |   | 23) W/C tie downs condition and operation                                                |
|   |   | 24) Tie down container secure and clean                                                  |
|   |   | 25) Tie down floor mounting brackets secure                                              |
|   |   | 26) W/C shoulder belt condition and operation                                            |
|   |   | 27) Lift clean and no sharp edges                                                        |
|   |   | 28) Lift shields secure and in good shape                                                |
|   |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                       |
|   |   | 30) No unusual lift noises                                                               |
|   |   | Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                         |

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

Dallas, TX 75206



2011 11 96

3301 Electronics Way  
West Palm Beach, FL 33407

*Basic Information*

|            |          |                |   |                         |       |              |        |
|------------|----------|----------------|---|-------------------------|-------|--------------|--------|
| Vehicle #: | 5112     | Repair Reason: | C | Date and Time in:       | 18:45 | Mileage in:  | 194392 |
| Date:      | 09/05/17 | Work Class:    | E | Date and Time Finished: | 20:15 | Mileage out: | 194399 |

| Complaints/Defects: | Notes/Measurements: |
|---------------------|---------------------|
| PMIC                |                     |

| Labor Information   |     |                             |       |  | Parts Information |     |             |              |     |      |  |
|---------------------|-----|-----------------------------|-------|--|-------------------|-----|-------------|--------------|-----|------|--|
| Task                | WAC | Repair Description/Comments | Hours |  | Task              | WAC | Part Number | Description  | Qty | Cost |  |
| C 53                |     | PMTC                        |       |  | C 55              |     | 5w20        | engine oil   | 6.5 |      |  |
|                     |     |                             |       |  | C 55              |     | LF 3681     | oil filter   | 1   |      |  |
|                     |     |                             |       |  | C 55              |     | WW2001PF    | wiper blade  | 2   |      |  |
|                     |     |                             |       |  | C 55              |     | WF 25590    | air filter   | 1   |      |  |
|                     |     |                             |       |  | C 55              |     | F1130       | trans filter | 1   |      |  |
|                     |     |                             |       |  | C 55              |     | mercom lv   | trans fluid  | 10  |      |  |
|                     |     |                             |       |  | C 55              |     | 225 35R16   | tires        | 1   |      |  |
| 04 55               |     | brake inspection            |       |  | C 55              |     | 675 93      |              |     |      |  |
| Total Hours Worked: |     |                             |       |  | Total Parts Cost: |     |             |              |     |      |  |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 948194 Technician: Foodson Feiner Signature: [Signature]

ASE Employee #: 60418 ASE Technician: [Signature] ASE Signature: [Signature]

ASE Signature: \_\_\_\_\_





PM DEFECT SHEET

|                                            |          |                              |      |
|--------------------------------------------|----------|------------------------------|------|
| MECHANIC'S SIGNATURE<br><i>[Signature]</i> |          | DESCRIPTION OF REPAIR NEEDED |      |
| BUS #:                                     | DATE:    | PM TYPE OR WORK ORDER #:     | DATE |
| 5112                                       | 09/05/13 | PWC                          |      |
| COMPLETED BY                               |          | COMPLETED                    |      |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 09/05/18 Vehicle #: 3112

Mileage in: 194377 Mileage out: 194379

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
| / |   | A) Vehicle drive in inspection (5 miles)           |
| F |   | 1) Driver carpet                                   |
| F |   | 2) Driver seat condition and operation             |
| F |   | 3) Drivers door operation and condition            |
| F |   | 4) Drivers seat belt operation and condition       |
| F |   | 5) Engine starting and ignition system             |
| F |   | 6) Instrument panel gauges & warning lights        |
| F |   | 7) Instrument panel lighting & condition           |
| F |   | 8) Horn operation                                  |
| F |   | 9) Steering wheel tight, no excessive play         |
| F |   | 10) Windshield wipers                              |
| F |   | 11) Windshield washer                              |
| F |   | 12) Sun visor condition and operation              |
| F |   | 13) Parking brake operation & condition            |
| F |   | 14) Parking and service brake pedal pads           |
| F |   | 15) Passenger door operation                       |
| F |   | 16) No vibrations, pulsations or noises            |
| / |   | B) Walk around inspection                          |
| F |   | 1) Body damage (list on separate sheet)            |
| F |   | 2) Headlights, high & low beam operation           |
| F |   | 3) Parking lights operation & condition            |
| F |   | 4) Marker lights operation & condition             |
| F |   | 5) Directional signals operation & condition       |
| F |   | 6) Hazard lights operation & condition             |
| F |   | 7) Clearance lights operation and condition        |
| F |   | 8) Brake lights operation & condition              |
| F |   | 9) License plate lamp operation & condition        |
| F |   | 10) License plates and tags                        |
| F |   | 11) Backup lights and alarms                       |
| F |   | 12) Reflectors and reflective bumper tape          |
| F |   | 13) Exterior decals and signage                    |
| F |   | 14) Bumpers secure / in good condition             |
| F |   | 15) Exterior mirrors secure / in good condition    |
| F |   | 16) Exterior clean                                 |
| / |   | C) Interior inspection                             |
| F |   | 1) Passenger door and steps condition              |
| F |   | 2) Handrails and stanchions condition              |
| F |   | 3) Interior and modesty panels condition           |
| F |   | 4) Flooring condition                              |
| F |   | 5) Interior lighting operation and condition       |
| F |   | 6) Windows operation and condition                 |
| F |   | 7) Emergency Exits operation & condition           |
| F |   | 8) Accessory operation & condition (radio, GPS)    |
| F |   | 9) Passenger seats operation & condition           |
| F |   | 10) Passenger seat belts operation & condition     |
| F |   | 11) First aid & body fluid kits complete           |
| F |   | 12) Triangle reflectors complete/good condition    |
| F |   | 13) Stop request operation & condition             |
| F |   | 14) Valid registration, insurance & accident pack  |
| F |   | 15) Fire extinguisher in good condition & signed   |
| F |   | 16) Interior decals and signage (incl. electrical) |
| F |   | 17) DVI's reviewed, addressed and signed off       |
| F |   | 18) Interior clean                                 |
| / |   | D) HVAC system inspection                          |
| F |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
| F |   | 2) Rear blower condition and operation                 |
| F |   | 3) Defroster operation                                 |
| F |   | 4) Temp gets to 20 deg. F below ambient temp.          |
| F |   | 5) Evaporator intake air filter condition              |
| F |   | 6) Front heater condition and operation                |
| F |   | 7) Rear heater condition and operation                 |
| F |   | 8) A/C compressors and condenser fans                  |
| / |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
| F |   | Batt 1 volts: 12.8 load volts: load amps:              |
| F |   | Batt 2 volts: 12.9 load volts: load amps:              |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
| F |   | 2) Wire and hose routing and connections               |
| F |   | 3) Cooling system, hoses, water pump condition         |
| F |   | 5) Accessory drive belts condition                     |
| F |   | 6) Pulleys and tensioned operation & condition         |
| F |   | 7) Brake master cylinder and power booster             |
| F |   | 8) Fan and fan clutch operation and condition          |
| F |   | 9) Engine oil fluid level and condition                |
| F |   | 10) Transmission oil level and condition               |
| F |   | 11) Power steering fluid level and condition           |
| F |   | 12) Brake fluid level and condition                    |
| / |   | F) Vehicle rack inspection                             |
| F |   | 1) Steering gear box mount, condition & leaks          |
| F |   | 2) Steering shaft U joints                             |
| F |   | 3) Steering shaft bearings                             |
| F |   | 4) Steering linkages                                   |
| F |   | 5) I beam or control arm movements and rivets          |
| F |   | 6) Radius arm condition and bushings condition         |
| F |   | 7) Stabilizer bar condition and bushings condition     |
| F |   | 8) Ball joints or kingpins                             |
| F |   | 9) Front spring condition and mounting                 |
| F |   | 10) Front shock absorber operation & condition         |
| F |   | 11) Trans oil cooler & lines routing and leaks         |
| F |   | 12) Engine oil cooler & lines routing and leaks        |
| F |   | 13) Heater and A/C hose routing and leaks              |
| F |   | 14) No engine oil leaks and fluid condition            |
| F |   | 15) Engine mounts, brackets and bolts                  |
| F |   | 16) Transmission mounts, brackets and bolts            |
| F |   | 17) No transmission oil leaks and fluid condition      |
| F |   | 18) Drive shaft condition                              |
| F |   | 19) Universal joints and carrier bearings condition    |
| F |   | 20) No rear differential leaks                         |
| F |   | 21) Rear differential condition and mounting           |
| F |   | 22) Frame and cross members                            |
| F |   | 23) Rear shock absorbers                               |
| F |   | 24) Rear springs condition and mounting                |
| F |   | 25) No fuel leaks                                      |
| F |   | 26) Fuel tank condition and mounting                   |
| F |   | 27) No exhaust leaks                                   |
| F |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D  
Mileage in: 184337 Mileage out: 194329

Date: 09/05/18 Vehicle #: 5112

| Item Inspected                                                                                    | Pass/Fail |
|---------------------------------------------------------------------------------------------------|-----------|
| 30) Front brake condition and mounting                                                            | P         |
| 31) Front brake lining condition & measurement                                                    | F         |
| 32) Rear brake condition and mounting                                                             | F         |
| 33) Rear brake lining condition & measurement                                                     | F         |
| Pads R/R: 8 L/R: 8 /32"                                                                           | F         |
| Shoes R/R: /32" L/R: /32"                                                                         | F         |
| 34) Tire and wheel condition and measurements                                                     | F         |
| R/F: 10 /32" L/F: 7 /32"                                                                          | F         |
| R/R: 6 /32" L/R: 10 /32"                                                                          | F         |
| R/R: 7 /32" L/R: 3 /32"                                                                           | F         |
| 35) Lug nuts condition                                                                            | F         |
| Air pressure adjustment R.R. 65 RR. 70                                                            | F         |
| Wheel torque specs used: 140 ft. lbs.                                                             | F         |
| G) Lift inspection                                                                                | F         |
| 1) Lift operation (fully stowed to fully deployed)                                                | F         |
| 2) Lift control pendant condition and operation                                                   | F         |
| 3) Lift restraint belt condition and operation                                                    | F         |
| 4) Outer roll stop condition and operation                                                        | F         |
| 5) Inner roll stop condition and operation                                                        | F         |
| 6) Platform adjustments, condition and mounting                                                   | F         |
| 7) Standee arm condition and operation                                                            | F         |
| 8) Proper signage and decals                                                                      | F         |
| 9) Manual backup pump condition and operation                                                     | F         |
| 10) Lift manual pump handle                                                                       | F         |
| 11) Hydraulic pump condition and operation                                                        | F         |
| 12) Hydraulic lines and cylinders condition                                                       | F         |
| 13) Hydraulic fluid level and condition                                                           | F         |
| 14) Base plate and arms welds & pivot points                                                      | F         |
| 15) Lift springs and pins condition and operation                                                 | F         |
| 16) Lift safety switches and adjustments                                                          | F         |
| 17) Hose and wire routing and connections                                                         | F         |
| 18) Rollers and pivot point condition & operation                                                 | F         |
| 19) Lift to vehicle mounting bolts and brackets                                                   | F         |
| 20) Lift doors condition and operation                                                            | F         |
| 21) Lift door lights condition and operation                                                      | F         |
| 22) Lift interlock operation and condition                                                        | F         |
| (Lift door open, e-brake down not able to shift)                                                  | F         |
| 23) W/C tie downs condition and operation                                                         | F         |
| 24) Tie down container secure and clean                                                           | F         |
| 25) Tie down floor mounting brackets, secure                                                      | F         |
| 26) W/C shoulder belt condition and operation                                                     | F         |
| 27) Lift clean and no sharp edges                                                                 | F         |
| 28) Lift shields secure and in good shape                                                         | F         |
| 29) Lift moves steady without drifting, jerking, or unusual speeds                                | F         |
| 30) No unusual lift noises                                                                        | F         |
| Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube | F         |
| Check, torque or adjust lift base mounting bolts                                                  | F         |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

| Service Performed                          | Service Type | Initial or "N/A" each service performed per PM type |
|--------------------------------------------|--------------|-----------------------------------------------------|
| Change oil and filter                      | A, B, C, D   | F                                                   |
| Lube chassis and suspension                | A, B, C, D   | F                                                   |
| Lube drive shafts and universal joints     | A, B, C, D   | F                                                   |
| Lube doors and hood, locks and hinges      | A, B, C, D   | F                                                   |
| Adjust service and parking brakes          | A, B, C, D   | F                                                   |
| Drain water from separator                 | A, B, C, D   | F                                                   |
| Rotate tires (as necessary, caps on rear)  | A, B, C, D   | F                                                   |
| Change air filter                          | B, C, D      | F                                                   |
| Change fuel filter                         | B, C, D      | F                                                   |
| Clean or change PCV valve                  | B, C, D      | F                                                   |
| Clean or change crank case filter          | B, C, D      | F                                                   |
| Install new wiper blades                   | B, C, D      | F                                                   |
| Change transmission fluid and filter       | C, D         | F                                                   |
| Service front wheel bearings               | C, D         | F                                                   |
| Drain water from fuel tank                 | C, D         | F                                                   |
| Replace accessory drive belts              | D            | F                                                   |
| Service and flush cooling system           | D            | F                                                   |
| Install new spark plugs & wires            | D            | F                                                   |
| Install new dist. cap & rotor              | D            | F                                                   |
| Change differential fluid                  | D            | F                                                   |
| Check Exhaust and EGR system               | D            | F                                                   |
| Check and service fuel & evaporator system | D            | F                                                   |
| Evac and recharge A/C (add 1 oz. of oil)   | D            | F                                                   |
| Post service test drive (5 miles)          | A, B, C, D   | F                                                   |

Technician Signature: [Signature]  
Date: 09/05/18  
Supervisor Signature: [Signature]  
Date: 9/7/18

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Cenrtal Expy Way Suite 1145  
Dallas, TX 75206



**Work Order Division (0094)**

3301 Electronics Way  
West Palm Beach, FL 33407

### Basic Information

Vehicle #: 5112 Repair Reason:  Date and Time in :  
Date: 07/19 Work Class: Date and Time Finished:

Mileage in: 251708  
Mileage out: 251709

## Complaints/Defects:

12

## Notes/Measurements:

[illegible]

**Total Hours Worked:**

*I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.*

Employee #: 845132 Technician: \_\_\_\_\_

ASE Employee #: 604182 ASE Technician: \_\_\_\_\_

Signature \_\_\_\_\_

ASE Signature:





# PM DEFECT SHEET



BUS #: 5112

DATE: 09.27.19

MECHANIC'S SIGNATURE

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE  
COMPLETED

replace Headlamp

J. J. J. 09.27.19



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 09-07-19 Vehicle #: 5112 Mileage in: 251708 Mileage out: 251709



| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load amps:                               |
|   |   | Batt 2 volts: load amps:                               |
|   |   | Batt 3 volts: load amps:                               |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max amp:                              |
|   |   | Alt. 2 min volt: max amp:                              |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 09-27-19 Vehicle #: 5112Mileage in: 251708Mileage out: 251709

| P        | F | Item Inspected                                          |
|----------|---|---------------------------------------------------------|
| <u>2</u> |   | 30) Front brake condition and mounting                  |
| <u>2</u> |   | 31) Front brake lining condition & measurement          |
| <u>2</u> |   | Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"              |
| <u>2</u> |   | 32) Rear brake condition and mounting                   |
| <u>2</u> |   | 33) Rear brake lining condition & measurement           |
| <u>2</u> |   | Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"              |
| <u>2</u> |   | Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"             |
| <u>2</u> |   | 34) Tire and wheel condition and measurements           |
| <u>2</u> |   | R/F: <u>8</u> /32" L/F: <u>8</u> /32"                   |
| <u>2</u> |   | R/R: <u>5</u> /32" L/R: <u>5</u> /32"                   |
| <u>2</u> |   | R/O: <u>5</u> /32" L/O: <u>5</u> /32"                   |
| <u>2</u> |   | 35) Lug nuts condition                                  |
| <u>2</u> |   | Air pressure adjustment FR. <u>110</u> RR. <u>110</u>   |
| <u>2</u> |   | Wheel torque specs used: <u>140</u> ft. lbs.            |
| <u>2</u> |   | G) Lift inspection                                      |
| <u>2</u> |   | 1) Lift operation (fully stowed to fully deployed)      |
| <u>2</u> |   | 2) Lift control pendant condition and operation         |
| <u>2</u> |   | 3) Lift restraint belt condition and operation          |
| <u>2</u> |   | 4) Outer roll stop condition and operation              |
| <u>2</u> |   | 5) Inner roll stop condition and operation              |
| <u>2</u> |   | 6) Platform adjustments, condition and mounting         |
| <u>2</u> |   | 7) Standee arm condition and operation                  |
| <u>2</u> |   | 8) Proper signage and decals                            |
| <u>2</u> |   | 9) Manual backup pump condition and operation           |
| <u>2</u> |   | 10) Lift manual pump handle                             |
| <u>2</u> |   | 11) Hydraulic pump condition and operation              |
| <u>2</u> |   | 12) Hydraulic lines and cylinders condition             |
| <u>2</u> |   | 13) Hydraulic fluid level and condition                 |
| <u>2</u> |   | 14) Base plate and arms welds & pivot points            |
| <u>2</u> |   | 15) Lift springs and pins condition and operation       |
| <u>2</u> |   | 16) Lift safety switches and adjustments                |
| <u>2</u> |   | 17) Hose and wire routing and connections               |
| <u>2</u> |   | 18) Rollers and pivot point condition & operation       |
| <u>2</u> |   | 19) Lift to vehicle mounting bolts and brackets         |
| <u>2</u> |   | 20) Lift doors condition and operation                  |
| <u>2</u> |   | 21) Lift door lights condition and operation            |
| <u>2</u> |   | 22) Lift interlock operation and condition              |
|          |   | (lift door open, e-brake down not able to shift)        |
|          |   | (e-brake off lift door closed no lift power)            |
| <u>2</u> |   | 23) W/C tie downs condition and operation               |
| <u>2</u> |   | 24) Tie down container secure and clean                 |
| <u>2</u> |   | 25) Tie down floor mounting brackets secure             |
| <u>2</u> |   | 26) W/C shoulder belt condition and operation           |
| <u>2</u> |   | 27) Lift clean and no sharp edges                       |
| <u>2</u> |   | 28) Lift shields secure and in good shape               |
| <u>2</u> |   | 29) Lift moves steady without drifting, jerking,        |
|          |   | or unusual speeds                                       |
| <u>2</u> |   | 30) No unusual lift noises                              |
|          |   | Lube all lift pivot points, barriers, rollers, linkages |
|          |   | and bearings cleaning off all excess lube               |
|          |   | Check, torque or adjust lift base mounting bolts        |

| ServType                                            | Service Performed                        | Techs Initials |
|-----------------------------------------------------|------------------------------------------|----------------|
| A,B,C,D                                             | Change oil and filter                    | <u>JS</u>      |
| A,B,C,D                                             | Lube chassis and suspension              | <u>JS</u>      |
| A,B,C,D                                             | Lube drive shafts and universal joints   | <u>JS</u>      |
| A,B,C,D                                             | Lube doors and hood, locks and hinges    | <u>JS</u>      |
| A,B,C,D                                             | Adjust service and parking brakes        | <u>JS</u>      |
| A,B,C,D                                             | Drain water from separator               | <u>JS</u>      |
| A,B,C,D                                             | Rotate tires(as necessary, caps on rear) | <u>JS</u>      |
| B,C,D                                               | Change air filter                        | <u>JS</u>      |
| B,C,D                                               | Change fuel filter                       | <u>JS</u>      |
| B,C,D                                               | Clean or change PCV valve                | <u>JS</u>      |
| B,C,D                                               | Clean or change crank case filter        | <u>JS</u>      |
| B,C,D                                               | Install new wiper blades                 | <u>JS</u>      |
| C,D                                                 | Change transmission fluid and filter     | <u>JS</u>      |
| C,D                                                 | Service front wheel bearings             | <u>JS</u>      |
| C,D                                                 | Drain water from fuel tank               | <u>JS</u>      |
| D                                                   | Replace accessory drive belts            |                |
| D                                                   | Service and flush cooling system         |                |
| D                                                   | Install new spark plugs & wires          |                |
| D                                                   | Install new dist. cap & rotor            |                |
| D                                                   | Change differential fluid                |                |
| D                                                   | Check Exhaust and EGR system             |                |
| D                                                   | Check and service fuel & evap. System    |                |
| D                                                   | Evac and recharge A/C (add 1 oz. of oil) |                |
| A,B,C,D                                             | Post service test drive (5 miles)        |                |
| Initial or "N/A" each service performed per PM type |                                          |                |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

09-27-19

Date

Supervisor Signature

10/3/19


Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



5910 N Central Expy May Suite 1145  
Dallas, TX 75206



3301 Electronics Way  
West Palm Beach, FL 33407

Vehicle #: 5112

Vehicle #: 5112

Repair Reason:



Date: 02/15/11

Work Class:



Data

Time Finished:

[illegible]

Mileage in: 222997

Mileage out: 222998

Complaints/Defects:

## Notes/Measurements:

Q33

⑦

*Labor Information*

| Labor Information                                                             |     |                             |       | Parts Information |     |                        |              |     |      |
|-------------------------------------------------------------------------------|-----|-----------------------------|-------|-------------------|-----|------------------------|--------------|-----|------|
| Task                                                                          | WAC | Repair Description/Comments | Hours | Task              | WAC | Part Number            | Description  | Qty | Cost |
| ①                                                                             | 58  | PMI ②                       |       | ①                 | 55  | 5W-20                  | Oil          | 6.5 |      |
|                                                                               |     |                             |       | ②                 | 55  | LF 3681                | Oil filter   | 1   |      |
|                                                                               |     |                             |       | ③                 | 55  | <del>FT1180</del> 5590 | Air filter   | 1   |      |
|                                                                               |     |                             |       | ④                 | 55  | BASD.1328              | Brake pads   | 1   |      |
|                                                                               |     |                             |       | ⑤                 | 55  | WD2007. PE             | Wiper blades | 2   |      |
|                                                                               |     |                             |       | ⑥                 | 55  | FT1180                 | Trans filter | 1   |      |
|                                                                               |     |                             |       | ⑦                 | 55  | Mercon LV              | Trans fluid  | 10  |      |
|                                                                               |     |                             |       | ⑧                 | 55  | SP 521                 | Spark plug   | 4   |      |
|                                                                               |     |                             |       | ⑨                 | 55  | 800090                 | Diff oil     | 3   |      |
| Total Hours Worked:                                                           |     |                             |       | Total Parts Cost: |     |                        |              |     |      |
| I have performed the repairs according to MV Transportation, Inc. guidelines. |     |                             |       |                   |     |                        |              |     |      |

ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies and procedures. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies and procedures.

ASE Employee #: 10432 ASE Technician: \_\_\_\_\_

ASE Technician: Joey


ASE Signature:

Handwritten signature: *[Signature]*

re:



# PM DEFECT SHEET



|                          |              |                                          |  |
|--------------------------|--------------|------------------------------------------|--|
| BUS #: 5112              |              | DATE: 3/15/19                            |  |
| PM TYPE OR WORK ORDER #: |              | MECHANIC'S SIGNATURE: <i>[Signature]</i> |  |
| DATE                     | COMPLETED BY | DESCRIPTION OF REPAIR NEEDED             |  |
|                          |              |                                          |  |

① Vehicle check  
Front Brakes  
check all ok.  
Brakes pad  
03/15/19 *[Signature]*





## Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 03/15/19 Vehicle #: 5112Mileage in: 222997 Mileage out: 222998

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | <b>A) Vehicle drive in inspection (5 miles)</b>    |
|   |   | 1) Driver carpet                                   |
|   |   | 2) Driver seat condition and operation             |
|   |   | 3) Drivers door operation and condition            |
|   |   | 4) Drivers seat belt operation and condition       |
|   |   | 5) Engine starting and ignition system             |
|   |   | 6) Instrument panel gauges & warning lights        |
|   |   | 7) Instrument panel lighting & condition           |
|   |   | 8) Horn operation                                  |
|   |   | 9) Steering wheel tight, no excessive play         |
|   |   | 10) Windshield wipers                              |
|   |   | 11) Windshield washer                              |
|   |   | 12) Sun visor condition and operation              |
|   |   | 13) Parking brake operation & condition            |
|   |   | 14) Parking and service brake pedal pads           |
|   |   | 15) Passenger door operation                       |
|   |   | 16) No vibrations, pulsations or noises            |
|   |   | <b>B) Walk around inspection</b>                   |
|   |   | 1) Body damage (list on separate sheet)            |
|   |   | 2) Headlights, high & low beam operation           |
|   |   | 3) Parking lights operation & condition            |
|   |   | 4) Marker lights operation & condition             |
|   |   | 5) Directional signals operation & condition       |
|   |   | 6) Hazard lights operation & condition             |
|   |   | 7) Clearance lights operation and condition        |
|   |   | 8) Brake lights operation & condition              |
|   |   | 9) License plate lamp operation & condition        |
|   |   | 10) License plates and tags                        |
|   |   | 11) Backup lights and alarms                       |
|   |   | 12) Reflectors and reflective bumper tape          |
|   |   | 13) Exterior decals and signage                    |
|   |   | 14) Bumpers secure / in good condition             |
|   |   | 15) Exterior mirrors secure / in good condition    |
|   |   | 16) Exterior clean                                 |
|   |   | <b>C) Interior inspection</b>                      |
|   |   | 1) Passenger door and steps condition              |
|   |   | 2) Handrails and stanchions condition              |
|   |   | 3) Interior and modesty panels condition           |
|   |   | 4) Flooring condition                              |
|   |   | 5) Interior lighting operation and condition       |
|   |   | 6) Windows operation and condition                 |
|   |   | 7) Emergency Exits operation & condition           |
|   |   | 8) Accessory operation & condition (radio, GPS)    |
|   |   | 9) Passenger seats operation & condition           |
|   |   | 10) Passenger seat belts operation & condition     |
|   |   | 11) First aid & body fluid kits complete           |
|   |   | 12) Triangle reflectors complete/good condition    |
|   |   | 13) Stop request operation & condition             |
|   |   | 14) Valid registration, insurance & accident pack  |
|   |   | 15) Fire extinguisher in good condition & signed   |
|   |   | 16) Interior decals and signage (incl. electrical) |
|   |   | 17) DVI's reviewed, addressed and signed off       |
|   |   | 18) Interior clean                                 |
|   |   | <b>D) HVAC system inspection</b>                   |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
|   |   | 7) Rear heater condition and operation                 |
|   |   | 8) A/C compressors and condenser fans                  |
|   |   | <b>E) Under hood inspection</b>                        |
|   |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
|   |   | Batt 1 volts: load volts: load amps:                   |
|   |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
|   |   | 2) Wire and hose routing and connections               |
|   |   | 3) Cooling system, hoses, water pump condition         |
|   |   | 5) Accessory drive belts condition                     |
|   |   | 6) Pulleys and tensioned operation & condition         |
|   |   | 7) Brake master cylinder and power booster             |
|   |   | 8) Fan and fan clutch operation and condition          |
|   |   | 9) Engine oil fluid level and condition                |
|   |   | 10) Transmission oil level and condition               |
|   |   | 11) Power steering fluid level and condition           |
|   |   | 12) Brake fluid level and condition                    |
|   |   | <b>F) Vehicle rack inspection</b>                      |
|   |   | 1) Steering gear box mount, condition & leaks          |
|   |   | 2) Steering shaft U joints                             |
|   |   | 3) Steering shaft bearings                             |
|   |   | 4) Steering linkages                                   |
|   |   | 5) I beam or control arm movements and rivets          |
|   |   | 6) Radius arm condition and bushings condition         |
|   |   | 7) Stabilizer bar condition and bushings condition     |
|   |   | 8) Ball joints or kingpins                             |
|   |   | 9) Front spring condition and mounting                 |
|   |   | 10) Front shock absorber operation & condition         |
|   |   | 11) Trans oil cooler & lines routing and leaks         |
|   |   | 12) Engine oil cooler & lines routing and leaks        |
|   |   | 13) Heater and A/C hose routing and leaks              |
|   |   | 14) No engine oil leaks and fluid condition            |
|   |   | 15) Engine mounts, brackets and bolts                  |
|   |   | 16) Transmission mounts, brackets and bolts            |
|   |   | 17) No transmission oil leaks and fluid condition      |
|   |   | 18) Drive shaft condition                              |
|   |   | 19) Universal joints and carrier bearings condition    |
|   |   | 20) No rear differential leaks                         |
|   |   | 21) Rear differential condition and mounting           |
|   |   | 22) Frame and cross members                            |
|   |   | 23) Rear shock absorbers                               |
|   |   | 24) Rear springs condition and mounting                |
|   |   | 25) No fuel leaks                                      |
|   |   | 26) Fuel tank condition and mounting                   |
|   |   | 27) No exhaust leaks                                   |
|   |   | 28) Exhaust system condition and mounting              |



# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C** **D**  
 Mileage in: **22299** Mileage out: **22298**

Date: **03/15/19** Vehicle #: **5112**



| P | F | Item Inspected                                                                           |
|---|---|------------------------------------------------------------------------------------------|
|   |   | 30 Front brake condition and mounting                                                    |
|   |   | 31 Front brake lining condition & measurement                                            |
|   |   | 32 Rear brake condition and mounting                                                     |
|   |   | 33 Rear brake lining condition & measurement                                             |
|   |   | Pads R/R: <b>7</b> /32" L/R: <b>7</b> /32"                                               |
|   |   | Shoes R/R: /32" L/R: /32"                                                                |
|   |   | 34 Tire and wheel condition and measurements                                             |
|   |   | R/F: <b>11</b> /32" L/F: <b>11</b> /32"                                                  |
|   |   | R/R: <b>10</b> /32" L/R: <b>10</b> /32"                                                  |
|   |   | R/RO: <b>10</b> /32" L/RO: <b>10</b> /32"                                                |
|   |   | 35 Lug nuts condition                                                                    |
|   |   | Air pressure adjustment FR. <b>70</b> RR. <b>70</b>                                      |
|   |   | Wheel torque specs used: <b>140</b> ft. lbs.                                             |
|   |   | <b>G) Lift inspection</b>                                                                |
|   |   | 1 Lift operation (fully stowed to fully deployed)                                        |
|   |   | 2 Lift control pendant condition and operation                                           |
|   |   | 3 Lift restraint belt condition and operation                                            |
|   |   | 4 Outer roll stop condition and operation                                                |
|   |   | 5 Inner roll stop condition and operation                                                |
|   |   | 6 Platform adjustments, condition and mounting                                           |
|   |   | 7 Standee arm condition and operation                                                    |
|   |   | 8 Proper signage and decals                                                              |
|   |   | 9 Manual backup pump condition and operation                                             |
|   |   | 10 Lift manual pump handle                                                               |
|   |   | 11 Hydraulic pump condition and operation                                                |
|   |   | 12 Hydraulic lines and cylinders condition                                               |
|   |   | 13 Hydraulic fluid level and condition                                                   |
|   |   | 14 Base plate and arms welds & pivot points                                              |
|   |   | 15 Lift springs and pins condition and operation                                         |
|   |   | 16 Lift safety switches and adjustments                                                  |
|   |   | 17 Hose and wire routing and connections                                                 |
|   |   | 18 Rollers and pivot point condition & operation                                         |
|   |   | 19 Lift to vehicle mounting bolts and brackets                                           |
|   |   | 20 Lift doors condition and operation                                                    |
|   |   | 21 Lift door lights condition and operation                                              |
|   |   | 22 Lift interlock operation and condition                                                |
|   |   | (Lift door open, e-brake down not able to shift)                                         |
|   |   | (e-brake off lift door closed no lift power)                                             |
|   |   | 23 W/C tie downs condition and operation                                                 |
|   |   | 24 Tie down container secure and clean                                                   |
|   |   | 25 Tie down floor mounting brackets secure                                               |
|   |   | 26 W/C shoulder belt condition and operation                                             |
|   |   | 27 Lift clean and no sharp edges                                                         |
|   |   | 28 Lift shields secure and in good shape                                                 |
|   |   | 29 Lift moves steady without drifting, jerking, or unusual speeds                        |
|   |   | 30 No unusual lift noises                                                                |
|   |   | Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube |
|   |   | Check, torque or adjust lift base mounting bolts                                         |

| Service Type | Service Performed                         | Tech's Initials |
|--------------|-------------------------------------------|-----------------|
| A,B,C,D      | Change oil and filter                     | <b>S</b>        |
| A,B,C,D      | Lube chassis and suspension               | <b>W/14</b>     |
| A,B,C,D      | Lube drive shafts and universal joints    | <b>W/14</b>     |
| A,B,C,D      | Lube doors and hood, locks and hinges     | <b>S</b>        |
| A,B,C,D      | Adjust service and parking brakes         | <b>W/14</b>     |
| A,B,C,D      | Drain water from separator                | <b>W/14</b>     |
| A,B,C,D      | Rotate tires (as necessary, caps on rear) | <b>S</b>        |
| B,C,D        | Change air filter                         | <b>W/14</b>     |
| B,C,D        | Change fuel filter                        | <b>W/14</b>     |
| B,C,D        | Clean or change PCV valve                 | <b>W/14</b>     |
| B,C,D        | Clean or change crank case filter         | <b>W/14</b>     |
| B,C,D        | Install new wiper blades                  | <b>S</b>        |
| C,D          | Change transmission fluid and filter      | <b>W/14</b>     |
| C,D          | Service front wheel bearings              | <b>W/14</b>     |
| C,D          | Drain water from fuel tank                | <b>W/14</b>     |
| D            | Replace accessory drive belts             | <b>W/14</b>     |
| D            | Service and flush cooling system          | <b>W/14</b>     |
| D            | Install new spark plugs & wires           | <b>S</b>        |
| D            | Install new dist. cap & rotor             | <b>W/14</b>     |
| D            | Change differential fluid                 | <b>S</b>        |
| D            | Check Exhaust and EGR system              | <b>W/14</b>     |
| D            | Check and service fuel & evap. System     | <b>W/14</b>     |
| D            | Evac and recharge A/C (add 1 oz. of oil)  | <b>W/14</b>     |
| A,B,C,D      | Post service test drive (5 miles)         | <b>S</b>        |

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **03/15/19**

Supervisor Signature: *[Signature]* Date: **3/15/19**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



# MV Transportation

5910 N Central Expy Way Suite 1145  
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way  
West Palm Beach, FL 33407

## Basic Information

Vehicle #: 5112 Repair Reason: D Date and Time in: \_\_\_\_\_ Mileage in: 280350  
Date: 05/18/2020 Work Class: I Date and Time Finished: \_\_\_\_\_ Mileage out: 280350

Complaints/Defects: PME D Notes/Measurements: \_\_\_\_\_

## Labor Information

| Task                | WAC | Repair Description/Comments | Hours |
|---------------------|-----|-----------------------------|-------|
| D                   | 58  | PME D                       |       |
| D                   | 55  | WV1700                      |       |
| D                   | 55  | LF3681                      |       |
| D                   | 55  | AF25590                     |       |
| D                   | 55  | FT180                       |       |
| D                   | 55  | KT10DLV                     |       |
| D                   | 55  | WD2001PF                    |       |
| D                   | 55  | SP521                       |       |
| D                   | 04  | BRAKE INSPECTION            |       |
| Total Hours Worked: |     |                             |       |

## Parts Information

| Task              | WAC | Part Number | Description  | Qty | Cost |
|-------------------|-----|-------------|--------------|-----|------|
| D                 | 55  | WV1700      | ENGINE OIL   | 6.5 |      |
| D                 | 55  | LF3681      | OIL FILTER   | 1   |      |
| D                 | 55  | AF25590     | AIR FILTER   | 1   |      |
| D                 | 55  | FT180       | TRANS FILTER | 1   |      |
| D                 | 55  | KT10DLV     | TRANS FLUID  | 10  |      |
| D                 | 55  | WD2001PF    | WIPER BLADE  | 2   |      |
| D                 | 55  | SP521       | SPARK PLUG   | 8   |      |
| Total Parts Cost: |     |             |              |     |      |

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Kenney Murray Signature: Kenney Murray

ASE Employee #: 604182 ASE Technician: \_\_\_\_\_ ASE Signature: \_\_\_\_\_





DATE:

05/18/2020

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

PHX\_OPS\BUSMAINT\FORMS\PMdefect.doc





# Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Date: 05/18/20 Vehicle #: 5112

Mileage in: 280350 Mileage out: 280350

| P | F | Item Inspected                                     |
|---|---|----------------------------------------------------|
|   |   | A) Vehicle drive in inspection (5 miles)           |
| R |   | 1) Driver carpet                                   |
| R |   | 2) Driver seat condition and operation             |
| R |   | 3) Drivers door operation and condition            |
| R |   | 4) Drivers seat belt operation and condition       |
| R |   | 5) Engine starting and ignition system             |
| R |   | 6) Instrument panel gauges & warning lights        |
| R |   | 7) Instrument panel lighting & condition           |
| R |   | 8) Horn operation                                  |
| R |   | 9) Steering wheel tight, no excessive play         |
| R |   | 10) Windshield wipers                              |
| R |   | 11) Windshield washer                              |
| R |   | 12) Sun visor condition and operation              |
| R |   | 13) Parking brake operation & condition            |
| R |   | 14) Parking and service brake pedal pads           |
| R |   | 15) Passenger door operation                       |
| R |   | 16) No vibrations, pulsations or noises            |
|   |   | B) Walk around inspection                          |
| R |   | 1) Body damage (list on separate sheet)            |
| R |   | 2) Headlights, high & low beam operation           |
| R |   | 3) Parking lights operation & condition            |
| R |   | 4) Marker lights operation & condition             |
| R |   | 5) Directional signals operation & condition       |
| R |   | 6) Hazard lights operation & condition             |
| R |   | 7) Clearance lights operation and condition        |
| R |   | 8) Brake lights operation & condition              |
| R |   | 9) License plate lamp operation & condition        |
| R |   | 10) License plates and tags                        |
| R |   | 11) Backup lights and alarms                       |
| R |   | 12) Reflectors and reflective bumper tape          |
| R |   | 13) Exterior decals and signage                    |
| R |   | 14) Bumpers secure / in good condition             |
| R |   | 15) Exterior mirrors secure / in good condition    |
| R |   | 16) Exterior clean                                 |
|   |   | C) Interior inspection                             |
| R |   | 1) Passenger door and steps condition              |
| R |   | 2) Handrails and stanchions condition              |
| R |   | 3) Interior and modesty panels condition           |
| R |   | 4) Flooring condition                              |
| R |   | 5) Interior lighting operation and condition       |
| R |   | 6) Windows operation and condition                 |
| R |   | 7) Emergency Exits operation & condition           |
| R |   | 8) Accessory operation & condition (radio, GPS)    |
| R |   | 9) Passenger seats operation & condition           |
| R |   | 10) Passenger seat belts operation & condition     |
| R |   | 11) First aid & body fluid kits complete           |
| R |   | 12) Triangle reflectors complete/good condition    |
| R |   | 13) Stop request operation & condition             |
| R |   | 14) Valid registration, insurance & accident pack  |
| R |   | 15) Fire extinguisher in good condition & signed   |
| R |   | 16) Interior decals and signage (incl. electrical) |
| R |   | 17) DVI's reviewed, addressed and signed off       |
| R |   | 18) Interior clean                                 |
|   |   | D) HVAC system inspection                          |
|   |   | 1) Front blower condition and operation            |

| P | F | Item Inspected                                         |
|---|---|--------------------------------------------------------|
|   |   | 2) Rear blower condition and operation                 |
|   |   | 3) Defroster operation                                 |
|   |   | 4) Temp gets to 20 deg. F below ambient temp.          |
|   |   | 5) Evaporator intake air filter condition              |
|   |   | 6) Front heater condition and operation                |
| R |   | 7) Rear heater condition and operation                 |
| R |   | 8) A/C compressors and condenser fans                  |
|   |   | E) Under hood inspection                               |
| R |   | 1) Batteries & charging sys. (load alt B,C,D serv)     |
| R |   | Batt 1 volts: load volts: load amps:                   |
| R |   | Batt 2 volts: load volts: load amps:                   |
|   |   | Batt 3 volts: load volts: load amps:                   |
|   |   | (battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)   |
|   |   | Alt. 1 min volt: max volt: max amp:                    |
|   |   | Alt. 2 min volt: max volt: max amp:                    |
|   |   | (reference factory service manual for alternator spec) |
| R |   | 2) Wire and hose routing and connections               |
| R | X | 3) Cooling system, hoses, water pump condition         |
| R |   | 5) Accessory drive belts condition                     |
| R |   | 6) Pulleys and tensioned operation & condition         |
| R |   | 7) Brake master cylinder and power booster             |
| R |   | 8) Fan and fan clutch operation and condition          |
| R |   | 9) Engine oil fluid level and condition                |
| R |   | 10) Transmission oil level and condition               |
| R |   | 11) Power steering fluid level and condition           |
| R |   | 12) Brake fluid level and condition                    |
|   |   | F) Vehicle rack inspection                             |
| R |   | 1) Steering gear box mount, condition & leaks          |
| R |   | 2) Steering shaft U joints                             |
| R |   | 3) Steering shaft bearings                             |
| R |   | 4) Steering linkages                                   |
| R |   | 5) I beam or control arm movements and rivets          |
| R |   | 6) Radius arm condition and bushings condition         |
| R |   | 7) Stabilizer bar condition and bushings condition     |
| R |   | 8) Ball joints or kingpins                             |
| R |   | 9) Front spring condition and mounting                 |
| R |   | 10) Front shock absorber operation & condition         |
| R |   | 11) Trans oil cooler & lines routing and leaks         |
| R |   | 12) Engine oil cooler & lines routing and leaks        |
| R |   | 13) Heater and A/C hose routing and leaks              |
| R |   | 14) No engine oil leaks and fluid condition            |
| R |   | 15) Engine mounts, brackets and bolts                  |
| R |   | 16) Transmission mounts, brackets and bolts            |
| R |   | 17) No transmission oil leaks and fluid condition      |
| R |   | 18) Drive shaft condition                              |
| R |   | 19) Universal joints and carrier bearings condition    |
| R |   | 20) No rear differential leaks                         |
| R |   | 21) Rear differential condition and mounting           |
| R |   | 22) Frame and cross members                            |
| R |   | 23) Rear shock absorbers                               |
| R |   | 24) Rear springs condition and mounting                |
| R |   | 25) No fuel leaks                                      |
| R |   | 26) Fuel tank condition and mounting                   |
| R |   | 27) No exhaust leaks                                   |
| R |   | 28) Exhaust system condition and mounting              |



## Preventive Maintenance Inspection and Service Checklist

Circle Service Type:    A    B    C    **(D)**

Date: 05/18/20 Vehicle #: 5112

Mileage in: 280350

Mileage out: 280350

| P  | F | Item Inspected                                                                                    |
|----|---|---------------------------------------------------------------------------------------------------|
| R  |   | 30) Front brake condition and mounting                                                            |
| R  |   | 31) Front brake lining condition & measurement                                                    |
| R  |   | Pads R/F: 6 /32" L/F: 6 /32"                                                                      |
| R  |   | 32) Rear brake condition and mounting                                                             |
| R  |   | 33) Rear brake lining condition & measurement                                                     |
| R  |   | Pads R/R: 6 /32" L/R: 6 /32"                                                                      |
| NA |   | Shoes R/R: 20 /32" L/R: 20 /32"                                                                   |
| R  |   | 34) Tire and wheel condition and measurements                                                     |
| R  |   | R/F: 5 /32" L/F: 5 /32"                                                                           |
| R  |   | R/R: 7 /32" L/R: 7 /32"                                                                           |
| R  |   | R/O: 7 /32" L/O: 7 /32"                                                                           |
| R  |   | 35) Lug nuts condition                                                                            |
| R  |   | Air pressure adjustment FR. 65 RR. 75 -                                                           |
| R  |   | Wheel torque specs used: 140 ft. lbs.                                                             |
| R  |   | G) Lift Inspection                                                                                |
| R  |   | 1) Lift operation (fully stowed to fully deployed)                                                |
| R  |   | 2) Lift control pendant condition and operation                                                   |
| R  |   | 3) Lift restraint belt condition and operation                                                    |
| R  |   | 4) Outer roll stop condition and operation                                                        |
| R  |   | 5) Inner roll stop condition and operation                                                        |
| R  |   | 6) Platform adjustments, condition and mounting                                                   |
| R  |   | 7) Standee arm condition and operation                                                            |
| R  |   | 8) Proper signage and decals                                                                      |
| R  |   | 9) Manual backup pump condition and operation                                                     |
| R  |   | 10) Lift manual pump handle                                                                       |
| R  |   | 11) Hydraulic pump condition and operation                                                        |
| R  |   | 12) Hydraulic lines and cylinders condition                                                       |
| R  |   | 13) Hydraulic fluid level and condition                                                           |
| R  |   | 14) Base plate and arms welds & pivot points                                                      |
| R  |   | 15) Lift springs and pins condition and operation                                                 |
| R  |   | 16) Lift safety switches and adjustments                                                          |
| R  |   | 17) Hose and wire routing and connections                                                         |
| R  |   | 18) Rollers and pivot point condition & operation                                                 |
| R  |   | 19) Lift to vehicle mounting bolts and brackets                                                   |
| R  |   | 20) Lift doors condition and operation                                                            |
| R  |   | 21) Lift door lights condition and operation                                                      |
| R  |   | 22) Lift interlock operation and condition                                                        |
| R  |   | (lift door open, e-brake down not able to shift)                                                  |
| R  |   | (e-brake off lift door closed no lift power)                                                      |
| R  |   | 23) W/C tie downs condition and operation                                                         |
| R  |   | 24) Tie down container secure and clean                                                           |
| R  |   | 25) Tie down floor mounting brackets secure                                                       |
| R  |   | 26) W/C shoulder belt condition and operation                                                     |
| R  |   | 27) Lift clean and no sharp edges                                                                 |
| R  |   | 28) Lift shields secure and in good shape                                                         |
| R  |   | 29) Lift moves steady without drifting, jerking, or unusual speeds                                |
| R  |   | 30) No unusual lift noises                                                                        |
| R  |   | Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube |
| R  |   | Check, torque or adjust lift base mounting bolts                                                  |

| ServType | Service Performed                        | Techs Initials |
|----------|------------------------------------------|----------------|
| A,B,C,D  | Change oil and filter                    | R              |
| A,B,C,D  | Lube chassis and suspension              | <del>NA</del>  |
| A,B,C,D  | Lube drive shafts and universal joints   | NA             |
| A,B,C,D  | Lube doors and hood, locks and hinges    | R              |
| A,B,C,D  | Adjust service and parking brakes        | R              |
| A,B,C,D  | Drain water from separator               | NA             |
| A,B,C,D  | Rotate tires(as necessary, caps on rear) | NA             |
| B,C,D    | Change air filter                        | R              |
| B,C,D    | Change fuel filter                       | NA             |
| B,C,D    | Clean or change PCV valve                | NA             |
| B,C,D    | Clean or change crank case filter        | NA             |
| B,C,D    | Install new wiper blades                 | R              |
| C,D      | Change transmission fluid and filter     | R              |
| C,D      | Service front wheel bearings             | R              |
| C,D      | Drain water from fuel tank               | NA             |
| D        | Replace accessory drive belts            | NA             |
| D        | Service and flush cooling system         |                |
| D        | Install new spark plugs & wires          |                |
| D        | Install new dist. cap & rotor            |                |
| D        | Change differential fluid                |                |
| D        | Check Exhaust and EGR system             | NA             |
| D        | Check and service fuel & evap. System    | NA             |
| D        | Evac and recharge A/C (add 1 oz. of oil) | NA             |
| A,B,C,D  | Post service test drive (5 miles)        | R              |

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature *Rocky Mung* Date *05/18/2020*

Supervisor Signature \_\_\_\_\_ Date \_\_\_\_\_

Notes:

*Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.*





Ford Motor Company  
Ford Customer Service Division  
P. O. Box 1904  
Dearborn, Michigan 48121-1904



771044361307

5477/000001092/000000006



BOCC OF PALM BEACH  
301 N OLIVE AVE  
WEST PALM BEACH, FL 33401-4700

March 2020

## Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

### Why are you receiving this notice?

On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

### What is the effect?

If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

### What will Ford and your dealer do?

If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

### How long will it take?

The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

### What should you do?

Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access [www.Fordowner.com](http://www.Fordowner.com) for dealer addresses, maps, and driving instructions.



**What should you do?  
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously  
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer  
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you  
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

**RETAIL OWNERS:** If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: [www.Fordowner.com](http://www.Fordowner.com).

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

**FLEET OWNERS:** If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: [www.fleet.ford.com](http://www.fleet.ford.com).

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division





Ford Motor Company  
División de Servicio al Cliente de Ford  
P. O. Box 1904  
Dearborn, Michigan 48121



771044361307

5479/000001092/000000006



BOCC OF PALM BEACH  
301 N OLIVE AVE  
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

## Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

### ¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

### ¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

### ¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Serie es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

### ¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

### ¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a [www.Fordowner.com](http://www.Fordowner.com) para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.



**¿Qué debe hacer?  
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado  
anteriormente por esta  
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya  
no es el propietario  
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo  
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

**PROPIETARIOS MINORISTAS:** Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: [www.Fordowner.com](http://www.Fordowner.com).

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

**PROPIETARIOS DE FLOTAS:** Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: [www.fleet.ford.com](http://www.fleet.ford.com).

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente





BOCC OF PALM BEACH  
301 N OLIVE AVE  
WEST PALM BEACH, FL 33401-4700

|    |                   |                      |                               |
|----|-------------------|----------------------|-------------------------------|
| 1  | 1FDEE3FLXFDA02975 | 2015 E-350 Econoline | 5128 scheduled for retirement |
| 2  | 1FDEE3FLXFDA00711 | 2015 E-350 Econoline | 5119 scheduled for retirement |
| 3  | 1FDEE3FLXFDA07108 | 2015 E-350 Econoline | 5145 RETIRED                  |
| 4  | 1FDEE3FLXFDA07111 | 2015 E-350 Econoline | 5148 RETIRED                  |
| 5  | 1FDEE3FL0FDA00703 | 2015 E-350 Econoline | 5111 scheduled for retirement |
| 6  | 1FDEE3FL0FDA02984 | 2015 E-350 Econoline | 5137 scheduled for retirement |
| 7  | 1FDEE3FL1FDA00693 | 2015 E-350 Econoline | 5101                          |
| 8  | 1FDEE3FL1FDA07109 | 2015 E-350 Econoline | 5146                          |
| 9  | 1FDEE3FL1FDA07112 | 2015 E-350 Econoline | 5149 Retired                  |
| 10 | 1FDEE3FL2FDA02985 | 2015 E-350 Econoline | 5138                          |
| 11 | 1FDEE3FL2FDA00704 | 2015 E-350 Econoline | 5112 scheduled for retirement |
| 12 | 1FDEE3FL2FDA02971 | 2015 E-350 Econoline | 5124 Retired                  |
| 13 | 1FDEE3FL2FDA07104 | 2015 E-350 Econoline | 5141 scheduled for retirement |
| 14 | 1FDEE3FL3FDA07113 | 2015 E-350 Econoline | 5150 scheduled for retirement |
| 15 | 1FDEE3FL4FDA02972 | 2015 E-350 Econoline | 5125 scheduled for retirement |
| 16 | 1FDEE3FL4FDA02969 | 2015 E-350 Econoline | 5122 scheduled for retirement |
| 17 | 1FDEE3FL4FDA07105 | 2015 E-350 Econoline | 5142 scheduled for retirement |
| 18 | 1FDEE3FL5FDA00700 | 2015 E-350 Econoline | 5108                          |
| 19 | 1FDEE3FL5FDA02978 | 2015 E-350 Econoline | 5131                          |
| 20 | 1FDEE3FL5FDA02981 | 2015 E-350 Econoline | 5134 scheduled for retirement |
| 21 | 1FDEE3FL5FDA07114 | 2015 E-350 Econoline | 5151 Retired                  |
| 22 | 1FDEE3FL6FDA00706 | 2015 E-350 Econoline | 5114                          |
| 23 | 1FDEE3FL6FDA02973 | 2015 E-350 Econoline | 5126                          |
| 24 | 1FDEE3FL6FDA07106 | 2015 E-350 Econoline | 5143 scheduled for retirement |
| 25 | 1FDEE3FL7FDA02979 | 2015 E-350 Econoline | 5132                          |
| 26 | 1FDEE3FL7FDA02982 | 2015 E-350 Econoline | 5135 retired                  |
| 27 | 1FDEE3FL7FDA00701 | 2015 E-350 Econoline | 5109                          |
| 28 | 1FDEE3FL7FDA07115 | 2015 E-350 Econoline | 5152 retired                  |
| 29 | 1FDEE3FL8FDA00707 | 2015 E-350 Econoline | 5115                          |
| 30 | 1FDEE3FL8FDA02974 | 2015 E-350 Econoline | 5127 retired                  |
| 31 | 1FDEE3FL8FDA07107 | 2015 E-350 Econoline | 5144                          |
| 32 | 1FDEE3FL9FDA00697 | 2015 E-350 Econoline | 5105                          |
| 33 | 1FDEE3FL9FDA00702 | 2015 E-350 Econoline | 5110                          |
| 34 | 1FDEE3FL9FDA07102 | 2015 E-350 Econoline | 5139 scheduled for retirement |

8 retired  
13 scheduled



