



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361315

5482/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice? On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect? If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do? If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take? The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do? Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361315

5484/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Series es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.


Ford, División de Servicio al Cliente



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA00708	2015 E-350 Econoline	5116
2	1FDEE3FL0FDA00698	2015 E-350 Econoline	5106
3	1FDEE3FL0FDA02970	2015 E-350 Econoline	5123
4	1FDEE3FL0FDA02760	2015 E-350 Econoline	5406
5	1FDEE3FL0FDA06811	2015 E-350 Econoline	5422
6	1FDEE3FL0FDA04217	2015 E-350 Econoline	5407
7	1FDEE3FL0FDA04220	2015 E-350 Econoline	5408 Retired
8	1FDEE3FL1FDA00712	2015 E-350 Econoline	5120
9	1FDEE3FL1FDA00709	2015 E-350 Econoline	5117
10	1FDEE3FL2FDA00699	2015 E-350 Econoline	5107
11	1FDEE3FL2FDA02968	2015 E-350 Econoline	5121
12	1FDEE3FL2FDA02758	2015 E-350 Econoline	5404
13	1FDEE3FL2FDA06812	2015 E-350 Econoline	5413
14	1FDEE3FL2FDA06809	2015 E-350 Econoline	5412
15	1FDEE3FL3FDA02977	2015 E-350 Econoline	5130
16	1FDEE3FL3FDA02980	2015 E-350 Econoline	5133 Retired
17	1FDEE3FL3FDA00694	2015 E-350 Econoline	5102
18	1FDEE3FL4FDA00705	2015 E-350 Econoline	5113
19	1FDEE3FL4FDA02759	2015 E-350 Econoline	5402
20	1FDEE3FL5FDA00695	2015 E-350 Econoline	5103
21	1FDEE3FL7FDA00696	2015 E-350 Econoline	5104
22	1FDEE3FL7FDA04215	2015 E-350 Econoline	5411
23	1FDEE3FL8FDA07110	2015 E-350 Econoline	5147 Retired
24	1FDEE3FL9FDA02983	2015 E-350 Econoline	5136
25	1FDEE3FL9FDA02756	2015 E-350 Econoline	5405

5910 N Central Expy Way Suite 145
Dallas, TX 75206



6107 1057

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5002 Repair Reason: _____

Date and Time in : 12:48

Mileage in: 185500

Date: 06/18/18 Work Class: F

Date and Time Finished: 20:33

Mileage out: 185593

Notes/Measurements:

PMITP

Task	WAC	Repair	Description/Comments	Hours
------	-----	--------	----------------------	-------

A 58

PHI

Task	WAC	Part Number	Description	Qty	Cost
------	-----	-------------	-------------	-----	------

12

50

168605

01/10/18

20	1
----	---

4

55

hrs 1328

~~1000~~ loose hbs /

04	55
----	----

brake mechanism

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 218950 Technician: _____

Foodson Fairies

Signature: _____

Gravely

ASE Employee #: 60152 ASE Technician: _____

761-1000

ASE Signature:

五

MECHANIC'S SIGNATURE <i>[Signature]</i>		BUS #: <i>5102</i>	DATE: <i>06/13/18</i>	PM TYPE OR WORK ORDER #: <i>PM11</i>
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D


Date: 06/17/18 Vehicle #: 5102

Mileage in: 185590 Mileage out: 186593

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	5102	Repair Reason:	A	Date and Time in:	5/15/18 (9:30)	Mileage in:	180
Date:	5/15/18	Work Class:	T	Date and Time Finished:	5/15/18 (11:15)	Mileage out:	180

Complaints/Defects:

PMTA

Notes/Measurements

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 844796 Technician: G. J. JACARDO Signature: G. J. JACARDO

ASE Employee #: 604182 ASE Technician: ASE Signature:



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>G. J. [Signature]</i>		BUS #: <i>5102</i>		DATE: <i>5/15/18</i>		PM TYPE OR WORK ORDER #: <i>A</i>	
DESCRIPTION OF REPAIR NEEDED				COMPLETED BY		DATE COMPLETED	

① Batting Terminal need to clean and cover back with black		
① Clean Terminal and fix back	G. Sengupta	5/15/18

This image shows a single sheet of aged, cream-colored paper with horizontal ruling lines. The paper has a slightly textured appearance with some minor discoloration and faint smudges. There are no markings or text on the page.



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 5/15/18 Vehicle #: 5102Mileage in: 180888 Mileage out: 180700

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
G		1) Driver carpet
G		2) Driver seat condition and operation
G		3) Drivers door operation and condition
G		4) Drivers seat belt operation and condition
G		5) Engine starting and ignition system
G		6) Instrument panel gauges & warning lights
G		7) Instrument panel lighting & condition
G		8) Horn operation
G		9) Steering wheel tight, no excessive play
G		10) Windshield wipers
G		11) Windshield washer
G		12) Sun visor condition and operation
G		13) Parking brake operation & condition
G		14) Parking and service brake pedal pads
G		15) Passenger door operation
G		16) No vibrations, pulsations or noises
		B) Walk around inspection
G		1) Body damage (list on separate sheet)
G		2) Headlights, high & low beam operation
G		3) Parking lights operation & condition
G		4) Marker lights operation & condition
G		5) Directional signals operation & condition
G		6) Hazard lights operation & condition
G		7) Clearance lights operation and condition
G		8) Brake lights operation & condition
G		9) License plate lamp operation & condition
G		10) License plates and tags
G		11) Backup lights and alarms
G		12) Reflectors and reflective bumper tape
G		13) Exterior decals and signage
G		14) Bumpers secure / in good condition
G		15) Exterior mirrors secure / in good condition
G		16) Exterior clean
		C) Interior inspection
G		1) Passenger door and steps condition
G		2) Handrails and stanchions condition
G		3) Interior and modesty panels condition
G		4) Flooring condition
G		5) Interior lighting operation and condition
G		6) Windows operation and condition
G		7) Emergency Exits operation & condition
G		8) Accessory operation & condition (radio, GPS)
G		9) Passenger seats operation & condition
G		10) Passenger seat belts operation & condition
G		11) First aid & body fluid kits complete
G		12) Triangle reflectors complete/good condition
G		13) Stop request operation & condition
G		14) Valid registration, insurance & accident pack
G		15) Fire extinguisher in good condition & signed
G		16) Interior decals and signage (incl. electrical)
G		17) DVI's reviewed, addressed and signed off
G		18) Interior clean
		D) HVAC system inspection
G		1) Front blower condition and operation

P	F	Item Inspected
G		2) Rear blower condition and operation
G		3) Defroster operation
G		4) Temp gets to 20 deg. F below ambient temp.
G		5) Evaporator intake air filter condition
G		6) Front heater condition and operation
G		7) Rear heater condition and operation
G		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
G		2) Wire and hose routing and connections
G		3) Cooling system, hoses, water pump condition
G		5) Accessory drive belts condition
G		6) Pulleys and tensioned operation & condition
G		7) Brake master cylinder and power booster
G		8) Fan and fan clutch operation and condition
G		9) Engine oil fluid level and condition
G		10) Transmission oil level and condition
G		11) Power steering fluid level and condition
G		12) Brake fluid level and condition
		F) Vehicle rack inspection
G		1) Steering gear box mount, condition & leaks
G		2) Steering shaft U joints
G		3) Steering shaft bearings
G		4) Steering linkages
G		5) I beam or control arm movements and rivets
G		6) Radius arm condition and bushings condition
G		7) Stabilizer bar condition and bushings condition
G		8) Ball joints or kingpins
G		9) Front spring condition and mounting
G		10) Front shock absorber operation & condition
G		11) Trans oil cooler & lines routing and leaks
G		12) Engine oil cooler & lines routing and leaks
G		13) Heater and A/C hose routing and leaks
G		14) No engine oil leaks and fluid condition
G		15) Engine mounts, brackets and bolts
G		16) Transmission mounts, brackets and bolts
G		17) No transmission oil leaks and fluid condition
G		18) Drive shaft condition
G		19) Universal joints and carrier bearings condition
G		20) No rear differential leaks
G		21) Rear differential condition and mounting
G		22) Frame and cross members
G		23) Rear shock absorbers
G		24) Rear springs condition and mounting
G		25) No fuel leaks
G		26) Fuel tank condition and mounting
G		27) No exhaust leaks
G		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **180698** Mileage out: **180700**



P	F	Item Inspected	Service Type	Service Performed	Tech's Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	G
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	G
		32) Rear brake condition and mounting	A,B,C,D	Lube drive shafts and universal joints	N/A
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	G
		Pads R/R: 5/32" L/R: 7/32"	A,B,C,D	Drain water from separator	N/A
		Shoes R/R: 1/32" L/R: 1/32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	OK
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
		R/F: 13/32" L/F: 13/32"	B,C,D	Change fuel filter	
		R/R: 13/32" L/R: 13/32"	B,C,D	Clean or change PCV valve	
		R/R: 13/32" L/R: 13/32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
		Air pressure adjustment FR. 65 RR. 70	C,D	Change transmission fluid and filter	
		Wheel torque specs used: 140 ft. lbs.	C,D	Service front wheel bearings	
		1) Lift operation (fully stowed to fully deployed)	C,D	Drain water from fuel tank	
		2) Lift control pendant condition and operation	D	Replace accessory drive belts	
		3) Lift restraint belt condition and operation	D	Service and flush cooling system	
		4) Outer roll stop condition and operation	D	Install new spark plugs & wires	
		5) Inner roll stop condition and operation	D	Install new dist. cap & rotor	
		6) Platform adjustments, condition and mounting	D	Change differential fluid	
		7) Standee arm condition and operation	D	Check Exhaust and EGR system	
		8) Proper signage and decals	D	Check and service fuel & evap. System	
		9) Manual backup pump condition and operation	D	Evac and recharge A/C (add 1 oz. of oil)	
		10) Lift manual pump handle	A,B,C,D	Post service test drive (5 miles)	G
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(Lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

Notes: Supervisor Signature: *[Signature]* Date: **5/15/18**
 Technician's Signature: *[Signature]* Date: **5/15/18**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type	Service Type	Service Performed	Tech's Initials
	A,B,C,D	Change oil and filter	G
	A,B,C,D	Lube chassis and suspension	G
	A,B,C,D	Lube drive shafts and universal joints	N/A
	A,B,C,D	Lube doors and hood, locks and hinges	G
	A,B,C,D	Adjust service and parking brakes	G
	A,B,C,D	Drain water from separator	N/A
	A,B,C,D	Rotate tires (as necessary, caps on rear)	OK
	B,C,D	Change air filter	
	B,C,D	Change fuel filter	
	B,C,D	Clean or change PCV valve	
	B,C,D	Clean or change crank case filter	
	B,C,D	Install new wiper blades	
	C,D	Change transmission fluid and filter	
	C,D	Service front wheel bearings	
	C,D	Drain water from fuel tank	
	D	Replace accessory drive belts	
	D	Service and flush cooling system	
	D	Install new spark plugs & wires	
	D	Install new dist. cap & rotor	
	D	Change differential fluid	
	D	Check Exhaust and EGR system	
	D	Check and service fuel & evap. System	
	D	Evac and recharge A/C (add 1 oz. of oil)	
	A,B,C,D	Post service test drive (5 miles)	G

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206




West Palm Beach, FL 33407

Mileage out: 195059

Notes/Measurements:

[illegible]

PM DEFECT SHEET



DATE:

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	DATE	TIME	REPAIRMAN	REPAIR COST	REPAIR TYPE	REPAIR PARTS	REPAIR LOCATION	REPAIR STATUS
REPAIR NEEDED								

COMPLETED BY

DATE _____

COMPLETED



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: 8/23/18 Vehicle #: 5102Mileage in: 195058 Mileage out: 195059

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition (radio, GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
✓		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **195058** Mileage out: **195059**



Date: **8/23/18** Vehicle #: **5102**

Service Performed	Tech Initials	Service Type
Change oil and filter	Y	A,B,C,D
Lube chassis and suspension	Y	A,B,C,D
Lube drive shafts and universal joints	Y	A,B,C,D
Lube doors and hood, locks and hinges	Y	A,B,C,D
Adjust service and parking brakes	Y	A,B,C,D
Drain water from separator	Y	A,B,C,D
Rotate tires (as necessary, caps on rear)	Y	A,B,C,D
Change air filter		B,C,D
Change fuel filter		B,C,D
Clean, oil change PCV valve		B,C,D
Clean or change crank case filter		B,C,D
Install new wiper blades		B,C,D
Change transmission fluid and filter		C,D
Service front wheel bearings		C,D
Drain water from fuel tank		C,D
Replace accessory drive belts		D
Service and flush cooling system		D
Install new spark plugs & wires		D
Install new dist. cap & rotor		D
Change differential fluid		D
Check Exhaust and EGR system		D
Check and service fuel & evap. System		D
Evac and recharge A/C (add 1 oz. of oil)		D
Post service test drive (5 miles)	Y	A,B,C,D

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **[Signature]**

Date: **8/23/18**

Supervisor's Signature: **[Signature]**


Date: **8/23/18**

Notes:

Item Inspected	Inspected
30) Front brake condition and mounting	Y
31) Front brake lining condition & measurement	Y
Pads R/F: 7 / 32" L/F: 7 / 32"	Y
32) Rear brake condition and mounting	Y
33) Rear brake lining condition & measurement	Y
Pads R/R: 5 / 32" L/R: 5 / 32"	Y
34) Tire and wheel condition and measurements	Y
Shoes R/R: / 32" L/R: / 32"	Y
R/F: 10 / 32" L/F: 10 / 32"	Y
R/R: 9 / 32" L/R: 8 / 32"	Y
R/R: 6 / 32" L/R: 7 / 32"	Y
35) Lug nuts condition	Y
Air pressure adjustment FR. 70 RR. 70	Y
Wheel torque specs used: 140 ft. lbs.	Y
G) Lift Inspection	Y
1) Lift operation (fully stowed to fully deployed)	Y
2) Lift control pendant condition and operation	Y
3) Lift restraint belt condition and operation	Y
4) Outer roll stop condition and operation	Y
5) Inner roll stop condition and operation	Y
6) Platform adjustments, condition and mounting	Y
7) Stander arm condition and operation	Y
8) Proper signage and decals	Y
9) Manual backup pump condition and operation	Y
10) Lift manual pump handle	Y
11) Hydraulic pump condition and operation	Y
12) Hydraulic lines and cylinders condition	Y
13) Hydraulic fluid level and condition	Y
14) Base plate and arms welds & pivot points	Y
15) Lift springs and pins condition and operation	Y
16) Lift safety switches and adjustments	Y
17) Hose and wire routing and connections	Y
18) Rollers and pivot point condition & operation	Y
19) Lift to vehicle mounting bolts and brackets	Y
20) Lift doors condition and operation	Y
21) Lift door lights condition and operation	Y
22) Lift interlock operation and condition	Y
(Lift door open, e-brake down not able to shift)	Y
(e-brake off lift door closed no lift power)	Y
23) W/C tie downs condition and operation	Y
24) Tie down container secure and clean	Y
25) Tie down floor mounting brackets secure	Y
26) W/C shoulder belt condition and operation	Y
27) Lift clean and no sharp edges	Y
28) Lift shields secure and in good shape	Y
29) Lift moves steady without drifting, jerking, or unusual speeds	Y
30) No unusual lift noises	Y
Lube all lift pivot points, barter, rollers, linkages and bearings cleaning off all excess lube	Y
Check, torque or adjust lift base mounting bolts	Y

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204



WPB 94
3301 Electronics Way
West Palm Beach, FL 33407

11091

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725
Technician: Heather Murray
Signature: [Signature]

ASE Employee #: 6445 ASE Technician: [Signature] ASE Signature: [Signature]



MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY		
DATE		COMPLETED		



Preventive Maintenance Inspection and Service Checklist

Date: 9/28/18

Vehicle #:

5102

Circle Service Type: A B C D

Mileage in:

199780

Mileage out:

199783

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: ☒ A ☐ B ☐ C ☐ D

Mileage in: 195780
Mileage out: 155183

Vehicle #: _____

5102

Date: 9/28/18

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 5 /32" L/R: 3 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 6 /32" L/F: 6 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/R: 8 /32" L/R: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 75 R.R. 80
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature

Technicians Signature

Date _____

Date _____

9/28/2018

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake/shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires(as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initials or "N/A" each service performed per PM type

2232A

Techns Initials

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5102 Repair Reason: A Date and Time in: 20:00 Mileage in: 208826
 Date: 11/21/18 Work Class: I Date and Time Finished: 21:45 Mileage out: 208826

Complaints/Defects: _____ Notes/Measurements: _____

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	PMIA		A	55	5W 20	ENGINE OIL	6.5	
				A	55	LF 3681	OIL FILTER	1	
				A	55	F75Z 67303A	DRAND PLUG	1	
04	55	ATA BRACE INSPECTED							
	55	ALIGNMENT							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: HOONEY MARY Signature: [Signature]
 ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



MECHANIC'S SIGNATURE <i>Robert Murray</i>	
BUS #: 5102	DATE: 11/21/18
PM TYPE OR WORK ORDER #:	
DATE COMPLETED	COMPLETED BY
DESCRIPTION OF REPAIR NEEDED	

Minor Strakes + Dings	11/21/18	Rooney M
Bus pulling to right (Alignment)	11/21/18	Rooney M
Coilant line (Topped off)	11/21/18	Rooney M
Dread plus Hood (Replaced)	11/21/18	Rooney M



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 11/21/18 Vehicle #: 5102 Mileage in: 208826 Mileage out: 208926

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: <u>13.2</u> load volts: load amps: <u>14.41</u>
R		Batt 2 volts: <u>13.2</u> load volts: load amps: <u>14.41</u>
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **208826**

Mileage out: **208826**



Vehicle #: **5102**

Date: **11/21/18**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		Pads R/R: 6 /32" L/R: 6 /32"
		33) Rear brake lining condition & measurement
		Shoes R/R: 6 /32" L/R: 6 /32"
		34) Tire and wheel condition and measurements
		R/F: 5 /32" L/F: 5 /32"
		R/R: 5 /32" L/R: 7 /32"
		R/R: 5 /32" L/R: 7 /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 R.R. 75
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Stander arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

100

Mileage in: 213523

Mileage out: 213523

Notes/Measurements:

④

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee # 84691 Technician: Ben T. V. Skelton Signature: [Signature]

ASE Employee #: 60452 ASE Technician

ASE Signature:



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/24/18 Vehicle #: 5102 Mileage in: 213523 Mileage out: 213523

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **813543** Mileage out: **213523**



Date: **12/24/18** Vehicle #: **5102**

P	F	Item Inspected
3		30) Front brake condition and mounting
3		31) Front brake lining condition & measurement
3		Pads R/F: 6 /32" L/F: 6 /32"
3		32) Rear brake condition and mounting
3		33) Rear brake lining condition & measurement
3		Pads R/R: 5 /32" L/R: 8 /32"
3		Shoes R/R: 5 /32" L/R: 8 /32"
3		34) Tire and wheel condition and measurements
3		R/F: 12 /32" L/F: 12 /32"
3		R/R: 4 /32" L/R: 5 /32"
3		R/RO: 4 /32" L/RO: 5 /32"
3		35) Lug nuts condition
3		Air pressure adjustment FR. 75 RR. 70
3		Wheel torque specs used: 140 ft. lbs.
3		(G) Lift inspection
3		1) Lift operation (fully stowed to fully deployed)
3		2) Lift control pendant condition and operation
3		3) Lift restraint belt condition and operation
3		4) Outer roll stop condition and operation
3		5) Inner roll stop condition and operation
3		6) Platform adjustments, condition and mounting
3		7) Staircase arm condition and operation
3		8) Proper signage and decals
3		9) Manual backup pump condition and operation
3		10) Lift manual pump handle
3		11) Hydraulic pump condition and operation
3		12) Hydraulic lines and cylinders condition
3		13) Hydraulic fluid level and condition
3		14) Base plate and arms welds & pivot points
3		15) Lift springs and pins condition and operation
3		16) Lift safety switches and adjustments
3		17) Hose and wire routing and connections
3		18) Rollers and pivot point condition & operation
3		19) Lift to vehicle mounting bolts and brackets
3		20) Lift doors condition and operation
3		21) Lift door lights condition and operation
3		22) Lift interlock operation and condition
3		(Lift door open, e-brake down not able to shift)
3		(e-brake off lift door closed no lift power)
3		23) W/C tie downs condition and operation
3		24) Tie down container secure and clean
3		25) Tie down floor mounting brackets secure
3		26) W/C shoulder belt condition and operation
3		27) Lift clean and no sharp edges
3		28) Lift shields secure and in good shape
3		29) Lift moves steady without drifting, jerking, or unusual speeds
3		30) No unusual lift noises
3		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
3		Check, torque or adjust lift base mounting bolts

Notes:

Supervisor Signature: *[Signature]* Date: **12/24/18**

Technician Signature: *[Signature]* Date: **12/24/18**

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type
A,B,C,D Change oil and filter	5
A,B,C,D Lube chassis and suspension	5
A,B,C,D Lube drive shafts and universal joints	5
A,B,C,D Lube doors and hood, locks and hinges	5
A,B,C,D Adjust service and parking brakes	5
A,B,C,D Drain water from separator	5
A,B,C,D Rotate tires (as necessary, caps on rear)	5
B,C,D Change air filter	5
B,C,D Change fuel filter	5
B,C,D Clean or change PCV valve	5
B,C,D Clean or change crank case filter	5
B,C,D Install new wiper blades	5
C,D Change transmission fluid and filter	5
C,D Service front wheel bearings	5
C,D Drain water from fuel tank	5
D Replace accessory drive belts	5
D Service and flush cooling system	5
D Install new spark plugs & wires	5
D Install new dist. cap & rotor	5
D Change differential fluid	5
D Check Exhaust and EGR system	5
D Check and service fuel & evap. System	5
D Evac and recharge A/C (add 1 oz. of oil)	5
A,B,C,D Post service test drive (5 miles)	5

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



#587

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5107 Repair Reason: A Date and Time: *Basic Information*

Repair Reason:

A

above algorithm

Date and Time in

7.1.1

Date: 3/4/19 Work Class: T Date and Time Filed: _____
 Inpatient Location: A Date and Time: _____

7:40

Mileage in: 22330

Mileage out: 773208

Complaints/Defects:

Notes/Measurements:

[illegible]

ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician:

YADUYAKIT LUGGERID=0

Signature

ASE Employee #: 6048 ASE Technician: 1

110

ASE Signature: _____

3

MECHANIC'S SIGNATURE <i>Y. J. J. J.</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #: 5102		COMPLETED BY	DATE
DATE: 3/4/19		PM TYPE OR WORK ORDER #:	



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 3/4/19 Vehicle #: 5102Mileage in: 223306 Mileage out: 223308

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
Y		1) Driver carpet
Y		2) Driver seat condition and operation
Y		3) Drivers door operation and condition
Y		4) Drivers seat belt operation and condition
Y		5) Engine starting and ignition system
Y		6) Instrument panel gauges & warning lights
Y		7) Instrument panel lighting & condition
Y		8) Horn operation
Y		9) Steering wheel tight, no excessive play
Y		10) Windshield wipers
Y		11) Windshield washer
Y		12) Sun visor condition and operation
Y		13) Parking brake operation & condition
Y		14) Parking and service brake pedal pads
Y		15) Passenger door operation
Y		16) No vibrations, pulsations or noises
		B) Walk around inspection
Y		1) Body damage (list on separate sheet)
Y		2) Headlights, high & low beam operation
Y		3) Parking lights operation & condition
Y		4) Marker lights operation & condition
Y		5) Directional signals operation & condition
Y		6) Hazard lights operation & condition
Y		7) Clearance lights operation and condition
Y		8) Brake lights operation & condition
Y		9) License plate lamp operation & condition
Y		10) License plates and tags
Y		11) Backup lights and alarms
Y		12) Reflectors and reflective bumper tape
Y		13) Exterior decals and signage
Y		14) Bumpers secure / in good condition
Y		15) Exterior mirrors secure / in good condition
Y		16) Exterior clean
		C) Interior inspection
Y		1) Passenger door and steps condition
Y		2) Handrails and stanchions condition
Y		3) Interior and modesty panels condition
Y		4) Flooring condition
Y		5) Interior lighting operation and condition
Y		6) Windows operation and condition
Y		7) Emergency Exits operation & condition
Y		8) Accessory operation & condition (radio, GPS)
Y		9) Passenger seats operation & condition
Y		10) Passenger seat belts operation & condition
Y		11) First aid & body fluid kits complete
Y		12) Triangle reflectors complete/good condition
Y		13) Stop request operation & condition
Y		14) Valid registration, insurance & accident pack
Y		15) Fire extinguisher in good condition & signed
Y		16) Interior decals and signage (incl. electrical)
Y		17) DVI's reviewed, addressed and signed off
Y		18) Interior clean
		D) HVAC system inspection
Y		1) Front blower condition and operation

P	F	Item Inspected
Y		2) Rear blower condition and operation
Y		3) Defroster operation
Y		4) Temp gets to 20 deg. F below ambient temp.
Y		5) Evaporator intake air filter condition
Y		6) Front heater condition and operation
Y		7) Rear heater condition and operation
Y		8) A/C compressors and condenser fans
		E) Under hood inspection
Y		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
Y		2) Wire and hose routing and connections
Y		3) Cooling system, hoses, water pump condition
Y		5) Accessory drive belts condition
Y		6) Pulleys and tensioned operation & condition
Y		7) Brake master cylinder and power booster
Y		8) Fan and fan clutch operation and condition
Y		9) Engine oil fluid level and condition
Y		10) Transmission oil level and condition
Y		11) Power steering fluid level and condition
Y		12) Brake fluid level and condition
		F) Vehicle rack inspection
Y		1) Steering gear box mount, condition & leaks
Y		2) Steering shaft U joints
Y		3) Steering shaft bearings
Y		4) Steering linkages
Y		5) I beam or control arm movements and rivets
Y		6) Radius arm condition and bushings condition
Y		7) Stabilizer bar condition and bushings condition
Y		8) Ball joints or kingpins
Y		9) Front spring condition and mounting
Y		10) Front shock absorber operation & condition
Y		11) Trans oil cooler & lines routing and leaks
Y		12) Engine oil cooler & lines routing and leaks
Y		13) Heater and A/C hose routing and leaks
Y		14) No engine oil leaks and fluid condition
Y		15) Engine mounts, brackets and bolts
Y		16) Transmission mounts, brackets and bolts
Y		17) No transmission oil leaks and fluid condition
Y		18) Drive shaft condition
Y		19) Universal joints and carrier bearings condition
Y		20) No rear differential leaks
Y		21) Rear differential condition and mounting
Y		22) Frame and cross members
Y		23) Rear shock absorbers
Y		24) Rear springs condition and mounting
Y		25) No fuel leaks
Y		26) Fuel tank condition and mounting
Y		27) No exhaust leaks
Y		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**
 Mileage in: **223306** Mileage out: **223308**

Date: **3/4/19** Vehicle #: **5102**

Service Type	Service Performed	Tech's Initials
A,B,C,D	Change oil and filter	Y
A,B,C,D	Lube chassis and suspension	Y
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	Y
A,B,C,D	Adjust service and parking brakes	Y
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	Y
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	Y
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*
 Date: **3/4/19**

Supervisor Signature: *[Signature]*
 Date: **3/6/19**

Notes:

P	F	Item Inspected
Y		30) Front brake condition and mounting
Y		31) Front brake lining condition & measurement
Y		Pads R/F: 2 /32" L/F: 2 /32"
Y		32) Rear brake condition and mounting
Y		33) Rear brake lining condition & measurement
Y		Pads R/R: 6 /32" L/R: 6 /32"
Y		Shoes R/R: 1 /32" L/R: 1 /32"
Y		34) Tire and wheel condition and measurements
Y		R/F: 11 /32" L/F: 11 /32"
Y		R/R: 8 /32" L/R: 8 /32"
Y		R/R: 9 /32" L/R: 9 /32"
Y		35) Lug nuts condition
Y		Air pressure adjustment FR. 70 RR. 70
Y		Wheel torque specs used: 140 ft. lbs.
Y		G) Lift inspection
Y		1) Lift operation (fully stowed to fully deployed)
Y		2) Lift control pendant condition and operation
Y		3) Lift restraint belt condition and operation
Y		4) Outer roll stop condition and operation
Y		5) Inner roll stop condition and operation
Y		6) Platform adjustments, condition and mounting
Y		7) Standee arm condition and operation
Y		8) Proper signage and decals
Y		9) Manual backup pump condition and operation
Y		10) Lift manual pump handle
Y		11) Hydraulic pump condition and operation
Y		12) Hydraulic lines and cylinders condition
Y		13) Hydraulic fluid level and condition
Y		14) Base plate and arms welds & pivot points
Y		15) Lift springs and pins condition and operation
Y		16) Lift safety switches and adjustments
Y		17) Hose and wire routing and connections
Y		18) Rollers and pivot point condition & operation
Y		19) Lift to vehicle mounting bolts and brackets
Y		20) Lift doors condition and operation
Y		21) Lift door lights condition and operation
Y		22) Lift interlock operation and condition
Y		(Lift door open, e-brake down not able to shift)
Y		(e-brake off lift door closed no lift power)
Y		23) W/C the downs condition and operation
Y		24) The down container secure and clean
Y		25) The down floor mounting brackets secure
Y		26) W/C shoulder belt condition and operation
Y		27) Lift clean and no sharp edges
Y		28) Lift shields secure and in good shape
Y		29) Lift moves steady without drifting, jerking, or unusual speeds
Y		30) No unusual lift noises
Y		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
Y		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



W 008 #

Work Order Division (0094)

3301 Electronics May

West Palm Beach, FL 33407

Basic Information

Mileage in: 227955

Mileage out: 227 956

Complaints/Defects:

Notes/Measurements:

PMI (P)

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician:

Dean Theriault

Signature

ASE Employee #: 6041 ASE Technician: MA

Alfred

ASE Signature:

PM DEFECT SHEET



BUS #: 5102
 DATE: 04-04-19
 PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE
John Theodor

DATE COMPLETED
 COMPLETED BY
 DESCRIPTION OF REPAIR NEEDED

① Check booster power brake
 At bus leaking replace new
 booster power brake ok.

04-04-19



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 04-04-19 Vehicle #: 5102

Mileage in: 227950

Mileage out: 227956

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **22795** Mileage out: **22795**



Date: **04-04-19** Vehicle #: **5102**

P	F	Item Inspected
		30 Front brake condition and mounting
		31 Front brake lining condition & measurement
		Pads R/F: 10 /32" L/F: 10 /32"
		32 Rear brake condition and mounting
		33 Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: 12 /32" L/R: 12 /32"
		34 Tire and wheel condition and measurements
		R/F: 12 /32" L/F: 12 /32"
		R/R: 12 /32" L/R: 12 /32"
		R/R: 12 /32" L/R: 12 /32"
		35 Lug nuts condition
		Air pressure adjustment FR. 26 RR. 20
		Wheel torque specs used: 140 ft. lbs.
		(g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift restraint belt condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5102	Repair Reason: #	Date and Time in: 20300	Mileage in: 237414
Date: 06-10-19	Work Class: F	Date and Time Finished: 21:45	Mileage out: 237415

Complaints/Defects:	Notes/Measurements:
---------------------	---------------------

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	Imm F		A	55	V61700	oil	6.5	
				A	55	LF3681	oil Filter	1	
				A	55	9608	Headlight	1	

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 5488 Technician: [Signature] ASE Employee #: ASE Technician: ASE Signature: [Signature]

PM DEFECT SHEET



Jean Theriault
MECHANIC'S SIGNATURE

BUS #: 0102

DATE: 06-10-19

PM TYPE OR WORK ORDER #:

[illegible]

Preventive Maintenance Inspection and Service Checklist



Date: 06-10-19 Vehicle #: 5102

Circle Service Type: A B C D

Mileage out: 23745

Item Inspected	P	F	Item Inspected	P	F
2) Rear blower condition and operation			A) Vehicle drive in inspection (5 miles)		
3) Defroster operation			1) Driver carpet		
4) Temp gets to 20 deg. F below ambient temp.			2) Driver seat condition and operation		
5) Evaporator intake air filter condition			3) Drivers door operation and condition		
6) Front heater condition and operation			4) Drivers seat belt operation and condition		
7) Rear heater condition and operation			5) Engine starting and ignition system		
8) A/C compressors and condenser fans			6) Instrument panel gauges & warning lights		
E) Under hood inspection			7) Instrument panel lighting & condition		
1) Batteries & charging sys. (load alt B,C,D serv)			8) Horn operation		
Batt 1 volts: load amps:			9) Steering wheel tight, no excessive play		
Batt 2 volts: load amps:			10) Windshield wipers		
Batt 3 volts: load amps:			11) Windshield washer		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)			12) Sun visor condition and operation		
Alt. 1 min volt: max amp:			13) Parking brake operation & condition		
Alt. 2 min volt: max amp:			14) Parking and service brake pedal pads		
(reference factory service manual for alternator spec)			15) Passenger door operation		
2) Wire and hose routing and connections			16) No vibrations, pulsations or noises		
3) Cooling system, hoses, water pump condition			B) Walk around inspection		
5) Accessory drive belts condition			1) Body damage (list on separate sheet)		
6) Pulleys and tensioned operation & condition			2) Headlights, high & low beam operation		
7) Brake master cylinder and power booster			3) Parking lights operation & condition		
8) Fan and fan clutch operation and condition			4) Marker lights operation & condition		
9) Engine oil fluid level and condition			5) Directional signals operation & condition		
10) Transmission oil level and condition			6) Hazard lights operation & condition		
11) Power steering fluid level and condition			7) Clearance lights operation and condition		
12) Brake fluid level and condition			8) Brake lights operation & condition		
F) Vehicle rack inspection			9) License plate lamp operation & condition		
1) Steering gear box mount, condition & leaks			10) License plates and tags		
2) Steering shaft U joints			11) Backup lights and alarms		
3) Steering shaft bearings			12) Reflectors and reflective bumper tape		
4) Steering linkages			13) Exterior decals and signage		
5) I beam or control arm movements and rivets			14) Bumpers secure / in good condition		
6) Radius arm condition and bushings condition			15) Exterior mirrors secure / in good condition		
7) Stabilizer bar condition and bushings condition			16) Exterior clean		
8) Ball joints or kingpins			C) Interior inspection		
9) Front spring condition and mounting			1) Passenger door and steps condition		
10) Front shock absorber operation & condition			2) Handrails and stanchions condition		
11) Trans oil cooler & lines routing and leaks			3) Interior and modesty panels condition		
12) Engine oil cooler & lines routing and leaks			4) Flooring condition		
13) Heater and A/C hose routing and leaks			5) Interior lighting operation and condition		
14) No engine oil leaks and fluid condition			6) Windows operation and condition		
15) Engine mounts, brackets and bolts			7) Emergency Exits operation & condition		
16) Transmission mounts, brackets and bolts			8) Accessory operation & condition (radio, GPS)		
17) No transmission oil leaks and fluid condition			9) Passenger seats operation & condition		
18) Drive shaft condition			10) Passenger seat belts operation & condition		
19) Universal joints and carrier bearings condition			11) First aid & body fluid kits complete		
20) No rear differential leaks			12) Triangle reflectors complete/good condition		
21) Rear differential condition and mounting			13) Stop request operation & condition		
22) Frame and cross members			14) Valid registration, insurance & accident pack		
23) Rear shock absorbers			15) Fire extinguisher in good condition & signed		
24) Rear springs condition and mounting			16) Interior decals and signage (incl. electrical)		
25) No fuel leaks			17) DVI's reviewed, addressed and signed off		
26) Fuel tank condition and mounting			18) Interior clean		
27) No exhaust leaks			D) HVAC system inspection		
28) Exhaust system condition and mounting			1) Front blower condition and operation		



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 06-10-19 Vehicle #: 5102

Mileage in: 237414 Mileage out: 237415

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		Shoes R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
		R/O: <u>10</u> /32" L/O: <u>10</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft.lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>7</u>
A,B,C,D	Lube chassis and suspension	<u>7</u>
A,B,C,D	Lube drive shafts and universal joints	<u>7</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>7</u>
A,B,C,D	Adjust service and parking brakes	<u>7</u>
A,B,C,D	Drain water from separator	<u>7</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>7</u>
B,C,D	Change air filter	<u>7</u>
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>7</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Gene Thernidor 06-10-19
Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206

#/WORK Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407



Basic Information

Vehicle #: 5102 Repair Reason: A Date and Time in: 20:45 Mileage in: 242354
 Date: 7/10/10 Work Class: 5 Date and Time Finished: 22:30 Mileage out: 242357

Notes/Measurements:

Complaints/Defects:

[illegible]

<i>Parts Information</i>					
Task	WAC	Part Number	Description	Qty	Cost
A	55	NV1700	ENGINE OIL	65	
A	55	LF-3681	OIL FILTER	1	
					Total Parts Cost:

Total Hours Worked:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murray Signature: Rooney Murray

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: **A B C D**

Mileage in: 242352 Mileage out: 242357

Vehicle #: 5108

Date: 7/19/19

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 7/19/19Vehicle #: 5102Mileage in: 242356Mileage out: 242357

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		R/R: <u>7</u> /32" L/R: <u>7</u> /32"
R		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>146</u> ft. lbs.
		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
R		(lift door open, e-brake down not able to shift)
R		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Suite 1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407



Basic Information

Basic Information			
Vehicle #:	5702	Repair Reason:	5/02 Date and Time in : 21:50
Date:	09/27/19	Work Class:	23:30
		Mileage in:	252/53
		Mileage out:	252/53

Notes/Measurements:

Complaints/Defects:

4

Labor Information

[illegible]

Parts Information

[illegible]

Total Parts Cost:

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature 

Signature

ASE Signature:

ASE Employee #: 604182 ASE Technician: 4



PM DEFECT SHEET



BUS #: 5102 DATE: 09/27/19
PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① Vehicle Need Front
Brake pads. Check and
Replace Front pads all
ok

Sybil 09/27/19

② Vehicle Need Rear
Brake pads. Check
and Replace rear
pads all ok

Sybil 09/27/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **252153**

Mileage out: **252153**



Date: **09/27/19** Vehicle #: **5102**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 09/27/19 Vehicle #: 5102 Mileage in: 25253 Mileage out: 252153

P	F	Item Inspected
<u>3</u>		30) Front brake condition and mounting
<u>3</u>		31) Front brake lining condition & measurement
<u>3</u>	<u>X</u>	Pads R/F: <u>2</u> /32" L/F: <u>2</u> /32"
<u>3</u>		32) Rear brake condition and mounting
<u>3</u>		33) Rear brake lining condition & measurement
<u>3</u>	<u>X</u>	Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"
<u>3</u>		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"
<u>3</u>		34) Tire and wheel condition and measurements
<u>3</u>		R/F: <u>10</u> /32" L/F: <u>10</u> /32"
<u>3</u>		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
<u>3</u>		R/O: <u>10</u> /32" L/O: <u>10</u> /32"
<u>3</u>		35) Lug nuts condition
<u>3</u>		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
<u>3</u>		Wheel torque specs used: <u>140</u> ft. lbs.
<u>3</u>		G) Lift inspection
<u>3</u>		1) Lift operation (fully stowed to fully deployed)
<u>3</u>		2) Lift control pendant condition and operation
<u>3</u>		3) Lift restraint belt condition and operation
<u>3</u>		4) Outer roll stop condition and operation
<u>3</u>		5) Inner roll stop condition and operation
<u>3</u>		6) Platform adjustments, condition and mounting
<u>3</u>		7) Standee arm condition and operation
<u>3</u>		8) Proper signage and decals
<u>3</u>		9) Manual backup pump condition and operation
<u>3</u>		10) Lift manual pump handle
<u>3</u>		11) Hydraulic pump condition and operation
<u>3</u>		12) Hydraulic lines and cylinders condition
<u>3</u>		13) Hydraulic fluid level and condition
<u>3</u>		14) Base plate and arms welds & pivot points
<u>3</u>		15) Lift springs and pins condition and operation
<u>3</u>		16) Lift safety switches and adjustments
<u>3</u>		17) Hose and wire routing and connections
<u>3</u>		18) Rollers and pivot point condition & operation
<u>3</u>		19) Lift to vehicle mounting bolts and brackets
<u>3</u>		20) Lift doors condition and operation
<u>3</u>		21) Lift door lights condition and operation
<u>3</u>		22) Lift interlock operation and condition
<u>3</u>		(lift door open, e-brake down not able to shift)
<u>3</u>		(e-brake off lift door closed no lift power)
<u>3</u>		23) W/C tie downs condition and operation
<u>3</u>		24) Tie down container secure and clean
<u>3</u>		25) Tie down floor mounting brackets secure
<u>3</u>		26) W/C shoulder belt condition and operation
<u>3</u>		27) Lift clean and no sharp edges
<u>3</u>		28) Lift shields secure and in good shape
<u>3</u>		29) Lift moves steady without drifting, jerking, or unusual speeds
<u>3</u>		30) No unusual lift noises
<u>3</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<u>3</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>S</u>
A,B,C,D	Lube chassis and suspension	<u>N/A</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>B</u>
A,B,C,D	Adjust service and parking brakes	<u>N/A</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>SPB</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>SPB</u>

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

09/27/19

Date

Supervisor Signature

09/30/19

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5102 Repair Reason: I Date and Time in: _____
 Date: 10/23/2019 Work Class: 1 Date and Time Finished: _____
 Mileage in: 257147
 Mileage out: 257148

AI

Notes/Measurements:

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 00808560
Technician: JASON GRIFEITH

Signature Seena Giffle

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



HOPETON J. D. Smith
MECHANIC'S SIGNATURE

BUS #: 5102

DATE: 10/23/19

PM TYPE OR WORK ORDER #: PNIA

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

CRACKED R/R BUMPER

WORN L/F ROTOR DISC.

COOLING SYSTEM LEAKS

SMALL PIECE OF RUBBER MISSING ^R STEERING WHEEL

OUT DATED FIRE EXTINGUISHER

PIECES OF FABRIC TORN ON DRIVER SEAT.

DAMAGED TIE-DOWN BAGS.

TWO TRIANGLE MISSING

CAS TANK COVER SPRING / STRAP BROKEN

SMALL R/F LOWER CONTROL ARM Bushings

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage out: **257148**

Mileage in: **257147**

Date: **10/23/19** Vehicle #: **5102**



P	F	Item Inspected
☒	☒	2) Rear blower condition and operation
☒	☒	3) Defroster operation
☒	☒	4) Temp gets to 20 deg. F below ambient temp.
☒	☒	5) Evaporator intake air filter condition
☒	☒	6) Front heater condition and operation
☒	☒	7) Rear heater condition and operation
☒	☒	8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒	☒	2) Wire and hose routing and connections
☒	☒	3) Cooling system, hoses, water pump condition
☒	☒	5) Accessory drive belts condition
☒	☒	6) Pulleys and tensioned operation & condition
☒	☒	7) Brake master cylinder and power booster
☒	☒	8) Fan and fan clutch operation and condition
☒	☒	9) Engine oil fluid level and condition
☒	☒	10) Transmission oil level and condition
☒	☒	11) Power steering fluid level and condition
☒	☒	12) Brake fluid level and condition
		F) Vehicle rack inspection
☒	☒	1) Steering gear box mount, condition & leaks
☒	☒	2) Steering shaft U joints
☒	☒	3) Steering shaft bearings
☒	☒	4) Steering linkages
☒	☒	5) I beam or control arm movements and rivets
☒	☒	6) Radius arm condition and bushings condition
☒	☒	7) Stabilizer bar condition and bushings condition
☒	☒	8) Ball joints or kingpins
☒	☒	9) Front spring condition and mounting
☒	☒	10) Front shock absorber operation & condition
☒	☒	11) Trans oil cooler & lines routing and leaks
☒	☒	12) Engine oil cooler & lines routing and leaks
☒	☒	13) Heater and A/C hose routing and leaks
☒	☒	14) No engine oil leaks and fluid condition
☒	☒	15) Engine mounts, brackets and bolts
☒	☒	16) Transmission mounts, brackets and bolts
☒	☒	17) No transmission oil leaks and fluid condition
☒	☒	18) Drive shaft condition
☒	☒	19) Universal joints and carrier bearings condition
☒	☒	20) No rear differential leaks
☒	☒	21) Rear differential condition and mounting
☒	☒	22) Frame and cross members
☒	☒	23) Rear shock absorbers
☒	☒	24) Rear springs condition and mounting
☒	☒	25) No fuel leaks
☒	☒	26) Fuel tank condition and mounting
☒	☒	27) No exhaust leaks
☒	☒	28) Exhaust system condition and mounting

P	F	Item Inspected
☒	☒	1) Driver carpet
☒	☒	2) Driver seat condition and operation
☒	☒	3) Drivers door operation and condition
☒	☒	4) Drivers seat belt operation and condition
☒	☒	5) Engine starting and ignition system
☒	☒	6) Instrument panel gauges & warning lights
☒	☒	7) Instrument panel lighting & condition
☒	☒	8) Horn operation
☒	☒	9) Steering wheel tight, no excessive play
☒	☒	10) Windshield wipers
☒	☒	11) Windshield washer
☒	☒	12) Sun visor condition and operation
☒	☒	13) Parking brake operation & condition
☒	☒	14) Parking and service brake pedal pads
☒	☒	15) Passenger door operation
☒	☒	16) No vibrations, pulsations or noises
		B) Walk around inspection
☒	☒	1) Body damage (list on separate sheet)
☒	☒	2) Headlights, high & low beam operation
☒	☒	3) Parking lights operation & condition
☒	☒	4) Marker lights operation & condition
☒	☒	5) Directional signals operation & condition
☒	☒	6) Hazard lights operation & condition
☒	☒	7) Clearance lights operation and condition
☒	☒	8) Brake lights operation & condition
☒	☒	9) License plate lamp operation & condition
☒	☒	10) License plates and tags
☒	☒	11) Backup lights and alarms
☒	☒	12) Reflectors and reflective bumper tape
☒	☒	13) Exterior decals and signage
☒	☒	14) Bumpers secure / in good condition
☒	☒	15) Exterior mirrors secure / in good condition
		C) Interior inspection
☒	☒	1) Passenger door and steps condition
☒	☒	2) Handrails and stanchions condition
☒	☒	3) Interior and modesty panels condition
☒	☒	4) Flooring condition
☒	☒	5) Interior lighting operation and condition
☒	☒	6) Windows operation and condition
☒	☒	7) Emergency Exits operation & condition
☒	☒	8) Accessory operation & condition (radio, GPS)
☒	☒	9) Passenger seats operation & condition
☒	☒	10) Passenger seat belts operation & condition
☒	☒	11) First aid & body fluid kits complete
☒	☒	12) Triangle reflectors complete/good condition
☒	☒	13) Stop request operation & condition
☒	☒	14) Valid registration, insurance & accident pack
☒	☒	15) Fire extinguisher in good condition & signed
☒	☒	16) Interior decals and signage (incl. electrical)
☒	☒	17) DVI's reviewed, addressed and signed off
☒	☒	18) Interior clean
		D) HVAC system inspection
☒	☒	1) Front blower condition and operation



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: **10/23/19** Vehicle #: **5102**Mileage in: **257147**Mileage out: **257148**

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 10/32" L/F: 10/32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 1/32" L/R: 1/32"
✓		Shoes R/R: 1/32" L/R: 1/32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 10/32" L/F: 10/32"
✓		R/R: 9/32" L/R: 7/32"
✓		R/RO: 8/32" L/RO: 7/32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 65 RR. 70
✓		Wheel torque specs used: 140 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
✓		(lift door open, e-brake down not able to shift)
✓		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
✓		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H M H
A,B,C,D	Lube chassis and suspension	H M H
A,B,C,D	Lube drive shafts and universal joints	H M H
A,B,C,D	Lube doors and hood, locks and hinges	H M H
A,B,C,D	Adjust service and parking brakes	H M H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	JG

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



2843

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5192 Repair Reason: A Date and Time in :
Date: 2/3/19 Work Class: I Date and Time Finished:

Mileage in: 266354
Mileage out: 266355

Complaints/Defects:

PM A

Notes/Measurements:

Labor Information		
Task	WAC	Repair Description/Comments
A SS	PM	A
24 SS Backs Inspection		
Total Hours Worked:		

Parts Information			
Task	WAC	Part Number	Description
A SS	SS	VW1700	Engine Oil
A SS	SS	LF3681	Oil Filter
Total Parts Cost:			

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Hill

Signature

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5102 DATE: 12/31/19
PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Steering wheel some of plastic
piece missing

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A) B C D**

Mileage in: **266334**

Mileage out: **266335**



Date: **12/31/19** Vehicle #: **5102**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/31/19 Vehicle #: 5102 Mileage in: 266354 Mileage out: 266355

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	<u>A,B,C,D</u>	Change oil and filter	<u>J</u>
		31) Front brake lining condition & measurement	<u>A,B,C,D</u>	Lube chassis and suspension	
		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"	<u>A,B,C,D</u>	Lube drive shafts and universal joints	<u>J</u>
		32) Rear brake condition and mounting	<u>A,B,C,D</u>	Lube doors and hood, locks and hinges	<u>J</u>
		33) Rear brake lining condition & measurement	<u>A,B,C,D</u>	Adjust service and parking brakes	<u>J</u>
		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>A,B,C,D</u>	Drain water from separator	
		Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>A,B,C,D</u>	Rotate tires(as necessary, caps on rear)	<u>J</u>
		34) Tire and wheel condition and measurements	<u>B,C,D</u>	Change air filter	
		R/F: <u>8</u> /32" L/F: <u>8</u> /32"	<u>B,C,D</u>	Change fuel filter	
		R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>B,C,D</u>	Clean or change PCV valve	
		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"	<u>B,C,D</u>	Clean or change crank case filter	
		35) Lug nuts condition	<u>B,C,D</u>	Install new wiper blades	
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>	<u>C,D</u>	Change transmission fluid and filter	
		Wheel torque specs used: <u>140</u> ft. lbs.	<u>C,D</u>	Service front wheel bearings	
		G) Lift inspection	<u>C,D</u>	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	<u>D</u>	Replace accessory drive belts	
		2) Lift control pendant condition and operation	<u>D</u>	Service and flush cooling system	
		3) Lift restraint belt condition and operation	<u>D</u>	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	<u>D</u>	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	<u>D</u>	Change differential fluid	
		6) Platform adjustments, condition and mounting	<u>D</u>	Check Exhaust and EGR system	
		7) Standee arm condition and operation	<u>D</u>	Check and service fuel & evap. System	
		8) Proper signage and decals	<u>D</u>	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	<u>A,B,C,D</u>	Post service test drive (5 miles)	<u>J</u>
		10) Lift manual pump handle			
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature [Signature] Date 12/31/19

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



2843

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5192 Repair Reason: A Date and Time in: _____
Date: 2/3/19 Work Class: I Date and Time Finished: _____

Mileage in: 266354
Mileage out: 266355

Complaints/Defects:

PM A

Notes/Measurements:

Labor Information		
Task	WAC	Repair Description/Comments
A SS	PM	A
24 SS Backs Inspection		
Total Hours Worked:		

Parts Information			
Task	WAC	Part Number	Description
A SS	SS	VW1700	Engine Oil
A SS	SS	LF3681	Oil Filter
Total Parts Cost:			

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Hill

Signature

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



BUS #: 5102 DATE: 12/31/19
PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Steering wheel some of plastic
piece missing

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 266334

Mileage out: 266335



Date: 12/31/19 Vehicle #: 5102

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/31/19 Vehicle #: 5102 Mileage in: 266354 Mileage out: 266355

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	<u>A,B,C,D</u>	Change oil and filter	<u>J</u>
		31) Front brake lining condition & measurement	<u>A,B,C,D</u>	Lube chassis and suspension	
		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"	<u>A,B,C,D</u>	Lube drive shafts and universal joints	<u>J</u>
		32) Rear brake condition and mounting	<u>A,B,C,D</u>	Lube doors and hood, locks and hinges	<u>J</u>
		33) Rear brake lining condition & measurement	<u>A,B,C,D</u>	Adjust service and parking brakes	<u>J</u>
		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>A,B,C,D</u>	Drain water from separator	
		Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>A,B,C,D</u>	Rotate tires(as necessary, caps on rear)	<u>J</u>
		34) Tire and wheel condition and measurements	<u>B,C,D</u>	Change air filter	
		R/F: <u>8</u> /32" L/F: <u>8</u> /32"	<u>B,C,D</u>	Change fuel filter	
		R/R: <u>7</u> /32" L/R: <u>7</u> /32"	<u>B,C,D</u>	Clean or change PCV valve	
		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"	<u>B,C,D</u>	Clean or change crank case filter	
		35) Lug nuts condition	<u>B,C,D</u>	Install new wiper blades	
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>	<u>C,D</u>	Change transmission fluid and filter	
		Wheel torque specs used: <u>140</u> ft. lbs.	<u>C,D</u>	Service front wheel bearings	
		G) Lift inspection	<u>C,D</u>	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	<u>D</u>	Replace accessory drive belts	
		2) Lift control pendant condition and operation	<u>D</u>	Service and flush cooling system	
		3) Lift restraint belt condition and operation	<u>D</u>	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	<u>D</u>	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	<u>D</u>	Change differential fluid	
		6) Platform adjustments, condition and mounting	<u>D</u>	Check Exhaust and EGR system	
		7) Standee arm condition and operation	<u>D</u>	Check and service fuel & evap. System	
		8) Proper signage and decals	<u>D</u>	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	<u>A,B,C,D</u>	Post service test drive (5 miles)	<u>J</u>
		10) Lift manual pump handle			
		11) Hydraulic pump condition and operation			
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation			
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature [Signature] Date 12/31/19

Supervisor Signature _____ Date _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5102 Repair Reason: A Date and Time in: 12:15 Mileage in: 271071
Date: 2/3/20 Work Class: T Date and Time Finished: 1:45 Mileage out: 271073
Complaints/Defects: _____ Notes/Measurements: _____

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: YADUVAITH Signature: YADUVAITH

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

MECHANIC'S SIGNATURE <i>Y. Suggardie</i>		BUS #: 5102	DATE: 2/3/20
PM TYPE OR WORK ORDER #: 2/3/20		DATE:	
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED
Some minor scratches and all OK		Yada	2/3/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **271071** Mileage out: **271073**



Date: **2/3/20** Vehicle #: **5102**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: load volts: load amps:
		Batt 2 volts: load amps: load volts: load amps:
		Batt 3 volts: load amps: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 2/3/20 Vehicle #: 5102Mileage in: 271071 Mileage out: 271073

P	F	Item Inspected	ServType	Service Performed	Techs Initials
Y		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	Y
Y		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	Y
Y		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"	A,B,C,D	Lube drive shafts and universal joints	N/A
Y		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	Y
Y		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	Y
Y		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Drain water from separator	N/A
Y		Shoes R/R: <u>3</u> /32" L/R: <u>3</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	Y
Y		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
Y		R/F: <u>8</u> /32" L/F: <u>8</u> /32"	B,C,D	Change fuel filter	
Y		R/RI: <u>6</u> /32" L/RI: <u>5</u> /32"	B,C,D	Clean or change PCV valve	
Y		R/RO: <u>5</u> /32" L/RO: <u>5</u> /32"	B,C,D	Clean or change crank case filter	
Y		35) Lug nuts condition	B,C,D	Install new wiper blades	
Y		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
Y		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
Y		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
Y		2) Lift control pendant condition and operation	D	Service and flush cooling system	
Y		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
Y		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
Y		5) Inner roll stop condition and operation	D	Change differential fluid	
Y		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
Y		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
Y		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
Y		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	Y
Y		10) Lift manual pump handle		Initial or "N/A" each service performed per PM type	
Y		11) Hydraulic pump condition and operation			
Y		12) Hydraulic lines and cylinders condition			
Y		13) Hydraulic fluid level and condition			
Y		14) Base plate and arms welds & pivot points			
Y		15) Lift springs and pins condition and operation			
Y		16) Lift safety switches and adjustments			
Y		17) Hose and wire routing and connections			
Y		18) Rollers and pivot point condition & operation			
Y		19) Lift to vehicle mounting bolts and brackets			
Y		20) Lift doors condition and operation			
Y		21) Lift door lights condition and operation			
Y		22) Lift interlock operation and condition			
Y		(lift door open, e-brake down not able to shift)			
Y		(e-brake off lift door closed no lift power)			
Y		23) W/C tie downs condition and operation			
Y		24) Tie down container secure and clean			
Y		25) Tie down floor mounting brackets secure			
Y		26) W/C shoulder belt condition and operation			
Y		27) Lift clean and no sharp edges			
Y		28) Lift shields secure and in good shape			
Y		29) Lift moves steady without drifting, jerking, or unusual speeds			
Y		30) No unusual lift noises			
Y		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
Y		Check, torque or adjust lift base mounting bolts			

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: Y. SuggendoDate: 2/3/20


Supervisor Signature: _____

Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

PM DEFECT SHEET



MECHANIC'S SIGNATURE

BUS # : 5102 PM TYPE OR WORK ORDER # :
DATE :

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	COMPLETED DATE

Steering wheel missing a piece

Reflex light comes on and off

Preventive Maintenance Inspection and Service Checklist



MVA TRANSPORTATION INC.

Date: 5/1/20 Vehicle #: 5102

Mileage in: 280508

Mileage out: 280510

Circle Service Type: A B C D

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation and condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

Preventive Maintenance Inspection and Service Checklist



Date: 5/11/20 Vehicle #: 5102 Mileage in: 28058 Mileage out: 28057

Circle Service Type: A B C D

Technician's Signature: [Signature] Date: 5/11/20

Supervisor Signature: _____ Date: _____

Notes: _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 5 /32" L/R: 5 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 10 /32" L/F: 10 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/O: 8 /32" L/R: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment F.R. 65 R.R. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Type	Service Performed	Technician's Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Notes: _____

Supervisor Signature: _____

Date: _____

Technician's Signature: _____

Date: 5/11/20

Initial or "N/A" each service performed per PM type

Page 2 of 2

5910 N Central Expy Way Suite 145

Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 502 Repair Reason: A

Date and Time in :

Date: 7/19/20

Work Class: Teacher

Date and Time Finished:

Mileage in: 285078

Mileage out: 28580

Complaints/Defects:

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		PM A		A	SS	VV1700	Engine oil	605	
				A	SS	LE3681	Oil Filter	1	
				A	SS	FC-1063	Fuel cap	1	
		Back inspection		A	SS	2020694	Tires	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repair according to MV Transportation Inc. guidelines and...


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies. Employee #: 849102 Technician: Joe Hall Signature: [Signature]	Total Parts Cost: \$1,000.00
--	-------------------------------------

ASE Employee #: _____ ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



BUS #:

5102

DATE:

7/9/20

PM TYPE OR WORK ORDER #:

A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Gas cap damage

check engine light

battery light on

Front tires were chippy



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 7/9/20Vehicle #: 5102Mileage in: 285078Mileage out: 285080

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 7/9/20Vehicle #: 5102Mileage in: 28508Mileage out: 285080

P	F	Item Inspected	ServType	Service Performed	Techs Initials
		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"	A,B,C,D	Lube drive shafts and universal joints	
		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
		Pads R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Drain water from separator	
		Shoes R/R: <u>8</u> /32" L/R: <u>8</u> /32"	A,B,C,D	Rotate tires (as necessary, caps on rear)	
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
		R/F: <u>10</u> /32" L/F: <u>10</u> /32"	B,C,D	Change fuel filter	
		R/RI: <u>8</u> /32" L/RI: <u>8</u> /32"	B,C,D	Clean or change PCV valve	
		R/RO: <u>8</u> /32" L/RO: <u>8</u> /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
		Wheel torque specs used: <u>40</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift Inspection	C,D	Drain water from fuel tank	
		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
		2) Lift control pendant condition and operation	D	Service and flush cooling system	
		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
		5) Inner roll stop condition and operation	D	Change differential fluid	
		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.		
		12) Hydraulic lines and cylinders condition			
		13) Hydraulic fluid level and condition			
		14) Base plate and arms welds & pivot points			
		15) Lift springs and pins condition and operation			
		16) Lift safety switches and adjustments			
		17) Hose and wire routing and connections			
		18) Rollers and pivot point condition & operation			
		19) Lift to vehicle mounting bolts and brackets			
		20) Lift doors condition and operation			
		21) Lift door lights condition and operation			
		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
		23) W/C tie downs condition and operation	Technician's Signature: <u>[Signature]</u> Date: <u>7/9/20</u> Supervisor Signature: _____ Date: _____ Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____		
		24) Tie down container secure and clean			
		25) Tie down floor mounting brackets secure			
		26) W/C shoulder belt condition and operation			
		27) Lift clean and no sharp edges			
		28) Lift shields secure and in good shape			
		29) Lift moves steady without drifting, jerking, or unusual speeds			
		30) No unusual lift noises			
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information			
Vehicle #:	5102	Repair Reason:	A Date and Time in: _____
Date:	10/30/00	Work Class:	T Date and Time Finished: _____
		Mileage in:	294505
		Mileage out:	294506

PINTA

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
A	58	POLA		A	55	5W20	Engine Oil	6.5	
				A	55	LF3681	Oil Filter	1	
				A	55	KO361360	distrib belt	1	
				A	55	SF520	spark plug	1	
				A	55	CRC 520	Lubrication Grease	1	
				A	55	B2237E395A	Spark Cable	1	
04	55	brake inspection							
			Total Hours Worked:						
I have performed the repairs according MV Transportation Inc's website.									
									Total Parts Cost:

I have performed the repairs according MV Transportation, Inc.'s guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. and the parts are safe, dependable and ready for service.


Employee #: 71131911 Technician: [Signature]
I am for service, I have used parts that are from MY Transportation, Inc. approved vendors and have followed all MY Transportation, Inc. policies.

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE 		DESCRIPTION OF REPAIR NEEDED	
BUS #: 5102	DATE: 10/30/00	PM TYPE OR WORK ORDER #: 10/30/00	DATE COMPLETED 10/30/00
COMPLETED BY J. Smith		DATE COMPLETED 10/30/00	

Replace drive belt
 Replace shifter cable
 Replace ignition coil cylinder #1
 Replace spark plug

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 294505

Mileage out: 294506



Date: 10/20/20 Vehicle #: 5102

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		(1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D Mileage in: 294505 Mileage out: 294506

284502

Date: 10/30/20 Vehicle #: 2102



P	F	Item Inspected
	F	30) Front brake condition and mounting
	F	31) Front brake lining condition & measurement
	F	32) Rear brake condition and mounting
	F	33) Rear brake lining condition & measurement
	F	Pads R/R: 4 / 32" L/R: 4 / 32"
	F	Shoes R/R: / 32" L/R: / 32"
	F	34) Tire and wheel condition and measurements
	F	R/F: 9 / 32" L/F: 9 / 32"
	F	R/R: 8 / 32" L/R: 8 / 32"
	F	R/RO: 8 / 32" L/RO: 6 / 32"
	F	35) Lug nuts condition
	F	Air pressure adjustment F.R. 60 RR. 70
	F	Wheel torque specs used: 14 ft. lbs.
	F	G) Lift inspection
	F	1) Lift operation (fully stowed to fully deployed)
	F	2) Lift control pendant condition and operation
	F	3) Lift restraint belt condition and operation
	F	4) Outer roll stop condition and operation
	F	5) Inner roll stop condition and operation
	F	6) Platform adjustments, condition and mounting
	F	7) Standee arm condition and operation
	F	8) Proper signage and decals
	F	9) Manual backup pump condition and operation
	F	10) Lift manual pump handle
	F	11) Hydraulic pump condition and operation
	F	12) Hydraulic lines and cylinders condition
	F	13) Hydraulic fluid level and condition
	F	14) Base plate and arms welds & pivot points
	F	15) Lift springs and pins condition and operation
	F	16) Lift safety switches and adjustments
	F	17) Hose and wire routing and connections
	F	18) Rollers and pivot point condition & operation
	F	19) Lift to vehicle mounting bolts and brackets
	F	20) Lift doors condition and operation
	F	21) Lift door lights condition and operation
	F	22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
	F	(e-brake off lift door closed no lift power)
	F	23) W/C the downs condition and operation
	F	24) The down container secure and clean
	F	25) The down floor mounting brackets secure
	F	26) W/C shoulder belt condition and operation
	F	27) Lift clean and no sharp edges
	F	28) Lift shields secure and in good shape
	F	29) Lift moves steady without drifting, jerking, or unusual speeds
	F	30) No unusual lift noises
	F	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
	F	Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Service Performed	Tech's Initials
Change oil and filter	F
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires(as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (5 miles)	F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered.

Brake pad linings must be measured from the backing plate.

Brake shoe linings must be measured from the rivets.

Technician's Signature

Date
10/28/20

Supervisor Signature

Date

Notes:

Notes:

Supervisor Signature _____

Date

~~Technicians Signature~~

Date _____

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Initial or "N/A" each service performed per PM type



MY Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5102 Repair Reason: A Date and Time in: 12-04-20 Mileage in: 299030
Date: 12-04-20 Work Class: T Date and Time Finished: Mileage out: 299031

Complaints/Defects:

Notes/Measurements:

2miff

Labor Information

[illegible]

Part's Information

[illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: J. P. Wilson Signature: _____

Signature _____

ASE Employee #: 604182 ASE Technician:

ASE Signature:

[illegible]

Preventive Maintenance Inspection and Service Checklist



Date: 12-04-20 Vehicle #: 5102

Circle Service Type: (A) B C D
Mileage in: 299030 Mileage out: 299031

Item Inspected P F

2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B,C,D serv)		
Batt 1 volts: load volts: load amps:		
Batt 2 volts: load volts: load amps:		
Batt 3 volts: load volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max volt: max amp:		
Alt. 2 min volt: max volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: (A) B C D Mileage in: 299036 Mileage out: 299103 Date: 12-04-2020 Vehicle #: 5102

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 9 /32" L/F: 9 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		34) Tire and wheel condition and measurements
		Shoes R/R: /32" L/R: /32"
		R/F: 9 /32" L/F: 9 /32"
		R/R: 8 /32" L/R: 8 /32"
		R/R: 9 /32" L/R: 9 /32"
		35) Lug nuts condition
		Air pressure adjustment FR, RS, RL, RS
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Notes:

Supervisor Signature _____ Date _____

Technician Signature _____ Date 12-04-2020


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Technician Initials: FNA

MV Transportation

360 Campus Lane
Fairfield, CA 94534



#1805

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, Florida, 33407

Basic Information

Vehicle #: 5102 Repair Reason: B Date and Time in: 17:10 Mileage in: 204448
 Date: 10/26/18 Work Class: I Date and Time Finished: 21:04 Mileage out: 204449
 Complaints/Defects: _____ Notes/Measurements: _____

Labo1 Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
B	58	Final A		B	55	5W20	engine oil	6.5	
				B	55	1F3681	oil filter	1	
				B	55	K06 1360	drive belt	1	
				B	55	K4160	water hose	1	
				B	55	K4161	water hose	1	
				B	55		hydro boost	1	
04	35	brake inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194

Technician: Robert Ferrier

Signature: [Signature]

64182

PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

BUS #:

3102

DATE:

10/26/18

PM TYPE OR WORK ORDER #:

7M110

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

COMPLETED

DATE

Replace Front heater hoses

[Signature]

10/26/18

Replace serpentine belt

[Signature]

10/26/18

Replace hydroboos

[Signature]

10/26/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 10/26/18Vehicle #: 3102Mileage in: 204448Mileage out: 204449

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒	☒	6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒	☒	5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒	☒	7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **80444** Mileage out: **80449**



Date: **10/26/18** Vehicle #: **5100**

P	F	Item Inspected
F	F	30) Front brake condition and mounting
F	F	31) Front brake lining condition & measurement
F	F	Pads R/F: 9 /32" L/F: 9 /32"
F	F	32) Rear brake condition and mounting
F	F	33) Rear brake lining condition & measurement
F	F	Pads R/R: 11 /32" L/R: 11 /32"
F	F	Shoes R/R: 11 /32" L/R: 11 /32"
F	F	34) Tire and wheel condition and measurements
F	F	R/F: 9 /32" L/F: 9 /32"
F	F	R/R: 7 /32" L/R: 7 /32"
F	F	R/RO: 7 /32" L/RO: 7 /32"
F	F	35) Lug nuts condition
F	F	Air pressure adjustment FR. 65 RR. 70
F	F	Wheel torque specs used: 1400 ft. lbs.
F	F	G) Lift inspection
F	F	1) Lift operation (fully stowed to fully deployed)
F	F	2) Lift control pendant condition and operation
F	F	3) Lift restraint belt condition and operation
F	F	4) Outer roll stop condition and operation
F	F	5) Inner roll stop condition and operation
F	F	6) Platform adjustments, condition and mounting
F	F	7) Standee arm condition and operation
F	F	8) Proper signage and decals
F	F	9) Manual backup pump condition and operation
F	F	10) Lift manual pump handle
F	F	11) Hydraulic pump condition and operation
F	F	12) Hydraulic lines and cylinders condition
F	F	13) Hydraulic fluid level and condition
F	F	14) Base plate and arms welds & pivot points
F	F	15) Lift springs and pins condition and operation
F	F	16) Lift safety switches and adjustments
F	F	17) Hose and wire routing and connections
F	F	18) Rollers and pivot point condition & operation
F	F	19) Lift to vehicle mounting bolts and brackets
F	F	20) Lift doors condition and operation
F	F	21) Lift door lights condition and operation
F	F	22) Lift interlock operation and condition
F	F	(Lift door open, e-brake down not able to shift)
F	F	(e-brake off lift door closed no lift power)
F	F	23) W/C tie downs condition and operation
F	F	24) Tie down container secure and clean
F	F	25) Tie down floor mounting brackets secure
F	F	26) W/C shoulder belt condition and operation
F	F	27) Lift clean and no sharp edges
F	F	28) Lift shields secure and in good shape
F	F	29) Lift moves steady without drifting, jerking, or unusual speeds
F	F	30) No unusual lift noises
F	F	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F	F	Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Date

Date

Notes:

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. System	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

Initial or "N/A" each service performed per PM type

F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach FL 33407

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5102 Repair Reason: B Date and Time in : 12/1/2014 12:00:00 PM

Date and Time in :

Mileage in: 232061

Date: 05-08-19 Work Class: I Date and Time Finished: _____

Mileage out: 23264

Complaints/Defects:

Notes/Measurements:

Labor Information				
Task	WAC	Repair Description/Comments	Hours	
B	58	POI (B)		

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 24881 Technician: Teo Thecardo Signature: [Signature]

Local Date: 08/11/2011

Employee #: 84818 Technician:

Teen.

Signature _____

ASE Employee #: 604182 ASE Technician: [Signature]

ASE Signature

MECHANIC'S SIGNATURE <i>John J. [Signature]</i>		BUS # : 6102	DATE : 05-18-19	PM TYPE OR WORK ORDER # :
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED

Preventive Maintenance Inspection and Service Checklist



Circle Service Type: A (B) C D

Mileage in: 232661 Mileage out: 232662

Date: 05-8-19 Vehicle #: 5102

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 05-8-19 Vehicle #: 5102

Mileage in: 232661

Mileage out: 232662

P	F	Item Inspected	ServType	Service Performed	Techs Initials
3		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	
3		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	
3		Pads R/F: 8 /32" L/F: 8 /32"	A,B,C,D	Lube drive shafts and universal joints	
3		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	
3		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	
3		Pads R/R: 12 /32" L/R: 12 /32"	A,B,C,D	Drain water from separator	
3		Shoes R/R: /32" L/R: /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	
3		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
3		R/F: 8 /32" L/F: 8 /32"	B,C,D	Change fuel filter	
3		R/R: 7 /32" L/R: 7 /32"	B,C,D	Clean or change PCV valve	
3		R/RO: 7 /32" L/RO: 7 /32"	B,C,D	Clean or change crank case filter	
3		35) Lug nuts condition	B,C,D	Install new wiper blades	
3		Air pressure adjustment FR. 70 RR. 70	C,D	Change transmission fluid and filter	
3		Wheel torque specs used: 70 ft. lbs.	C,D	Service front wheel bearings	
3		G) Lift inspection	C,D	Drain water from fuel tank	
3		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
3		2) Lift control pendant condition and operation	D	Service and flush cooling system	
3		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
3		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
3		5) Inner roll stop condition and operation	D	Change differential fluid	
3		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
3		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
3		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
3		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
3		10) Lift manual pump handle			
3		11) Hydraulic pump condition and operation			
3		12) Hydraulic lines and cylinders condition			
3		13) Hydraulic fluid level and condition			
3		14) Base plate and arms welds & pivot points			
3		15) Lift springs and pins condition and operation			
3		16) Lift safety switches and adjustments			
3		17) Hose and wire routing and connections			
3		18) Rollers and pivot point condition & operation			
3		19) Lift to vehicle mounting bolts and brackets			
3		20) Lift doors condition and operation			
3		21) Lift door lights condition and operation			
3		22) Lift interlock operation and condition			
3		(lift door open, e-brake down not able to shift)			
3		(e-brake off lift door closed no lift power)			
3		23) W/C tie downs condition and operation			
3		24) Tie down container secure and clean			
3		25) Tie down floor mounting brackets secure			
3		26) W/C shoulder belt condition and operation			
3		27) Lift clean and no sharp edges			
3		28) Lift shields secure and in good shape			
3		29) Lift moves steady without drifting, jerking, or unusual speeds			
3		30) No unusual lift noises			
3		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
3		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *John Theriault* Date: 05-8-19

Supervisor Signature: *A. [Signature]* Date: 5/13/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

3301 Electronics Way
West Palm Beach, FL 33407



Basic Information

Vehicle #: 5102 Repair Reason: I Date and Time in: 11/23/19 Mileage in: 261,561
Date: 11/22/19 Work Class: B Date and Time Finished: 11/22/19 Mileage out: 261,562

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #:

Technician:

Handwritten: Hanyu

Signature

F.D.I.

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



H. M. Jmy

MECHANIC'S SIGNATURE

BUS #: 5102

DATE:

11/22/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

* STEERING GEAR BOX LEAK

* FRONT PASSENGER TIRE HAS SAW TOOTH PATTERN

NOTE VEHICLE NEED CORRECT TOE ALIGNMENT.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage out: 261,562

Mileage in: 261,561

Vehicle #: 5102

Date: 11/22/19



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
H		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition (radio, GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation

P	F	Item Inspected
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load amps:
H		Batt 2 volts: load amps:
H		Batt 3 volts: load amps:
H		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
H		Alt. 1 min volt: max amp:
H		Alt. 2 min volt: max amp:
H		(reference factory service manual for alternator spec)
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 11/22/19 Vehicle #: 5102Mileage in: 261561Mileage out: 261,562

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: <u>9/32"</u> L/F: <u>9/32"</u>
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: <u>9/32"</u> L/R: <u>9/32"</u>
H		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
H		34) Tire and wheel condition and measurements
H		R/F: <u>8/32"</u> L/F: <u>8/32"</u>
H		R/R: <u>8/32"</u> L/R: <u>8/32"</u>
H		R/O: <u>9/32"</u> L/O: <u>9/32"</u>
H		35) Lug nuts condition
H		Air pressure adjustment FR. <u>60</u> RR. <u>65</u>
H		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking, or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	H
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	H
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	H
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Hay
Technicians Signature

11/22/19
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expwy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5102 Repair Reason: B Date and Time in: 8/3/20 Mileage in: 289894
Date: 8/3/20 Work Class: 1 Date and Time Finished: 8/3/20 Mileage out: 289894

Complaints/Defects:

PM1 B

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
		<u>PM1 B</u>	
		<u>Becke Inspection</u>	

Total Hours Worked:

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
<u>B</u>	<u>SS</u>	<u>UV1200</u>	<u>Engine Oil</u>	<u>6</u>	<u>6.00</u>
<u>B</u>	<u>SS</u>	<u>1F3081</u>	<u>Oil Filter</u>	<u>1</u>	<u>1.00</u>
<u>B</u>	<u>SS</u>	<u>AF2510</u>	<u>Air Filter</u>	<u>1</u>	<u>1.00</u>
<u>B</u>	<u>SS</u>	<u>BRD328</u>	<u>Brake Pads</u>	<u>1</u>	<u>1.00</u>
<u>B</u>	<u>SS</u>	<u>BRD1329</u>	<u>Brake Pads</u>	<u>1</u>	<u>1.00</u>
<u>B</u>	<u>SS</u>	<u>W2001 PF</u>	<u>Wiper blades</u>	<u>2</u>	<u>2.00</u>


Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84102 Technician: Seftell Signature: [Signature]

ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]

PM DEFECT SHEET



MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

DATE COMPLETED

COMPLETED BY

BUS #:
DATE:
PM TYPE OR WORK ORDER #:

8/31/00

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: 28989 Mileage out: 28989




Date: 8/31/20 Vehicle #: 5102

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6V, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 8/31/00 Vehicle #: 5102

Circle Service Type: A B C D
 Mileage in: 28189 Mileage out: 28989

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 4 /32" L/F: 3 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 3 /32" L/R: 3 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 3 /32" L/F: 3 /32"
		R/R: 3 /32" L/R: 3 /32"
		R/O: 3 /32" L/R: 3 /32"
		35) Lug nuts condition
		Air pressure adjustment FR: 65 PSI RR: 70 PSI
		Wheel torque specs used: 140 ft. lbs.
		(G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	B,C,D
Change fuel filter	B,C,D
Clean or change PCV valve	B,C,D
Clean or change crank case filter	B,C,D
Install new wiper blades	B,C,D
Change transmission fluid and filter	C,D
Service front wheel bearings	C,D
Drain water from fuel tank	C,D
Replace accessory drive belts	D
Service and flush cooling system	D
Install new spark plugs & wires	D
Install new dist. cap & rotor	D
Change differential fluid	D
Check Exhaust and EGR system	D
Check and service fuel & evap. system	D
Evac and recharge A/C (add 1 oz. of oil)	D
Post service test drive (5 miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date


Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #:	5102	Repair Reason:	C	Date and Time in:	07.20.18	19:00	Mileage in:	190306
Date:	07.20.18	Work Class:	I	Date and Time Finished:	07.20.18	21:30	Mileage out:	100800

Notes/Measurements:

PMZC

Parts Information

Labor Information					Parts Information					
Task	WAC	Repair Description/Comments	Hours		Task	WAC	Part Number	Description	Qty	Cost
✓	58	P HT ✓			✓	55	5W90	engine oil	6.5	
					✓	55	LF3681	oil filter	1	
					✓	55	AF25590	air filter	1	
					✓	55	WU9001	wiper Blade	2	
					✓	55	FT180	trans filter	1	
					✓	55	ME880N	trans oil	10	
					✓	55	WU-1697	washer	1	
Total Hours Worked:					Total Parts Cost:					

Employee #: 84513A Technician: _____

Theresa Adams

Signature: _____

ASE Employee #: 6048 ASE Technician:

ASE Signature:



MECHANIC'S SIGNATURE		BUS #:	DATE:	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE COMPLETED	
replace Blower motor resistor Jimmy 07-20-18				



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01-20-18 Vehicle #: 5102 Mileage in: 190306 Mileage out: 190308

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 190306 Mileage out: 190308



Date: 07.20.18 Vehicle #: 5108

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10/32" L/F: 10/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 11/32" L/R: 11/32"
		Shoes R/R: 13/32" L/R: 13/32"
		34) Tire and wheel condition and measurements
		R/F: 8/32" L/F: 8/32"
		R/R: 8/32" L/R: 8/32"
		R/R: 8/32" L/R: 8/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 70 RR. 70
		Wheel torque specs used: 1240 ft. lbs.
		g) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

Notes:

Date

Supervisor Signature

Date

Technicians Signature

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	ServType	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (miles)	A,B,C,D	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expwy Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

#1920

Basic Information

Vehicle #: 5102 Repair Reason: C Date and Time in: 247211
 Date: 08/14/2019 Work Class: A Date and Time Finished: 247212

Complaints/Defects:

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMI C	
C	04	Brake Inspection	

Total Hours Worked:

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	VV1700	ENGINE OIL	6.5	
C	55	LF3681	OIL FILTER	1	
C	55	AF25590	AIR FILTER	1	
C	55	JFT 190	TRANS FILTER	1	
C	55	XT10DLV	TRANS FLUID	10	
C	55	WW2001PF	WIPER BLADE	2	
C	55	2001831	TIRE	1	
C	55	9008	HEADLIGHT BULB	1	
C	55	BC3224578	BRAKE PEDAL AS	1	

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murray Signature: [Signature] ASE

ASE Employee #: 60418 ASE Technician: [Signature] ASE Signature: [Signature]



PM DEFECT SHEET



Rooney Murray
MECHANIC'S SIGNATURE

BUS #: 5102

DATE: 08/14/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

MINOR STRUCKS

LEFT REAR INNER TIRE 3/32 MEASUREMENT

ROONEY MURRAY 08/14/2019

LEFT HEADLIGHT LOW BEAM OUT

ROONEY MURRAY 08/14/2019

BRAKE PEDAL PAD WORN

ROONEY MURRAY 08/14/2019

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 247212

Mileage in: 247211

5102

Date: 08/14/2019 Vehicle #: 5102



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Date: 8/14/2019

Vehicle #:

5102Circle Service Type: A B C D

Mileage in:

247211

Mileage out:

247212

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>5</u> /32" L/R: <u>5</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R	X	R/R: <u>5</u> /32" L/R: <u>2</u> /32"
R		R/RO: <u>7</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	R
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145

Dallas, TX 75206



3301 Electronics Work
Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Vehicle #: 5102 Repair Reason:

U

Date and Time in :

Mileage in: 2183.00

Date: 01/28/19 Work Class:

F Date and Time Finished:

23:00

Mileage out: 2183.30

Complaints/Defects:

Notes/Measurements:

PMI

Labor Information

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	58	P.M.T. D		D	55	5W 20	Engine oil	6.5	
				D	55	2F 3681	oil filter	1	
				D	55	MECAN LV	TRANS oil	10	
				D	55	80W 90	D.F.F. oil	3	
				D	55	PT 180	TRANS FILTER	1	
				D	55	AF 25590	A.R. FILTER	1	
				D	55	BUW 2001 PF	WIPER BLADE	2	
				D	55	SP-521	SPARK PLUGS	8	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician:

Team

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Alfred

Signature: _____

MECHANIC'S SIGNATURE <i>Sean Theodor</i>		BUS #: <i>5102</i>	DATE: <i>11/28/19</i>	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	COMPLETED



Preventive Maintenance Inspection and Service Checklist

Date: 1/28/19 Vehicle #: 5102 Mileage in: 218328 Mileage out: 218330

Circle Service Type: A B C D

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
J		1) Driver carpet
J		2) Driver seat condition and operation
J		3) Drivers door operation and condition
J		4) Drivers seat belt operation and condition
J		5) Engine starting and ignition system
J		6) Instrument panel gauges & warning lights
J		7) Instrument panel lighting & condition
J		8) Horn operation
J		9) Steering wheel tight, no excessive play
J		10) Windshield wipers
J		11) Windshield washer
J		12) Sun visor condition and operation
J		13) Parking brake operation & condition
J		14) Parking and service brake pedal pads
J		15) Passenger door operation
J		16) No vibrations, pulsations or noises
		B) Walk around inspection
J		1) Body damage (list on separate sheet)
J		2) Headlights, high & low beam operation
J		3) Parking lights operation & condition
J		4) Marker lights operation & condition
J		5) Directional signals operation & condition
J		6) Hazard lights operation & condition
J		7) Clearance lights operation and condition
J		8) Brake lights operation & condition
J		9) License plate lamp operation & condition
J		10) License plates and tags
J		11) Backup lights and alarms
J		12) Reflectors and reflective bumper tape
J		13) Exterior decals and signage
J		14) Bumpers secure / in good condition
J		15) Exterior mirrors secure / in good condition
J		16) Exterior clean
		C) Interior inspection
J		1) Passenger door and steps condition
J		2) Handrails and stanchions condition
J		3) Interior and modesty panels condition
J		4) Flooring condition
J		5) Interior lighting operation and condition
J		6) Windows operation and condition
J		7) Emergency Exits operation & condition
J		8) Accessory operation & condition (radio, GPS)
J		9) Passenger seats operation & condition
J		10) Passenger seat belts operation & condition
J		11) First aid & body fluid kits complete
J		12) Triangle reflectors complete/good condition
J		13) Stop request operation & condition
J		14) Valid registration, insurance & accident pack
J		15) Fire extinguisher in good condition & signed
J		16) Interior decals and signage (incl. electrical)
J		17) DVI's reviewed, addressed and signed off
J		18) Interior clean
		D) HVAC system inspection
J		1) Front blower condition and operation

P	F	Item Inspected
J		2) Rear blower condition and operation
J		3) Defroster operation
J		4) Temp gets to 20 deg. F below ambient temp.
J		5) Evaporator intake air filter condition
J		6) Front heater condition and operation
J		7) Rear heater condition and operation
J		8) A/C compressors and condenser fans
		E) Under hood inspection
J		1) Batteries & charging sys. (load alt B,C,D serv)
J		Batt 1 volts: load volts: load amps:
J		Batt 2 volts: load volts: load amps:
J		Batt 3 volts: load volts: load amps:
J		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
J		Alt. 1 min volt: max volt: max amp:
J		Alt. 2 min volt: max volt: max amp:
J		(reference factory service manual for alternator spec)
J		2) Wire and hose routing and connections
J		3) Cooling system, hoses, water pump condition
J		5) Accessory drive belts condition
J		6) Pulleys and tensioned operation & condition
J		7) Brake master cylinder and power booster
J		8) Fan and fan clutch operation and condition
J		9) Engine oil fluid level and condition
J		10) Transmission oil level and condition
J		11) Power steering fluid level and condition
J		12) Brake fluid level and condition
		F) Vehicle rack inspection
J		1) Steering gear box mount, condition & leaks
J		2) Steering shaft U joints
J		3) Steering shaft bearings
J		4) Steering linkages
J		5) I beam or control arm movements and rivets
J		6) Radius arm condition and bushings condition
J		7) Stabilizer bar condition and bushings condition
J		8) Ball joints or kingpins
J		9) Front spring condition and mounting
J		10) Front shock absorber operation & condition
J		11) Trans oil cooler & lines routing and leaks
J		12) Engine oil cooler & lines routing and leaks
J		13) Heater and A/C hose routing and leaks
J		14) No engine oil leaks and fluid condition
J		15) Engine mounts, brackets and bolts
J		16) Transmission mounts, brackets and bolts
J		17) No transmission oil leaks and fluid condition
J		18) Drive shaft condition
J		19) Universal joints and carrier bearings condition
J		20) No rear differential leaks
J		21) Rear differential condition and mounting
J		22) Frame and cross members
J		23) Rear shock absorbers
J		24) Rear springs condition and mounting
J		25) No fuel leaks
J		26) Fuel tank condition and mounting
J		27) No exhaust leaks
J		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D
 Mileage in: 218328 Mileage out: 218330



Date: 1/28/19 Vehicle #: 5102

P	F	Item Inspected	Initial or "N/A" each service performed per PM type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 8 /32" L/R: 8 /32"	A,B,C,D
		Shoes R/R: 8 /32" L/R: 8 /32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 10 /32" L/F: 10 /32"	A,B,C,D
		R/R: 6 /32" L/R: 6 /32"	A,B,C,D
		R/R: 8 /32" L/R: 8 /32"	A,B,C,D
		35) Lug nuts condition	A,B,C,D
		Air pressure adjustment F.R. 70 R.R. 70	A,B,C,D
		Wheel torque specs used: 140 ft. lbs.	A,B,C,D
		G) Lift inspection	A,B,C,D
		1) Lift operation (fully stowed to fully deployed)	A,B,C,D
		2) Lift control pendant condition and operation	A,B,C,D
		3) Lift restraint belt condition and operation	A,B,C,D
		4) Outer roll stop condition and operation	A,B,C,D
		5) Inner roll stop condition and operation	A,B,C,D
		6) Platform adjustments, condition and mounting	A,B,C,D
		7) Standee arm condition and operation	A,B,C,D
		8) Proper signage and decals	A,B,C,D
		9) Manual backup pump condition and operation	A,B,C,D
		10) Lift manual pump handle	A,B,C,D
		11) Hydraulic pump condition and operation	A,B,C,D
		12) Hydraulic lines and cylinders condition	A,B,C,D
		13) Hydraulic fluid level and condition	A,B,C,D
		14) Base plate and arms welds & pivot points	A,B,C,D
		15) Lift springs and pins condition and operation	A,B,C,D
		16) Lift safety switches and adjustments	A,B,C,D
		17) Hose and wire routing and connections	A,B,C,D
		18) Rollers and pivot point condition & operation	A,B,C,D
		19) Lift to vehicle mounting bolts and brackets	A,B,C,D
		20) Lift doors condition and operation	A,B,C,D
		21) Lift door lights condition and operation	A,B,C,D
		22) Lift interlock operation and condition	A,B,C,D
		(Lift door open, e-brake down not able to shift)	A,B,C,D
		(e-brake off lift door closed no lift power)	A,B,C,D
		23) W/C tie downs condition and operation	A,B,C,D
		24) Tie down container secure and clean	A,B,C,D
		25) Tie down floor mounting brackets secure	A,B,C,D
		26) W/C shoulder belt condition and operation	A,B,C,D
		27) Lift clean and no sharp edges	A,B,C,D
		28) Lift shields secure and in good shape	A,B,C,D
		29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
		30) No unusual lift noises	A,B,C,D
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	A,B,C,D
		Check, torque or adjust lift base mounting bolts	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	A,B,C,D	
Change fuel filter	A,B,C,D	
Clean or change PCV valve	A,B,C,D	
Clean or change crank case filter	A,B,C,D	
Install new wiper blades	A,B,C,D	
Change transmission fluid and filter	A,B,C,D	
Service front wheel bearings	A,B,C,D	
Drain water from fuel tank	A,B,C,D	
Replace accessory drive belts	A,B,C,D	
Service and flush cooling system	A,B,C,D	
Install new spark plugs & wires	A,B,C,D	
Install new dist. cap & rotor	A,B,C,D	
Change differential fluid	A,B,C,D	
Check Exhaust and EGR system	A,B,C,D	
Check and service fuel & evap. System	A,B,C,D	
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D	
Post service test drive (5 miles)	A,B,C,D	


Technician's Signature: Sean Thompson Date: 1/28/19
 Supervisor's Signature: [Signature] Date: 1/28/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 3102 Repair Reason: 8 Date and Time in: 8
Date: 2/27/20 Work Class: 7 Date and Time Finished: 7

Mileage in: 275 894
Mileage out: 275 895

Complaints/Defects:

PMED

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
D	58	PMTD		D	55	5N20	engine oil	65	
				D	55	LF3681	oil filter	1	
				D	55	AF25590	air filter	1	
				D	55	FH30	trans filter	1	
				D	55	Anderson IV	trans fluid	10	
				D	55	S6521	spark plug	8	
				D	55	BOW90	distributor fluid	5	
04	55	brake inspection		D	55	H13	headlight bulb	1	

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature 

Творчество

Employee #: 808294

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: *5902*

DATE:

PM TYPE OR WORK ORDER #:

PMID

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace left headlight bulb

[Signature]

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 275854 Mileage out: 275895



Date: 03/17/20 Vehicle #: 5102

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: 12.2 load volts: load amps:
		Batt 2 volts: 12.5 load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 03/17/20 Vehicle #: 5102Mileage in: 225894 Mileage out: 226895

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: <u>7</u> /32" L/F: <u>8</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
F		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
F		R/RO: <u>10</u> /32" L/RO: <u>10</u> /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
F		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift Inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	F
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date 03/17/20

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.