



Ford Motor Company
Ford Customer Service Division
P. O. Box 1904
Dearborn, Michigan 48121-1904



771044361315

5482/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

March 2020

Customer Satisfaction Program 19B40

Your Vehicle Identification Number (VIN): See Listing

At Ford Motor Company, we are committed not only to building high quality, dependable products, but also to building a community of happy, satisfied customers. To demonstrate that commitment, we are providing a no-charge Customer Satisfaction Program for your vehicle with the VIN shown above.

Why are you receiving this notice?

On your vehicle, the single-engaging coast one-way clutch (OWC) inside the transmission may experience a weld concern.

What is the effect?

If this weld fails, it can affect the ability of the transmission to transfer torque to the wheels. If the weld failure occurs while the vehicle is moving, the vehicle will lose drive power, with all normal engine, braking and steering functionality, as if the transmission was shifted into neutral.

What will Ford and your dealer do?

If your E-Series is a shuttle bus and the **Primary Use** is transporting individuals with unique mobility issues (e.g. handicapped, physically disabled, limited mobility, young children requiring adult supervision, medical transport service), Ford Motor Company has authorized your dealer to replace the coast clutch cylinder and replace the single-engaging coast one-way clutch (OWC) with a dual-engaging OWC free of charge (parts and labor) under the terms of this program.

This Customer Satisfaction Program will be in effect until February 21, 2021 regardless of mileage. Coverage is automatically transferred to subsequent owners.

How long will it take?

The time needed for this repair is approximately one full day. However, due to service scheduling requirements, your dealer may need your vehicle for a longer period of time.

What should you do?

Please call your dealer without delay to schedule a service appointment for Customer Satisfaction Program 19B40. Provide the dealer with your VIN, which is printed near your name at the beginning of this letter.

If you do not already have a servicing dealer, you can access www.Fordowner.com for dealer addresses, maps, and driving instructions.

**What should you do?
(Continued)**

Ford Motor Company wants you to have this service action completed on your vehicle. The vehicle owner is responsible for making arrangements to have the work completed. Ford Motor Company can deny coverage for any vehicle damage that may result from the failure to have this service action performed on a timely basis. Therefore, please have this service action performed as soon as possible.

NOTE: You can receive information about Recalls and Customer Satisfaction Programs through our FordPass App. The app can be downloaded through the App Store or Google Play. In addition there are other features such as reserving and paying for parking in certain locations and controlling certain functions on your vehicle (lock or unlock doors, remote start) if it is equipped to allow control.

**Have you previously
paid for this repair?**

If you have previously paid for a repair that addresses the issue described in this letter, you may still need to have this service performed. Please contact your dealer to determine whether the updated parts were installed during the previous repair.

If the previously paid for repair was performed before the date of this letter, you may be eligible for a refund. Refunds will only be provided for service related to a 5R110W transmission coast clutch cylinder failure and one-way clutch replacement on shuttle bus vehicles equipped with a 5.4L Engine, which have a primary use to transport individuals with unique mobility issues such as the elderly or handicapped. To verify eligibility and expedite reimbursement, give your paid original receipt to your dealer before **February 21, 2021**. To avoid delays, do not send receipts to Ford Motor Company.

**What if you no longer
own this vehicle?**

If you no longer own this vehicle, and have an address for the current owner, please forward this letter to the new owner.

You received this notice because our records, which are based primarily on state registration and title data, indicate that you are the current owner.

**Can we assist you
further?**

If you have difficulties getting your vehicle repaired promptly and without charge, please contact your dealership's Service Manager for assistance.

RETAIL OWNERS: If you have questions or concerns, please contact our **Ford Customer Relationship Center at 1-866-436-7332** and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.Fordowner.com.

For the hearing impaired call 1-800-232-5952 (TDD). Representatives are available Monday through Friday: 8:00AM – 8:00PM (Eastern Time).

FLEET OWNERS: If you have questions or concerns, please contact our **Fleet Customer Information Center at 1-800-34-FLEET**, choose Option #3, and one of our representatives will be happy to assist you. If you wish to contact us through the Internet, our address is: www.fleet.ford.com.

Representatives are available Monday through Friday: 8:00AM - 8:00PM (Eastern Time).

Thank you for your attention to this important matter.

Ford Customer Service Division



Ford Motor Company
División de Servicio al Cliente de Ford
P. O. Box 1904
Dearborn, Michigan 48121



771044361315

5484/000001093/000000006



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

Marzo de 2020

Programa de satisfacción del cliente 19B40

Número de identificación del vehículo (VIN): Vea el listado

El compromiso de Ford Motor Company no es solo fabricar productos confiables y de alta calidad, sino también lograr la plena satisfacción del cliente. Para demostrar este compromiso, le ofrecemos el Programa de satisfacción del cliente sin costo alguno para su vehículo con el VIN que aparece más arriba.

¿Por qué usted recibe este aviso?

El embrague de un solo giro (OWC) de inercia de acoplamiento único en el interior de la transmisión de su vehículo podría experimentar un problema de soldadura.

¿Cuál es el efecto?

Si esta soldadura presenta problemas, la capacidad de la transmisión de transferir la torsión a las ruedas traseras podría verse afectada. Si la soldadura falla cuando el vehículo está en movimiento, este podría perder la potencia de impulsión, con todas las funciones del motor, frenado y dirección normales, como si la transmisión se cambiara a neutral.

¿Qué medidas adoptarán Ford y su distribuidor?

Si su E-Series es un autobús de transporte y su uso principal es trasladar personas con problemas únicos de movilidad (por ejemplo, personas con discapacidad, impedimentos físicos, movilidad limitada, niños que requieren supervisión de un adulto, servicio de transporte médico), Ford Motor Company ha autorizado a su distribuidor a reemplazar el cilindro del embrague de inercia y reemplazar el embrague de un solo giro (OWC) de inercia de acoplamiento único con el OWC de acoplamiento doble, sin costo alguno (piezas y mano de obra), conforme a los términos de este programa.

Este Programa de satisfacción del cliente tendrá vigencia hasta el 21 de febrero de 2021, independientemente del millaje. La cobertura se transfiere automáticamente a los siguientes propietarios.

¿Cuánto tiempo tomará?

El tiempo necesario para realizar esta reparación es, aproximadamente, un día. Sin embargo, debido a los requisitos de planificación de servicio, es posible que su distribuidor tarde un poco más.

¿Qué debe hacer?

Llame a su distribuidor lo antes posible para que programe una cita de servicio para realizar el Programa de satisfacción del cliente 19B40. Proporcione el VIN a su distribuidor, el cual está impreso debajo de sus datos al comienzo de esta carta.

Si aún no tiene un distribuidor para realizar el servicio, puede acceder a www.Fordowner.com para conocer las direcciones de los distribuidores, ver mapas y obtener las instrucciones para llegar.

**¿Qué debe hacer?
(continuación)**

Ford Motor Company le recomienda realizar esta acción de servicio en su vehículo. El propietario del vehículo es responsable de realizar los arreglos para llevar a cabo el trabajo. Ford Motor Company puede negar la cobertura en caso de que el vehículo hubiese sufrido daños por no haber realizado la acción de servicio de manera oportuna. Por lo tanto, le solicitamos que realice esta acción de servicio lo antes posible.

NOTA: puede recibir información sobre las campañas y los programas de satisfacción del cliente a través de la aplicación FordPass. La aplicación se puede descargar a través de App Store o Google Play. Adicionalmente, existen otras funciones, como reserva y pago de estacionamientos en ciertos lugares, además de control de ciertas funciones en el vehículo (bloqueo y desbloqueo de puertas, arranque remoto) si así está equipado para permitir el control.

**¿Ha pagado
anteriormente por esta
reparación?**

Si usted ha pagado previamente por la reparación que aborda el problema descrito en esta carta, igualmente debería realizar este servicio. Póngase en contacto con su distribuidor para determinar si las piezas actualizadas se instalaron durante la reparación previa.

Si el pago por esta reparación se efectuó antes de la fecha de esta carta, podrá solicitar un reembolso. Solo se otorgarán reembolsos por servicios relacionados con desperfectos del cilindro del embrague de inercia de la transmisión 5R110W y el reemplazo del embrague de un solo giro en autobuses de transporte equipados con motor 5.4L, cuyo uso principal sea trasladar personas con problemas únicos de movilidad, como ancianos o discapacitados. Para comprobar si cumple con los requisitos y agilizar el reembolso, entregue el recibo de pago original a su distribuidor antes del **21 de febrero de 2021**. Para evitar demoras, no envíe los recibos a Ford Motor Company.

**¿Qué pasa si usted ya
no es el propietario
del vehículo?**

Si usted ya no es el propietario del vehículo y tiene la dirección del propietario actual, le solicitamos que le reenvíe esta carta.

Este aviso lo recibió porque en nuestros archivos, basados principalmente en datos de registro y propiedad de los EE. UU., aparece usted como el propietario actual.

**¿Podemos hacer algo
más por usted?**

Si tiene problemas para reparar de inmediato su vehículo y sin costo alguno, comuníquese con el gerente de servicio de su distribuidor para solicitar ayuda.

PROPIETARIOS MINORISTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Relación con Clientes Ford al 1-866-436-7332** y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.Fordowner.com.

Las personas con problemas de audición pueden llamar al 1-800-232-5952 (TDD). Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

PROPIETARIOS DE FLOTAS: Si tiene dudas o preguntas, comuníquese con nuestro **Centro de Información a Clientes de flotas al 1-800-34-FLEET**, elija la opción n.º 3 y uno de nuestros representantes con gusto lo atenderá. Si desea comunicarse con nosotros a través de Internet, nuestra dirección es: www.fleet.ford.com.

Los representantes atienden de lunes a viernes, 8:00 a.m. a 8:00 p.m. (hora del este).

Gracias por su atención en este asunto sumamente importante.

Ford, División de Servicio al Cliente



BOARD OF COUNTY COMMISSIONERS
301 N OLIVE AVE RM 206
WEST PALM BEACH, FL 33401-4700

1	1FDEE3FLXFDA00708	2015 E-350 Econoline	5116
2	1FDEE3FL0FDA00698	2015 E-350 Econoline	5106
3	1FDEE3FL0FDA02970	2015 E-350 Econoline	5123
4	1FDEE3FL0FDA02760	2015 E-350 Econoline	5406
5	1FDEE3FL0FDA06811	2015 E-350 Econoline	5422
6	1FDEE3FL0FDA04217	2015 E-350 Econoline	5407
7	1FDEE3FL0FDA04220	2015 E-350 Econoline	5408 Retired
8	1FDEE3FL1FDA00712	2015 E-350 Econoline	5120
9	1FDEE3FL1FDA00709	2015 E-350 Econoline	5117
10	1FDEE3FL2FDA00699	2015 E-350 Econoline	5107
11	1FDEE3FL2FDA02968	2015 E-350 Econoline	5121
12	1FDEE3FL2FDA02758	2015 E-350 Econoline	5404
13	1FDEE3FL2FDA06812	2015 E-350 Econoline	5413
14	1FDEE3FL2FDA06809	2015 E-350 Econoline	5412
15	1FDEE3FL3FDA02977	2015 E-350 Econoline	5130
16	1FDEE3FL3FDA02980	2015 E-350 Econoline	5133 Retired
17	1FDEE3FL3FDA00694	2015 E-350 Econoline	5102
18	1FDEE3FL4FDA00705	2015 E-350 Econoline	5113
19	1FDEE3FL4FDA02759	2015 E-350 Econoline	5402
20	1FDEE3FL5FDA00695	2015 E-350 Econoline	5103
21	1FDEE3FL7FDA00696	2015 E-350 Econoline	5104
22	1FDEE3FL7FDA04215	2015 E-350 Econoline	5411
23	1FDEE3FL8FDA07110	2015 E-350 Econoline	5147 Retired
24	1FDEE3FL9FDA02983	2015 E-350 Econoline	5136
25	1FDEE3FL9FDA02756	2015 E-350 Econoline	5405

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (00094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 2113 Repair Reason: A Date and Time In: 292 786
Date: 10/7/20 Work Class: 1 Date and Time Finished: 292 787

Complaints/Defects: PMI A Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
		PM A		A	SS	VV1700	Engine Oil	600	
				A	SS	LF3681	Oil Filter	1	
				A	SS	2020694	Tire	2	
		Brake Inspection							
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Smith Signature: [Signature]
ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]

Replaced two rear tires


Driver side inside mirror cover missing

Brake booster ~~have~~ a leak

Front bumper have a dent

MECHANIC'S SIGNATURE		DESCRIPTION OF REPAIR NEEDED	
DATE: 10/2/90		COMPLETED BY	DATE
BUS #: 5113		COMPLETED	
PM TYPE OR WORK ORDER #:			

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **892786**

Mileage out: **892786**



Vehicle #: **5713**

Date: **10/7/20**

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Date and Time in : 9:00

Date and Time Finished:

Date and Time Finished: _____

Mileage out: 17766

Notes/Measurements

234

⑦

Labor Information

[illegible]

<i>I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.</i> Employee #: <u>816534</u> Technician: <u>Shawn M. [Signature]</u>	Total Parts Cost: <u> </u>
---	--

ASE Employee #: 60452 ASE Technician: _____

ASE Signature:

PM DEFECT SHEET



MECHANIC'S SIGNATURE 		BUS #: 5113 DATE: 06/04/18 PM TYPE OR WORK ORDER #:
--------------------------	--	---

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	--------------	------------------------------

06/04/18	06/04/18	① oil plug head replacing checking, check and replace oil plug all ok at this time
06/04/18	06/04/18	② engine check right on check and steer vehicle all ok require right out
06/04/18	06/04/18	③ check vehicle tie strap for ⑤ on vehicle all ok
06/04/18	06/04/18	④ check Air front door all ok at this time



Preventive Maintenance Inspection and Service Checklist

Date: 06/04/18 Vehicle #: 5113

Circle Service Type: A B C D

Mileage in: 177967 Mileage out: 178969

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **177967** Mileage Out: **177964**



Vehicle #: **5113**

Date: **06/04/18**

Item Inspected	Service Performed	Technician Initials
30) Front brake condition and mounting	A,B,C,D Change oil and filter	W/4
31) Front brake lining condition & measurement	A,B,C,D Lube chassis and suspension	W/4
32) Rear brake condition and mounting	A,B,C,D Lube drive shafts and universal joints	W/4
33) Rear brake lining condition & measurement	A,B,C,D Lube doors and hood, locks and hinges	W/4
Pads R/R: 6 /32"	A,B,C,D Adjust service and parking brakes	W/4
Shoes R/R: /32"	A,B,C,D Drain water from separator	W/4
34) Tire and wheel condition and measurements	A,B,C,D Rotate tires (as necessary, caps on rear)	W/4
R/F: 6 /32"	B,C,D Change fuel filter	
R/R: 10 /32"	B,C,D Clean or change PCV valve	
L/R: 10 /32"	B,C,D Clean or change crank case filter	
L/R: 10 /32"	B,C,D Install new wiper blades	
Air pressure adjustment FR. 65 RR. 70	C,D Change transmission fluid and filter	
Wheel torque specs used: 40 ft. lbs.	C,D Service front wheel bearings	
	C,D Drain water from fuel tank	
	D Replace accessory drive belts	
	D Service and flush cooling system	
	D Install new spark plugs & wires	
	D Install new dist. cap & rotor	
	D Change differential fluid	
	D Check Exhaust and EGR system	
	D Check and service fuel & evap. System	
	D Evac and recharge A/C (add 1 oz. of oil)	
	A,B,C,D Post service test drive (20 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature


Date: **06/04/18**

Date: **6/5/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

360 Campus Lane
Fairfield, CA 94534



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, Florida, 33407

2007 1540

Vehicle #: 5113 Repair Reason: A Date and Time in: 20:45 Mileage in: 192012
Date: 20/07/18 Work Class: 1 Date and Time Finished: 22:30 Mileage out: 192015

Complaints/Defects:

Notes/Measurements:

Task	WAC	Repair Description/Comments	Hours
------	-----	-----------------------------	-------

DMT

④

Task	WAC	Part Number	Description	Qty	Cost
A	55	52-20	Oil	6.5	
A	55	LF 3681	Oil filter	1	
A	55	H13	Speedump Bulb	1	

57

20

A	55
A	55
A	55

55	52-20
55	LF 3681
55	H13

Oil filter 1
Headlamp Bulb 1

6-5	1	1
-----	---	---

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534

Technician: Sham Signature: Sham

60 + 12

2

23



PM DEFECT SHEET



MECHANIC'S SIGNATURE

[Signature]

BUS #:

5113

DATE:

09/10/18

PM TYPE OR WORK ORDER #:

DATE COMPLETED

COMPLETED BY

DESCRIPTION OF REPAIR NEEDED

④ diff. door handle loose
check fix all ok.

⑤ Head X-ray seat check
replace bulb all ok

09/10/18

[Signature]

09/10/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Date: 09/10/18 Vehicle #: 5113 Mileage in: 192012 Mileage out: 192015

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **1920** Mileage out: **1920 15**



Date: **09/10/18** Vehicle #: **5113**

P	F	Item Inspected	Service Type
		30) Front brake condition and mounting	A,B,C,D
		31) Front brake lining condition & measurement	A,B,C,D
		Pads R/F: 10 /32" L/F: 10 /32"	A,B,C,D
		32) Rear brake condition and mounting	A,B,C,D
		33) Rear brake lining condition & measurement	A,B,C,D
		Pads R/R: 5 /32" L/R: 5 /32"	A,B,C,D
		34) Tire and wheel condition and measurements	A,B,C,D
		R/F: 10 /32" L/F: 10 /32"	A,B,C,D
		R/R: 6 /32" L/R: 6 /32"	A,B,C,D
		R/RO: 6 /32" L/RO: 7 /32"	A,B,C,D
		35) Lug nuts condition	A,B,C,D
		Air pressure adjustment FR. 70 RR. 70	A,B,C,D
		Wheel torque specs used: 140 ft. lbs.	A,B,C,D
		G) Lift inspection	
		1) Lift operation (fully stowed to fully deployed)	A,B,C,D
		2) Lift control pendant condition and operation	A,B,C,D
		3) Lift restraint belt condition and operation	A,B,C,D
		4) Outer roll stop condition and operation	A,B,C,D
		5) Inner roll stop condition and operation	A,B,C,D
		6) Platform adjustments, condition and mounting	A,B,C,D
		7) Stander arm condition and operation	A,B,C,D
		8) Proper signage and decals	A,B,C,D
		9) Manual backup pump condition and operation	A,B,C,D
		10) Lift manual pump handle	A,B,C,D
		11) Hydraulic pump condition and operation	A,B,C,D
		12) Hydraulic lines and cylinders condition	A,B,C,D
		13) Hydraulic fluid level and condition	A,B,C,D
		14) Base plate and arms welds & pivot points	A,B,C,D
		15) Lift springs and pins condition and operation	A,B,C,D
		16) Lift safety switches and adjustments	A,B,C,D
		17) Hose and wire routing and connections	A,B,C,D
		18) Rollers and pivot point condition & operation	A,B,C,D
		19) Lift to vehicle mounting bolts and brackets	A,B,C,D
		20) Lift doors condition and operation	A,B,C,D
		21) Lift door lights condition and operation	A,B,C,D
		22) Lift interlock operation and condition	A,B,C,D
		(Lift door open, e-brake down not able to shift)	A,B,C,D
		(e-brake off lift door closed no lift power)	A,B,C,D
		23) W/C tie downs condition and operation	A,B,C,D
		24) Tie down container secure and clean	A,B,C,D
		25) Tie down floor mounting brackets secure	A,B,C,D
		26) W/C shoulder belt condition and operation	A,B,C,D
		27) Lift clean and no sharp edges	A,B,C,D
		28) Lift shields secure and in good shape	A,B,C,D
		29) Lift moves steady without drifting, jerking, or unusual speeds	A,B,C,D
		30) No unusual lift noises	A,B,C,D
		Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	A,B,C,D
		Check, torque or adjust lift base mounting bolts	A,B,C,D

Service Performed	Service Type
Change oil and filter	A,B,C,D
Lube chassis and suspension	A,B,C,D
Lube drive shafts and universal joints	A,B,C,D
Lube doors and hood, locks and hinges	A,B,C,D
Adjust service and parking brakes	A,B,C,D
Drain water from separator	A,B,C,D
Rotate tires (as necessary, caps on rear)	A,B,C,D
Change air filter	A,B,C,D
Change fuel filter	A,B,C,D
Clean or change PCV valve	A,B,C,D
Clean or change crank case filter	A,B,C,D
Install new wiper blades	A,B,C,D
Change transmission fluid and filter	A,B,C,D
Service front wheel bearings	A,B,C,D
Drain water from fuel tank	A,B,C,D
Replace accessory drive belts	A,B,C,D
Service and flush cooling system	A,B,C,D
Install new spark plugs & wires	A,B,C,D
Install new dist. cap & rotor	A,B,C,D
Change differential fluid	A,B,C,D
Check Exhaust and EGR system	A,B,C,D
Check and service fuel & evap. System	A,B,C,D
Evac and recharge A/C (add 1 oz. of oil)	A,B,C,D
Post service test drive (miles)	A,B,C,D

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MECHANICS SIGNATURE

COMPLETED BY	COMPLETED
DATE	

BUS #: 5113

DATE:

18/05/21



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/08/18 Vehicle #: 5113

Mileage in: 196799 Mileage out: 196799

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **196699** Mileage out: **196799**



Date: **10/05/18** Vehicle #: **5113**

Service Performed	Service Type	Technician's Initials
Change oil and filter	A,B,C,D	5
Lube chassis and suspension	A,B,C,D	5
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	N/A
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	5
Rotate tires (as necessary, caps on rear)	A,B,C,D	5
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	5

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

John Hernandez

Date

10/05/18

Supervisor's Signature

[Signature]

Date

10/11/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	5	
31) Front brake lining condition & measurement	5	
Pads R/F: 10/32" L/F: 10/32"		
32) Rear brake condition and mounting	5	
33) Rear brake lining condition & measurement	5	
Pads R/R: 4/32" L/R: 4/32"		
34) Tire and wheel condition and measurements	5	
Shoes R/R: 11/32" L/R: 11/32"		
R/F: 11/32" L/F: 11/32"		
R/R: 8/32" L/R: 8/32"		
R/RO: 6/32" L/RO: 5/32"		
35) Lug nuts condition	5	
Air pressure adjustment FR. 65 R.R. 70		
Wheel torque specs used: 140 ft. lbs.		
G) Lift inspection	5	
1) Lift operation (fully stowed to fully deployed)	5	
2) Lift control pendant condition and operation	5	
3) Lift restraint belt condition and operation	5	
4) Outer roll stop condition and operation	5	
5) Inner roll stop condition and operation	5	
6) Platform adjustments, condition and mounting	5	
7) Standee arm condition and operation	5	
8) Proper signage and decals	5	
9) Manual backup pump condition and operation	5	
10) Lift manual pump handle	5	
11) Hydraulic pump condition and operation	5	
12) Hydraulic lines and cylinders condition	5	
13) Hydraulic fluid level and condition	5	
14) Base plate and arms welds & pivot points	5	
15) Lift springs and pins condition and operation	5	
16) Lift safety switches and adjustments	5	
17) Hose and wire routing and connections	5	
18) Rollers and pivot point condition & operation	5	
19) Lift to vehicle mounting bolts and brackets	5	
20) Lift doors condition and operation	5	
21) Lift door lights condition and operation	5	
22) Lift interlock operation and condition	5	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	5	
24) Tie down container secure and clean	5	
25) Tie down floor mounting brackets secure	5	
26) W/C shoulder belt condition and operation	5	
27) Lift clean and no sharp edges	5	
28) Lift shields secure and in good shape	5	
29) Lift moves steady without drifting, jerking, or unusual speeds	5	
30) No unusual lift noises	5	
Lube all lift pivot points, barriers, linkages and bearings cleaning off all excess lube	5	
Check, torque or adjust lift base mounting bolts	5	

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



10/58 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5113 Repair Reason: _____

Vehicle #: 5113 Repair Reason: _____

Date: 12/10/18 Work Class: 1

Date and Time Finished:

2:30

Mileage in.

Mileage out: 206419

Complaints/Defects:

④ PWT

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 246181 Technician: Tom H. [Signature]

Total Parts Cost: \$1,000.00

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:

Signature [Signature] [Signature]

MECHANIC'S SIGNATURE <i>Joseph</i>	
BUS #: 5113	DATE: 12/10/18
PM TYPE OR WORK ORDER #:	
DATE COMPLETED	COMPLETED BY
DESCRIPTION OF REPAIR NEEDED	
① Valve adjusting # 8 cylinder check and replace spark plug all ok. <i>Revised</i> 12/10/18	

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 12/10/18Vehicle #: 5113Mileage in: 206417Mileage out: 206419

P	F	Item Inspected
☒		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
☒		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
☒		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
☒		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
☒		E) Under hood inspection
☒		1) Batteries & charging sys. (load alt B,C,D serv)
☒		Batt 1 volts: load volts: load amps:
☒		Batt 2 volts: load volts: load amps:
☒		Batt 3 volts: load volts: load amps:
☒		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
☒		Alt. 1 min volt: max volt: max amp:
☒		Alt. 2 min volt: max volt: max amp:
☒		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
☒		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 20647 Mileage out: 20647



Date: 12/10/18 Vehicle #: 5113

P	F	Item Inspected
3		30 Front brake condition and mounting
3		31 Front brake lining condition & measurement
3		Pads R/F: 10/32" L/F: 10/32"
3		32 Rear brake condition and mounting
3		33 Rear brake lining condition & measurement
3		Pads R/R: 10/32" L/R: 10/32"
3		Shoes R/R: 1/32" L/R: 1/32"
3		34 Tire and wheel condition and measurements
3		R/F: 9/32" L/F: 9/32"
3		R/R: 5/32" L/R: 5/32"
3		R/RO: 5/32" L/RO: 5/32"
3		35 Lug nuts condition
3		Air pressure adjustment FR. 70R.R. 70
3		Wheel torque specs used: 140 ft. lbs.
3		(G) Lift inspection
3		1 Lift operation (fully stowed to fully deployed)
3		2 Lift control pendant condition and operation
3		3 Lift restraint belt condition and operation
3		4 Outer roll stop condition and operation
3		5 Inner roll stop condition and operation
3		6 Platform adjustments, condition and mounting
3		7 Standee arm condition and operation
3		8 Proper signage and decals
3		9 Manual backup pump condition and operation
3		10 Lift manual pump handle
3		11 Hydraulic pump condition and operation
3		12 Hydraulic lines and cylinders condition
3		13 Hydraulic fluid level and condition
3		14 Base plate and arms welds & pivot points
3		15 Lift springs and pins condition and operation
3		16 Lift safety switches and adjustments
3		17 Hose and wire routing and connections
3		18 Rollers and pivot point condition & operation
3		19 Lift to vehicle mounting bolts and brackets
3		20 Lift doors condition and operation
3		21 Lift door lights condition and operation
3		22 Lift interlock operation and condition
3		(Lift door open, e-brake down not able to shift)
3		(e-brake off lift door closed no lift power)
3		23 W/C tie downs condition and operation
3		24 Tie down container secure and clean
3		25 Tie down floor mounting brackets secure
3		26 W/C shoulder belt condition and operation
3		27 Lift clean and no sharp edges
3		28 Lift shields secure and in good shape
3		29 Lift moves steady without drifting, jerking, or unusual speeds
3		30 No unusual lift noises
3		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
3		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	5
A,B,C,D	Lube chassis and suspension	5
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	5
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires (as necessary, caps on rear)	5
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. system	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	5

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Supervisor Signature

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Dallas, TX 75206



West Palm Beach, FL 33407

Basic Information

A

Date and Time in :

20:15

Mileage in: 210861

Date: 01/11/19

Work Class: I

Date and Time Finished:

26.25

Mileage out: 210862

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Kenneth M. Gray

Signature

ASE Employee #: 609182 ASE Technician: _____

ASE Signature:



MECHANIC'S SIGNATURE

MECHANIC'S SIGNATURE

BUS #: 5113
DATE:

DATE:

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE _____
COMPLETED _____



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 01/11/19 Vehicle #: 5113

Mileage in: 210861 Mileage out: 210862

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition (radio, GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
R		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
L		2) Wire and hose routing and connections
L		3) Cooling system, hoses, water pump condition
L		4) Accessory drive belts condition
L		5) Pulleys and tensioned operation & condition
R		6) Brake master cylinder and power booster
R		7) Fan and fan clutch operation and condition
R		8) Engine oil fluid level and condition
R		9) Transmission oil level and condition
R		10) Power steering fluid level and condition
R		11) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **210862** Mileage out: **210862**



Date: **01/11/19** Vehicle #: **5113**

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	R
Lube chassis and suspension	A,B,C,D	R
Lube drive shafts and universal joints	A,B,C,D	NA
Lube doors and hood, locks and hinges	A,B,C,D	R
Adjust service and parking brakes	A,B,C,D	NA
Drain water from separator	A,B,C,D	NA
Rotate tires (as necessary, caps on rear)	A,B,C,D	R
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	R

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]*
Date: *1/11/19*

Supervisor's Signature: *[Signature]*
Date: *1/11/19*

Notes:

Item Inspected	P	F
30) Front brake condition and mounting	R	
31) Front brake lining condition & measurement	R	
Pads R/F: 5 /32" L/F: 5 /32"	R	
32) Rear brake condition and mounting	R	
33) Rear brake lining condition & measurement	R	
Pads R/R: 6 /32" L/R: 6 /32"	R	
Shoes R/R: 1 /32" L/R: 1 /32"	NA	
34) Tire and wheel condition and measurements	R	
R/F: 5 /32" L/F: 5 /32"	R	
R/R: 2 /32" L/R: 2 /32"	R	
R/RO: 2 /32" L/RO: 2 /32"	R	
35) Lug nuts condition	R	
Air pressure adjustment F.R. 85 RR. 85	R	
Wheel torque specs used: 140 ft. lbs.	R	
G) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	R	
2) Lift control pendant condition and operation	R	
3) Lift restraint belt condition and operation	R	
4) Outer roll stop condition and operation	R	
5) Inner roll stop condition and operation	R	
6) Platform adjustments, condition and mounting	R	
7) Standee arm condition and operation	R	
8) Proper signage and decals	R	
9) Manual backup pump condition and operation	R	
10) Lift manual pump handle	R	
11) Hydraulic pump condition and operation	R	
12) Hydraulic lines and cylinders condition	R	
13) Hydraulic fluid level and condition	R	
14) Base plate and arms welds & pivot points	R	
15) Lift springs and pins condition and operation	R	
16) Lift safety switches and adjustments	R	
17) Hose and wire routing and connections	R	
18) Rollers and pivot point condition & operation	R	
19) Lift to vehicle mounting bolts and brackets	R	
20) Lift doors condition and operation	R	
21) Lift door lights condition and operation	R	
22) Lift interlock operation and condition	R	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation	R	
24) Tie down container secure and clean	R	
25) Tie down floor mounting brackets secure	R	
26) W/C shoulder belt condition and operation	R	
27) Lift clean and no sharp edges	R	
28) Lift shields secure and in good shape	R	
29) Lift moves steady without drifting, jerking, or unusual speeds	R	
30) No unusual lift noises	R	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	R	
Check, torque or adjust lift base mounting bolts	R	

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 1145

Dallas, TX 75206



#nn#

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

1. The first step is to identify the problem or question that needs to be answered. This involves understanding the context and the specific requirements of the task.

7

Date and Time in : 8-10

Mileage in: 220480

Date: 3/14/19 Work Class: I Date and Time Finished:

9:25

Mileage out: 220482

Complaints/Defects:

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 632995 Technician: VABW/ACT Signature: [Signature]

Employee #: 632995 Technician:

YADUVRITH

12661910

Signature

✓ Supplies

ASE Employee #: 60418 ASE Technician: _____

10

100

ASE Signature:



MECHANIC'S SIGNATURE <i>Y. S. S. S.</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #:	DATE:	COMPLETED BY	DATE
5113	3/14/19		
PM TYPE OR WORK ORDER #:			



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C DDate: 3/14/19 Vehicle #: 5113 Mileage in: 220480 Mileage out: 220482

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
Y		1) Driver carpet
Y		2) Driver seat condition and operation
Y		3) Drivers door operation and condition
Y		4) Drivers seat belt operation and condition
Y		5) Engine starting and ignition system
Y		6) Instrument panel gauges & warning lights
Y		7) Instrument panel lighting & condition
Y		8) Horn operation
Y		9) Steering wheel tight, no excessive play
Y		10) Windshield wipers
Y		11) Windshield washer
Y		12) Sun visor condition and operation
Y		13) Parking brake operation & condition
Y		14) Parking and service brake pedal pads
Y		15) Passenger door operation
Y		16) No vibrations, pulsations or noises
		B) Walk around inspection
Y		1) Body damage (list on separate sheet)
Y		2) Headlights, high & low beam operation
Y		3) Parking lights operation & condition
Y		4) Marker lights operation & condition
Y		5) Directional signals operation & condition
Y		6) Hazard lights operation & condition
Y		7) Clearance lights operation and condition
Y		8) Brake lights operation & condition
Y		9) License plate lamp operation & condition
Y		10) License plates and tags
Y		11) Backup lights and alarms
Y		12) Reflectors and reflective bumper tape
Y		13) Exterior decals and signage
Y		14) Bumpers secure / in good condition
Y		15) Exterior mirrors secure / in good condition
Y		16) Exterior clean
		C) Interior inspection
Y		1) Passenger door and steps condition
Y		2) Handrails and stanchions condition
Y		3) Interior and modesty panels condition
Y		4) Flooring condition
Y		5) Interior lighting operation and condition
Y		6) Windows operation and condition
Y		7) Emergency Exits operation & condition
Y		8) Accessory operation & condition (radio, GPS)
Y		9) Passenger seats operation & condition
Y		10) Passenger seat belts operation & condition
Y		11) First aid & body fluid kits complete
Y		12) Triangle reflectors complete/good condition
Y		13) Stop request operation & condition
Y		14) Valid registration, insurance & accident pack
Y		15) Fire extinguisher in good condition & signed
Y		16) Interior decals and signage (incl. electrical)
Y		17) DVI's reviewed, addressed and signed off
Y		18) Interior clean
		D) HVAC system inspection
Y		1) Front blower condition and operation

P	F	Item Inspected
Y		2) Rear blower condition and operation
Y		3) Defroster operation
Y		4) Temp gets to 20 deg. F below ambient temp.
Y		5) Evaporator intake air filter condition
Y		6) Front heater condition and operation
Y		7) Rear heater condition and operation
Y		8) A/C compressors and condenser fans
		E) Under hood inspection
Y		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
Y		2) Wire and hose routing and connections
Y		3) Cooling system, hoses, water pump condition
Y		5) Accessory drive belts condition
Y		6) Pulleys and tensioned operation & condition
Y		7) Brake master cylinder and power booster
Y		8) Fan and fan clutch operation and condition
Y		9) Engine oil fluid level and condition
Y		10) Transmission oil level and condition
Y		11) Power steering fluid level and condition
Y		12) Brake fluid level and condition
		F) Vehicle rack inspection
Y		1) Steering gear box mount, condition & leaks
Y		2) Steering shaft U joints
Y		3) Steering shaft bearings
Y		4) Steering linkages
Y		5) I beam or control arm movements and rivets
Y		6) Radius arm condition and bushings condition
Y		7) Stabilizer bar condition and bushings condition
Y		8) Ball joints or kingpins
Y		9) Front spring condition and mounting
Y		10) Front shock absorber operation & condition
Y		11) Trans oil cooler & lines routing and leaks
Y		12) Engine oil cooler & lines routing and leaks
Y		13) Heater and A/C hose routing and leaks
Y		14) No engine oil leaks and fluid condition
Y		15) Engine mounts, brackets and bolts
Y		16) Transmission mounts, brackets and bolts
Y		17) No transmission oil leaks and fluid condition
Y		18) Drive shaft condition
Y		19) Universal joints and carrier bearings condition
Y		20) No rear differential leaks
Y		21) Rear differential condition and mounting
Y		22) Frame and cross members
Y		23) Rear shock absorbers
Y		24) Rear springs condition and mounting
Y		25) No fuel leaks
Y		26) Fuel tank condition and mounting
Y		27) No exhaust leaks
Y		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **220482**
Mileage out: **220482**



Vehicle #: **5113**

Date: **3/14/19**

Techs Initials

Service Performed

Service Type

Change oil and filter

Lube chassis and suspension

Lube drive shafts and universal joints

Lube doors and hood, locks and hinges

Adjust service and parking brakes

Drain water from separator

Rotate tires (as necessary, caps on rear)

Change air filter

Change fuel filter

Change PCV valve

Clean or change crank case filter

Clean or change wiper blades

Change transmission fluid and filter

Service front wheel bearings

Drain water from fuel tank

Replace accessory drive belts

Service and flush cooling system

Install new spark plugs & wires

Install new dist. cap & rotor

Change differential fluid

Check Exhaust and EGR system

Check and service fuel & evaporator system

Evac and recharge A/C (add 1 oz. of oil)

A, B, C, D Post service test drive (5 miles)

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

Supervisor Signature

Date: **3/14/19**

Date: **3/15/19**

Notes:

Item Inspected

30 Front brake condition and mounting

31 Front brake lining condition & measurement

Pads R/F: **7** / 32" L/F: **7** / 32"

32 Rear brake condition and mounting

33 Rear brake lining condition & measurement

Pads R/R: **6** / 32" L/R: **6** / 32"

Shoes R/R: **1** / 32" L/R: **1** / 32"

34 Tire and wheel condition and measurements

R/F: **9** / 32" L/F: **9** / 32"

R/R: **8** / 32" L/R: **7** / 32"

R/RO: **5** / 32" L/RO: **8** / 32"

35 Lug nuts condition

Air pressure adjustment FR. **70** RR. **70**

Wheel torque specs used: **140** ft. lbs.

G) Lift inspection

1 Lift operation (fully stowed to fully deployed)

2 Lift control pendant condition and operation

3 Lift restraint belt condition and operation

4 Outer roll stop condition and operation

5 Inner roll stop condition and operation

6 Platform adjustments, condition and mounting

7 Standee arm condition and operation

8 Proper signage and decals

9 Manual backup pump condition and operation

10 Lift manual pump handle

11 Hydraulic pump condition and operation

12 Hydraulic lines and cylinders condition

13 Hydraulic fluid level and condition

14 Base plate and arms welds & pivot points

15 Lift springs and pins condition and operation

16 Lift safety switches and adjustments

17 Hose and wire routing and connections

18 Rollers and pivot point condition & operation

19 Lift to vehicle mounting bolts and brackets

20 Lift doors condition and operation

21 Lift door lights condition and operation

22 Lift interlock operation and condition

(Lift door open, e-brake down not able to shift)

(e-brake off lift door closed no lift power)

23 W/C tie downs condition and operation

24 Tie down container secure and clean

25 Tie down floor mounting brackets secure

26 W/C shoulder belt condition and operation

27 Lift clean and no sharp edges

28 Lift shields secure and in good shape

29 Lift moves steady without drifting, jerking, or unusual speeds

30 No unusual lift noises

Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube

Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



#947

Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113

Repair Reason: A

Date and Time in

19:00

Mileage in: 223.129
Mileage out: 225.430

Date: 4/13/19

Work Class:

Date and Time Finished:

21.00

Mileage out. 220.00

Complaints/Defects:

PMI R

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc.-approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 58181 Technician: Don Therapide Signature: [Signature]

Employee #: 876187 Technician:

Don't forget

Signature _____

ASE Employee #: 60492 ASE Technician: 4

Debra

ASE signature:

10

DATE	COMPLETED BY	DESCRIPTION OF REPAIR NEEDED
------	--------------	------------------------------

4-13-19	check vehicle front bumper	got Hate.
---------	----------------------------	-----------



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 04-13-19 Vehicle #: 5113Mileage in: 225429 Mileage out: 225430

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			2) Rear blower condition and operation
		1) Driver carpet			3) Defroster operation
		2) Driver seat condition and operation			4) Temp gets to 20 deg. F below ambient temp.
		3) Drivers door operation and condition			5) Evaporator intake air filter condition
		4) Drivers seat belt operation and condition			6) Front heater condition and operation
		5) Engine starting and ignition system			7) Rear heater condition and operation
		6) Instrument panel gauges & warning lights			8) A/C compressors and condenser fans
		7) Instrument panel lighting & condition			E) Under hood inspection
		8) Horn operation			1) Batteries & charging sys. (load alt B,C,D serv)
		9) Steering wheel tight, no excessive play			Batt 1 volts: load volts: load amps:
		10) Windshield wipers			Batt 2 volts: load volts: load amps:
		11) Windshield washer			Batt 3 volts: load volts: load amps:
		12) Sun visor condition and operation			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		13) Parking brake operation & condition			Alt. 1 min volt: max volt: max amp:
		14) Parking and service brake pedal pads			Alt. 2 min volt: max volt: max amp:
		15) Passenger door operation			(reference factory service manual for alternator spec)
		16) No vibrations, pulsations or noises			2) Wire and hose routing and connections
		B) Walk around inspection			3) Cooling system, hoses, water pump condition
		1) Body damage (list on separate sheet)			5) Accessory drive belts condition
		2) Headlights, high & low beam operation			6) Pulleys and tensioned operation & condition
		3) Parking lights operation & condition			7) Brake master cylinder and power booster
		4) Marker lights operation & condition			8) Fan and fan clutch operation and condition
		5) Directional signals operation & condition			9) Engine oil fluid level and condition
		6) Hazard lights operation & condition			10) Transmission oil level and condition
		7) Clearance lights operation and condition			11) Power steering fluid level and condition
		8) Brake lights operation & condition			12) Brake fluid level and condition
		9) License plate lamp operation & condition			F) Vehicle rack inspection
		10) License plates and tags			1) Steering gear box mount, condition & leaks
		11) Backup lights and alarms			2) Steering shaft U joints
		12) Reflectors and reflective bumper tape			3) Steering shaft bearings
		13) Exterior decals and signage			4) Steering linkages
		14) Bumpers secure / in good condition			5) I beam or control arm movements and rivets
		15) Exterior mirrors secure / in good condition			6) Radius arm condition and bushings condition
		16) Exterior clean			7) Stabilizer bar condition and bushings condition
		C) Interior inspection			8) Ball joints or kingpins
		1) Passenger door and steps condition			9) Front spring condition and mounting
		2) Handrails and stanchions condition			10) Front shock absorber operation & condition
		3) Interior and modesty panels condition			11) Trans oil cooler & lines routing and leaks
		4) Flooring condition			12) Engine oil cooler & lines routing and leaks
		5) Interior lighting operation and condition			13) Heater and A/C hose routing and leaks
		6) Windows operation and condition			14) No engine oil leaks and fluid condition
		7) Emergency Exits operation & condition			15) Engine mounts, brackets and bolts
		8) Accessory operation & condition (radio, GPS)			16) Transmission mounts, brackets and bolts
		9) Passenger seats operation & condition			17) No transmission oil leaks and fluid condition
		10) Passenger seat belts operation & condition			18) Drive shaft condition
		11) First aid & body fluid kits complete			19) Universal joints and carrier bearings condition
		12) Triangle reflectors complete/good condition			20) No rear differential leaks
		13) Stop request operation & condition			21) Rear differential condition and mounting
		14) Valid registration, insurance & accident pack			22) Frame and cross members
		15) Fire extinguisher in good condition & signed			23) Rear shock absorbers
		16) Interior decals and signage (incl. electrical)			24) Rear springs condition and mounting
		17) DVI's reviewed, addressed and signed off			25) No fuel leaks
		18) Interior clean			26) Fuel tank condition and mounting
		D) HVAC system inspection			27) No exhaust leaks
		1) Front blower condition and operation			28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage in: **225429** Mileage out: **225430**

Date: **04-13-19** Vehicle #: **5113**



Item Inspected

P	F	30) Front brake condition and mounting	
		31) Front brake lining condition & measurement	
		Pads R/F: 6 / 32" L/F: 5 / 32"	
		32) Rear brake condition and mounting	
		33) Rear brake lining condition & measurement	
		Pads R/R: 6 / 32" L/R: 6 / 32"	
		34) Tire and wheel condition and measurements	
		Shoes R/R: 1/32" L/R: 1/32"	
		R/F: 2 / 32" L/F: 9 / 32"	
		R/R: 2 / 32" L/R: 5 / 32"	
		R/R: 9 / 32" L/R: 9 / 32"	
		35) Lug nuts condition	
		Air pressure adjustment FR. 70 PSI	
		Wheel torque specs used: 140 ft. lbs.	
		(C) Lift inspection	

		1) Lift operation (fully stowed to fully deployed)	
		2) Lift control pendant condition and operation	
		3) Lift restraint belt condition and operation	
		4) Outer roll stop condition and operation	
		5) Inner roll stop condition and operation	
		6) Platform adjustments, condition and mounting	
		7) Standee arm condition and operation	
		8) Proper signage and decals	
		9) Manual backup pump condition and operation	
		10) Lift manual pump handle	
		11) Hydraulic pump condition and operation	
		12) Hydraulic lines and cylinders condition	
		13) Hydraulic fluid level and condition	
		14) Base plate and arms welds & pivot points	
		15) Lift springs and pins condition and operation	
		16) Lift safety switches and adjustments	
		17) Hose and wire routing and connections	
		18) Rollers and pivot point condition & operation	
		19) Lift to vehicle mounting bolts and brackets	
		20) Lift doors condition and operation	
		21) Lift door lights condition and operation	
		22) Lift interlock operation and condition	
		(Lift door open, e-brake down not able to shift)	
		(e-brake off lift door closed no lift power)	
		23) W/C the downs condition and operation	
		24) The down container secure and clean	
		25) The down floor mounting brackets secure	
		26) W/C shoulder belt condition and operation	
		27) Lift clean and no sharp edges	
		28) Lift shields secure and in good shape	
		29) Lift moves steady without drifting, jerking, or unusual speeds	
		30) No unusual lift noises	
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	
		Check, torque or adjust lift base mounting bolts	

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: **Leon Hernandez** Date: **04-13-19**
Supervisor Signature: **[Signature]** Date: **4/13/19**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206

West Palm Beach, FL 33407



Vehicle #:	5113	Repair Reason:
------------	------	----------------

Date and Time in : 19:30

Date: 06/08/19 Work Class: Date and Time Finished:

Mileage out: 235524

22

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725

Technician:

Signature _____

Signature of the person who has been notified

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5113

DATE: 06/18/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 235524 Mileage out: 235524



Date: 06/18/19 Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: 06/18/19 Vehicle #: 5113Mileage in: 235524 Mileage out: 235524

P	F	Item Inspected	ServType	Service Performed	Techs Initials
R		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	R
R		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	R
R		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"	A,B,C,D	Lube drive shafts and universal joints	NA
R		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	R
R		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	R
R		Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"	A,B,C,D	Drain water from separator	NA
NA		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	R
		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
R		R/F: <u>5</u> /32" L/F: <u>6</u> /32"	B,C,D	Change fuel filter	
R		R/R: <u>5</u> /32" L/R: <u>4</u> /32"	B,C,D	Clean or change PCV valve	
R		R/RO: <u>5</u> /32" L/RO: <u>7</u> /32"	B,C,D	Clean or change crank case filter	
		35) Lug nuts condition	B,C,D	Install new wiper blades	
R		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
R		Wheel torque specs used: <u>140</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
R		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
R		2) Lift control pendant condition and operation	D	Service and flush cooling system	
R		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
R		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
R		5) Inner roll stop condition and operation	D	Change differential fluid	
R		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
R		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
R		8) Proper signage and decals	D	Evac and recharge A/C (add 1.oz. of oil)	
R		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	R
R		10) Lift manual pump handle			
R		11) Hydraulic pump condition and operation			
R		12) Hydraulic lines and cylinders condition			
R		13) Hydraulic fluid level and condition			
R		14) Base plate and arms welds & pivot points			
R		15) Lift springs and pins condition and operation			
R		16) Lift safety switches and adjustments			
R		17) Hose and wire routing and connections			
R		18) Rollers and pivot point condition & operation			
R		19) Lift to vehicle mounting bolts and brackets			
R		20) Lift doors condition and operation			
R		21) Lift door lights condition and operation			
R		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
R		23) W/C tie downs condition and operation			
R		24) Tie down container secure and clean			
R		25) Tie down floor mounting brackets secure			
R		26) W/C shoulder belt condition and operation			
R		27) Lift clean and no sharp edges			
R		28) Lift shields secure and in good shape			
R		29) Lift moves steady without drifting, jerking, or unusual speeds			
R		30) No unusual lift noises			
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
R		Check, torque or adjust lift base mounting bolts			

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

06/18/2019
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113 Repair Reason: A Date and Time in: _____
Date: 7/26/2008 Work Class: _____ Date and Time Finished: _____

Mileage in: 240221
Mileage out: 240222

Complaints/Defects:

Notes/Measurements:

Labor Information

<i>Labor Information</i>			
Task	WAC	Repair Description/Comments	Hours
A	58	PWT A	
A	04	BRAKE INSPECTION	
Total Hours Worked:			

Parts Information

[illegible]

Total Hours Worked:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: _____

Signature

FF

ASE Employee #:

ASE Technician:

ASE Signature:



PM DEFECT SHEET



[Signature] / FF
MECHANIC'S SIGNATURE

BUS #: 5113

DATE: 07/26/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A** B C D

Mileage in: 240221

Mileage out: 240222



Date: 07/26/2019 Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.5v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 07/26/2019 Vehicle #: 5113Mileage in: 240221 Mileage out: 240222

P	F	Item Inspected
<u>F</u>		30) Front brake condition and mounting
<u>F</u>		31) Front brake lining condition & measurement
<u>F</u>		Pads R/F: <u>7</u> /32" L/F: <u>7</u> /32"
<u>F</u>		32) Rear brake condition and mounting
<u>F</u>		33) Rear brake lining condition & measurement
<u>F</u>		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
<u>NA</u>		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
<u>F</u>		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
<u>F</u>		R/RI: <u>5</u> /32" L/RI: <u>5</u> /32"
<u>F</u>		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
<u>F</u>		Air pressure adjustment FR. <u>65</u> RR. <u>75</u>
<u>F</u>		Wheel torque specs used: <u>120</u> ft. lbs.
		G) Lift Inspection
<u>F</u>		1) Lift operation (fully stowed to fully deployed)
<u>F</u>		2) Lift control pendant condition and operation
<u>F</u>		3) Lift restraint belt condition and operation
<u>F</u>		4) Outer roll stop condition and operation
<u>F</u>		5) Inner roll stop condition and operation
<u>F</u>		6) Platform adjustments, condition and mounting
<u>F</u>		7) Standee arm condition and operation
<u>F</u>		8) Proper signage and decals
<u>F</u>		9) Manual backup pump condition and operation
<u>F</u>		10) Lift manual pump handle
<u>F</u>		11) Hydraulic pump condition and operation
<u>F</u>		12) Hydraulic lines and cylinders condition
<u>F</u>		13) Hydraulic fluid level and condition
<u>F</u>		14) Base plate and arms welds & pivot points
<u>F</u>		15) Lift springs and pins condition and operation
<u>F</u>		16) Lift safety switches and adjustments
<u>F</u>		17) Hose and wire routing and connections
<u>F</u>		18) Rollers and pivot point condition & operation
<u>F</u>		19) Lift to vehicle mounting bolts and brackets
<u>F</u>		20) Lift doors condition and operation
<u>F</u>		21) Lift door lights condition and operation
<u>F</u>		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
<u>P</u>		23) W/C tie downs condition and operation
<u>F</u>		24) Tie down container secure and clean
<u>F</u>		25) Tie down floor mounting brackets secure
<u>F</u>		26) W/C shoulder belt condition and operation
<u>F</u>		27) Lift clean and no sharp edges
<u>F</u>		28) Lift shields secure and in good shape
<u>F</u>		29) Lift moves steady without drifting, jerking, or unusual speeds
<u>F</u>		30) No unusual lift noises
<u>F</u>		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
<u>F</u>		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>F</u>
A,B,C,D	Lube chassis and suspension	<u>F</u>
A,B,C,D	Lube drive shafts and universal joints	<u>NA</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>F</u>
A,B,C,D	Adjust service and parking brakes	<u>F</u>
A,B,C,D	Drain water from separator	<u>NA</u>
A,B,C,D	Rotate tires(as necessary, caps on rear)	<u>F</u>
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature FF Date 07/26/2019


Supervisor Signature _____ Date _____

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407



Mileage in: 249859

Mileage out: 249.8600

Notes/Measurements:

Parts Information					
Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	6.5	
A	55	LF3681	OIL FILTER	1	
A	55	9008	HEADLAMP BULB	1	
A	55	2001831	TIRE	4	
Total Parts Cost:					

ASE Signature: _____



PM DEFECT SHEET



Rocky Murray
MECHANIC'S SIGNATURE

BUS #: 5113

DATE: 10/1/19

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Minor scratches

HEADLIGHT BULB DRIVER SIDE OUT

Rocky Murray

10/1/19

REAR TIRES INNER+OUTERS 1/32

Rocky Murray

10/1/19



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: **10/1/19**Vehicle #: **5113**Mileage in: **249859**Mileage out: **249840**

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 8 /32" L/F: 8 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 6 /32" L/R: 6 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 6 /32" L/F: 6 /32"
R	X	R/R: 1 /32" L/R: 1 /32"
R	X	R/RO: 1 /32" L/RO: 1 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 65 RR. 75
R		Wheel torque specs used: 140 ft. lbs.
		G) Lift Inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

[Signature]
Technician's Signature

10/1/19
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Central Expy Way Suite 1145
Dallas, TX 75206



#2406 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113 Repair Reason: _____ Date and Time in: _____
Date: _____ Work Class: _____ Date and Time Finished: _____

Mileage in: 254661
Mileage out: 254866

Complaints/Defects:

complete or performs PMIA

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
		REPLACE L side Headlight Bulb	
		REPLACE REAR BRAKE PADS	
		REPLACE oil filter	
		REPLACE motor oil	
Total Hours Worked:			

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
		9008 / H13		1	
		9C27-2V201-B	SM1328	1	
		LF3681		1	
		5W30		7	
Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 813708 Technician: Carver, Massie Signature _____

ASE Employee #: _____ ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



Carne Masse
MECHANIC'S SIGNATURE

BUS #: *5113*

DATE: *10-30-19*

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

GEAR BOX IS LOOSING

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: **25466**

Mileage out: **25466**

Date: **10-30-19** Vehicle #: **5113**



P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation & condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: 12.5 load volts: 12.5 load amps:
		Batt 2 volts: 12.5 load volts: 12.5 load amps:
		Batt 3 volts: 12.5 load volts: 12.5 load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting
P	F	Item Inspected



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10-30-19 Vehicle #: 5113

Mileage in: 254661

Mileage out: 254665

P	F	Item Inspected	ServType	Service Performed	Techs Initials
✓		30) Front brake condition and mounting	A,B,C,D	Change oil and filter	cm
✓		31) Front brake lining condition & measurement	A,B,C,D	Lube chassis and suspension	cm
✓		Pads R/F: <u>8</u> /32" L/F: <u>8</u> /32"	A,B,C,D	Lube drive shafts and universal joints	cm
✓		32) Rear brake condition and mounting	A,B,C,D	Lube doors and hood, locks and hinges	cm
✓		33) Rear brake lining condition & measurement	A,B,C,D	Adjust service and parking brakes	cm
✓		Pads R/R: <u>2</u> /32" L/R: <u>2</u> /32"	A,B,C,D	Drain water from separator	cm
✓		Shoes R/R: <u>1</u> /32" L/R: <u>1</u> /32"	A,B,C,D	Rotate tires(as necessary, caps on rear)	cm
✓		34) Tire and wheel condition and measurements	B,C,D	Change air filter	
✓		R/F: <u>10</u> /32" L/F: <u>10</u> /32"	B,C,D	Change fuel filter	
✓		R/RI: <u>8</u> /32" L/RI: <u>8</u> /32"	B,C,D	Clean or change PCV valve	
✓		R/RO: <u>8</u> /32" L/RO: <u>8</u> /32"	B,C,D	Clean or change crank case filter	
✓		35) Lug nuts condition	B,C,D	Install new wiper blades	
✓		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>	C,D	Change transmission fluid and filter	
✓		Wheel torque specs used: <u>150</u> ft. lbs.	C,D	Service front wheel bearings	
		G) Lift inspection	C,D	Drain water from fuel tank	
✓		1) Lift operation (fully stowed to fully deployed)	D	Replace accessory drive belts	
✓		2) Lift control pendant condition and operation	D	Service and flush cooling system	
✓		3) Lift restraint belt condition and operation	D	Install new spark plugs & wires	
✓		4) Outer roll stop condition and operation	D	Install new dist. cap & rotor	
✓		5) Inner roll stop condition and operation	D	Change differential fluid	
✓		6) Platform adjustments, condition and mounting	D	Check Exhaust and EGR system	
✓		7) Standee arm condition and operation	D	Check and service fuel & evap. System	
✓		8) Proper signage and decals	D	Evac and recharge A/C (add 1 oz. of oil)	
✓		9) Manual backup pump condition and operation	A,B,C,D	Post service test drive (5 miles)	
✓		10) Lift manual pump handle	Initial or "N/A" each service performed per PM type		
✓		11) Hydraulic pump condition and operation	All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets. <u>Camel Master</u> <u>10-30-19</u> Technicians Signature Date Supervisor Signature _____ Date _____ Notes: _____ _____ _____ _____ _____ _____ _____ _____ _____ _____		
✓		12) Hydraulic lines and cylinders condition			
✓		13) Hydraulic fluid level and condition			
✓		14) Base plate and arms welds & pivot points			
✓		15) Lift springs and pins condition and operation			
✓		16) Lift safety switches and adjustments			
✓		17) Hose and wire routing and connections			
✓		18) Rollers and pivot point condition & operation			
✓		19) Lift to vehicle mounting bolts and brackets			
✓		20) Lift doors condition and operation			
✓		21) Lift door lights condition and operation			
✓		22) Lift interlock operation and condition			
		(lift door open, e-brake down not able to shift)			
		(e-brake off lift door closed no lift power)			
✓		23) W/C tie downs condition and operation			
✓		24) Tie down container secure and clean			
✓		25) Tie down floor mounting brackets secure			
✓		26) W/C shoulder belt condition and operation			
✓		27) Lift clean and no sharp edges			
✓		28) Lift shields secure and in good shape			
✓		29) Lift moves steady without drifting, jerking, or unusual speeds			
✓		30) No unusual lift noises			
✓		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube			
✓		Check, torque or adjust lift base mounting bolts			

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

West Palm Beach, FL 33407



1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 2679, 26

Mileage in: 264244

Mileage out: 264245

Notes/Measurements:

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Signature

ASE Signature:

Mrs FINE DETCH	1/2/30
FRONT BLINDER NOT BLIND	1/2/30



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 1/2/20 Vehicle #: 5113 Mileage in: 264244 Mileage out: 264245

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F	X	1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: load volts: load amps:
F		Batt 2 volts: load volts: load amps:
F		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **26424**
 Mileage out: **264245**



Date: **1/3/20** Vehicle #: **5113**

Item Inspected	P	F
30) Front brake lining condition and mounting		F
31) Front brake lining condition & measurement		F
Pads R/F: 6 /32" L/F: 6 /32"		F
32) Rear brake condition and mounting		F
33) Rear brake lining condition & measurement		F
Pads R/R: 10 /32" L/R: 10 /32"		F
Shoes R/R: 10 /32" L/R: 10 /32"		F
34) Tire and wheel condition and measurements		F
R/F: 7 /32" L/F: 10 /32"		F
R/R: 10 /32" L/R: 10 /32"		F
35) Lug nuts condition		F
Air pressure adjustment FR. 65 RR. 70 ft. lbs.		F
Wheel torque specs used: 140 ft. lbs.		F
G) Lift inspection		F
1) Lift operation (fully stowed to fully deployed)		F
2) Lift control pendant condition and operation		F
3) Lift restraint belt condition and operation		F
4) Outer roll stop condition and operation		F
5) Inner roll stop condition and operation		F
6) Platform adjustments, condition and mounting		F
7) Standee arm condition and operation		F
8) Proper signage and decals		F
9) Manual backup pump condition and operation		F
10) Lift manual pump handle		F
11) Hydraulic pump condition and operation		F
12) Hydraulic lines and cylinders condition		F
13) Hydraulic fluid level and condition		F
14) Base plate and arms welds & pivot points		F
15) Lift springs and pins condition and operation		F
16) Lift safety switches and adjustments		F
17) Hose and wire routing and connections		F
18) Rollers and pivot point condition & operation		F
19) Lift to vehicle mounting bolts and brackets		F
20) Lift doors condition and operation		F
21) Lift door lights condition and operation		F
22) Lift interlock operation and condition		F
(Lift door open, e-brake down not able to shift)		F
(e-brake off lift door closed no lift power)		F
23) W/C tie downs condition and operation		F
24) Tie down container secure and clean		F
25) Tie down floor mounting brackets secure		F
26) W/C shoulder belt condition and operation		F
27) Lift clean and no sharp edges		F
28) Lift shields secure and in good shape		F
29) Lift moves steady without drifting, jerking, or unusual speeds		F
30) No unusual lift noises		F
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		F
Check, torque or adjust lift base mounting bolts		F

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *[Signature]* Date: **1/3/20**

Supervisor Signature: _____ Date: _____

Notes: _____

Service Performed	Service Type	Initials
Change oil and filter	A,B,C,D	F
Lube chassis and suspension	A,B,C,D	F
Lube drive shafts and universal joints	A,B,C,D	NA
Lube doors and hood, locks and hinges	A,B,C,D	FF
Adjust service and parking brakes	A,B,C,D	F
Drain water from separator	A,B,C,D	NA
Rotate tires (as necessary, caps on rear)	A,B,C,D	F
Change air filter	B,C,D	F
Change fuel filter	B,C,D	F
Clean or change PCV valve	B,C,D	F
Install new wiper blades	B,C,D	F
Change transmission fluid and filter	C,D	F
Service front wheel bearings	C,D	F
Drain water from fuel tank	C,D	F
Replace accessory drive belts	D	F
Service and flush cooling system	D	F
Install new spark plugs & wires	D	F
Install new dist. cap & rotor	D	F
Change differential fluid	D	F
Check Exhaust and EGR system	D	F
Check and service fuel & evap. System	D	F
Evac and recharge A/C (add 1 oz. of oil)	D	F
Post service test drive (5 miles)	A,B,C,D	F

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113 Repair Reason: 4 Date and Time in: _____
Date: 02/02/00 Work Class: 7 Date and Time Finished: _____

Mileage in: 269141
Mileage out: 268142

Complaints/Defects:

PMT-A

Notes/Measurements:

[illegible]

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 282134 Technician: Frederick Ferrell

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



[Signature]
MECHANIC'S SIGNATURE

BUS #: 5113

DATE: 03/08/20

PM TYPE OR WORK ORDER #: PMTA

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Replace front brake pads

[Signature]

03/08/20

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage out: 265142 Mileage in: 265141



Date: 03/08/00 Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver seat condition and operation
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C DDate: 03/08/20 Vehicle #: 5113Mileage in: 269141Mileage out: 269142

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: <u>3</u> /32" L/F: <u>3</u> /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: <u>9</u> /32" L/R: <u>9</u> /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
F		R/R: <u>10</u> /32" L/R: <u>10</u> /32"
F		R/O: <u>10</u> /32" L/O: <u>10</u> /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. <u>65 RR. 70</u>
F		Wheel torque specs used: <u>140</u> ft. lbs.
F		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
F		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking,
		or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

03/08/20

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy W, Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407.

Basic Information

Vehicle #: S113 Repair Reason: A

Date: 4/28/22
 Repair Reason: A
 Work Class: T
 Date and Time in: 16:30

Date: 7/28/00 Work Class: I Date and Time Finished: 17:50

Date: 7/28/20 Work Class: I Date and Time Finished: 16:30
Complaints/Defects: 1750
Mileage in: 278657
Mileage out: 278653

Complaints/Defects:

PM1A

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
				A	SS	VV1700	Engine Oil	6S	
		PM 1 A		A	SS	LF3681	Oil Filter	1	
				A	SS	F7U2603-X	Insulator	1	
		Bike Inspection		A	SS	8QZ5484D	Bushing	1	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MY Transportation, Inc. guidelines, using acceptable trade practices.

Ready for service - 1 hour


ready for service. I have used prints that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

ASE Employee #: 604182 ASE Technician: _____

ASE Signature:



PM DEFECT SHEET



BUS #:

5113

DATE:

4/28/20

PM TYPE OR WORK ORDER #:

A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

Dent on front bumper

Serpentine belt needed

Replaced motor mount passenger side

Replaced bushing from driver side



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C DDate: 4/28/20Vehicle #: 5113Mileage in: 278651Mileage out: 278653

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 4/28/20 Vehicle #: 5113Mileage in: 278651 Mileage out: 278653

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>10</u> /32" L/F: <u>10</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		Shoes R/R: <u>6</u> /32" L/R: <u>6</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>7</u> /32" L/F: <u>7</u> /32"
		R/RI: <u>6</u> /32" L/RI: <u>6</u> /32"
		R/RO: <u>6</u> /32" L/RO: <u>6</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #:	513	Repair Reason:	A	Date and Time in:	1930	Mileage in:	28341
Date:		Work Class:	I	Date and Time Finished:	245	Mileage out:	283473

Notes/Measurements:

Complaints/Defects:

QW

Labor Information

<i>Labor Information</i>		
Task	WAC	Repair Description/Comments
		Pml A
		Brake inspect
		Total Hours Worked:

Parts Information

Parts Information					Total Parts Cost:
Task	WAC	Part Number	Description	Qty	Cost
A	SS	VV1700	Engine oil	60S	
A	SS	LF3681	Oil filter	1	
A	SS	2020694	Tires	4	
A	SS	BRSD321	Backpacks	1	

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician:

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

Replaced four tires


Wrench light on

Check engine light on

No ride damage

MECHANIC'S SIGNATURE		DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE
BUS #:	PM TYPE OR WORK ORDER #:			
5113	6/23/20			

PM DEFECT SHEET



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 28347 Mileage out: 28347

283473



Date: 6/23/20

Vehicle #: 518

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seat belts operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps: Batt 2 volts: load amps: Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp: Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**

Mileage In: _____ Mileage Out: _____



Date: **6/23/20** Vehicle #: **5113**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 12 /32" L/F: 12 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 4 /32" L/R: 3 /32"
		Shoes R/R: 4 /32" L/R: 3 /32"
		34) Tire and wheel condition and measurements
		R/F: 5 /32" L/F: 4 /32"
		R/R: 7 /32" L/R: 8 /32"
		R/R: 3 /32" L/R: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment F/R: 45 R/R: 70
		Wheel torque specs used: 40 ft. lbs.
		9) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts


All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature _____

Supervisor Signature _____

Date _____

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



3301 Electronics Way
West Palm Beach, FL 33407

Vehicle #: 5113 Repair Reason: 14 Date and Time In: 11-26-2020 Mileage in: 297404
Date: 11-26-20 Work Class: 1 Date and Time Finished: Mileage out: 297405

Complaints/Defects:	Notes/Measurements:
2 MEA	

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: DEYOUNG, MITZUNEN

ASE Employee #: 604182 ASE Technician: _____

MECHANIC'S SIGNATURE		DATE: 11-26-2020	
BUS #: 5113		PM TYPE OR WORK ORDER #:	
DATE		COMPLETED BY	
COMPLETED		DATE	
DESCRIPTION OF REPAIR NEEDED			

Preventive Maintenance Inspection and Service Checklist



Date: 11-26-20 Vehicle #: 5113

Circle Service Type: (A) B C D
Mileage in: 29409 Mileage out: 29405

Item Inspected	P	F
A) Vehicle drive in inspection (5 miles)		
1) Driver carpet		
2) Driver seat condition and operation		
3) Drivers door operation and condition		
4) Drivers seat belt operation and condition		
5) Engine starting and ignition system		
6) Instrument panel gauges & warning lights		
7) Instrument panel lighting & condition		
8) Horn operation		
9) Steering wheel tight, no excessive play		
10) Windshield wipers		
11) Windshield washer		
12) Sun visor condition and operation		
13) Parking brake operation & condition		
14) Parking and service brake pedal pads		
15) Passenger door operation		
16) No vibrations, pulsations or noises		
B) Walk around inspection		
1) Body damage (list on separate sheet)		
2) Headlights, high & low beam operation		
3) Parking lights operation & condition		
4) Marker lights operation & condition		
5) Directional signals operation & condition		
6) Hazard lights operation & condition		
7) Clearance lights operation and condition		
8) Brake lights operation & condition		
9) License plate lamp operation & condition		
10) License plates and tags		
11) Backup lights and alarms		
12) Reflectors and reflective bumper tape		
13) Exterior decals and signage		
14) Bumpers secure / in good condition		
15) Exterior mirrors secure / in good condition		
16) Exterior clean		
C) Interior inspection		
1) Passenger door and steps condition		
2) Handrails and stanchions condition		
3) Interior and modesty panels condition		
4) Flooring condition		
5) Interior lighting operation and condition		
6) Windows operation and condition		
7) Emergency Exits operation & condition		
8) Accessory operation & condition (radio, GPS)		
9) Passenger seats operation & condition		
10) Passenger seat belts operation & condition		
11) First aid & body fluid kits complete		
12) Triangle reflectors complete/good condition		
13) Stop request operation & condition		
14) Valid registration, insurance & accident pack		
15) Fire extinguisher in good condition & signed		
16) Interior decals and signage (incl. electrical)		
17) DVI's reviewed, addressed and signed off		
18) Interior clean		
D) HVAC system inspection		
1) Front blower condition and operation		
P		
F		
Item Inspected	P	F
2) Rear blower condition and operation		
3) Defroster operation		
4) Temp gets to 20 deg. F below ambient temp.		
5) Evaporator intake air filter condition		
6) Front heater condition and operation		
7) Rear heater condition and operation		
8) A/C compressors and condenser fans		
E) Under hood inspection		
1) Batteries & charging sys. (load alt B, C, D serv)		
Batt 1 volts: load amps:		
Batt 2 volts: load amps:		
Batt 3 volts: load amps:		
(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)		
Alt. 1 min volt: max amp:		
Alt. 2 min volt: max amp:		
(reference factory service manual for alternator spec)		
2) Wire and hose routing and connections		
3) Cooling system, hoses, water pump condition		
5) Accessory drive belts condition		
6) Pulleys and tensioned operation & condition		
7) Brake master cylinder and power booster		
8) Fan and fan clutch operation and condition		
9) Engine oil fluid level and condition		
10) Transmission oil level and condition		
11) Power steering fluid level and condition		
12) Brake fluid level and condition		
F) Vehicle rack inspection		
1) Steering gear box mount, condition & leaks		
2) Steering shaft U joints		
3) Steering shaft bearings		
4) Steering linkages		
5) I beam or control arm movements and rivets		
6) Radius arm condition and bushings condition		
7) Stabilizer bar condition and bushings condition		
8) Ball joints or kingpins		
9) Front spring condition and mounting		
10) Front shock absorber operation & condition		
11) Trans oil cooler & lines routing and leaks		
12) Engine oil cooler & lines routing and leaks		
13) Heater and A/C hose routing and leaks		
14) No engine oil leaks and fluid condition		
15) Engine mounts, brackets and bolts		
16) Transmission mounts, brackets and bolts		
17) No transmission oil leaks and fluid condition		
18) Drive shaft condition		
19) Universal joints and carrier bearings condition		
20) No rear differential leaks		
21) Rear differential condition and mounting		
22) Frame and cross members		
23) Rear shock absorbers		
24) Rear springs condition and mounting		
25) No fuel leaks		
26) Fuel tank condition and mounting		
27) No exhaust leaks		
28) Exhaust system condition and mounting		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Mileage in: 297404 Mileage out: 297405



Date: 11-26-20 Vehicle #: 5113

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7/32" L/F: 7/32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8/32" L/R: 9/32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 9/32" L/F: 9/32"
		R/R: 8/32" L/R: 8/32"
		R/RO: 7/32" L/RO: 7/32"
		35) Lug nuts condition
		Air pressure adjustment FR. 05 RR. 05
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C the downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.


Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Notes: Supervisor Signature _____ Date _____

Technician Signature _____ Date 11-26-20

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Central Expy Way Suite 145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way

West Palm Beach, FL 33407

Basic Information

CO# 1169

Vehicle #: 5113

Repair Reason: PM-A

Date and Time in :

19:30

Mileage in: 182.687

Date: 7/11/18

Work Class:

Date and Time Finished: _____

21:00

Mileage out: 182.683

Complaints/Defects:

Notes/Measurements

[illegible]

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: **832424** Technician: _____ Signature: _____

ASE Employee #: 832424 ASE Technician: E381 Johnson

ASE Signature: 



PM DEFECT SHEET



BUS #:	DATE:	
7/11/18	7/11/18	
PM TYPE OR WORK ORDER #:		
Mechanic's Signature <i>[Signature]</i>		
DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Passenger side mirror loose, tightened	Eckert III	7/11/18
Sunvisor missing mounting screw, Replaced	Coffey IV	7/11/18



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **(A)** B C D

Date: 7/14/18

Vehicle #: 5113

Mileage in: 182,682

Mileage out: 182,683

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: <u>12.5</u> load volts: load amps:
		Batt 2 volts: <u>12.4</u> load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: **A B C D**
 Mileage in: **182681**
 Mileage out: **182683**



Date: **07/14/18** Vehicle #: **5113**

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 5 /32" L/R: 5 /32"
		Shoes R/R: 5 /32" L/R: 5 /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 9 /32"
		R/R: 10 /32" L/R: 10 /32"
		R/R: 8 /32" L/R: 10 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 70 RR. 70
		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	
Lube chassis and suspension	A,B,C,D	
Lube drive shafts and universal joints	A,B,C,D	
Lube doors and hood, locks and hinges	A,B,C,D	
Adjust service and parking brakes	A,B,C,D	
Drain water from separator	A,B,C,D	
Rotate tires (as necessary, caps on rear)	A,B,C,D	
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evaporator system	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	

Technician's Signature: *[Signature]* Date: **7/11/18**
 Supervisor's Signature: *[Signature]* Date: **7/11/18**

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113 Repair Reason: PS Date and Time in: 17:15 Mileage in: 187163
Date: 08/09/18 Work Class: 5 Date and Time Finished: 19:48 Mileage out: 187165

Complaints/Defects:

PSMB

Notes/Measurements:

Labor Information				Parts Information					
Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
3	58	PMTB		3	55	LF3681	oil filter	1	
				3	55	5W20	engine oil	25	
				3	55	WVW2001PF	washer blade	2	
				3	55	AF 25580	oil filter	1	
				3	55	brsd1323	front brake pad	1	
				3	55	225 35C16	tires	1	
04	55	brake inspection							
Total Hours Worked:				Total Parts Cost:					


I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Tanner Palmer Signature: Tanner Palmer
ASE Employee #: 604152 ASE Technician: Shelley ASE Signature: Shelley

08/09/18	08/09/18	Replace Front brake pads	08/09/18	08/09/18	Replace left Front tires
----------	----------	--------------------------	----------	----------	--------------------------

MECHANIC'S SIGNATURE <i>[Signature]</i>		DESCRIPTION OF REPAIR NEEDED	
BUS #:	DATE:	COMPLETED BY	DATE
5113	08/09/18		
PM TYPE OR WORK ORDER #:		COMPLETED	
9MIS			

PM DEFECT SHEET





Preventive Maintenance Inspection and Service Checklist

Date: 08/09/18 Vehicle #: 5113

Circle Service Type: A B C D

Mileage in: 187167 Mileage out: 187169

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition (radio, GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 127169

Mileage in: 187167

Vehicle #: 5113



Date: 08/19/18

Service Type	Service Performed	Techns Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HID
A,B,C,D	Lube doors and hood, locks and hinges	HID
A,B,C,D	Adjust service and parking brakes	HID
A,B,C,D	Drain water from separator	HID
A,B,C,D	Rotate tires (as necessary, caps on rear)	HID
B,C,D	Change air filter	F
B,C,D	Change fuel filter	HID
B,C,D	Clean or change PCV valve	HID
B,C,D	Clean or change crank case filter	HID
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. system	
D	Evac and recharge A/C (add 1 oz. of oil)	F
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Date


Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Item Inspected	P	F
30) Front brake condition and mounting	F	
31) Front brake lining condition & measurement	F	
Pads R/F: 3 / 32" L/F: 3 / 32"		
32) Rear brake condition and mounting	F	
33) Rear brake lining condition & measurement	F	
Pads R/R: 7 / 32" L/R: 7 / 32"		
Shoes R/R: / 32" L/R: / 32"		
34) Tire and wheel condition and measurements	F	
R/F: 40 / 32" L/F: 4 / 32"		
R/R: 10 / 32" L/R: 10 / 32"		
R/RO: 10 / 32" L/RO: 10 / 32"		
35) Lug nuts condition	F	
Air pressure adjustment FR. 65 RR. 70		
Wheel torque specs used: 140 ft. lbs.		
g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)	F	
2) Lift control pendant condition and operation	F	
3) Lift restraint belt condition and operation	F	
4) Outer roll stop condition and operation	F	
5) Inner roll stop condition and operation	F	
6) Platform adjustments, condition and mounting	F	
7) Standee arm condition and operation	F	
8) Proper signage and decals	F	
9) Manual backup pump condition and operation	F	
10) Lift manual pump, handle	F	
11) Hydraulic pump condition and operation	F	
12) Hydraulic lines and cylinders condition	F	
13) Hydraulic fluid level and condition	F	
14) Base plate and arms welds & pivot points	F	
15) Lift springs and pins condition and operation	F	
16) Lift safety switches and adjustments	F	
17) Hose and wire routing and connections	F	
18) Rollers and pivot point condition & operation	F	
19) Lift to vehicle mounting bolts and brackets	F	
20) Lift doors condition and operation	F	
21) Lift door lights condition and operation	F	
22) Lift interlock operation and condition	F	
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C the downs condition and operation	F	
24) The down container secure and clean	F	
25) The down floor mounting brackets secure	F	
26) W/C shoulder belt condition and operation	F	
27) Lift clean and no sharp edges	F	
28) Lift shields secure and in good shape	F	
29) Lift moves steady without drifting, jerking, or unusual speeds	F	
30) No unusual lift noises	F	
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube	F	
Check, torque or adjust lift base mounting bolts	F	

5910 N Central Expy Way Suite 145
Dallas, TX 75206



3301 Electronics Way
West Palm Beach, FL 33407


Vehicle #: S113 Repair Reason: B Date and Time in: 11:00
 Date: 02-13-19 Work Class: T Date and Time Finished: 13:00
 Mileage in: 20150
 Mileage out: 216226
 Notes/Measurements

PM 7 B

I have performed the repairs according to MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies

Employee #: 846181 Technician: Sean Thompson Signature: [Signature]

ASE Employee #: 60418 ASE Technician: Arvind Kumar ASE Signature: [Signature]

[illegible]

MECHANIC'S SIGNATURE <i>Tom Thormiller</i>		BUS #: <i>5113</i>	DATE: <i>02-13-19</i>	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE	

② check #/c all ok now.	check	02-13-19
① check engine mount is bad and the right side	truf. or for flow.	

02-13-19



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A **B** C DDate: 02-13-19 Vehicle #: 5113Mileage in: 215776Mileage out: 215776

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
☒		1) Driver carpet
☒		2) Driver seat condition and operation
☒		3) Drivers door operation and condition
☒		4) Drivers seat belt operation and condition
☒		5) Engine starting and ignition system
☒		6) Instrument panel gauges & warning lights
☒		7) Instrument panel lighting & condition
☒		8) Horn operation
☒		9) Steering wheel tight, no excessive play
☒		10) Windshield wipers
☒		11) Windshield washer
☒		12) Sun visor condition and operation
☒		13) Parking brake operation & condition
☒		14) Parking and service brake pedal pads
☒		15) Passenger door operation
☒		16) No vibrations, pulsations or noises
		B) Walk around inspection
☒		1) Body damage (list on separate sheet)
☒		2) Headlights, high & low beam operation
☒		3) Parking lights operation & condition
☒		4) Marker lights operation & condition
☒		5) Directional signals operation & condition
☒		6) Hazard lights operation & condition
☒		7) Clearance lights operation and condition
☒		8) Brake lights operation & condition
☒		9) License plate lamp operation & condition
☒		10) License plates and tags
☒		11) Backup lights and alarms
☒		12) Reflectors and reflective bumper tape
☒		13) Exterior decals and signage
☒		14) Bumpers secure / in good condition
☒		15) Exterior mirrors secure / in good condition
☒		16) Exterior clean
		C) Interior inspection
☒		1) Passenger door and steps condition
☒		2) Handrails and stanchions condition
☒		3) Interior and modesty panels condition
☒		4) Flooring condition
☒		5) Interior lighting operation and condition
☒		6) Windows operation and condition
☒		7) Emergency Exits operation & condition
☒		8) Accessory operation & condition (radio, GPS)
☒		9) Passenger seats operation & condition
☒		10) Passenger seat belts operation & condition
☒		11) First aid & body fluid kits complete
☒		12) Triangle reflectors complete/good condition
☒		13) Stop request operation & condition
☒		14) Valid registration, insurance & accident pack
☒		15) Fire extinguisher in good condition & signed
☒		16) Interior decals and signage (incl. electrical)
☒		17) DVI's reviewed, addressed and signed off
☒		18) Interior clean
		D) HVAC system inspection
☒		1) Front blower condition and operation

P	F	Item Inspected
☒		2) Rear blower condition and operation
☒		3) Defroster operation
☒		4) Temp gets to 20 deg. F below ambient temp.
☒		5) Evaporator intake air filter condition
☒		6) Front heater condition and operation
☒		7) Rear heater condition and operation
☒		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
☒		2) Wire and hose routing and connections
☒		3) Cooling system, hoses, water pump condition
☒		5) Accessory drive belts condition
☒		6) Pulleys and tensioned operation & condition
☒		7) Brake master cylinder and power booster
☒		8) Fan and fan clutch operation and condition
☒		9) Engine oil fluid level and condition
☒		10) Transmission oil level and condition
☒		11) Power steering fluid level and condition
☒		12) Brake fluid level and condition
		F) Vehicle rack inspection
☒		1) Steering gear box mount, condition & leaks
☒		2) Steering shaft U joints
☒		3) Steering shaft bearings
☒		4) Steering linkages
☒		5) I beam or control arm movements and rivets
☒		6) Radius arm condition and bushings condition
☒		7) Stabilizer bar condition and bushings condition
☒		8) Ball joints or kingpins
☒		9) Front spring condition and mounting
☒		10) Front shock absorber operation & condition
☒		11) Trans oil cooler & lines routing and leaks
☒		12) Engine oil cooler & lines routing and leaks
☒		13) Heater and A/C hose routing and leaks
☒		14) No engine oil leaks and fluid condition
☒		15) Engine mounts, brackets and bolts
☒		16) Transmission mounts, brackets and bolts
☒		17) No transmission oil leaks and fluid condition
☒		18) Drive shaft condition
☒		19) Universal joints and carrier bearings condition
☒		20) No rear differential leaks
☒		21) Rear differential condition and mounting
☒		22) Frame and cross members
☒		23) Rear shock absorbers
☒		24) Rear springs condition and mounting
☒		25) No fuel leaks
☒		26) Fuel tank condition and mounting
☒		27) No exhaust leaks
☒		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 215776

Mileage in: 215776

Date: 02-13-19 Vehicle #: 5113



Service Performed	Technician Initials
A,B,C,D Change oil and filter	J
A,B,C,D Lube chassis and suspension	J
A,B,C,D Lube drive shafts and universal joints	N/A
A,B,C,D Lube doors and hood, locks and hinges	J
A,B,C,D Adjust service and parking brakes	N/A
A,B,C,D Drain water from separator	N/A
A,B,C,D Rotate tires (as necessary, caps on rear)	J
B,C,D Change air filter	
B,C,D Change fuel filter	
B,C,D Clean or change PCV valve	
B,C,D Clean or change crank case filter	
B,C,D Install new wiper blades	
C,D Change transmission fluid and filter	
C,D Service front wheel bearings	
C,D Drain water from fuel tank	
D Replace accessory drive belts	
D Service and flush cooling system	
D Install new spark plugs & wires	
D Install new dist. cap & rotor	
D Change differential fluid	
D Check Exhaust and EGR system	
D Check and service fuel & evaporator system	
D Evac and recharge A/C (add 1 oz. of oil)	J
A,B,C,D Post service test drive (5 miles)	J
Initial or "N/A" each service performed per PM type	

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician Signature

Supervisor Signature

Notes:

Date

Date

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: 8 /32" L/F: 8 /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: 9 /32" L/R: 9 /32"
N/A		Shoes R/R: /32" L/R: /32"
J		34) Tire and wheel condition and measurements
J		R/F: 10 /32" L/F: 10 /32"
J		R/R: 10 /32" L/R: 10 /32"
J		R/R: 6 /32" L/R: 9 /32"
J		35) Lug nuts condition
J		Air pressure adjustment FR. 70 RR. 70
J		Wheel torque specs used: 140 ft. lbs.
J		9) Lift inspection
J		1) Lift operation (fully stowed to fully deployed)
J		2) Lift control pendant condition and operation
J		3) Lift restraint belt condition and operation
J		4) Outer roll stop condition and operation
J		5) Inner roll stop condition and operation
J		6) Platform adjustments, condition and mounting
J		7) Stander arm condition and operation
J		8) Proper signage and decals
J		9) Manual backup pump condition and operation
J		10) Lift manual pump handle
J		11) Hydraulic pump condition and operation
J		12) Hydraulic lines and cylinders condition
J		13) Hydraulic fluid level and condition
J		14) Base plate and arms welds & pivot points
J		15) Lift springs and pins condition and operation
J		16) Lift safety switches and adjustments
J		17) Hose and wire routing and connections
J		18) Rollers and pivot point condition & operation
J		19) Lift to vehicle mounting bolts and brackets
J		20) Lift doors condition and operation
J		21) Lift door lights condition and operation
J		22) Lift interlock operation and condition
		(Lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking, or unusual speeds
J		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

5910 N Cenrtal Expy Way Suite 1145
Dallas, TX 75206



Basic Information

Vehicle #: 5113 Repair Reason:

Date: 08/29/19 Work Class:

Date and Time in :

Date and Time Finished:

7:30 AM.

Mileage out:

Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Complaints/Defects:

PM

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician:

Signature _____

ASE Employee #: ASE Technician:

ASE Signature:



PM DEFECT SHEET



S. Mohammed

MECHANIC'S SIGNATURE

BUS #: 5113

DATE: 08/29/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE COMPLETED

① Battery terminal feed
replacing check and
replace both terminals
all OK. Clean and
secure. OK

S. Mohammed 08/29/19

② Rear Pass Side
Tire low. Check and
replace tire. All
OK at this time.

S. Mohammed 08/29/19

③ Passenger seat belt
buckle check fix all
OK.

S. Mohammed 08/29/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 245078 Mileage out: 245274



Date: 08/29/19 Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08/29/19 Vehicle #: 5113

Mileage in: 245073 Mileage out: 245074

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 6 /32" L/F: 6 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 6 /32" L/R: 6 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 7 /32" L/F: 8 /32"
S	K	R/R: 4 /32" L/R: 4 /32"
S		R/RO: 5 /32" L/RO: 6 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 70 RR. 70
S		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
S	2	2) Lift control pendant condition and operation
S		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
S		7) Standee arm condition and operation
S		8) Proper signage and decals
S		9) Manual backup pump condition and operation
S		10) Lift manual pump handle
S		11) Hydraulic pump condition and operation
S		12) Hydraulic lines and cylinders condition
S		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking,
		or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	S
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	S
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature

08/29/19
Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MY Transportation
5910 N Cenrral Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: S113 Repair Reason: B Date and Time in : 03/12/2020 Mileage in: 274,032
Date: 03/12/20 Work Class: I Date and Time Finished: 03/12/2020 Mileage out: 274,033

Complaints/Defects:

Notes/Measurements:

[illegible][illegible]

Total Hours Worked:

Total Parts Cost:

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation Inc. policies

Employee #: 662802 Technician: Hopeton Haye
Signature Haye Haye =

ASE Employee #: 604182 ASE Technician:

ASE Signature:



PM DEFECT SHEET



H. M. Am -
MECHANIC'S SIGNATURE

BUS #: 5113

DATE:

03/12/2020

PM TYPE OR WORK ORDER #:

B

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Mileage in: 274,032

Mileage out: 274,033



Vehicle #: 5113

Date: 03/12/20

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder operation & condition
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 03/12/20 Vehicle #: 5113Mileage in: 274,032Mileage out: 274,033

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: <u>7/32"</u> L/F: <u>7/32"</u>
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: <u>5/32"</u> L/R: <u>5/32"</u>
N/A		Shoes R/R: <u>1/32"</u> L/R: <u>1/32"</u>
H		34) Tire and wheel condition and measurements
H		R/F: <u>7/32"</u> L/F: <u>7/32"</u>
H		R/R: <u>8/32"</u> L/R: <u>9/32"</u>
H		R/RO: <u>8/32"</u> L/RO: <u>9/32"</u>
H		35) Lug nuts condition
H		Air pressure adjustment FR. <u>65</u> RR. <u>70</u>
H		Wheel torque specs used: ft. lbs.
		G) Lift Inspection
H		1) Lift operation (fully stowed to fully deployed)
H		2) Lift control pendant condition and operation
H		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
H		9) Manual backup pump condition and operation
H		10) Lift manual pump handle
H		11) Hydraulic pump condition and operation
H		12) Hydraulic lines and cylinders condition
H		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
H		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	H
B,C,D	Change air filter	H
B,C,D	Change fuel filter	OK
B,C,D	Clean or change PCV valve	OK
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	H
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	H
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Hing
Technicians Signature

03/13/20
Date

Supervisor Signature


Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5113 Repair Reason: C Date and Time in: 10:00 Mileage in: 201585
Date: 11/7/18 Work Class: Date and Time Finished: 12:45 Mileage out: 201583

Complaints/Defects:

PM I C

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours	Task	WAC	Part Number	Description	Qty	Cost
C	58	PM I C		C	55	5W20	oil ENGINE	5.0	
				C	55	FL 3681	oil Filter	1	
				C	55	FT180	transmission Filter	2	
				C	55	XI 10-DLV	oil transmission	10	
				C	55	AF 25590	Air Filter	1	
				C	55	WN 2001 PF	wiper blade	2	
Total Hours Worked:				Total Parts Cost:					

I have performed the repairs according to MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Sean Thermidor Signature: [Signature]

ASE Employee #: 604182 ASE Technician: [Signature] ASE Signature: [Signature]

MECHANIC'S SIGNATURE <i>Sam Hernandez</i>		BUS # : 5113	DATE: 11/7/18	PM TYPE OR WORK ORDER #:
DESCRIPTION OF REPAIR NEEDED				
COMPLETED BY		DATE		COMPLETED



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B **C** DDate: 11/7/18 Vehicle #: 5113Mileage in: 201585 Mileage out: 201583

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist



Date: 11/7/18 Vehicle #: 5113

Mileage in: 201585 Mileage out: 201583

Service Performed	Service Type	Initial or "N/A" each service performed per PM type
Change oil and filter	A,B,C,D	J
Lube chassis and suspension	A,B,C,D	J
Lube drive shafts and universal joints	A,B,C,D	N/A
Lube doors and hood, locks and hinges	A,B,C,D	J
Adjust service and parking brakes	A,B,C,D	N/A
Drain water from separator	A,B,C,D	N/A
Rotate tires (as necessary, caps on rear)	A,B,C,D	J
Change air filter	B,C,D	
Change fuel filter	B,C,D	
Clean or change PCV valve	B,C,D	
Clean or change crank case filter	B,C,D	
Install new wiper blades	B,C,D	
Change transmission fluid and filter	C,D	
Service front wheel bearings	C,D	
Drain water from fuel tank	C,D	
Replace accessory drive belts	D	
Service and flush cooling system	D	
Install new spark plugs & wires	D	
Install new dist. cap & rotor	D	
Change differential fluid	D	
Check Exhaust and EGR system	D	
Check and service fuel & evap. System	D	
Evac and recharge A/C (add 1 oz. of oil)	D	
Post service test drive (5 miles)	A,B,C,D	J

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature: *John Thermador* Date: 11/7/18
 Supervisor's Signature: *[Signature]* Date: 11/13/18

Notes:

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 10 / 32" L/F: 10 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 5 / 32" L/R: 5 / 32"		
Shoes R/R: / 32" L/R: / 32"		
34) Tire and wheel condition and measurements		
R/F: 9 / 32" L/F: 9 / 32"		
R/R: 8 / 32" L/R: 8 / 32"		
R/RO: 6 / 32" L/RO: 7 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR: 70 RR: 70		
Wheel torque specs used: 140 ft. lbs.		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking,		
or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages		
and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



PM DEFECT SHEET



Reedley Murray
MECHANIC'S SIGNATURE

BUS #: 5113

DATE:

12/02/2019

PM TYPE OR WORK ORDER #: C

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

MINOR scratches & DINGS

PASSENGER SEATBELT NOT RETRACTING

Reedley Murray

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage out: 25944

Mileage in: 25943



Date: 12/02/2019 Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load amps:
		Batt 2 volts: load amps:
		Batt 3 volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max amp:
		Alt. 2 min volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C DDate: 12/02/2019 Vehicle #: 5113Mileage in: 259413 Mileage out: 259414

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: <u>6</u> /32" L/F: <u>6</u> /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: <u>6</u> /32" L/R: <u>6</u> /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: <u>8</u> /32" L/F: <u>8</u> /32"
R		R/R: <u>5</u> /32" L/R: <u>6</u> /32"
R		R/RO: <u>7</u> /32" L/RO: <u>7</u> /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. <u>65 RR. 75</u>
R		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	R
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature


Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.



Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Mileage in: 230524
Mileage out: 230625

Vehicle #: 5113 Repair Reason: D Date and Time in: 18:32
Work Class: 4 Date and Time Finished: 23:58

Version: 2 Date and Time Finished: 22.30
Date: 05-13-19 Work Class: I

Notes/Measurements:

Complaints/Defects:

Q. I. 100

Labor Information			Parts Information					
Task	WAC	Repair Description/Comments	Task	WAC	Part Number	Description	Qty	Cost
D	58	part I ⑤	D	55	VV1700	oil engine	6.5	
			D	55	LF3681	oil filter	1	
			D	55	4F20590	air filter	1	
			D	55	FT-180	trans filter	1	
			D	55	WW2001PF	water pump	2	
			D	55	XT10DLV	trans oil	10	
			D	55	80W90	DIFF	4	
			D	55	BRSD1328B	brake pad	1	
			D	55	SP521	spark plugs	8	
						Total Parts Cost:		
Total Hours Worked:								

using acceptable trade practices and assure that the vehicle is safe, dependable and

	Total Hours Worked:	
I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.		
<i>[Signature]</i>	Signature	<i>[Signature]</i>

Employee #: 866181 Technician:

ASE Employee #: 60412 ASE Technician: _____

ASE Signature: _____



PM DEFECT SHEET



Leon Thermidor

BUS #: *5113*

DATE: *05-13-19*

MECHANIC'S SIGNATURE

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED

COMPLETED BY

DATE
COMPLETED

① check Front brake
replace new Front brake
all ok.

Leon

05-13-19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage In: 230524 Mileage out: 230525



Date: 05-13-19 Vehicle #: 5113

P	F	Item Inspected	P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)			1) Driver carpet
		2) Driver seat condition and operation			3) Drivers door operation and condition
		4) Drivers seat belt operation and condition			5) Engine starting and ignition system
		6) Instrument panel, gauges & warning lights			7) Instrument panel lighting & condition
		8) Horn operation			9) Steering wheel tight, no excessive play
		10) Windshield wipers			11) Windshield washer
		12) Sun visor condition and operation			13) Parking brake operation & condition
		14) Parking and service brake pedal pads			15) Passenger door operation
		16) No vibrations, pulsations or noises			B) Walk around inspection
		1) Body damage (list on separate sheet)			2) Headlights, high & low beam operation
		3) Parking lights operation & condition			4) Marker lights operation & condition
		5) Directional signals operation & condition			6) Hazard lights operation & condition
		7) Clearance lights operation & condition			8) Brake lights operation & condition
		9) License plate lamp operation & condition			10) License plates and tags
		11) Backup lights and alarms			12) Reflectors and reflective bumper tape
		13) Exterior decals and signage			14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition			16) Exterior clean
		C) Interior inspection			1) Passenger door and steps condition
		2) Handrails and stanchions condition			3) Interior and modesty panels condition
		4) Flooring condition			5) Interior lighting operation and condition
		6) Windows operation and condition			7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)			9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition			11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition			13) Stop request operation & condition
		14) Valid registration, insurance & accident pack			15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)			17) DVI's reviewed, addressed and signed off
		18) Interior clean			D) HVAC system inspection
		1) Front blower condition and operation			28) Exhaust system condition and mounting
		27) No exhaust leaks			26) Fuel tank condition and mounting
		25) No fuel leaks			24) Rear springs condition and mounting
		23) Rear shock absorbers			22) Frame and cross members
		21) Rear differential condition and mounting			20) No rear differential leaks
		19) Universal joints and carrier bearings condition			18) Drive shaft condition
		17) No transmission oil leaks and fluid condition			16) Transmission mounts, brackets and bolts
		15) Engine mounts, brackets and bolts			14) No engine oil leaks and fluid condition
		13) Heater and A/C hose routing and leaks			12) Engine oil cooler & lines routing and leaks
		11) Trans oil cooler & lines routing and leaks			10) Front shock absorber operation & condition
		9) Front spring condition and mounting			8) Ball joints or kingpins
		7) Stabilizer bar condition and bushings condition			6) Radius arm condition and bushings condition
		5) I beam or control arm movements and rivets			4) Steering linkages
		3) Steering shaft bearings			2) Steering shaft U joints
		1) Steering gear box mount, condition & leaks			F) Vehicle rack inspection
		12) Brake fluid level and condition			11) Power steering fluid level and condition
		10) Transmission oil level and condition			9) Engine oil fluid level and condition
		8) Fan and fan clutch operation and condition			7) Brake master cylinder and power booster
		6) Pulleys and tensioned operation & condition			5) Accessory drive belts condition
		3) Cooling system, hoses, water pump condition			2) Wire and hose routing and connections
		(reference factory service manual for alternator spec)			Alt. 2 min volt: max amp:
		Alt. 1 min volt: max amp:			(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Batt 3 volts: load amps:			Batt 2 volts: load amps:
		Batt 1 volts: load amps:			1) Batteries & charging sys. (load alt B,C,D serv)
		E) Under hood inspection			8) A/C compressors and condenser fans
		7) Rear heater condition and operation			6) Front heater condition and operation
		5) Evaporator intake air filter condition			4) Temp gets to 20 deg. F below ambient temp.
		3) Defroster operation			2) Rear blower condition and operation



Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**Date: 05-13-19 Vehicle #: 5113Mileage in: 230524 Mileage out: 230525

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: <u>12</u> /32" L/F: <u>12</u> /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: <u>7</u> /32" L/R: <u>7</u> /32"
		Shoes R/R: <u>7</u> /32" L/R: <u>7</u> /32"
		34) Tire and wheel condition and measurements
		R/F: <u>9</u> /32" L/F: <u>9</u> /32"
		R/R: <u>6</u> /32" L/R: <u>7</u> /32"
		R/RO: <u>6</u> /32" L/RO: <u>5</u> /32"
		35) Lug nuts condition
		Air pressure adjustment FR. <u>70</u> RR. <u>70</u>
		Wheel torque specs used: <u>140</u> ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	<u>7</u>
A,B,C,D	Lube chassis and suspension	<u>7</u>
A,B,C,D	Lube drive shafts and universal joints	<u>N/A</u>
A,B,C,D	Lube doors and hood, locks and hinges	<u>7</u>
A,B,C,D	Adjust service and parking brakes	<u>N/A</u>
A,B,C,D	Drain water from separator	<u>N/A</u>
A,B,C,D	Rotate tires (as necessary, caps on rear)	<u>7</u>
B,C,D	Change air filter	<u>7</u>
B,C,D	Change fuel filter	<u>7</u>
B,C,D	Clean or change PCV valve	<u>N/A</u>
B,C,D	Clean or change crank case filter	<u>N/A</u>
B,C,D	Install new wiper blades	<u>7</u>
C,D	Change transmission fluid and filter	<u>7</u>
C,D	Service front wheel bearings	<u>7</u>
C,D	Drain water from fuel tank	<u>N/A</u>
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	<u>7</u>
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date 05-13-19

Supervisor Signature

Date 5/16/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation

5910 N Central Expy Way Suite 1145
Dallas, TX 75206



Work Order Division (0094.)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 5115 Repair Reason: 1 Date and Time
Date: 8/17/20 Work Class: 1 Date and Time Finished:

Date and Time in :

Repair Reason:

2

Vehicle

Mileage in: 288.06

Mileage out: 288107

Complaints/Defects:

0130

Notes/Measurements:

<i>Labor Information</i>		
<i>Task</i>	<i>WAC</i>	<i>Repair Description/Comments</i>
		<i>Hours</i>
		PMA D
		Brake Inspection
		Total Hours Worked:

Parts Information				
Task	WAC	Part Number	Description	Qty Cost
2	SM	VV1700	Engine Oil	65
2	SM	LF36SA	Oil Filter	1
2	SM	AF25590	Air Filter	1
2	SM	FL180	Trans Filter	1
2	SM	Mercon LV	Trans Fluid	10
2	SM	SP531	Spark plugs	8
2	SM	WV2001 PF	tipper blades	2
2	SM	VV821	Gear Oil	3
2	SM	FE1063	Deep seats	1
Total Parts Cost:				

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: J. Hall

Signature

ASE Employee #: 604182 ASE Technician:

ASE Signature:

MECHANIC'S SIGNATURE 		BUS # : 5113	DATE:
PM TYPE OR WORK ORDER #:			
DESCRIPTION OF REPAIR NEEDED		COMPLETED BY	DATE
COMPLETED		COMPLETED	DATE

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C **D**

Mileage in: 288106

D

Mileage out: 288107



Date: 8/17/20

Vehicle #: 5113

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition (radio, GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B, C, D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Mileage in: 288106 Mileage out: 288107



Date: 8/17/20 Vehicle #: 5113

Item Inspected	P	F
30) Front brake condition and mounting		
31) Front brake lining condition & measurement		
Pads R/F: 8 / 32" L/F: 8 / 32"		
32) Rear brake condition and mounting		
33) Rear brake lining condition & measurement		
Pads R/R: 8 / 32" L/R: 8 / 32"		
34) Tire and wheel condition and measurements		
Shoes R/R: 8 / 32" L/R: 8 / 32"		
R/F: 8 / 32" L/F: 8 / 32"		
R/R: 8 / 32" L/R: 8 / 32"		
35) Lug nuts condition		
Air pressure adjustment FR. 65 RR. 70		
Wheel torque specs used: 140 ft. lbs.		
(g) Lift inspection		
1) Lift operation (fully stowed to fully deployed)		
2) Lift control pendant condition and operation		
3) Lift restraint belt condition and operation		
4) Outer roll stop condition and operation		
5) Inner roll stop condition and operation		
6) Platform adjustments, condition and mounting		
7) Standee arm condition and operation		
8) Proper signage and decals		
9) Manual backup pump condition and operation		
10) Lift manual pump handle		
11) Hydraulic pump condition and operation		
12) Hydraulic lines and cylinders condition		
13) Hydraulic fluid level and condition		
14) Base plate and arms welds & pivot points		
15) Lift springs and pins condition and operation		
16) Lift safety switches and adjustments		
17) Hose and wire routing and connections		
18) Rollers and pivot point condition & operation		
19) Lift to vehicle mounting bolts and brackets		
20) Lift doors condition and operation		
21) Lift door lights condition and operation		
22) Lift interlock operation and condition		
(Lift door open, e-brake down not able to shift)		
(e-brake off lift door closed no lift power)		
23) W/C tie downs condition and operation		
24) Tie down container secure and clean		
25) Tie down floor mounting brackets secure		
26) W/C shoulder belt condition and operation		
27) Lift clean and no sharp edges		
28) Lift shields secure and in good shape		
29) Lift moves steady without drifting, jerking, or unusual speeds		
30) No unusual lift noises		
Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube		
Check, torque or adjust lift base mounting bolts		

Service Type	Service Performed	Technician Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires (as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technician's Signature

Date

Supervisor Signature

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.