986

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in: 05.30.18 9:50 Mileage in: 180624
Date: 05.30.18 Work Class: I Date and Time Finished: 05.30.18 11:30 Mileage out: 180626

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
A	55	110349	oil filter	1	
A	55	D1596	rear Brake Pad	1	
A	55	C1589	Front Brake Pad	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 34394 Technician: Foodson Frevrier Signature:

ASE Employee #: 60458 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: U901 DATE: 05.30.18

PM TYPE OR WORK ORDER #: PMTA

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace front brake pads		05/30/18
Replace Rear brake pads		05/30/18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05-30-18 Vehicle #: 4801 Mileage in: 180624 Mileage out: 180626

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05-30-18 Vehicle #: 4801 Mileage in: 180624 Mileage out: 180626

P	F	Item Inspected
F		30) Front brake condition and mounting
	F	31) Front brake lining condition & measurement
F		Pads R/F: 3 /32" L/F: 3 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
	F	Pads R/R: 3 /32" L/R: 3 /32"
F		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 6 /32" L/F: 6 /32"
F		R/RI: 4 /32" L/RI: 4 /32"
F		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
	N/A	9) Manual backup pump condition and operation
	N/A	10) Lift manual pump handle
	N/A	11) Hydraulic pump condition and operation
	N/A	12) Hydraulic lines and cylinders condition
	N/A	13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05.30.18

Supervisor Signature — Date: 5/31/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO# 1163

Basic Information

Vehicle #: 4301 Repair Reason: A Date and Time in : 17:19 Mileage in: 185302
Date: 07/10/18 Work Class: I Date and Time Finished: 19:43 Mileage out: 185303

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	55	~~brake ins~~ PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	~~MO 5W20~~	engine oil	5.5	
A	55	MD 349	oil filter	1	
A	55	235 65R17	tires	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84894 Technician: Faadson Fanier Signature:

ASE Employee #: 60418 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4301 DATE: 07/10/13
	PM TYPE OR WORK ORDER #: PM60A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Front Tires		07/10/13

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 07/10/18 Vehicle #: 4801 Mileage in: 185302 Mileage out: 185303

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 07/10/18 Vehicle #: 4801 Mileage in: 183303 Mileage out: 185303

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 10 /32" L/R: 10 /32"
HLA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
	F	R/F: 3 /32" L/F: 3 /32"
F		R/RI: 5 /32" L/RI: 5 /32"
F		R/RO: 6 /32" L/RO: 6 /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
HLA		9) Manual backup pump condition and operation
HLA		10) Lift manual pump handle
HLA		11) Hydraulic pump condition and operation
HLA		12) Hydraulic lines and cylinders condition
HLA		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
HLA		17) Hose and wire routing and connections
HLA		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HLA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HLA
A,B,C,D	Drain water from separator	HLA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 07/10/18 Date

Supervisor Signature 7/12/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204

WPB 94
3301Electronics Way
West Palm Beach, FL, 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in : 12:15 Mileage in: 196170
Date: 09/17/18 Work Class: _____ Date and Time Finished: 13:45 Mileage out: 196171

Complaints/Defects:

PM I (A)

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM I (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	oil Engine	5.0	
A	55	225/65r17	Tire's	2	
A	55	M0-349	oil Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Jean Thermidor Signature: Jean

ASE Employee #: 64[illegible] ASE Technition: [signature] ASE Signature: [signature]

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: DATE:
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 09/17/18 Vehicle #: 4801 Mileage in: 195170 Mileage out: 195171

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
N/A		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 09/17/18 Vehicle #: 4801 Mileage in: 195170 Mileage out: 195171

P	F	Item Inspected
U		30) Front brake condition and mounting
U		31) Front brake lining condition & measurement
		Pads R/F: 11 /32" L/F: 11 /32"
U		32) Rear brake condition and mounting
U		33) Rear brake lining condition & measurement
		Pads R/R: 11 /32" L/R: 11 /32"
N/A		Shoes R/R: /32" L/R: /32"
U		34) Tire and wheel condition and measurements
U		R/F: 12 /32" L/F: 12 /32"
U		R/RI: 3 /32" L/RI: 6 /32"
U		R/RO: /32" L/RO: /32"
U		35) Lug nuts condition
U		Air pressure adjustment FR. 35 RR. 35
U		Wheel torque specs used: 100 ft. lbs.
[redacted]		**G) Lift inspection**
U		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
U		4) Outer roll stop condition and operation
U		5) Inner roll stop condition and operation
N/A		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
U		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
U		14) Base plate and arms welds & pivot points
U		15) Lift springs and pins condition and operation
U		16) Lift safety switches and adjustments
U		17) Hose and wire routing and connections
U		18) Rollers and pivot point condition & operation
U		19) Lift to vehicle mounting bolts and brackets
U		20) Lift doors condition and operation
U		21) Lift door lights condition and operation
U		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
U		23) W/C tie downs condition and operation
U		24) Tie down container secure and clean
U		25) Tie down floor mounting brackets secure
U		26) W/C shoulder belt condition and operation
U		27) Lift clean and no sharp edges
U		28) Lift shields secure and in good shape
U		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
U		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
U		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	I
A,B,C,D	Lube chassis and suspension	I
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	I
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	I
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	I

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 09/17/18

Technicians Signature Date

Supervisor Signature 9/18/18

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1230

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in : 22:00 Mileage in: 209501
Date: 12/18/18 Work Class: I Date and Time Finished: 0:00 Mileage out: 209501

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM I A	
04	55	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE OIL	5	
A	55	MO 349	OIL FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rodney Murray Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4807 DATE: 12/18/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
MINOR STRACHES & DINGS		
WASHER FLUID OUT	Rodney M.	12/18/18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 12/18/18 Vehicle #: 4801 Mileage in: 209501 Mileage out: 209501

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R	X	11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: 12.6 load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R	∝	12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
NA		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
NA		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
NA		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 12/18/18 Vehicle #: 4801 Mileage in: 209501 Mileage out: 209501

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 6 /32" L/F: 6 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 5 /32" L/R: 5 /32"
NA		Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements
R		R/F: 5 /32" L/F: 5 /32"
		~~R/RI: /32" L/RI: /32"~~
R		R/RO: 5 /32" L/RO: 5 /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
NA		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
	NA	5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
	NA	12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
	NA	21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
NA		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 12/17/18 Date

Supervisor Signature 12/18/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#230

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 2801 Repair Reason: A Date and Time in : 1.22.19 10:40 Mileage in: 214 138
Date: 1.22.19 Work Class: I Date and Time Finished: 1.22.19 2:00 Mileage out: 214 138

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	M0349	oil filter	1	
A	55	0356=H.17	Tires	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849132 Technician: Tommy Alison Signature:

ASE Employee #: 604182 ASE Technician: A Jelmert ASE Signature: A Jelmert

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 1.22.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace 2 steer front tires	Jhony	1.22.19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Date: 1-22-19 Vehicle #: 4801 Circle Service Type: (A) B C D

Mileage in: 214138 Mileage out: 214138

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 1.22.19 Vehicle #: 21801 Mileage in: 214138 Mileage out: 214138

P	F	Item Inspected
2		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: 8 /32" L/F: 8 /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: 6 /32" L/R: 6 /32"
2		Shoes R/R: /32" L/R: /32"
2		34) Tire and wheel condition and measurements
	2	R/F: 3 /32" L/F: 3 /32"
2		R/RI: 6 /32" L/RI: 6 /32"
		R/RO: /32" L/RO: /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. 110 RR. 110
2		Wheel torque specs used: 100 ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking,
		or unusual speeds
2		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 1.22.19

Supervisor Signature — Date: 1/30/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#714

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in : 03-19-19 22:30 Mileage in: 223689
Date: 03/19/19 Work Class: I Date and Time Finished: 03-19-19 0300 Mileage out: 223690

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	38	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	SW20	engine oil	55	
A	55	MD345	oil filter	1	
A	55	H11	Head lamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845-132 Technician: Jimmy Alisme Signature

ASE Employee #: 6047855 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 21801 DATE: 03.19.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace head lamp	Jimmy	03.19.19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 03/19/19 Vehicle #: 4701 Mileage in: 203689 Mileage out: 203690

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
J		1) Driver carpet
J		2) Driver seat condition and operation
J		3) Drivers door operation and condition
J		4) Drivers seat belt operation and condition
J		5) Engine starting and ignition system
J		6) Instrument panel gauges & warning lights
J		7) Instrument panel lighting & condition
J		8) Horn operation
J		9) Steering wheel tight, no excessive play
J		10) Windshield wipers
J		11) Windshield washer
J		12) Sun visor condition and operation
J		13) Parking brake operation & condition
J		14) Parking and service brake pedal pads
J		15) Passenger door operation
J		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
J		1) Body damage (list on separate sheet)
J		2) Headlights, high & low beam operation
J		3) Parking lights operation & condition
J		4) Marker lights operation & condition
J		5) Directional signals operation & condition
J		6) Hazard lights operation & condition
J		7) Clearance lights operation and condition
J		8) Brake lights operation & condition
J		9) License plate lamp operation & condition
J		10) License plates and tags
J		11) Backup lights and alarms
J		12) Reflectors and reflective bumper tape
J		13) Exterior decals and signage
J		14) Bumpers secure / in good condition
J		15) Exterior mirrors secure / in good condition
J		16) Exterior clean
/		**C) Interior inspection**
J		1) Passenger door and steps condition
J		2) Handrails and stanchions condition
J		3) Interior and modesty panels condition
J		4) Flooring condition
J		5) Interior lighting operation and condition
J		6) Windows operation and condition
J		7) Emergency Exits operation & condition
J		8) Accessory operation & condition(radio,GPS)
J		9) Passenger seats operation & condition
J		10) Passenger seat belts operation & condition
J		11) First aid & body fluid kits complete
J		12) Triangle reflectors complete/good condition
J		13) Stop request operation & condition
J		14) Valid registration, insurance & accident pack
J		15) Fire extinguisher in good condition & signed
J		16) Interior decals and signage (incl. electrical)
J		17) DVI's reviewed, addressed and signed off
J		18) Interior clean
/		**D) HVAC system inspection**
J		1) Front blower condition and operation

P	F	Item Inspected
J		2) Rear blower condition and operation
J		3) Defroster operation
J		4) Temp gets to 20 deg. F below ambient temp.
J		5) Evaporator intake air filter condition
J		6) Front heater condition and operation
J		7) Rear heater condition and operation
J		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
J		2) Wire and hose routing and connections
J		3) Cooling system, hoses, water pump condition
J		5) Accessory drive belts condition
J		6) Pulleys and tensioned operation & condition
J		7) Brake master cylinder and power booster
J		8) Fan and fan clutch operation and condition
J		9) Engine oil fluid level and condition
J		10) Transmission oil level and condition
J		11) Power steering fluid level and condition
J		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
J		1) Steering gear box mount, condition & leaks
J		2) Steering shaft U joints
J		3) Steering shaft bearings
J		4) Steering linkages
J		5) I beam or control arm movements and rivets
J		6) Radius arm condition and bushings condition
J		7) Stabilizer bar condition and bushings condition
J		8) Ball joints or kingpins
J		9) Front spring condition and mounting
J		10) Front shock absorber operation & condition
J		11) Trans oil cooler & lines routing and leaks
J		12) Engine oil cooler & lines routing and leaks
J		13) Heater and A/C hose routing and leaks
J		14) No engine oil leaks and fluid condition
J		15) Engine mounts, brackets and bolts
J		16) Transmission mounts, brackets and bolts
J		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
J		22) Frame and cross members
J		23) Rear shock absorbers
J		24) Rear springs condition and mounting
J		25) No fuel leaks
J		26) Fuel tank condition and mounting
J		27) No exhaust leaks
J		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 03/19/19 Vehicle #: U801 Mileage in: 223689 Mileage out: 223690

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: 6 /32" L/F: 6 /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: 6 /32" L/R: 6 /32"
HM		Shoes R/R: /32" L/R: /32"
J		34) Tire and wheel condition and measurements
J		R/F: 8 /32" L/F: 8 /32"
J		R/RI: 6 /32" L/RI: 8 /32"
HM		R/RO: /32" L/RO: /32"
J		35) Lug nuts condition
J		Air pressure adjustment FR. 65 RR. 70
J		Wheel torque specs used: 140 ft. lbs.
/		**G) Lift inspection**
J		1) Lift operation (fully stowed to fully deployed)
J		2) Lift control pendant condition and operation
J		3) Lift restraint belt condition and operation
J		4) Outer roll stop condition and operation
J		5) Inner roll stop condition and operation
J		6) Platform adjustments, condition and mounting
J		7) Standee arm condition and operation
J		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
NA		14) Base plate and arms welds & pivot points
J		15) Lift springs and pins condition and operation
J		16) Lift safety switches and adjustments
J		17) Hose and wire routing and connections
NA		18) Rollers and pivot point condition & operation
J		19) Lift to vehicle mounting bolts and brackets
J		20) Lift doors condition and operation
J		21) Lift door lights condition and operation
J		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking,
		or unusual speeds
		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages
J		and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	J
A,B,C,D	Lube chassis and suspension	J
A,B,C,D	Lube drive shafts and universal joints	HM
A,B,C,D	Lube doors and hood, locks and hinges	J
A,B,C,D	Adjust service and parking brakes	HM
A,B,C,D	Drain water from separator	HM
A,B,C,D	Rotate tires(as necessary, caps on rear)	J
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	J

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 03/19/19 Date

Supervisor Signature 3/20/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1001

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: PM-A Date and Time in: 19:00 Mileage in: 228,505
Date: 4/17/19 Work Class: Date and Time Finished: 20:20 Mileage out: 228,508

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM-A	
04	58	Brake Inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W 20	Engine Oil	5.5	
A	55	MO-349	Oil Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: _____ Technician: _____ Signature _____

ASE Employee #: 832424 ASE Technician: Eyal Johnson ASE Signature: E. J.

60418

PM DEFECT SHEET

MECHANIC'S SIGNATURE: E J K III

BUS #: 4801 DATE: 4/17/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Drivr side running board scuffed		
Sunvisor clip damaged, replaced.	E J K III	4/17/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 4/17/19 Vehicle #: 4801 Mileage in: 228,505 Mileage out: 228,508

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
SJ		1) Driver carpet
SJ		2) Driver seat condition and operation
SJ		3) Drivers door operation and condition
SJ		4) Drivers seat belt operation and condition
SJ		5) Engine starting and ignition system
SJ		6) Instrument panel gauges & warning lights
SJ		7) Instrument panel lighting & condition
SJ		8) Horn operation
SJ		9) Steering wheel tight, no excessive play
SJ		10) Windshield wipers
SJ		11) Windshield washer
	SJ	12) Sun visor condition and operation
SJ		13) Parking brake operation & condition
SJ		14) Parking and service brake pedal pads
SJ		15) Passenger door operation
SJ		16) No vibrations, pulsations or noises
		B) Walk around inspection
	SJ	1) Body damage (list on separate sheet)
SJ		2) Headlights, high & low beam operation
SJ		3) Parking lights operation & condition
SJ		4) Marker lights operation & condition
SJ		5) Directional signals operation & condition
SJ		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
SJ		8) Brake lights operation & condition
SJ		9) License plate lamp operation & condition
SJ		10) License plates and tags
SJ		11) Backup lights and alarms
SJ		12) Reflectors and reflective bumper tape
SJ		13) Exterior decals and signage
SJ		14) Bumpers secure / in good condition
SJ		15) Exterior mirrors secure / in good condition
SJ		16) Exterior clean
		C) Interior inspection
SJ		1) Passenger door and steps condition
SJ		2) Handrails and stanchions condition
SJ		3) Interior and modesty panels condition
SJ		4) Flooring condition
SJ		5) Interior lighting operation and condition
SJ		6) Windows operation and condition
		7) Emergency Exits operation & condition
SJ		8) Accessory operation & condition(radio,GPS)
SJ		9) Passenger seats operation & condition
SJ		10) Passenger seat belts operation & condition
SJ		11) First aid & body fluid kits complete
SJ		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
SJ		14) Valid registration, insurance & accident pack
SJ		15) Fire extinguisher in good condition & signed
SJ		16) Interior decals and signage (incl. electrical)
SJ		17) DVI's reviewed, addressed and signed off
SJ		18) Interior clean
		D) HVAC system inspection
SJ		1) Front blower condition and operation

P	F	Item Inspected
SJ		2) Rear blower condition and operation
SJ		3) Defroster operation
SJ		4) Temp gets to 20 deg..F below ambient temp.
SJ		5) Evaporator intake air filter condition
SJ		6) Front heater condition and operation
SJ		7) Rear heater condition and operation
SJ		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
SJ		Batt 1 volts: 12.4 load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
SJ		Alt. 1 min volt: 14.2 max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
SJ		2) Wire and hose routing and connections
SJ		3) Cooling system, hoses, water pump condition
SJ		5) Accessory drive belts condition
SJ		6) Pulleys and tensioned operation & condition
SJ		7) Brake master cylinder and power booster
SJ		8) Fan and fan clutch operation and condition
SJ		9) Engine oil fluid level and condition
SJ		10) Transmission oil level and condition
SJ		11) Power steering fluid level and condition
SJ		12) Brake fluid level and condition
		F) Vehicle rack inspection
SJ		1) Steering gear box mount, condition & leaks
SJ		2) Steering shaft U joints
SJ		3) Steering shaft bearings
SJ		4) Steering linkages
SJ		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
SJ		8) Ball joints or kingpins
SJ		9) Front spring condition and mounting
SJ		10) Front shock absorber operation & condition
SJ		11) Trans oil cooler & lines routing and leaks
SJ		12) Engine oil cooler & lines routing and leaks
SJ		13) Heater and A/C hose routing and leaks
SJ		14) No engine oil leaks and fluid condition
SJ		15) Engine mounts, brackets and bolts
SJ		16) Transmission mounts, brackets and bolts
SJ		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
SJ		22) Frame and cross members
SJ		23) Rear shock absorbers
SJ		24) Rear springs condition and mounting
SJ		25) No fuel leaks
SJ		26) Fuel tank condition and mounting
SJ		27) No exhaust leaks
SJ		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 4/17/19 Vehicle #: 4801 Mileage in: 228,505 Mileage out: 228,508

P	F	Item Inspected
EJ		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
EJ		Pads R/F: 5 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
EJ		Pads R/R: 3 /32" L/R: 3 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
EJ		R/F: 6 /32" L/F: 5 /32"
EJ		R/RI: 8 /32" L/RI: 5 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
EJ		Air pressure adjustment FR. 40 RR. 40
EJ		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
EJ		14) Base plate and arms welds & pivot points
EJ		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
EJ		19) Lift to vehicle mounting bolts and brackets
EJ		20) Lift doors condition and operation
EJ		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
EJ		23) W/C tie downs condition and operation
EJ		24) Tie down container secure and clean
EJ		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
EJ		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
(A),B,C,D	Change oil and filter	EJ
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
(A),B,C,D	Lube doors and hood, locks and hinges	EJ
(A),B,C,D	Adjust service and parking brakes	EJ
A,B,C,D	Drain water from separator	
(A),B,C,D	Rotate tires(as necessary, caps on rear)	EJ
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

EJ — 4/17/19

Technicians Signature — Date

Supervisor Signature — 4/22/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1448

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in: _____ Mileage in: 238125
Date: 06/18/19 Work Class: 1 Date and Time Finished: _____ Mileage out: 238126

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	P M I (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W 20	Oil	5.5	
A	55	M0349	Oil filter	1	
A	55	225/65 R17	Tires	2	
A	55	3120	Wiper Blades	1	
A	55	3126	Wiper Blades	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rodney Nunn Signature: _____

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE: [signature]

BUS #: 4801 DATE: 06/18/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① Vehicle Need two front tires Low. Check and Replace Front tires all ok	[signature]	06/18/19
② Vehicle Need wiper Blades Replace Need all ok	Rodney Murray	06/18/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 06/18/19 Vehicle #: 4801 Mileage in: 238125 Mileage out: 238126

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
NA		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
P		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
NA		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
NA		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
NA		3) Steering shaft bearings
R		4) Steering linkages
NA		5) I beam or control arm movements and rivets
NA		6) Radius arm condition and bushings condition
NA		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 06/18/19 Vehicle #: 4801 Mileage in: 238125 Mileage out: 238126

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 6 /32" L/F: 6 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 6 /32" L/R: 6 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R	X	R/F: 2 /32" L/F: 2 /32"
NA		R/RI: /32" L/RI: /32"
R		R/RO: 6 /32" L/RO: 6 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 37 RR. 37
R		Wheel torque specs used: 150 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
R		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
NA		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Date 06/18/19

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1708

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information			
Vehicle #: 4801	Repair Reason: A	Date and Time in :	Mileage in: 242837
Date: 7/21/19	Work Class: I	Date and Time Finished:	Mileage out: 242838

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI. A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	5.5	
A	55	M0349	OIL FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rodney Mukasey / FF Signature Rodney Mukasey / FF

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 07-21-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
tighten arm Rest bolt		07-21-19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 7/21/14 Vehicle #: 4801 Mileage in: 242837 Mileage out: 242838

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
F		5) Directional signals operation & condition
NA		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 7/21/19 Vehicle #: 4801 Mileage in: 242837 Mileage out: 242838

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 8 /32" L/F: 8 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 7 /32" L/R: 7 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 6 /32" L/F: 6 /32"
F		R/RI: /32" L/RI: /32"
F		R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 36 RR. 36
F		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

FF 7/21/19

Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#2842

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: I Date and Time in: 12/27/19 . 5:00 PM Mileage in: 252045
Date: 12/27/19 Work Class: A Date and Time Finished: 12/27/19 . 6:17 PM Mileage out: 252046

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A		PMI	
A	55	REPLACE REAR TIRES	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	5.5	
A	55	M0349	ENG. OIL FILTER	1	
A	55	6506214 AA	ENG. OIL DRAIN PLUG	1	
A	55	225/65R17 102H	HANKOOK TIRE	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HOPETON HAYE Signature H. H. Haye

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

H. M. Hay
MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 12/27/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
* CHECK ENG. LIGHT PRIOR TO PMI.		
* DAMAGED/STRIPPED OIL DRAIN PLUG ON ARRIVAL.	H.M.H	12/27/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 12/27/19 Vehicle #: 4801 Mileage in: 252045 Mileage out: 252044

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
N/A		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
N/A		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition(radio,GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
N/A		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
H		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
H		Alt. 1 min volt: max volt: max amp:
N/A		Alt. 2 min volt: max volt: max amp:
H		*(reference factory service manual for alternator spec)*
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
H		**F) Vehicle rack inspection**
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
H		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
H		12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
H		14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
H		20) No rear differential leaks
H		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 12/27/19 Vehicle #: 4801 Mileage in: 252045 Mileage out: 252046

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: 5/32" L/F: 5/32"
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: 11/32" L/R: 11/32"
N/A		Shoes R/R: /32" L/R: /32"
H		34) Tire and wheel condition and measurements
H		R/F: 5/32" L/F: 9/32"
N/A		R/RI: /32" L/RI: /32"
	X	R/RO: 2/32" L/RO: 2/32"
H		35) Lug nuts condition
H		Air pressure adjustment FR. 36 RR. 36
H		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
H		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
N/A		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking, or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	OK
A,B,C,D	Lube drive shafts and universal joints	OK
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	H
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Hm — 12/27/19

Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A. Date and Time in : 02-05-2020 Mileage in: 256880
Date: 02-05-20 Work Class: I Date and Time Finished: Mileage out: 256881

Complaints/Defects:	Notes/Measurements:
RMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	RMIA.	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE Oil	6.0	
A	55	MO-349	OIL FILTER	1	
A	55	68159526AC	FRONT BRAKES	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: TEHILER WITZNER Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 02-05-2020

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Front Tires		02-05-20

J:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 02-05-20 Vehicle #: 4801 Mileage in: 256880 Mileage out: 256881

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 02/05/20 Vehicle #: 4801 Mileage in: 256880 Mileage out: 256881

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F	X	Pads R/F: 2 /32" L/F: 2 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 10 /32" L/F: 10 /32"
		R/RI: /32" L/RI: /32"
F		R/RO: 9 /32" L/RO: 9 /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 35 RR. 35
F		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
F		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive ~~(5 miles)~~	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 02-05-20 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1771

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: A Date and Time in: 18:30 PM Mileage in: 199982
Date: 10/15/18 Work Class: 1 Date and Time Finished: 20:00 PM Mileage out: 199982

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A		PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W 20	Oil	5.5	
A	55	M0349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 81653Y Technician: Sham Mohd Signature

ASE Employee #: 6405 ASE Technician: A Jamal ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4501 DATE: 10/15/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 10/5/18 Vehicle #: 4801 Mileage in: 199982 Mileage out: 199982

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
N/A		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/15/18 Vehicle #: 4801 Mileage in: 199982 Mileage out: 199982

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 7 /32" L/F: 6 /32"
N/A		R/RI: /32" L/RI: /32"
S		R/RO: 4 /32" L/RO: 8 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive ~~(5 miles)~~	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 10/15/18

Supervisor Signature — Date: 10/15/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1900

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: B Date and Time in : 11-13-18 21:00 Mileage in: 204744
Date: 11-13-18 Work Class: I Date and Time Finished: 11-13-18 23:00 Mileage out: 204743

Complaints/Defects:	Notes/Measurements:
PMI B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMI B	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W20	engine oil	5.5	
B	55	1103149	oil filter	1	
B	55	225/65R17	Tire	1	
B	55	WW2001DF	wiper Blade	2	
B	55	04851737AA	air filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tommy Alsmal Signature:

ASE Employee #: 604182 ASE Technician: T Alsmal ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 11-03-18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
RR tire need to Be replace		
replace RR tires	Tommy	11-13-18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 11-13-18 Vehicle #: 4801 Mileage in: 204744 Mileage out: 204745

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 11-13-18 Vehicle #: 4801 Mileage in: 204744 Mileage out: 204745

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 8 /32" L/R: 8 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 8 /32" L/F: 8 /32"
	✓	R/RI: 3 /32" L/RI: 7 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 110 RR. 90
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 11-13-18 Date

Supervisor Signature 11/14/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1213

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4807 Repair Reason: B Date and Time in : Mileage in: 233254
Date: 05/19/2019 Work Class: Date and Time Finished: Mileage out: 233255

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMI B	
B	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	VV1700	ENGINE OIL	5.5	
B	55	M0349	OIL FILTER	1	
B	55	0486 1737 AA	AIR FILTER	1	
B	55	31-20	WIPER BLADE	1	
B	55	31-26	WIPER BLADE	1	
B	55	SC 1596	REAR BRAKE PADS	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: RODNEY MURRAY Signature

ASE Employee #: to 4/18 ASE Technician: ASE Signature:

PM DEFECT SHEET

Rodney Murray
MECHANIC'S SIGNATURE

BUS #: 4804 DATE: 05/19/2019

PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Many Scratches		
REAR BRAKES	Rodney Murray	05/19/2019
FRONT Shocks		
WINDOW Switch		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 05/14/2019 Vehicle #: 4801 Mileage in: 233254 Mileage out: 233255

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
NA		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg..F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
		3) Steering shaft bearings
R		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 05/14/2019 Vehicle #: 4801 Mileage in: 233254 Mileage out: 233255

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 6 /32" L/F: 6 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R	X	Pads R/R: 2 /32" L/R: 2 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 7 /32" L/F: 7 /32"
NA		R/RI: /32" L/RI: /32"
R		R/RO: 5 /32" L/RO: 5 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 34
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
|		3) Lift restraint belt condition and operation
|		4) Outer roll stop condition and operation
|		5) Inner roll stop condition and operation
|		6) Platform adjustments, condition and mounting
|		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
|		10) Lift manual pump handle
|		11) Hydraulic pump condition and operation
|		12) Hydraulic lines and cylinders condition
|		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05/14/2019

Supervisor Signature — Date: 5/20/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: B Date and Time in: 1800 Mileage in: 261689
Date: 3/17/20 Work Class: I Date and Time Finished: 1930 Mileage out: 261691

Complaints/Defects:	Notes/Measurements:
PM1 B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
		PM1 B	
		Brake Inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	VV700	Engine Oil	55	
B	55	1281000	Air Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 549102 Technician: Joe Hall Signature: +

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 3/11/20

PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Oil leak under engine		
Driver seat torn		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 3/11/20 Vehicle #: 4801 Mileage in: 261689 Mileage out: 261691

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 3/11/20 Vehicle #: 4801 Mileage in: 261489 Mileage out: 261691

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 7 /32" L/F: 7 /32"
		R/RI: /32" L/RI: /32"
		R/RO: 7 /32" L/RO: 6 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	OK
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	✓
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	OK
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 3/11/20 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

1371

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: C Date and Time in: 16:38 Mileage in: 190219
Date: 8/15/13 Work Class: I Date and Time Finished: 19:15 Mileage out: 190220

Complaints/Defects:	Notes/Measurements:
PM C	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PM C	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	MO 349	oil filter	1	
C	55	5W20	engine oil	55	
C	55		Air filter	1	
C	55		wiper blade	2	
C	55	ATF +4	trans fluid	5	
C	55	+	trans filter	1	
C	55	H 11	Head Lamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Foodson Fervier Signature

ASE Employee #: 604182 ASE Technician: Abiud Tellez ASE Signature:

PM DEFECT SHEET

S Ofield
MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 08/15/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① Head Lamp ~~out~~ not working Check and Replace Bulb. all ok	S Ofield	08/15/18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 08/15/18 Vehicle #: 4301 Mileage in: 190219 Mileage out: 190220

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg..F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: 12.9 load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 08/15/18 Vehicle #: 4801 Mileage in: 190219 Mileage out: 190220

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
HA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 10 /32" L/F: 9 /32"
F		R/RI: 6 /32" L/RI: 5 /32"
F		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
HA		9) Manual backup pump condition and operation
HA		10) Lift manual pump handle
HA		11) Hydraulic pump condition and operation
HA		12) Hydraulic lines and cylinders condition
HA		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
HA		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HA
A,B,C,D	Drain water from separator	HA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	HA
B,C,D	Clean or change PCV valve	HA
B,C,D	Clean or change crank case filter	HA
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	HA
C,D	Drain water from fuel tank	HA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08/15/18

Supervisor Signature — Date: 8/17/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#2597

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 9801 Repair Reason: C Date and Time in : 11-20-19 Mileage in: 247657
Date: 11-20-19 Work Class: T Date and Time Finished: Mileage out: 247658

Complaints/Defects:	Notes/Measurements:
PMTC	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMTC	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	5W20	ENGINE OIL	6.5	
C	55	M0349	OIL FILTER	1	
C	55	04861737AA	AIR FILTER	1	
C	55	CH8234	FRONT AXLE	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: FERRER FLITNER Signature

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4801 DATE: 11-20-2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Right Front AXE. REPLACE. The Car. NEED. Front Shock. Absorber To REPLACE.		11-20-19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 11-20-19 Vehicle #: 4801 Mileage in: 247657 Mileage out: 247658

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Date: 11-20-19 Vehicle #: 4801 Circle Service Type: A B (C) D

Mileage in: 247657 Mileage out: 247658

P	F	Item Inspected
		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 8 /32"
F		R/RI: 7 /32" L/RI: 6 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
/		G) Lift inspection
	F	1) Lift operation (fully stowed to fully deployed)
	F	2) Lift control pendant condition and operation
	F	3) Lift restraint belt condition and operation
	F	4) Outer roll stop condition and operation
	F	5) Inner roll stop condition and operation
	F	6) Platform adjustments, condition and mounting
	F	7) Standee arm condition and operation
	F	8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
	F	14) Base plate and arms welds & pivot points
	F	15) Lift springs and pins condition and operation
	F	16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
	F	18) Rollers and pivot point condition & operation
	F	19) Lift to vehicle mounting bolts and brackets
	F	20) Lift doors condition and operation
	F	21) Lift door lights condition and operation
	F	22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
	F	(e-brake off lift door closed no lift power)
	F	23) W/C tie downs condition and operation
	F	24) Tie down container secure and clean
	F	25) Tie down floor mounting brackets secure
	F	26) W/C shoulder belt condition and operation
	F	27) Lift clean and no sharp edges
	F	28) Lift shields secure and in good shape
	F	29) Lift moves steady without drifting, jerking, or unusual speeds
	F	30) No unusual lift noises
	F	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
	F	Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	NA
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 11-20-2019 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#488

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4801 Repair Reason: D Date and Time in: 19:45 Mileage in: 218996
Date: 02-18-19 Work Class: I Date and Time Finished: 23:20 Mileage out: 218998

Complaints/Defects:	Notes/Measurements:
PMID	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMI (D)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	~~5W30~~ VV1700	Oil Engine	5.0	
D	55	MO-349	oil Filter	1	
D	55	6801 8555 AA	Trans Filter	1	
D	55	04861737AA	Air Filter	1	
D	55	WW.2001.PF	Waper blade	2	
D	55	68218057AA	Oil Trans	5	
D	55	SP249125AE-004	Iridium Spark Plug	6	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Jean Thermidor Signature

ASE Employee #: 604181 ASE Technician: Jean Thermidor ASE Signature: Jean Thermidor

PM DEFECT SHEET

Jean Thermidor MECHANIC'S SIGNATURE	BUS #: 4801 DATE: 02-18-19 PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① check Headlight replace new Headlight lamp all OK.	Jean	02-18-19
② check Passanger and Driver Door also Driver door window is all OK.		

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Date: 02-18-19 Vehicle #: 4801

Circle Service Type: A B C (D)

Mileage in: 28996 Mileage out: 218998

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
P		1) Driver carpet
P		2) Driver seat condition and operation
P		3) Drivers door operation and condition
P		4) Drivers seat belt operation and condition
P		5) Engine starting and ignition system
P		6) Instrument panel gauges & warning lights
P		7) Instrument panel lighting & condition
P		8) Horn operation
P		9) Steering wheel tight, no excessive play
P		10) Windshield wipers
P		11) Windshield washer
P		12) Sun visor condition and operation
P		13) Parking brake operation & condition
P		14) Parking and service brake pedal pads
P		15) Passenger door operation
P		16) No vibrations, pulsations or noises
		B) Walk around inspection
P		1) Body damage (list on separate sheet)
P		2) Headlights, high & low beam operation
P		3) Parking lights operation & condition
P		4) Marker lights operation & condition
P		5) Directional signals operation & condition
P		6) Hazard lights operation & condition
P		7) Clearance lights operation and condition
P		8) Brake lights operation & condition
P		9) License plate lamp operation & condition
P		10) License plates and tags
P		11) Backup lights and alarms
P		12) Reflectors and reflective bumper tape
P		13) Exterior decals and signage
P		14) Bumpers secure / in good condition
P		15) Exterior mirrors secure / in good condition
P		16) Exterior clean
		C) Interior inspection
P		1) Passenger door and steps condition
P		2) Handrails and stanchions condition
P		3) Interior and modesty panels condition
P		4) Flooring condition
P		5) Interior lighting operation and condition
P		6) Windows operation and condition
P		7) Emergency Exits operation & condition
P		8) Accessory operation & condition(radio,GPS)
P		9) Passenger seats operation & condition
P		10) Passenger seat belts operation & condition
P		11) First aid & body fluid kits complete
P		12) Triangle reflectors complete/good condition
P		13) Stop request operation & condition
P		14) Valid registration, insurance & accident pack
P		15) Fire extinguisher in good condition & signed
P		16) Interior decals and signage (incl. electrical)
P		17) DVI's reviewed, addressed and signed off
P		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
P		2) Rear blower condition and operation
P		3) Defroster operation
P		4) Temp gets to 20 deg. F below ambient temp.
P		5) Evaporator intake air filter condition
P		6) Front heater condition and operation
P		7) Rear heater condition and operation
P		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
P		2) Wire and hose routing and connections
P		3) Cooling system, hoses, water pump condition
P		5) Accessory drive belts condition
P		6) Pulleys and tensioned operation & condition
P		7) Brake master cylinder and power booster
P		8) Fan and fan clutch operation and condition
P		9) Engine oil fluid level and condition
P		10) Transmission oil level and condition
P		11) Power steering fluid level and condition
P		12) Brake fluid level and condition
		F) Vehicle rack inspection
P		1) Steering gear box mount, condition & leaks
P		2) Steering shaft U joints
P		3) Steering shaft bearings
P		4) Steering linkages
P		5) I beam or control arm movements and rivets
P		6) Radius arm condition and bushings condition
P		7) Stabilizer bar condition and bushings condition
P		8) Ball joints or kingpins
P		9) Front spring condition and mounting
P		10) Front shock absorber operation & condition
P		11) Trans oil cooler & lines routing and leaks
P		12) Engine oil cooler & lines routing and leaks
P		13) Heater and A/C hose routing and leaks
P		14) No engine oil leaks and fluid condition
P		15) Engine mounts, brackets and bolts
P		16) Transmission mounts, brackets and bolts
P		17) No transmission oil leaks and fluid condition
P		18) Drive shaft condition
P		19) Universal joints and carrier bearings condition
P		20) No rear differential leaks
P		21) Rear differential condition and mounting
P		22) Frame and cross members
P		23) Rear shock absorbers
P		24) Rear springs condition and mounting
P		25) No fuel leaks
P		26) Fuel tank condition and mounting
P		27) No exhaust leaks
P		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 02-18-19 Vehicle #: 4801 Mileage in: 218996 Mileage out: 218998

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: 6 /32" L/F: 6 /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: 6 /32" L/R: 6 /32"
N/A		Shoes R/R: /32" L/R: /32"
J		34) Tire and wheel condition and measurements
J		R/F: 9 /32" L/F: 9 /32"
J		R/RI: 7 /32" L/RI: 7 /32"
J		R/RO: /32" L/RO: /32"
J		35) Lug nuts condition
J		Air pressure adjustment FR. 36 RR. 36
J		Wheel torque specs used: 72 ft. lbs.
		G) Lift inspection
J		1) Lift operation (fully stowed to fully deployed)
J		2) Lift control pendant condition and operation
J		3) Lift restraint belt condition and operation
J		4) Outer roll stop condition and operation
J		5) Inner roll stop condition and operation
J		6) Platform adjustments, condition and mounting
J		7) Standee arm condition and operation
J		8) Proper signage and decals
J		9) Manual backup pump condition and operation
J		10) Lift manual pump handle
J		11) Hydraulic pump condition and operation
J		12) Hydraulic lines and cylinders condition
J		13) Hydraulic fluid level and condition
J		14) Base plate and arms welds & pivot points
J		15) Lift springs and pins condition and operation
J		16) Lift safety switches and adjustments
J		17) Hose and wire routing and connections
J		18) Rollers and pivot point condition & operation
J		19) Lift to vehicle mounting bolts and brackets
J		20) Lift doors condition and operation
J		21) Lift door lights condition and operation
J		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking, or unusual speeds
J		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	J
A,B,C,D	Lube chassis and suspension	J
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	J
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	J
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	J

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean ThermiDor 02-18-19
Technicians Signature Date

Supervisor Signature 8/21/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.