MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
823
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 14:04 Mileage in: 161342
Date: 05/09/18 Work Class: T Date and Time Finished: 15:54 Mileage out: 161343

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	M0349	oil filter	1	
A	55	F75367 30-DA	oil drain plug	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Freddson Favrier Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE: [signature]

BUS #: 5802 DATE: 05/09/18

PM TYPE OR WORK ORDER #: PMIA

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace oil drain plug	[signature]	05/09/18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05/09/18 Vehicle #: 4302 Mileage in: 161342 Mileage out: 161343

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Date: 05/09/17 Vehicle #: 4302 Circle Service Type: (A) B C D

Mileage in: 161342 Mileage out: 161343

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 10 /32" L/R: 10 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 8 /32"
F		R/RI: 10 /32" L/RI: 10 /32"
~~N/A~~		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05/09/17

Supervisor Signature — Date: 5/10/17

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO# 1019

Basic Information

Vehicle #: 4302 Repair Reason: A Date and Time in: 20:48 Mileage in: 166113
Date: 06/09/17 Work Class: D Date and Time Finished: 22:15 Mileage out: 166116

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	~~Engine oil~~ 5W20	engine oil	35	
A	55	M0349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 843194 Technician: Foodson Fevrier Signature:

ASE Employee #: 60458 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: DATE:
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Date: 06/09/18 Vehicle #: 4302 Mileage in: 166113 Mileage out: 166116

Circle Service Type: (A) B C D

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
		1) Front blower condition and operation
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
N/A		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 06/09/18 Vehicle #: 4302 Mileage in: 166113 Mileage out: 166116

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 10 /32" L/R: 10 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 6 /32" L/F: 6 /32"
F		R/RI: 9 /32" L/RI: 9 /32"
N/A		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 65 RR. 70
F		Wheel torque specs used: 140 ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 06/09/18 Date

Supervisor Signature 6/11/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

1307

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 14:03 Mileage in: 175424
Date: 08/03/18 Work Class: I Date and Time Finished: 16:37 Mileage out: 175426

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A		PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	55	
A	55	MD 349	oil filter	1	
A	55	BRSD-1328-B	Front brake pads	1	
A	55	BRSD-1329-B	Rear brake pads	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84894 Technician: Freedson Farrier Signature

ASE Employee #: 604185 ASE Technician: ASE Signature:

PM DEFECT SHEET

BUS #: 4802 DATE: 08/03/18

PM TYPE OR WORK ORDER #: PM A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Rotate tires		08/03/18
Replace Front brake pads		08/03/18
Replace Rear brake pads		08/03/18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 08/03/13 Vehicle #: 4802 Mileage in: 175424 Mileage out: 175426

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 08/03/18 Vehicle #: 4802 Mileage in: 175424 Mileage out: 175426

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
	F	Pads R/F: 3 /32" L/F: 3 /32"
	F	32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F	F	Pads R/R: 3 /32" L/R: 3 /32"
NA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 4 /32" L/F: 4 /32"
F		R/RI: 9 /32" L/RI: 9 /32"
F		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08/03/18

Supervisor Signature — Date: 8/6/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO# 1482

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 21:18 Mileage in: 180360
Date: 08/31/17 Work Class: I Date and Time Finished: 22:48 Mileage out: 180361

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	35	5W 20	engine oil	5.5	
A	55	M0 349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848494 Technician: Foodson Fevrier Signature

ASE Employee #: F04184 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #:	DATE:
	PM TYPE OR WORK ORDER #:	

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 03/31/18 Vehicle #: 4802 Mileage in: 180360 Mileage out: 180361

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
MIA		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
MIA		19) Universal joints and carrier bearings condition
MIA		20) No rear differential leaks
MIA		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 08/31/18 Vehicle #: 4802 Mileage in: 180360 Mileage out: 180361

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
NA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 9 /32"
F		R/RI: 4 /32" L/RI: 4 /32"
NA		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment F/R. 40 R/R. 40
F		Wheel torque specs used: 100 ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition (lift door open, e-brake down not able to shift) (e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HIA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HIA
A,B,C,D	Drain water from separator	HIA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08/31/18

Supervisor Signature — Date: 9/4/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1899

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in: 13:00 pm Mileage in: 190176
Date: 10/31/18 Work Class: 1 Date and Time Finished: 14:30 pm Mileage out: 190177

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W-20	Oil	5.5	
A	55	MO 344	Oil filter	1	
		6819-1340AC			
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 81539 Technician: Shawn Ward Signature: [signature]

ASE Employee #: 60482 ASE Technician: [signature] ASE Signature: [signature]

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 7802 DATE: 10/30/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① Vehicle body has small chip paint, small scratch as it noted		10/30/18
② Rear blower Motor not working Check Replace New blower Motor.		10/30/18

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/30/18 Vehicle #: 4802 Mileage in: 190196 Mileage out: 190177

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation

P	F	Item Inspected
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: 14.2 load volts: 13.4 load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/30/18 Vehicle #: 4802 Mileage in: 190196 Mileage out: 190177

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 7 /32" L/F: 7 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 7 /32" L/R: 7 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 4 /32" L/F: 6 /32"
S		R/RI: 4 /32" L/RI: /32"
S		R/RO: 10 /32" L/RO: 4 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 100 ft. lbs.
S		G) Lift inspection
N/A		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
N/A		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
N/A		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 10/30/18

Supervisor Signature — Date: 10/31/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#2253

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 12/12/18 17:00 Mileage in: 195039
Date: 12-12-18 Work Class: I Date and Time Finished: 12/12/18 19:00 Mileage out: 195040

Complaints/Defects:	Notes/Measurements:
TMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	TMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	MD 349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: Thornton Ferrier Signature

ASE Employee #: 6048 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4302 DATE: 12/20/17
	PM TYPE OR WORK ORDER #: PM ID

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
vehicle need tires	Noted	

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 12/12/18 Vehicle #: 4802 Mileage in: 194059 Mileage out: 194040

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 14 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 8 /32" L/R: 8 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
	F	R/F: 3 /32" L/F: 3 /32"
	F	R/RI: 3 /32" L/RI: 3 /32"
N/A		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	F
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Date

Supervisor Signature 12/12/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 12/12/18 Vehicle #: 4802 Mileage in: 195039 Mileage out: 195040

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
P		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

#493

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4302 Repair Reason: A Date and Time in: 20:00 Mileage in: 204545
Date: 02/20/18 Work Class: I Date and Time Finished: 21:30 Mileage out: 204546

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	63	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	MO 349	oil filter	1	
A	55	H11	headlight bulb	1	
A	55	55111074AB-002	coolant reservoir cap	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 348194 Technician: Ricardy Napoleon / Foodson Signature

ASE Employee #: 604181 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 02/20/19

PM TYPE OR WORK ORDER #: PM10

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Coolant Reservoir Cap	Rafael	02/20/19
Replace Right Front headlight bulb	Pam Jones	02/20/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 02/20/19 Vehicle #: 5121 Mileage in: 204545 Mileage out: 204546

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
/		**C) Interior inspection**
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
/		**D) HVAC system inspection**
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 02/20/19 Vehicle #: 4302 Mileage in: 204545 Mileage out: 204546

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 7 /32" L/F: 7 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 5 /32" L/R: 5 /32"
N/A		Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements
R		R/F: /32" L/F: /32"
R		R/RI: /32" L/RI: /32"
		R/RO: /32" L/RO: /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 40 RR. 40
R		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 02/20/19

Supervisor Signature — Date 2/21/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#124

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 03.20.19 19:30 Mileage in: 209040
Date: 03-20-19 Work Class: I Date and Time Finished: 03.20.19 21:00 Mileage out: 209041

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	M3349	oil filter	1	
A	55	H11	head lamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Thomas Alsina Signature

ASE Employee #: G04182 ASE Technician: Thomas Alsina ASE Signature:

MV Transportation Inc.

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 03-20-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Head lamps	Jyposay	03-20-19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 03-20-19 Vehicle #: 4802 Mileage in: 209040 Mileage out: 209041

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
✓		Batt 2 volts: load volts: load amps:
✓		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
✓		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 03-20-19 Vehicle #: 4802 Mileage in: 209040 Mileage out: 209041

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 6 /32" L/R: 6 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 8 /32" L/F: 8 /32"
✓		R/RI: 8 /32" L/RI: 8 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 90 RR. 90
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 03.20.19 Date

Supervisor Signature 3/21/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#12574 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : 05.28.19 Mileage in: 218710
Date: 05.28.19 Work Class: I Date and Time Finished: 05.28.19 Mileage out: 218711

Complaints/Defects:	Notes/Measurements:
PM A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM I	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	25	
A	55	W0310	oil filter	1	
A	55	M11	Miscellany		
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jimmy Alleme Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4803 DATE: 05.28.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace FR Headlamp	[illegible]	05.28.19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05-28-14 Vehicle #: 41802 Mileage in: 218710 Mileage out: 218711

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
P		1) Driver carpet
P		2) Driver seat condition and operation
P		3) Drivers door operation and condition
P		4) Drivers seat belt operation and condition
P		5) Engine starting and ignition system
P		6) Instrument panel gauges & warning lights
P		7) Instrument panel lighting & condition
P		8) Horn operation
P		9) Steering wheel tight, no excessive play
P		10) Windshield wipers
P		11) Windshield washer
P		12) Sun visor condition and operation
P		13) Parking brake operation & condition
P		14) Parking and service brake pedal pads
P		15) Passenger door operation
P		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
P		1) Body damage (list on separate sheet)
P		2) Headlights, high & low beam operation
P		3) Parking lights operation & condition
P		4) Marker lights operation & condition
P		5) Directional signals operation & condition
P		6) Hazard lights operation & condition
P		7) Clearance lights operation and condition
P		8) Brake lights operation & condition
P		9) License plate lamp operation & condition
P		10) License plates and tags
P		11) Backup lights and alarms
P		12) Reflectors and reflective bumper tape
P		13) Exterior decals and signage
P		14) Bumpers secure / in good condition
P		15) Exterior mirrors secure / in good condition
P		16) Exterior clean
/		**C) Interior inspection**
P		1) Passenger door and steps condition
P		2) Handrails and stanchions condition
P		3) Interior and modesty panels condition
P		4) Flooring condition
P		5) Interior lighting operation and condition
P		6) Windows operation and condition
P		7) Emergency Exits operation & condition
P		8) Accessory operation & condition(radio,GPS)
P		9) Passenger seats operation & condition
P		10) Passenger seat belts operation & condition
P		11) First aid & body fluid kits complete
P		12) Triangle reflectors complete/good condition
P		13) Stop request operation & condition
P		14) Valid registration, insurance & accident pack
P		15) Fire extinguisher in good condition & signed
P		16) Interior decals and signage (incl. electrical)
P		17) DVI's reviewed, addressed and signed off
P		18) Interior clean
/		**D) HVAC system inspection**
P		1) Front blower condition and operation
P		2) Rear blower condition and operation
P		3) Defroster operation
P		4) Temp gets to 20 deg. F below ambient temp.
P		5) Evaporator intake air filter condition
P		6) Front heater condition and operation
P		7) Rear heater condition and operation
P		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
P		2) Wire and hose routing and connections
P		3) Cooling system, hoses, water pump condition
P		5) Accessory drive belts condition
P		6) Pulleys and tensioned operation & condition
P		7) Brake master cylinder and power booster
P		8) Fan and fan clutch operation and condition
P		9) Engine oil fluid level and condition
P		10) Transmission oil level and condition
P		11) Power steering fluid level and condition
P		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
P		1) Steering gear box mount, condition & leaks
P		2) Steering shaft U joints
P		3) Steering shaft bearings
P		4) Steering linkages
P		5) I beam or control arm movements and rivets
P		6) Radius arm condition and bushings condition
P		7) Stabilizer bar condition and bushings condition
P		8) Ball joints or kingpins
P		9) Front spring condition and mounting
P		10) Front shock absorber operation & condition
P		11) Trans oil cooler & lines routing and leaks
P		12) Engine oil cooler & lines routing and leaks
P		13) Heater and A/C hose routing and leaks
P		14) No engine oil leaks and fluid condition
P		15) Engine mounts, brackets and bolts
P		16) Transmission mounts, brackets and bolts
P		17) No transmission oil leaks and fluid condition
P		18) Drive shaft condition
P		19) Universal joints and carrier bearings condition
PP		20) No rear differential leaks
PP		21) Rear differential condition and mounting
P		22) Frame and cross members
P		23) Rear shock absorbers
P		24) Rear springs condition and mounting
P		25) No fuel leaks
P		26) Fuel tank condition and mounting
P		27) No exhaust leaks
P		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 05-28-19 Vehicle #: 4802 Mileage in: 218,910 Mileage out: 218,910

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/RI: 10 /32" L/RI: 10 /32"
		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
		Air pressure adjustment FR. 110 RR. 110
		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	✓
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 5/28/19

Supervisor Signature — Date: 6/3/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1524

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : Mileage in: 223307
Date: 06/27/19 Work Class: 1 Date and Time Finished: Mileage out: 223308

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	oil	5.5	
A	55	M03479	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 86325 Technician: Rodney Murray Signature

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

	BUS #: DATE:
MECHANIC'S SIGNATURE	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 06/27/19 Vehicle #: 4802 Mileage in: 223307 Mileage out: 223308

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
—		**D) HVAC system inspection**
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg..F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
—		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
—		**F) Vehicle rack inspection**
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 06/27/19 Vehicle #: 4802 Mileage in: 223307 Mileage out: 223308

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: /32" L/F: /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: /32" L/R: /32"
N/A		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: /32" L/F: /32"
N/A		R/RI: /32" L/RI: /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 37 RR. 37
		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Date 06/27/19

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 1802 Repair Reason: A Date and Time in : Mileage in: 232703
Date: 8/31/19 Work Class: I Date and Time Finished: Mileage out: 232704

Complaints/Defects:

PMEA

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMEA	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	M0349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 215132 Technician: Signature

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

BUS #: 9802 DATE: 8-31-19

PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 8-31-19 Vehicle #: 11802 Mileage in: 232703 Mileage out: 232704

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
2		1) Driver carpet
2		2) Driver seat condition and operation
2		3) Drivers door operation and condition
2		4) Drivers seat belt operation and condition
2		5) Engine starting and ignition system
2		6) Instrument panel gauges & warning lights
2		7) Instrument panel lighting & condition
2		8) Horn operation
2		9) Steering wheel tight, no excessive play
2		10) Windshield wipers
		11) Windshield washer
2		12) Sun visor condition and operation
2		13) Parking brake operation & condition
2		14) Parking and service brake pedal pads
2		15) Passenger door operation
2		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
2		1) Body damage (list on separate sheet)
2		2) Headlights, high & low beam operation
2		3) Parking lights operation & condition
2		4) Marker lights operation & condition
2		5) Directional signals operation & condition
2		6) Hazard lights operation & condition
2		7) Clearance lights operation and condition
2		8) Brake lights operation & condition
2		9) License plate lamp operation & condition
2		10) License plates and tags
2		11) Backup lights and alarms
2		12) Reflectors and reflective bumper tape
2		13) Exterior decals and signage
2		14) Bumpers secure / in good condition
2		15) Exterior mirrors secure / in good condition
2		16) Exterior clean
/		**C) Interior inspection**
2		1) Passenger door and steps condition
2		2) Handrails and stanchions condition
2		3) Interior and modesty panels condition
2		4) Flooring condition
2		5) Interior lighting operation and condition
2		6) Windows operation and condition
2		7) Emergency Exits operation & condition
2		8) Accessory operation & condition(radio,GPS)
2		9) Passenger seats operation & condition
2		10) Passenger seat belts operation & condition
2		11) First aid & body fluid kits complete
2		12) Triangle reflectors complete/good condition
2		13) Stop request operation & condition
2		14) Valid registration, insurance & accident pack
2		15) Fire extinguisher in good condition & signed
2		16) Interior decals and signage (incl. electrical)
2		17) DVI's reviewed, addressed and signed off
2		18) Interior clean
/		**D) HVAC system inspection**
2		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
12.8		Batt 1 volts: load volts: load amps:
12.8		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
12.8		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
14.2		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
2		2) Wire and hose routing and connections
2		3) Cooling system, hoses, water pump condition
2		5) Accessory drive belts condition
2		6) Pulleys and tensioned operation & condition
2		7) Brake master cylinder and power booster
2		8) Fan and fan clutch operation and condition
2		9) Engine oil fluid level and condition
2		10) Transmission oil level and condition
2		11) Power steering fluid level and condition
2		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
2		1) Steering gear box mount, condition & leaks
2		2) Steering shaft U joints
2		3) Steering shaft bearings
2		4) Steering linkages
2		5) I beam or control arm movements and rivets
2		6) Radius arm condition and bushings condition
2		7) Stabilizer bar condition and bushings condition
2		8) Ball joints or kingpins
2		9) Front spring condition and mounting
2		10) Front shock absorber operation & condition
2		11) Trans oil cooler & lines routing and leaks
2		12) Engine oil cooler & lines routing and leaks
2		13) Heater and A/C hose routing and leaks
2		14) No engine oil leaks and fluid condition
2		15) Engine mounts, brackets and bolts
2		16) Transmission mounts, brackets and bolts
2		17) No transmission oil leaks and fluid condition
2		18) Drive shaft condition
2		19) Universal joints and carrier bearings condition
	2	20) No rear differential leaks
	2	21) Rear differential condition and mounting
2		22) Frame and cross members
2		23) Rear shock absorbers
2		24) Rear springs condition and mounting
2		25) No fuel leaks
2		26) Fuel tank condition and mounting
2		27) No exhaust leaks
2		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 8-31-19 Vehicle #: U802 Mileage in: 232703 Mileage out: 232704

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
P		Pads R/F: 8 /32" L/F: 9 /32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
P		Pads R/R: 5 /32" L/R: 5 /32"
P		Shoes R/R: /32" L/R: /32"
P		34) Tire and wheel condition and measurements
P		R/F: 6 /32" L/F: 5 /32"
P		R/RI: 9 /32" L/RI: 9 /32"
P		R/RO: /32" L/RO: /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. 4 RR. 110
P		Wheel torque specs used: 100 ft. lbs.
P		**G) Lift inspection**
P		1) Lift operation (fully stowed to fully deployed)
P		2) Lift control pendant condition and operation
P		3) Lift restraint belt condition and operation
P		4) Outer roll stop condition and operation
P		5) Inner roll stop condition and operation
P		6) Platform adjustments, condition and mounting
P		7) Standee arm condition and operation
P		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
X		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
P		15) Lift springs and pins condition and operation
P		16) Lift safety switches and adjustments
P		17) Hose and wire routing and connections
P		18) Rollers and pivot point condition & operation
P		19) Lift to vehicle mounting bolts and brackets
P		20) Lift doors condition and operation
P		21) Lift door lights condition and operation
P		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
P		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
P		26) W/C shoulder belt condition and operation
P		27) Lift clean and no sharp edges
P		28) Lift shields secure and in good shape
P		29) Lift moves steady without drifting, jerking, or unusual speeds
P		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 8-31-19

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#27101

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: I Date and Time in : 12/05/19 Mileage in: 237,489
Date: 12/05/19 Work Class: A Date and Time Finished: 12/05/19 Mileage out: 237,490

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A		PM I	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A		VV1700	ENG. OIL	5.5	
A		M0-349	ENG. OIL FILT	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 662802 Technician: HOPETON HAYE Signature H. Hayne

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

BUS #: 4802 DATE: 12/05/19

PM TYPE OR WORK ORDER #:

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
* DEFECTIVE OIL COOLER.		
* CHECK ENGINE LIGHT.		
* TPMS LIGHT.		
* EXHAUST LEAK.		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 12/05/19 Vehicle #: 4802 Mileage in: 237,489 Mileage out: 237,490

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
H		1) Driver carpet
H		2) Driver seat condition and operation
H		3) Drivers door operation and condition
H		4) Drivers seat belt operation and condition
H		5) Engine starting and ignition system
H		6) Instrument panel gauges & warning lights
H		7) Instrument panel lighting & condition
H		8) Horn operation
H		9) Steering wheel tight, no excessive play
H		10) Windshield wipers
H		11) Windshield washer
H		12) Sun visor condition and operation
H		13) Parking brake operation & condition
H		14) Parking and service brake pedal pads
H		15) Passenger door operation
H		16) No vibrations, pulsations or noises
		B) Walk around inspection
H		1) Body damage (list on separate sheet)
H		2) Headlights, high & low beam operation
H		3) Parking lights operation & condition
H		4) Marker lights operation & condition
H		5) Directional signals operation & condition
H		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
H		8) Brake lights operation & condition
H		9) License plate lamp operation & condition
H		10) License plates and tags
H		11) Backup lights and alarms
H		12) Reflectors and reflective bumper tape
H		13) Exterior decals and signage
H		14) Bumpers secure / in good condition
H		15) Exterior mirrors secure / in good condition
H		16) Exterior clean
		C) Interior inspection
H		1) Passenger door and steps condition
H		2) Handrails and stanchions condition
H		3) Interior and modesty panels condition
H		4) Flooring condition
H		5) Interior lighting operation and condition
H		6) Windows operation and condition
H		7) Emergency Exits operation & condition
H		8) Accessory operation & condition(radio,GPS)
H		9) Passenger seats operation & condition
H		10) Passenger seat belts operation & condition
H		11) First aid & body fluid kits complete
H		12) Triangle reflectors complete/good condition
H		13) Stop request operation & condition
H		14) Valid registration, insurance & accident pack
H		15) Fire extinguisher in good condition & signed
H		16) Interior decals and signage (incl. electrical)
H		17) DVI's reviewed, addressed and signed off
H		18) Interior clean
		D) HVAC system inspection
H		1) Front blower condition and operation
H		2) Rear blower condition and operation
H		3) Defroster operation
H		4) Temp gets to 20 deg. F below ambient temp.
H		5) Evaporator intake air filter condition
H		6) Front heater condition and operation
H		7) Rear heater condition and operation
H		8) A/C compressors and condenser fans
		E) Under hood inspection
H		1) Batteries & charging sys. (load alt B,C,D serv)
H		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
H		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
H		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
H		*(reference factory service manual for alternator spec)*
H		2) Wire and hose routing and connections
H		3) Cooling system, hoses, water pump condition
H		5) Accessory drive belts condition
H		6) Pulleys and tensioned operation & condition
H		7) Brake master cylinder and power booster
H		8) Fan and fan clutch operation and condition
H		9) Engine oil fluid level and condition
H		10) Transmission oil level and condition
H		11) Power steering fluid level and condition
H		12) Brake fluid level and condition
		F) Vehicle rack inspection
H		1) Steering gear box mount, condition & leaks
H		2) Steering shaft U joints
H		3) Steering shaft bearings
H		4) Steering linkages
N/A		5) I beam or control arm movements and rivets
H		6) Radius arm condition and bushings condition
H		7) Stabilizer bar condition and bushings condition
H		8) Ball joints or kingpins
H		9) Front spring condition and mounting
H		10) Front shock absorber operation & condition
H		11) Trans oil cooler & lines routing and leaks
	X	12) Engine oil cooler & lines routing and leaks
H		13) Heater and A/C hose routing and leaks
	X	14) No engine oil leaks and fluid condition
H		15) Engine mounts, brackets and bolts
H		16) Transmission mounts, brackets and bolts
H		17) No transmission oil leaks and fluid condition
H		18) Drive shaft condition
H		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
H		22) Frame and cross members
H		23) Rear shock absorbers
H		24) Rear springs condition and mounting
H		25) No fuel leaks
H		26) Fuel tank condition and mounting
H		27) No exhaust leaks
H		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 12/05/19 Vehicle #: 4802 Mileage in: 237,489 Mileage out: 237,490

P	F	Item Inspected
H		30) Front brake condition and mounting
H		31) Front brake lining condition & measurement
H		Pads R/F: 6/32" L/F: 6/32"
H		32) Rear brake condition and mounting
H		33) Rear brake lining condition & measurement
H		Pads R/R: 5/32" L/R: 5/32"
		Shoes R/R: /32" L/R: /32"
H		34) Tire and wheel condition and measurements
H		R/F: 8/32" L/F: 8/32"
		R/RI: /32" L/RI: /32"
H		R/RO: 8/32" L/RO: 8/32"
H		35) Lug nuts condition
H		Air pressure adjustment FR. 36 RR. 36
H		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
H		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
H		4) Outer roll stop condition and operation
H		5) Inner roll stop condition and operation
H		6) Platform adjustments, condition and mounting
H		7) Standee arm condition and operation
H		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
H		14) Base plate and arms welds & pivot points
H		15) Lift springs and pins condition and operation
H		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
H		18) Rollers and pivot point condition & operation
H		19) Lift to vehicle mounting bolts and brackets
H		20) Lift doors condition and operation
H		21) Lift door lights condition and operation
H		22) Lift interlock operation and condition
H		(lift door open, e-brake down not able to shift)
H		(e-brake off lift door closed no lift power)
H		23) W/C tie downs condition and operation
H		24) Tie down container secure and clean
H		25) Tie down floor mounting brackets secure
H		26) W/C shoulder belt condition and operation
H		27) Lift clean and no sharp edges
H		28) Lift shields secure and in good shape
H		29) Lift moves steady without drifting, jerking,
H		or unusual speeds
H		30) No unusual lift noises
H		Lube all lift pivot points, barriers, rollers, linkages
H		and bearings cleaning off all excess lube
H		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	H
A,B,C,D	Lube chassis and suspension	OK
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	H
A,B,C,D	Adjust service and parking brakes	H
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

H. M. Hmc 12/05/19

Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in : Mileage in: 247456
Date: 02/12/2020 Work Class: I Date and Time Finished: Mileage out: 247457

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	5.5	
A	55	M0349	OIL FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863925 Technician: Rodney Murray Signature: Rodney Murray

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

Rodney Mendez
MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 02/12/2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Minor Scratches & Dents.		

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02/12/2020 Vehicle #: 4802 Mileage in: 247456 Mileage out: 247457

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02/12/2020 Vehicle #: 4802 Mileage in: 247456 Mileage out: 247457

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 7 /32" L/F: 7 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 7 /32" L/R: 7 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 7 /32" L/F: 7 /32"
		~~R/RI:~~ /32" L/RI: /32"
R		R/RO: 5 /32" L/RO: 5 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
NA		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
NA		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
NA		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 02/12/2020

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A. Date and Time in: 03-19-2020 Mileage in: 251900
Date: 03-19-20 Work Class: I Date and Time Finished: Mileage out: 251901

Complaints/Defects:	Notes/Measurements:
PMEA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMEA	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5 @ 20	ENGINE OIL	6.5	
A	55	M-349	OIL FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: FERNER FRITZNER Signature: Ferner Fritzner

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 03-19-2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 03-19-20 Vehicle #: 4802 Mileage in: 251900 Mileage out: 251901

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
F		D) HVAC system inspection
F		1) Front blower condition and operation
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 03-19-20 Vehicle #: 4802. Mileage in: 251900 Mileage out: 251901

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: 7 /32" L/F: 7 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 8 /32" L/F: 8 /32"
F		R/RI: 9 /32" L/RI: 6 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 45 RR. 65
F		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 03-19-20 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4502 Repair Reason: A Date and Time in : _____ Mileage in: 261225
Date: 8/27/20 Work Class: P Date and Time Finished: _____ Mileage out: 261229

Complaints/Defects:	Notes/Measurements:
PM1 A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
		PM1 A	
		Brake Inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	1V1200	Engine Oil 5qt		
A	55	12810001	Air Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849182 Technician: Joe Main Signature _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MV Transportation Inc.

BUS #: 4802 DATE: 8/27/20

PM TYPE OR WORK ORDER #: PM

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Passenger door pillet missing		
Check engine light on		
Tire light on even though I set all tires to 35 PSI		
Temperature gauge past the half mark but no sign of over heating		

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 8/20/20 Vehicle #: 4502 Mileage in: 261228 Mileage out: 261229

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 8/27/20 Vehicle #: 4802 Mileage in: 261228 Mileage out: 261229

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 7 /32" L/F: 7 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/RI: 7 /32" L/RI: 8 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 35 RR. 55
		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 8/27/20 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: A Date and Time in: _____ Mileage in: 265871
Date: 10/12/2020 Work Class: I Date and Time Finished: _____ Mileage out: 265872

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	5.5	
A	55	M0349	OIL FILTER	1	
A	55	5511 1074 AB	COOLANT CAP	1	
A	55	225 65 17	TIRE	2	
A	55	68159526AC	REAR BRAKE PAD	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 20130 Technician: Manny Alleme Signature _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 10/12/2020

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
MINOR STRACHS & DINGS		
REPLACE FRONT TIRES 3/32	Tipmon	
REPLACE REAR BRAKE PADS 3/32	Tipmon	
REPLACE COOLANT OVERFLOW BOTTLE CAP	Tipmon	

J:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 10/12/20 Vehicle #: 4802 Mileage in: 205871 Mileage out: 205872

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
		B) Walk around inspection
S		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
		C) Interior inspection
S		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
		D) HVAC system inspection
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
		E) Under hood inspection
S		1) Batteries & charging sys. (load alt B,C,D serv)
S		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
		F) Vehicle rack inspection
NA		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
NA		3) Steering shaft bearings
S		4) Steering linkages
NA		5) I beam or control arm movements and rivets
NA		6) Radius arm condition and bushings condition
NA		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 10/12/20 Vehicle #: 4802 Mileage in: 240587 Mileage out: 240872

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 6 /32" L/F: 6 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 3 /32" L/R: 3 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
S		R/F: 3 /32" L/F: 3 /32"
		R/RI: /32" L/RI: /32"
S		R/RO: 6 /32" L/RO: 6 /32"
		35) Lug nuts condition
S		Air pressure adjustment FR. 34 RR. 35
S		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
S		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
S		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
NA		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 10/12/20

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204

4902

WPB 94
3301Electronics Way
West Palm Beach, FL, 33407

Basic Information

Vehicle #: 4802 Repair Reason: B Date and Time in : 1960 pm. Mileage in: 185275
Date: 10/01/18 Work Class: 1 Date and Time Finished: 2130 pm Mileage out: 185280

Complaints/Defects:	Notes/Measurements:
PMI (B)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMI (B)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W20	Oil	5.5	
B	55	M0349	Oil filter	1	
B	55	04861737AA	Air filter	1	
B	55	68028443AA	Wiper Blades	1	
B	55	6812 5735 AA	wiper Blades	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Jean T / Shamrond Signature: [illegible]

ASE Employee #: 6408 ASE Technition: [illegible] ASE Signature: [illegible]

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 10/01/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

N:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 20/01/18 Vehicle #: 4802 Mileage in: 185275 Mileage out: 185280

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
N/A		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 10/01/18 Vehicle #: 4802 Mileage in: 185275 Mileage out: 185280

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
		Pads R/F: /32" L/F: /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
		Pads R/R: 7 /32" L/R: 7 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
		R/F: /32" L/F: /32"
		R/RI: /32" L/RI: /32"
		R/RO: /32" L/RO: /32"
S		35) Lug nuts condition
		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
S		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	S
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean I (804) 10/01/18

Technicians Signature Date

Supervisor Signature 10/2/18

Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#97

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: B Date and Time in: 04.17.19 Mileage in: 213 724
Date: 04.17.19 Work Class: I Date and Time Finished: 04.17.19 Mileage out: 213 725

Complaints/Defects:	Notes/Measurements:
PMI B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMI B	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W20	engine oil	5	
B	55	~~8~~ 8191349AB	oil filter	1	
B	55	4861737AA	air filter	1	
B	55	WW2001PT	wiper blades	2	
B	55	H11	Headlamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tommy Blume Signature
ASE Employee #: 604182 ASE Technician: J Felmet ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 2803 DATE: 04.17.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Headlamp	[illegible]	04.17.19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 04.17.19 Vehicle #: 4802 Mileage in: 213724 Mileage out: 213725

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg..F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 04.17.19 Vehicle #: 4802 Mileage in: 213724 Mileage out: 213725

P	F	Item Inspected
2		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: 6 /32" L/F: 6 /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
	0	Pads R/R: 3 /32" L/R: 3 /32"
		Shoes R/R: /32" L/R: /32"
2		34) Tire and wheel condition and measurements
2		R/F: 8 /32" L/F: 8 /32"
2		R/RI: 10 /32" L/RI: 10 /32"
2		R/RO: /32" L/RO: /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. 40 RR. 40
2		Wheel torque specs used: 100 ft. lbs.
2		**G) Lift inspection**
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
2		8) Proper signage and decals
2		9) Manual backup pump condition and operation
2		10) Lift manual pump handle
2		11) Hydraulic pump condition and operation
2		12) Hydraulic lines and cylinders condition
2		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking, or unusual speeds
2		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 04.17.19

Supervisor Signature — Date: 4/22/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basle Information

Vehicle #: 4802 Repair Reason: B Date and Time in: Mileage in: 242474
Date: 01/09/2020 Work Class: I Date and Time Finished: Mileage out: 242475

Complaints/Defects:	Notes/Measurements:
PMI B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMI B	
B	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	VV1700	ENGINE OIL	5.5	
B	55	M0349	OIL FILTER	1	
B	55	0486 1737 AA	AIR FILTER	1	
B	55	31-20	WIPER BLADE	1	
B	55	31-26	WIPER BLADE	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Signature

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4802 DATE:

PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Headlamp	Tyrone	

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 01/09/2020 Vehicle #: 1802 Mileage in: 242474 Mileage out: 242475

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
J		1) Driver carpet
J		2) Driver seat condition and operation
J		3) Drivers door operation and condition
J		4) Drivers seat belt operation and condition
J		5) Engine starting and ignition system
J		6) Instrument panel gauges & warning lights
J		7) Instrument panel lighting & condition
J		8) Horn operation
J		9) Steering wheel tight, no excessive play
J		10) Windshield wipers
J		11) Windshield washer
J		12) Sun visor condition and operation
J		13) Parking brake operation & condition
J		14) Parking and service brake pedal pads
J		15) Passenger door operation
J		16) No vibrations, pulsations or noises
		B) Walk around inspection
J		1) Body damage (list on separate sheet)
J		2) Headlights, high & low beam operation
J		3) Parking lights operation & condition
J		4) Marker lights operation & condition
J		5) Directional signals operation & condition
J		6) Hazard lights operation & condition
J		7) Clearance lights operation and condition
J		8) Brake lights operation & condition
J		9) License plate lamp operation & condition
J		10) License plates and tags
J		11) Backup lights and alarms
J		12) Reflectors and reflective bumper tape
J		13) Exterior decals and signage
J		14) Bumpers secure / in good condition
J		15) Exterior mirrors secure / in good condition
J		16) Exterior clean
		C) Interior inspection
J		1) Passenger door and steps condition
J		2) Handrails and stanchions condition
J		3) Interior and modesty panels condition
J		4) Flooring condition
J		5) Interior lighting operation and condition
J		6) Windows operation and condition
J		7) Emergency Exits operation & condition
J		8) Accessory operation & condition(radio,GPS)
J		9) Passenger seats operation & condition
J		10) Passenger seat belts operation & condition
J		11) First aid & body fluid kits complete
J		12) Triangle reflectors complete/good condition
J		13) Stop request operation & condition
J		14) Valid registration, insurance & accident pack
J		15) Fire extinguisher in good condition & signed
J		16) Interior decals and signage (incl. electrical)
J		17) DVI's reviewed, addressed and signed off
J		18) Interior clean
		D) HVAC system inspection
J		1) Front blower condition and operation

P	F	Item Inspected
J		2) Rear blower condition and operation
J		3) Defroster operation
J		4) Temp gets to 20 deg. F below ambient temp.
J		5) Evaporator intake air filter condition
J		6) Front heater condition and operation
J		7) Rear heater condition and operation
J		8) A/C compressors and condenser fans
		E) Under hood inspection
J		1) Batteries & charging sys. (load alt B,C,D serv)
J		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
J		2) Wire and hose routing and connections
J		3) Cooling system, hoses, water pump condition
J		5) Accessory drive belts condition
J		6) Pulleys and tensioned operation & condition
J		7) Brake master cylinder and power booster
J		8) Fan and fan clutch operation and condition
J		9) Engine oil fluid level and condition
J		10) Transmission oil level and condition
J		11) Power steering fluid level and condition
J		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
J		10) Front shock absorber operation & condition
J		11) Trans oil cooler & lines routing and leaks
J		12) Engine oil cooler & lines routing and leaks
J		13) Heater and A/C hose routing and leaks
J		14) No engine oil leaks and fluid condition
J		15) Engine mounts, brackets and bolts
J		16) Transmission mounts, brackets and bolts
J		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
J		23) Rear shock absorbers
		24) Rear springs condition and mounting
J		25) No fuel leaks
J		26) Fuel tank condition and mounting
J		27) No exhaust leaks
J		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 01/09/2020 Vehicle #: 4802 Mileage in: 242474 Mileage out: 242475

P	F	Item Inspected
J		30) Front brake condition and mounting
J		31) Front brake lining condition & measurement
J		Pads R/F: 8 /32" L/F: 8 /32"
J		32) Rear brake condition and mounting
J		33) Rear brake lining condition & measurement
J		Pads R/R: 6 /32" L/R: 6 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
J		R/F: 8 /32" L/F: 8 /32"
		R/RI: /32" L/RI: /32"
J		R/RO: 6 /32" L/RO: 6 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 40 RR. 40
		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
J		23) W/C tie downs condition and operation
J		24) Tie down container secure and clean
J		25) Tie down floor mounting brackets secure
J		26) W/C shoulder belt condition and operation
J		27) Lift clean and no sharp edges
J		28) Lift shields secure and in good shape
J		29) Lift moves steady without drifting, jerking, or unusual speeds
J		30) No unusual lift noises
J		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
J		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	J
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	J
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	J
B,C,D	Change air filter	J
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	J
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	J

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 01/09/2020

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#231

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: C Date and Time in : 14:24 Mileage in: 199757
Date: 01/22/19 Work Class: I Date and Time Finished: 23:14 Mileage out: 199859

Complaints/Defects:	Notes/Measurements:
PMIC	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	38	PMIC	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	5W20	Engine oil	55	
C	55	MD 349	oil filter	1	
C	55	ATF +4	trans fluid	5	
C	55		air filter	1	
C	55	WW 2001PF	Wiper blade	2	
C	55		trans filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Fookson Fevrier Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4202 DATE: 01/22/19
	PM TYPE OR WORK ORDER #: PMIC

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace left headlight		01/22/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 01/22/19 Vehicle #: 4802 Mileage in: 199757 Mileage out: 199758

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
		1) Front blower condition and operation
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
N/A		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 01/22/19 Vehicle #: 4802 Mileage in: 199757 Mileage out: 199759

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 9 /32" L/F: 9 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 7 /32" L/R: 8 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 10 /32" L/F: 10 /32"
F		R/RI: 10 /32" L/RI: 10 /32"
N/A		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 460 RR. 470
F		Wheel torque specs used: 100 ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	N/A
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 01/22/19

Supervisor Signature — Date: 1/30/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4802 Repair Reason: C Date and Time In: 06-2-2020 Mileage in: 256525
Date: 06-2-20 Work Class: I Date and Time Finished: Mileage out: 256526

Complaints/Defects:	Notes/Measurements:
PMEC	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMEC	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	5W20	Engine oil	12	
C	55	M0-349	Oil Filter	1	
C	55	0486 1737 MA	Air Filter	1	
C	55	AFF74	Oil Trans.	5	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 887302 Technician: FENTON FAIRWEN Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 06-2-2020

PM TYPE OR WORK ORDER #: C

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Date: 06-20 Vehicle #: 4802 Mileage in: 256526 Mileage out: 256526

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
F		*(reference factory service manual for alternator spec)*
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 06-2-20 Vehicle #: 4802 Mileage in: 256525 Mileage out: 256526

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: 6 /32" L/R: 6 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 10 /32" L/F: 10 /32"
F		R/RI: 7 /32" L/RI: 7 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 95 RR. 95
F		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	F
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	F
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	N/A
C,D	Service front wheel bearings	N/A
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 06-2-2020 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO#1172

Basic Information

Vehicle #: 4802 Repair Reason: D Date and Time in : 07.11.18 20:00 Mileage in: 170666
Date: 07.11.18 Work Class: I Date and Time Finished: 07.11.18 0:00 Mileage out: 170668

Complaints/Defects:	Notes/Measurements:
PMI D	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PM D	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	5W30	engine oil	5.5	
D	55	110349	oil filter	1	
D	55	H11	Head lamp	1	
D	55	68018555	trans filter	1	
D	55	ATF+4	trans oil	5	
D	55		air filter	1	
D	55	SP149125	spark plug	8	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jimmy Alisme Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4802 DATE: 07.11.18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
FR Head lamp need to Be replace		
replace FR Head lamp	Jyprsy	07.11.18

N:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C (D)

Date: 07.11.18 Vehicle #: 4802 Mileage in: 170666 Mileage out: 170668

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 07.11.18 Vehicle #: 4802 Mileage in: 170666 Mileage out: 170668

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 8 /32" L/R: 8 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 8 /32" L/F: 8 /32"
✓		R/RI: 10 /32" L/RI: 10 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 110 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	✓
B,C,D	Change fuel filter	✓
B,C,D	Clean or change PCV valve	✓
B,C,D	Clean or change crank case filter	✓
B,C,D	Install new wiper blades	✓
C,D	Change transmission fluid and filter	✓
C,D	Service front wheel bearings	✓
C,D	Drain water from fuel tank	✓
D	Replace accessory drive belts	✓
D	Service and flush cooling system	✓
D	Install new spark plugs & wires	✓
D	Install new dist. cap & rotor	✓
D	Change differential fluid	✓
D	Check Exhaust and EGR system	✓
D	Check and service fuel & evap. System	✓
D	Evac and recharge A/C (add 1 oz. of oil)	✓
A,B,C,D	Post service test drive (3 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 07.11.18

Supervisor Signature — Date: 7/12/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

16774

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: U802 Repair Reason: D Date and Time in: _____ Mileage in: 228207
Date: 7/31/19 Work Class: F Date and Time Finished: _____ Mileage out: 228268

Complaints/Defects:	Notes/Measurements:
PMI D	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMI D	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	5 W 30	engine oil	5.5	
D	55	M0349	oil filter	1	
D	55	04861737AA	air filter	1	
D	55	68018555	trans filter	1	
D	56	MTF+4	trans oil	4.5	
D	55	WW9001PF	wiper blades	2	
D	55	SP149105	SPARK Plug	6	
D	55	225/65R17	tire	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 345132 Technician: Johnny Alicea Signature: _____

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4800 DATE: 7/31/19
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace front R tire	Tipsway	7/31/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 7/31/19 Vehicle #: 4802 Mileage in: 228267 Mileage out: 228268

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
/		*(reference factory service manual for alternator spec)*
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Date: 7/31/19 Vehicle #: 4802 Circle Service Type: A B C (D)

Mileage in: 228267 Mileage out: 228268

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 6 /32" L/R: 6 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
	✓	R/F: 3 /32" L/F: 8 /32"
✓		R/RI: 6 /32" L/RI: 6 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 7/31/19 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.