MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO# 840

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : 05.11.18 17:00 Mileage in: 117718
Date: 05.11.18 Work Class: I Date and Time Finished: 05.11.18 18:30 Mileage out: 117720

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	1103149	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jimmy Alisme Signature:

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 11718 DATE: 11720

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
rotate front R tire to Rear R tire	Rotate	ok at the time

N:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 05.12.12 Vehicle #: 4805 Mileage in: 117718 Mileage out: 117720

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 05.11.18 Vehicle #: 4805 Mileage in: 117718 Mileage out: 117720

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 7 /32" L/R: 7 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 6 /32" L/F: 8 /32"
✓		R/RI: 9 /32" L/RI: 9 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 110
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05.11.18

Supervisor Signature — Date: 5/15/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : 11:45 AM Mileage in: 122380
Date: 06/15/18 Work Class: 1 Date and Time Finished: 13:00 pm Mileage out: 122382

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	Oil	5.5	
A	55	6819134 9AC MO-349	Oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 81634 Technician: Sharaf Mohd Signature:

ASE Employee #: 64450 ASE Technician: Sharaf Mohd ASE Signature:

PM DEFECT SHEET

S. Mohammed
MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 06/15/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 06/15/18 Vehicle #: 4805-94 Mileage in: 122380 Mileage out: 122382

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
		B) Walk around inspection
S		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
		C) Interior inspection
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
		D) HVAC system inspection
S		1) Front blower condition and operation
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
		F) Vehicle rack inspection
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 06/15/18 Vehicle #: 4805-94 Mileage in: 122380 Mileage out: 122382

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 4 /32" L/F: 5 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 6 /32" L/R: 6 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 8 /32" L/F: 5 /32"
N/A		R/RI: /32" L/RI: /32"
S		R/RO: 4 /32" L/RO: 9 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 100 ft. lbs.
—		**G) Lift inspection**
S		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
S		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	W/A
A,B,C,D	Lube drive shafts and universal joints	W/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	W/A
A,B,C,D	Drain water from separator	W/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	W/A
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 06/15/18

Supervisor Signature — Date 6/15/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204

1626

WPB 94
3301Electronics Way
West Palm Beach, FL, 33407

Basic Information

Vehicle #: 4305 Repair Reason: A Date and Time in : 20:46 Mileage in: 131707
Date: 09/22/13 Work Class: I Date and Time Finished: 22:51 Mileage out: 131708

Complaints/Defects:

PMID

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMID	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	M0349	oil filter	1	
A	55	5W20	engine oil	55	
A	55	235 65r17	tires	1	
A	55		Front brake pads	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84819 Technician: Teodson Ferrier Signature:

ASE Employee #: 604807 ASE Technition: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4305 DATE: 09/22/18
	PM TYPE OR WORK ORDER #: PMIA

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Front brake pads		09/22/18
Replace left Front tire		09/22/18
Rotate tires		09/22/18
Front bumper damage	Noted	
Rear bumper damage	Noted	

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 09/20/17 Vehicle #: 4305 Mileage in: 131702 Mileage out: 131708

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
[illegible]	F	1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: / load volts: load amps:
		Batt 2 volts: load volts: load amps:
H/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
M/A		18) Drive shaft condition
H/A		19) Universal joints and carrier bearings condition
H/A		20) No rear differential leaks
M/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 09/22/18 Vehicle #: 4805 Mileage in: 131707 Mileage out: 131708

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
	F	Pads R/F: 3 /32" L/F: 3 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 5 /32" L/R: 5 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F	F	R/F: 5 /32" L/F: 3 /32"
F		R/RI: 10 /32" L/RI: 5 /32"
N/A		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 09/22/18 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1944

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in: 11.07.18 22:00 Mileage in: 136703
Date: 11.07.18 Work Class: I Date and Time Finished: 11.07.18 23:40 Mileage out: 136703

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	10349	oil filter	1	
A	55	22565R18	tires	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jeffrey Alisme Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 11-07-18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
RR tire need to Be replace		
replace RR tire	Jimmy	11-07-18

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 11.07.18 Vehicle #: U805 Mileage in: 136703 Mileage out: 136704

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
✓		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 11.07.18 Vehicle #: 1805 Mileage in: 136703 Mileage out: 136704

P	F	Item Inspected
2		30) Front brake condition and mounting
2		31) Front brake lining condition & measurement
2		Pads R/F: 9 /32" L/F: 9 /32"
2		32) Rear brake condition and mounting
2		33) Rear brake lining condition & measurement
2		Pads R/R: 6 /32" L/R: 6 /32"
2		Shoes R/R: /32" L/R: /32"
2		34) Tire and wheel condition and measurements
2		R/F: 8 /32" L/F: 8 /32"
	2	R/RI: 3 /32" L/RI: 6 /32"
		R/RO: /32" L/RO: /32"
2		35) Lug nuts condition
2		Air pressure adjustment FR. 110 RR. 110
2		Wheel torque specs used: 100 ft. lbs.
2		G) Lift inspection
2		1) Lift operation (fully stowed to fully deployed)
2		2) Lift control pendant condition and operation
2		3) Lift restraint belt condition and operation
2		4) Outer roll stop condition and operation
2		5) Inner roll stop condition and operation
2		6) Platform adjustments, condition and mounting
2		7) Standee arm condition and operation
NA		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
2		14) Base plate and arms welds & pivot points
2		15) Lift springs and pins condition and operation
2		16) Lift safety switches and adjustments
2		17) Hose and wire routing and connections
2		18) Rollers and pivot point condition & operation
2		19) Lift to vehicle mounting bolts and brackets
2		20) Lift doors condition and operation
2		21) Lift door lights condition and operation
2		22) Lift interlock operation and condition
2		(lift door open, e-brake down not able to shift)
2		(e-brake off lift door closed no lift power)
2		23) W/C tie downs condition and operation
2		24) Tie down container secure and clean
2		25) Tie down floor mounting brackets secure
2		26) W/C shoulder belt condition and operation
2		27) Lift clean and no sharp edges
2		28) Lift shields secure and in good shape
2		29) Lift moves steady without drifting, jerking, or unusual speeds
2		30) No unusual lift noises
2		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 11-07-18

Supervisor Signature — Date 11/13/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#214

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : 18:00 Mileage in: 146310
Date: 1/16/19 Work Class: I Date and Time Finished: 19:30 Mileage out: 146311

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE OIL	35	
A	55	LF3681	Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rodney Murray Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

Rodney Munoz
MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 01/16/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
EXHAUST BAND LOOSE Repair ok	RODNEY M	~~01/18/2019~~

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 01/18/19 Vehicle #: 4805 Mileage in: 146310 Mileage out: 146311

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
NA		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
NA		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
NA		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
NA		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
RA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
NA		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 1/18/2019 Vehicle #: 4805 Mileage in: 146310 Mileage out: 146311

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 8 /32" L/F: 8 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 8 /32" L/R: 8 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 10 /32" L/F: 7 /32"
NA		R/RI: /32" L/RI: /32"
R		R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
NA		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
NA		7) Standee arm condition and operation
R		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
NA		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R
Initial or "N/A" each service performed per PM type		

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 01/18/2019

Supervisor Signature — Date 1/23/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

#448

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in: 19:00 Mileage in: 151220
Date: 02/14/2019 Work Class: I Date and Time Finished: 21:00 Mileage out: 151221

Complaints/Defects:

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM I A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE OIL	5.5	
A	55	MO 349	OIL FILTER	1	
A	55	225 65 17	TIRES	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: RODNEY MURRAY Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 02/14/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
MINOR SCRATCHES & DINGS		
FRONT SHOCKS LEAKING	OK at this time.	
(2) TIRES	Rodney M	02/14/2019
BACK UP ALARM (INOP.)	Ardp.	

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 03/14/2019 Vehicle #: 4805 Mileage in: 151220 Mileage out: 151221

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
D		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
	X	11) Backup lights and alarms
NA		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
NA		5) I beam or control arm movements and rivets
NA		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R	X	10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
NA		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 02/14/2019 Vehicle #: 4805 Mileage in: 151220 Mileage out: 151221

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 9 /32" L/F: 9 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 9 /32" L/R: 9 /32"
NA		Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements
R		R/F: 10 /32" L/F: 10 /32"
NA		R/RI: /32" L/RI: /32"
R		R/RO: 9 /32" L/RO: 9 /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
NA		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
NA		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 02/14/19

Supervisor Signature — Date: 2/18/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#995 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in: 8:30 pm Mileage in: 160571
Date: 4/19/19 Work Class: 1 Date and Time Finished: 10:30 pm Mileage out: 160828

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W-20	Qts	5	
A	55	68191349AA	Oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 84181 Technician: Jesse T Signature:

ASE Employee #: 50481 ASE Technician: Millard ASE Signature:

PM DEFECT SHEET

Jean Thermidor
MECHANIC'S SIGNATURE

BUS #: 4905 DATE: 04-19-19
PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
1) Check Headlight replace new Headlight all OK.	[signature]	04-19-19

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 4/19/14 Vehicle #: 4805 Mileage in: 160827 Mileage out: 160828

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
		B) Walk around inspection
S		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
		C) Interior inspection
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
		D) HVAC system inspection
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
		F) Vehicle rack inspection
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 4/19/19 Vehicle #: 4805 Mileage in: 160827 Mileage out: 160828

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10 /32" L/F: 10 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 10 /32" L/R: 10 /32"
N/A		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
N/A		R/RI: 8 /32" L/RI: 8 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 35 RR. 75
		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
S		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Jean T Date 4/19/19

Supervisor Signature Date 4/25/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
#1220
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : Mileage in: 165358
Date: 05/18/19 Work Class: I Date and Time Finished: Mileage out: 165359

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	M0349	oil filter	1	
A	55	5W 20	engine oil	5.5	
A	55	650614-AA	oil drain plug	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 847194 Technician: Frodson Fenelus Signature:

ASE Employee #: 60415 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 05/18/19

PM TYPE OR WORK ORDER #: PM40

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace oil drain plug		05/18/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05/18/19 Vehicle #: 4805 Mileage in: 165358 Mileage out: 165359

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg.. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 05/18/19 Vehicle #: 4805 Mileage in: _____ Mileage out: _____

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 10 /32" L/R: 10 /32"
N/A		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 9 /32"
F		R/RI: 9 /32" L/RI: 8 /32"
N/A		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 05/18/19

Supervisor Signature — Date 5/20/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1739 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : 07.24.19 Mileage in: 175073
Date: 07.24.19 Work Class: 1 Date and Time Finished: 07.24 Mileage out: 175074

Complaints/Defects:	Notes/Measurements:
PM A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	1103249	oil filter	1	
A	55		engine oil	1	
A	55	H11	Headlamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Johnny Allison Signature

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: U805 DATE: 07-24-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace engine mounth	JP	07-24-19

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 07/24/19 Vehicle #: 4805 Mileage in: 175073 Mileage out: 175074

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
✓		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
✓		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 07.24.19 Vehicle #: 4805 Mileage in: 175073 Mileage out: 175074

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
P		Pads R/F: 8 /32" L/F: 8 /32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
P		Pads R/R: 8 /32" L/R: /32"
P		Shoes R/R: /32" L/R: 8 /32"
P		34) Tire and wheel condition and measurements
P		R/F: 7 /32" L/F: 7 /32"
P		R/RI: 7 /32" L/RI: 7 /32"
P		R/RO: /32" L/RO: /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. 40 RR. 40
P		Wheel torque specs used: 100 ft. lbs.
P		G) Lift inspection
P		1) Lift operation (fully stowed to fully deployed)
P		2) Lift control pendant condition and operation
P		3) Lift restraint belt condition and operation
P		4) Outer roll stop condition and operation
P		5) Inner roll stop condition and operation
P		6) Platform adjustments, condition and mounting
P		7) Standee arm condition and operation
P		8) Proper signage and decals
P		9) Manual backup pump condition and operation
P		10) Lift manual pump handle
P		11) Hydraulic pump condition and operation
P		12) Hydraulic lines and cylinders condition
P		13) Hydraulic fluid level and condition
P		14) Base plate and arms welds & pivot points
P		15) Lift springs and pins condition and operation
P		16) Lift safety switches and adjustments
P		17) Hose and wire routing and connections
P		18) Rollers and pivot point condition & operation
P		19) Lift to vehicle mounting bolts and brackets
P		20) Lift doors condition and operation
P		21) Lift door lights condition and operation
P		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
P		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
P		26) W/C shoulder belt condition and operation
P		27) Lift clean and no sharp edges
P		28) Lift shields secure and in good shape
P		29) Lift moves steady without drifting, jerking,
		or unusual speeds
P		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 07.24.19

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#2002

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : Mileage in: 179744
Date: 08/23/2015 Work Class: I Date and Time Finished: Mileage out: 179745

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM I A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV 1700	ENGINE OIL	55	
A	55	68191349 AB	OIL FILTER	1	
A	55	5273994 AB	ENGINE MOUNT	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rodney Murray Signature: Rodney Murray

ASE Employee #: _____ ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 08/23/2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Minor Scratches		
FRONT MOTOR MOUNT	Rooney Murray	08/23/2019

\\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 08/23/2019 Vehicle #: 4805 Mileage in: 179744 Mileage out: 179745

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 08/23/19 Vehicle #: 4805 Mileage in: 179744 Mileage out: 179745

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 5 /32" L/F: 5 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 5 /32" L/R: 5 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 6 /32" L/F: 6 /32"
—		R/RI: /32" L/RI: /32"
R		R/RO: 5 /32" L/RO: 5 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	BNA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08/23/2019

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in : Mileage in: 189492
Date: 10/23/19 Work Class: Date and Time Finished: Mileage out: 189493

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
A	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	ENGINE OIL	5.5	
A	55	M0349	OIL FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: RODNEY MURRAY Signature: Rodney Murray

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

Rodney Murray
MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 10/23/19

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Minor Scratches + Dings		
Low Tire Pressure Light ON	Rodney Murray	10/23/19

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 10/23/19 Vehicle #: 4805 Mileage in: 189492 Mileage out: 189493

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 10/23/19 Vehicle #: 4805 Mileage in: 189492 Mileage out: 189493

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 6 /32" L/F: 6 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 5 /32" L/R: 5 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 6 /32" L/F: 6 /32"
		~~R/RI:~~ /32" L/RI: /32"
R		R/RO: 6 /32" L/RO: 6 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
R		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 10/23/19

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: A Date and Time in: Mileage in: 194125
Date: 1/5/20 Work Class: I Date and Time Finished: Mileage out: 194126

Complaints/Defects:
PM1 A

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	55	PM1	
04	58	Brake Inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	VV1700	Engine Oil	5.5	
A	55	MO-349	Oil Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 849102 Technician: Joe Hall Signature

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

BUS #: 4805 DATE: 1/5/20

PM TYPE OR WORK ORDER #: A

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Drive axle boot left front damage		
Oil cooler have a leak		
Check engine light on		

4805

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 1/5/20 Vehicle #: ~~19425~~ Mileage in: 194125 Mileage out: 194126

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
		20) No rear differential leaks
		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Date: 1/5/20 Vehicle #: 4805 Circle Service Type: A B C D Mileage in: 194125 Mileage out: 194126

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 10 /32" L/F: 10 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 6 /32"
		R/RI: /32" L/RI: /32"
		R/RO: 8 /32" L/RO: 8 /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 65 RR. 70
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Date 1/5/20

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: PM A Date and Time in: 04-07-2020 Mileage in: 203653
Date 04-07-20 Work Class: T Date and Time Finished: Mileage out: 203654

Complaints/Defects:	Notes/Measurements:
PM A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PM A.	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE OIL	6	
A	65	M0-349	OIL FILTER	1	
A	55	SP14 9125	SPARK PLUG	6	
A	55	6810 5583	AT OIL COOLER	1	
A	55	225/65/17	NEW TIRES	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 857302 Technician: JENNIFER FRITZNER Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 04-07-2020

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
REPLACE TWO FRONT TIRES And. CHANK PLUG OIL COOLER REPLACE this VEHICLE NEED TO REPLACE the HEAD GASKET.	04-07-20	

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 04-07-20 Vehicle #: 4805 Mileage in: 203653 Mileage out: 203654

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
P		1) Driver carpet
P		2) Driver seat condition and operation
P		3) Drivers door operation and condition
P		4) Drivers seat belt operation and condition
P		5) Engine starting and ignition system
P		6) Instrument panel gauges & warning lights
P		7) Instrument panel lighting & condition
P		8) Horn operation
P		9) Steering wheel tight, no excessive play
P		10) Windshield wipers
P		11) Windshield washer
P		12) Sun visor condition and operation
P		13) Parking brake operation & condition
P		14) Parking and service brake pedal pads
P		15) Passenger door operation
P		16) No vibrations, pulsations or noises
		B) Walk around inspection
P		1) Body damage (list on separate sheet)
P		2) Headlights, high & low beam operation
P		3) Parking lights operation & condition
P		4) Marker lights operation & condition
P		5) Directional signals operation & condition
P		6) Hazard lights operation & condition
P		7) Clearance lights operation and condition
P		8) Brake lights operation & condition
P		9) License plate lamp operation & condition
P		10) License plates and tags
P		11) Backup lights and alarms
P		12) Reflectors and reflective bumper tape
P		13) Exterior decals and signage
P		14) Bumpers secure / in good condition
P		15) Exterior mirrors secure / in good condition
P		16) Exterior clean
		C) Interior inspection
P		1) Passenger door and steps condition
P		2) Handrails and stanchions condition
P		3) Interior and modesty panels condition
P		4) Flooring condition
P		5) Interior lighting operation and condition
P		6) Windows operation and condition
P		7) Emergency Exits operation & condition
P		8) Accessory operation & condition(radio,GPS)
P		9) Passenger seats operation & condition
P		10) Passenger seat belts operation & condition
P		11) First aid & body fluid kits complete
P		12) Triangle reflectors complete/good condition
P		13) Stop request operation & condition
P		14) Valid registration, insurance & accident pack
P		15) Fire extinguisher in good condition & signed
P		16) Interior decals and signage (incl. electrical)
P		17) DVI's reviewed, addressed and signed off
P		18) Interior clean
		D) HVAC system inspection
P		1) Front blower condition and operation

P	F	Item Inspected
P		2) Rear blower condition and operation
P		3) Defroster operation
P		4) Temp gets to 20 deg. F below ambient temp.
P		5) Evaporator intake air filter condition
P		6) Front heater condition and operation
P		7) Rear heater condition and operation
P		8) A/C compressors and condenser fans
		E) Under hood inspection
P		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
P		2) Wire and hose routing and connections
P		3) Cooling system, hoses, water pump condition
P		5) Accessory drive belts condition
P		6) Pulleys and tensioned operation & condition
P		7) Brake master cylinder and power booster
P		8) Fan and fan clutch operation and condition
P		9) Engine oil fluid level and condition
P		10) Transmission oil level and condition
P		11) Power steering fluid level and condition
P		12) Brake fluid level and condition
		F) Vehicle rack inspection
P		1) Steering gear box mount, condition & leaks
P		2) Steering shaft U joints
P		3) Steering shaft bearings
P		4) Steering linkages
P		5) I beam or control arm movements and rivets
P		6) Radius arm condition and bushings condition
P		7) Stabilizer bar condition and bushings condition
P		8) Ball joints or kingpins
P		9) Front spring condition and mounting
P		10) Front shock absorber operation & condition
P		11) Trans oil cooler & lines routing and leaks
P		12) Engine oil cooler & lines routing and leaks
P		13) Heater and A/C hose routing and leaks
P		14) No engine oil leaks and fluid condition
P		15) Engine mounts, brackets and bolts
P		16) Transmission mounts, brackets and bolts
P		17) No transmission oil leaks and fluid condition
P		18) Drive shaft condition
P		19) Universal joints and carrier bearings condition
P		20) No rear differential leaks
P		21) Rear differential condition and mounting
P		22) Frame and cross members
P		23) Rear shock absorbers
P		24) Rear springs condition and mounting
P		25) No fuel leaks
P		26) Fuel tank condition and mounting
P		27) No exhaust leaks
P		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 04-7-20 Vehicle #: 4805 Mileage in: 203653 Mileage out: 203654

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: 6 /32" L/F: 6 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
F		Pads R/R: 9 /32" L/R: 9 /32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F	F	R/F: 3 /32" L/F: 3 /32"
F		R/RI: 7 /32" L/RI: 7 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 38 RR. 45
F		Wheel torque specs used: 120 ft. lbs.
F		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
F		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 04-07-2020 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 2805 Repair Reason: A Date and Time in: 04/05/22 Mileage in: 204039
Date: 04/05/22 Work Class: I Date and Time Finished: 04/05/22 Mileage out: 204040

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
A	55	10349	oil filter	1	
A	55	WW201PF	Wiper Blades	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 2W-B2 Technician: Tyrone Alonso Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 04/05/22

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Wiper Blades	Jimmy	

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 04/05/22 Vehicle #: 4805 Mileage in: 204039 Mileage out: 20440

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Date: 04/05/22 Vehicle #: 4805 Circle Service Type: (A) B C D

Mileage in: 204039 Mileage out: 204040

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
P		Pads R/F: 6 /32" L/F: 6 /32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
P		Pads R/R: 6 /32" L/R: 6 /32"
P		Shoes R/R: /32" L/R: /32"
P		34) Tire and wheel condition and measurements
P		R/F: 8 /32" L/F: 8 /32"
P		R/RI: 6 /32" L/RI: 6 /32"
P		R/RO: /32" L/RO: /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. RR.
P		Wheel torque specs used: ft. lbs.
P		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
P		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
P		12) Hydraulic lines and cylinders condition
P		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 04/05/22 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: B Date and Time in: 21:30 Mileage in: 126862
Date: 08/23/18 Work Class: Date and Time Finished: 23:15 Mileage out: 126862

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	55	PM E B	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W 20	oil	5	
B	55	68191349-AC	oil filter		
B	55	LT225 65 R17	Tire	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: _____ Technician: Jean Thermidor Signature _____

ASE Employee #: 60418 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 08/23/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① Left tire low check and replace with new. all ok		08/23/18

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 08/23/16 Vehicle #: 4805 Mileage in: 126862 Mileage out: 126862

P	F	Item Inspected
S		**A) Vehicle drive in inspection (5 miles)**
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
—		**B) Walk around inspection**
		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
—		**C) Interior inspection**
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
—		**D) HVAC system inspection**
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
—		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
NS/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
—		**F) Vehicle rack inspection**
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 08/23/18 Vehicle #: 4805 Mileage in: 126862 Mileage out: 126862

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 5 /32" L/F: 5 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 5 /32" L/R: 5 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 7 /32" L/F: 7 /32"
N/A		R/RI: /32" L/RI: /32"
	X	R/RO: 2 /32" L/RO: 4 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 95 RR. 95
S		Wheel torque specs used: 500 ft. lbs.
S		**G) Lift inspection**
S		1) Lift operation (fully stowed to fully deployed)
S		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
N/A		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	S
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Jean Thermidor Date 8/23/18

Supervisor Signature Date 8/24/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1709

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: B Date and Time in : 03/24/19 12:39 Mileage in: 155832
Date: 03/24/19 Work Class: Date and Time Finished: 03/124/19 14:01 Mileage out: 155834

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PM1 B	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	VV 1700	Engine oil	5	
B	55	M0349	oil Filter	1	
B	55	WW 2001 PF	Wiper Blades	2	
B	55	04861737AA00	AIR Filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: _____ Technician: Ricardo Napoleon Signature

ASE Employee #: 604180 ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE	BUS #: 4805 DATE: 03/24/19
	PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Add Radiator Coolant & Windshield Washer Fluid		03/24/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 03/24/19 Vehicle #: 4805 Mileage in: 155832 Mileage out: 155834

P	F	Item Inspected
—		**A) Vehicle drive in inspection (5 miles)**
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
—		**B) Walk around inspection**
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
R		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
—		**C) Interior inspection**
R		1) Passenger door and steps condition
R		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
—		**D) HVAC system inspection**
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
—		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
R		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
—		**F) Vehicle rack inspection**
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
R		6) Radius arm condition and bushings condition
R		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
R		18) Drive shaft condition
R		19) Universal joints and carrier bearings condition
R		20) No rear differential leaks
R		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 03/24/19 Vehicle #: 4805 Mileage in: 155832 Mileage out: 155834

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
—		Pads R/F: 7 /32" L/F: 7 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
—		Pads R/R: 9 /32" L/R: 9 /32"
N/A		Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements
—		R/F: 9 /32" L/F: 9 /32"
—		R/RI: 7 /32" L/RI: 7 /32"
—		R/RO: 5 /32" L/RO: 6 /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 80 RR. 90
R		Wheel torque specs used: 450 ft. lbs.
—		**G) Lift inspection**
R		1) Lift operation (fully stowed to fully deployed)
R		2) Lift control pendant condition and operation
R		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
R		7) Standee arm condition and operation
R		8) Proper signage and decals
R		9) Manual backup pump condition and operation
R		10) Lift manual pump handle
R		11) Hydraulic pump condition and operation
R		12) Hydraulic lines and cylinders condition
R		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
R		15) Lift springs and pins condition and operation
R		16) Lift safety switches and adjustments
R		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
R		21) Lift door lights condition and operation
R		22) Lift interlock operation and condition
R		(lift door open, e-brake down not able to shift)
R		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking,
—		or unusual speeds
R		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	R
A,B,C,D	Lube drive shafts and universal joints	R
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	R
A,B,C,D	Drain water from separator	R
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	R
B,C,D	Clean or change PCV valve	R
B,C,D	Clean or change crank case filter	R
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date 03/24/19

Supervisor Signature — Date 3/26/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#2208

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: B Date and Time in : Mileage in: 184527
Date: 09/23/2019 Work Class: I Date and Time Finished: Mileage out: 184528

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PM I B	
B	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	VV1700	ENGINE O.L	5.5	
B	55	68191349AB	OIL FILTER	1	
B	55	31-26	WIPER BLADE	1	
B	55	31-20	WIPER BLADE	1	
B	55	4861737AA	AIR FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Ronny Murphy Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 09/23/2019

PM TYPE OR WORK ORDER #: B

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Minor Strikes + Dents		
Low Tire Pressure	Rodney Murray	09/23/2019

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 09/23/2019 Vehicle #: 4805 Mileage in: 184527 Mileage out: 184528

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
NA		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
BR		**C) Interior inspection**
~~NA~~R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation

P	F	Item Inspected
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
		18) Drive shaft condition
		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 09/23/19 Vehicle #: 4305 Mileage in: 184527 Mileage out: 184528

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 6 /32" L/F: 6 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R		Pads R/R: 6 /32" L/R: 6 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 7 /32" L/F: 7 /32"
—		~~R/RI~~: /32" L/RI: /32"
R		R/RO: 7 /32" L/RO: 7 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 36 RR. 36
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
R		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
R		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	R

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Rodney Mumey 09/23/2019

Technicians Signature Date

Supervisor Signature 9/25/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#218

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: C Date and Time in : 21:00 Mileage in: 141524
Date: 12/11/2018 Work Class: I Date and Time Finished: 23:15 Mileage out: 141526

Complaints/Defects:	Notes/Measurements:
PMI C	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PM I C	
04	~~58~~	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	5W20	~~MO 349~~ OIL	45	
C	55	MO 349	FILTER	1	
C	55	68159526 AC	REAR BRAKE PADS	1	
C	55	04861237AA	AIR FILTER	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 863725 Technician: Rooney Murray Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

Rodney M
MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 12/11/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
REAR BRAKE PADS	Rodney M	12/11/18
MINOR DINGS + SCRATCHES		

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 12/11/18 Vehicle #: 4805 Mileage in: 141524 Mileage out: 141526

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
R		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
NA		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: 12.1 load volts: load amps:
NA		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
R		Alt. 1 min volt: 14.5 max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
R		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
R		3) Steering shaft bearings
NA		4) Steering linkages
NA		5) I beam or control arm movements and rivets
NA		6) Radius arm condition and bushings condition
NA		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
NA		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
NA		22) Frame and cross members
R		23) Rear shock absorbers
NA		24) Rear springs condition and mounting
R		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 12/11/18 Vehicle #: 4805 Mileage in: 141524 Mileage out: 141526

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: 7 /32" L/F: 7 /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R	X	Pads R/R: 9 /32" L/R: 9 /32"
NA		Shoes R/R: /32" L/R: /32"
R		34) Tire and wheel condition and measurements
R		R/F: 8 /32" L/F: 8 /32"
NA		R/RI: /32" L/RI: /32"
R		R/RO: 5 /32" L/RO: 8 /32"
R		35) Lug nuts condition
R		Air pressure adjustment FR. 40 RR. 40
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
NA		3) Lift restraint belt condition and operation
NA		4) Outer roll stop condition and operation
NA		5) Inner roll stop condition and operation
R		6) Platform adjustments, condition and mounting
NA		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
NA		14) Base plate and arms welds & pivot points
NA		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
R		18) Rollers and pivot point condition & operation
R		19) Lift to vehicle mounting bolts and brackets
R		20) Lift doors condition and operation
NA		21) Lift door lights condition and operation
NA		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
NA		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	NA
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	RR

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature _____ Date 12/11/18

Supervisor Signature _____ Date 12/17/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: C Date and Time in : Mileage in: 153996
Date: 02/06/20 Work Class: I Date and Time Finished: Mileage out: 153997

Complaints/Defects:

PMTC.

Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMTC	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	MD 349	oil filter	1	
C	55	5W20	engine oil	55	
C	55	04861737AA-001	Air filter	1	
C	55	WW2001PF	wiper blade	2	
C	55	ATF +4	trans fluid	5	
C	55	68019555AA-001	trans filter	1	
C	55	65062.14-AA	oil drain plug	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: Frandson Fevrier Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

BUS #: 4805 DATE: 02/06/20

PM TYPE OR WORK ORDER #: C PM C

MECHANIC'S SIGNATURE

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace oil drain plug		02/06/20

J:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 02/06/20 Vehicle #: 4805 Mileage in: 198996 Mileage out: 197997

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
		B) Walk around inspection
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
		E) Under hood inspection
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Date: 02/06/20 Vehicle #: 4805 Mileage in: 193996 Mileage out: 193997

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 10 /32" L/F: 10 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 7 /32" L/R: 7 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 6 /32"
		R/RI: /32" L/RI: /32"
F		R/RO: 9 /32" L/RO: 7 /32"
		35) Lug nuts condition
F		Air pressure adjustment FR. 36 RR. 36
F		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
F		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	F
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 02/06/20

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1404

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4805 Repair Reason: D Date and Time in : 13:00 Mileage in: 170285
Date: 06-21-19 Work Class: I Date and Time Finished: 17:30 Mileage out: 170287

Complaints/Defects:	Notes/Measurements:
PMI (D)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMI (D)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	VV1700	oil	55	
D	55	WL10010	oil filter	1	
D	55	68018555AA	Trans filter	1	
D	55	ATF+4	Trans oil	5	
D	55	SP149125AE	Spark Plugs	6	
D	55	31-26	Wiper blade	1	
D	55	31-20	wiper blade	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846181 Technician: Jean Thermidor Signature: Jean Thermidor

ASE Employee #:_____ ASE Technician:_____ ASE Signature:_____

PM DEFECT SHEET

Jean Thermidor
MECHANIC'S SIGNATURE

BUS #: 4805 DATE: 06-21-19
PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① check vehicle vehicle Damage From the ~~le~~ left Side Fender Damage.		

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 06-21-19 Vehicle #: 4805 Mileage in: 170285 Mileage out: 170287

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
		1) Driver carpet
		2) Driver seat condition and operation
		3) Drivers door operation and condition
		4) Drivers seat belt operation and condition
		5) Engine starting and ignition system
		6) Instrument panel gauges & warning lights
		7) Instrument panel lighting & condition
		8) Horn operation
		9) Steering wheel tight, no excessive play
		10) Windshield wipers
		11) Windshield washer
		12) Sun visor condition and operation
		13) Parking brake operation & condition
		14) Parking and service brake pedal pads
		15) Passenger door operation
		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
		2) Headlights, high & low beam operation
		3) Parking lights operation & condition
		4) Marker lights operation & condition
		5) Directional signals operation & condition
		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
		8) Brake lights operation & condition
		9) License plate lamp operation & condition
		10) License plates and tags
		11) Backup lights and alarms
		12) Reflectors and reflective bumper tape
		13) Exterior decals and signage
		14) Bumpers secure / in good condition
		15) Exterior mirrors secure / in good condition
		16) Exterior clean
		C) Interior inspection
		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
		4) Flooring condition
		5) Interior lighting operation and condition
		6) Windows operation and condition
		7) Emergency Exits operation & condition
		8) Accessory operation & condition(radio,GPS)
		9) Passenger seats operation & condition
		10) Passenger seat belts operation & condition
		11) First aid & body fluid kits complete
		12) Triangle reflectors complete/good condition
		13) Stop request operation & condition
		14) Valid registration, insurance & accident pack
		15) Fire extinguisher in good condition & signed
		16) Interior decals and signage (incl. electrical)
		17) DVI's reviewed, addressed and signed off
		18) Interior clean
		D) HVAC system inspection
		1) Front blower condition and operation
		2) Rear blower condition and operation
		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
		5) Evaporator intake air filter condition
		6) Front heater condition and operation
		7) Rear heater condition and operation
		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
		2) Wire and hose routing and connections
		3) Cooling system, hoses, water pump condition
		5) Accessory drive belts condition
		6) Pulleys and tensioned operation & condition
		7) Brake master cylinder and power booster
		8) Fan and fan clutch operation and condition
		9) Engine oil fluid level and condition
		10) Transmission oil level and condition
		11) Power steering fluid level and condition
		12) Brake fluid level and condition
		F) Vehicle rack inspection
		1) Steering gear box mount, condition & leaks
		2) Steering shaft U joints
		3) Steering shaft bearings
		4) Steering linkages
		5) I beam or control arm movements and rivets
		6) Radius arm condition and bushings condition
		7) Stabilizer bar condition and bushings condition
		8) Ball joints or kingpins
		9) Front spring condition and mounting
		10) Front shock absorber operation & condition
		11) Trans oil cooler & lines routing and leaks
		12) Engine oil cooler & lines routing and leaks
		13) Heater and A/C hose routing and leaks
		14) No engine oil leaks and fluid condition
		15) Engine mounts, brackets and bolts
		16) Transmission mounts, brackets and bolts
		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
		22) Frame and cross members
		23) Rear shock absorbers
		24) Rear springs condition and mounting
		25) No fuel leaks
		26) Fuel tank condition and mounting
		27) No exhaust leaks
		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 06-21-19 Vehicle #: 4805 Mileage in: 170285 Mileage out: 170287

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
		Pads R/F: 11 /32" L/F: 11 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 11 /32" L/R: 11 /32"
N/A		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
		R/F: 8 /32" L/F: 8 /32"
		R/RI: 8 /32" L/RI: 8 /32"
N/A		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. 36 RR. 36
		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
N/A		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	JT
A,B,C,D	Lube chassis and suspension	JT
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	JT
A,B,C,D	Adjust service and parking brakes	JT
A,B,C,D	Drain water from separator	JT
A,B,C,D	Rotate tires(as necessary, caps on rear)	JT
B,C,D	Change air filter	JT
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	JT
C,D	Change transmission fluid and filter	N/A
C,D	Service front wheel bearings	N/A
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	N/A
D	Service and flush cooling system	N/A
D	Install new spark plugs & wires	JT
D	Install new dist. cap & rotor	N/A
D	Change differential fluid	N/A
D	Check Exhaust and EGR system	N/A
D	Check and service fuel & evap. System	N/A
D	Evac and recharge A/C (add 1 oz. of oil)	N/A
A,B,C,D	Post service test drive (5 miles)	JT

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Jean Thermidor 06-21-19

Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4105 Repair Reason: D Date and Time in: 20:21 Mileage in: 204386
Date: 05/06/22 Work Class: 5 Date and Time Finished: 23:50 Mileage out: 204387

Complaints/Defects:	Notes/Measurements:
PMID	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMID	
04	55	brakes inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	5W20	engine oil	6	
D	55	P 1009 EX	Oil filter	1	
D	55	WW2001 PF	Wiper blade	2	
D	55		trans filter	1	
D	55	AEF +4	trans fluid	4	
D	55		Spark Wyl	6	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Foodson Fevrier Signature: [signature]

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4305	DATE: 10/05/22
	PM TYPE OR WORK ORDER #:	PMID

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
minor scratch & dent	noted	

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C (D)

Date: 10/05/22 Vehicle #: 4805 Mileage in: 204386 Mileage out: 204387

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		B) Walk around inspection
NA	F	1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: 12.9 load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		F) Vehicle rack inspection
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Date: 10/5/22 Vehicle #: 4305 Circle Service Type: A B C (D)

Mileage in: 204386 Mileage out: 204387

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 8 /32" L/F: 8 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 7 /32" L/R: 7 /32"
NA		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 8 /32" L/F: 8 /32"
F		R/RI: 8 /32" L/RI: 8 /32"
NA		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 10/5/22

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.