796

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
~~WOD 715~~
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in : 05.04.18 13:00 Mileage in: 134803
Date: 05.04.18 Work Class: I Date and Time Finished: 05.04.18 14:50 Mileage out: 134847

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	M03249	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Jimmy Ellsmore Signature:

ASE Employee #: 604504 ASE Technician: Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4808 DATE: 05.04.18
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 5-24-13 Vehicle #: 4808 Mileage in: 134805 Mileage out: 134847

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
✓		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
✓		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05.04.18 Vehicle #: U208 Mileage in: 134845 Mileage out: 134847

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 5 /32" L/R: 5 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 6 /32" L/F: 6 /32"
✓		R/RI: 5 /32" L/RI: 5 /32"
		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 110 RR. 110
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05.04.18

Supervisor Signature — Date: 5/

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

WO# 1123

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in: 06-27-18 11:00 Mileage in: 139740
Date: 06-27-18 Work Class: I Date and Time Finished: 06-27-8 16:00 Mileage out: 139743

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	engine oil	5.5	
A	55	110349	oil filter	1	
A	55		Brakepad	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tommy Allsmo Signature:

ASE #: 60+182 ASE Technician: A Allsmo ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 06.27.18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Rear Brake pad need to Be replace		
replace Rear Brake pad	Tommy	06.27.18

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 06-22-18 Vehicle #: 4808 Mileage in: 139,110 Mileage out: 139,113

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
N/A		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 06-27-18 Vehicle #: 4808 Mileage in: 139710 Mileage out: 139713

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
	✓	Pads R/R: 3 /32" L/R: 3 /32"
		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 8 /32" L/F: 8 /32"
✓		R/RI: 11 /32" L/RI: 11 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (3 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 06-27-18

Supervisor Signature — Date: 6/29/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
2711 North Haskell Ave. Suite 1500 LB-2
Dallas, TX. 75204

1640

WPB 94
3301 Electronics Way
West Palm Beach, FL, 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in : 13:30 Mileage in: 149135
Date: 09/25/18 Work Class: 1 Date and Time Finished: 14:30 Mileage out: 149135

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	Oil	5.5	
A	55	M0349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shaun Mohammed Signature: _____

ASE Employee #: 604182 ASE Technition: _____ ASE Signature: _____

MV Transportation Inc.

PM DEFECT SHEET

MV Transportation Inc.

S Mohamed
MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 09/25/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
① Head lamp out Check Fix all ok.	S Mohamed	09/25/18

N:\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 09/25/18 Vehicle #: 4808 Mileage in: 149135 Mileage out: 149135

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
		B) Walk around inspection
S		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
		C) Interior inspection
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
		D) HVAC system inspection
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
		F) Vehicle rack inspection
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 09/25/18 Vehicle #: 4808 Mileage in: 149135 Mileage out: 149135

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 7 /32" L/F: 7 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 6 /32" L/R: 6 /32"
S		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 4 /32" L/F: 4 /32"
N/A		R/RI: /32" L/RI: /32"
S		R/RO: 10 /32" L/RO: 10 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 100 ft. lbs.
S		**G) Lift inspection**
S		1) Lift operation (fully stowed to fully deployed)
N/A		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	W/A
A,B,C,D	Lube drive shafts and universal joints	W/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	W/A
A,B,C,D	Drain water from separator	W/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	[illegible]

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

[illegible] 09/25/18

Technicians Signature Date

[illegible] 9/26/18

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 10-17-18 Vehicle #: 4808 Mileage in: 153745 Mileage out: 153746

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 5 /32" L/R: 5 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 10 /32" L/F: 10 /32"
✓		R/RI: 5 /32" L/RI: 5 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking,
		or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages
		and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 10-17-18 Date

Supervisor Signature 10/18/18 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 10-16-18 Vehicle #: 4808 Mileage in: 153745 Mileage out: 153746

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
		1) Front blower condition and operation

P	F	Item Inspected
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
/		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 10-17-18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace a Head lamp	Jyrany	10-17-18

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1782

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in : 10-17-18 20:00 Mileage in: 153745
Date: 10-17-18 Work Class: I Date and Time Finished: 10-17-18 21:40 Mileage out: 153746

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	53	5W30	engine oil	5.5	
A	55	M0349	oil filter	1	
A	55	H11	Head lamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tyrone Williams Signature

ASE Employee #: [illegible] ASE Technician: [signature] ASE Signature: [signature]

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#88

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in: 1.9.19 9:00 Mileage in: 162972
Date: 1.9.19 Work Class: I Date and Time Finished: 1.9.19 10:30 Mileage out: 162973

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
A	55	M0349	oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tyrone Alisme Signature

ASE Employee #: 604182 ASE Technician: Alisme ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 1.9.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace oil plug	[illegible]	1.9.19

\PHX_OPS\BUSMAINT\FORMS\PMdefect.doc

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 1.9.19 Vehicle #: 4808 Mileage in: 162972 Mileage out: 162973

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
OK		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
OK		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 1.9.19 Vehicle #: 4808 Mileage in: 163972 Mileage out: 163973

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 8 /32" L/R: 8 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 9 /32" L/F: 9 /32"
✓		R/RI: 8 /32" L/RI: 8 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 120 RR. 120
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 1.9.19 Date

Supervisor Signature 1/10/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#394

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in: 2.7.19 10:45 Mileage in: 167705
Date: 2.7.19 Work Class: I Date and Time Finished: 2.7.19 0:00 Mileage out: 167706

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
A	55	M0349	oil filter	1	
A	H	11	headlamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tyrone Alsome Signature

ASE Employee #: 604182 ASE Technician: Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 2.7.19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Ft Headlamps	Jimmy	2.7.19

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 8-1-19 Vehicle #: 4808 Mileage in: 167705 Mileage out: 167705

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
2		1) Driver carpet
2		2) Driver seat condition and operation
2		3) Drivers door operation and condition
2		4) Drivers seat belt operation and condition
2		5) Engine starting and ignition system
2		6) Instrument panel gauges & warning lights
2		7) Instrument panel lighting & condition
2		8) Horn operation
2		9) Steering wheel tight, no excessive play
2		10) Windshield wipers
2		11) Windshield washer
2		12) Sun visor condition and operation
2		13) Parking brake operation & condition
2		14) Parking and service brake pedal pads
2		15) Passenger door operation
2		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
2		1) Body damage (list on separate sheet)
2		2) Headlights, high & low beam operation
2		3) Parking lights operation & condition
2		4) Marker lights operation & condition
2		5) Directional signals operation & condition
2		6) Hazard lights operation & condition
2		7) Clearance lights operation and condition
2		8) Brake lights operation & condition
2		9) License plate lamp operation & condition
2		10) License plates and tags
2		11) Backup lights and alarms
2		12) Reflectors and reflective bumper tape
2		13) Exterior decals and signage
2		14) Bumpers secure / in good condition
2		15) Exterior mirrors secure / in good condition
2		16) Exterior clean
/		**C) Interior inspection**
2		1) Passenger door and steps condition
2		2) Handrails and stanchions condition
2		3) Interior and modesty panels condition
2		4) Flooring condition
2		5) Interior lighting operation and condition
2		6) Windows operation and condition
2		7) Emergency Exits operation & condition
2		8) Accessory operation & condition(radio,GPS)
2		9) Passenger seats operation & condition
2		10) Passenger seat belts operation & condition
2		11) First aid & body fluid kits complete
2		12) Triangle reflectors complete/good condition
2		13) Stop request operation & condition
2		14) Valid registration, insurance & accident pack
2		15) Fire extinguisher in good condition & signed
2		16) Interior decals and signage (incl. electrical)
2		17) DVI's reviewed, addressed and signed off
2		18) Interior clean
/		**D) HVAC system inspection**
2		1) Front blower condition and operation
2		2) Rear blower condition and operation
2		3) Defroster operation
2		4) Temp gets to 20 deg. F below ambient temp.
2		5) Evaporator intake air filter condition
2		6) Front heater condition and operation
2		7) Rear heater condition and operation
2		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
N/A		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
N/A		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
2		2) Wire and hose routing and connections
2		3) Cooling system, hoses, water pump condition
2		5) Accessory drive belts condition
2		6) Pulleys and tensioned operation & condition
2		7) Brake master cylinder and power booster
2		8) Fan and fan clutch operation and condition
2		9) Engine oil fluid level and condition
2		10) Transmission oil level and condition
2		11) Power steering fluid level and condition
2		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
2		1) Steering gear box mount, condition & leaks
2		2) Steering shaft U joints
2		3) Steering shaft bearings
2		4) Steering linkages
2		5) I beam or control arm movements and rivets
2		6) Radius arm condition and bushings condition
2		7) Stabilizer bar condition and bushings condition
2		8) Ball joints or kingpins
2		9) Front spring condition and mounting
2		10) Front shock absorber operation & condition
2		11) Trans oil cooler & lines routing and leaks
2		12) Engine oil cooler & lines routing and leaks
2		13) Heater and A/C hose routing and leaks
2		14) No engine oil leaks and fluid condition
2		15) Engine mounts, brackets and bolts
2		16) Transmission mounts, brackets and bolts
2		17) No transmission oil leaks and fluid condition
2		18) Drive shaft condition
2		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
2		22) Frame and cross members
2		23) Rear shock absorbers
2		24) Rear springs condition and mounting
2		25) No fuel leaks
2		26) Fuel tank condition and mounting
2		27) No exhaust leaks
2		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 2.7.19 Vehicle #: 4808 Mileage in: 167705 Mileage out: 167705

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 6 /32" L/R: 6 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 8 /32" L/F: 8 /32"
✓		R/RI: 8 /32" L/RI: 8 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		**G) Lift inspection**
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
✓		(lift door open, e-brake down not able to shift)
✓		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 2-7-19

Supervisor Signature — Date: 2/11/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1127 Work Order Division (0094)

3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4807 Repair Reason: A Date and Time in : Mileage in: 177094
Date: 05/07/19 Work Class: 1 Date and Time Finished: Mileage out: 177095

Complaints/Defects:	Notes/Measurements:
PMIA	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMIA	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	MO 349	oil filter	1	
A	55	5W20	engine o.l	5.5	
A	55	~~ERO~~ SC1161	Front brake pads	1	
A	55	SC1164	Rear brake pads	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848184 Technician: Foodson Fevrier Signature

ASE Employee #: ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 05/07/19

PM TYPE OR WORK ORDER #: PM1A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Front brake pads		05/07/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 05/07/19 Vehicle #: 4808 Mileage in: 177804 Mileage out: 177895

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
/		**C) Interior inspection**
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
/		**D) HVAC system inspection**
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
NW		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 05/07/19 Vehicle #: 5808 Mileage in: 177094 Mileage out: 177095

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
	F	Pads R/F: 3 /32" L/F: 3 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
	F	Pads R/R: 7 /32" L/R: 7 /32"
HM		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 9 /32" L/F: 9 /32"
F		R/RI: 8 /32" L/RI: 8 /32"
F		R/RO: 8 /32" L/RO: 8 /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR: 65 RR. 70
F		Wheel torque specs used: 140 ft. lbs.
		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
HM		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HM
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HM
A,B,C,D	Drain water from separator	HM
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 05/07/19

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#1386

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information			
Vehicle #: 4808	Repair Reason: A	Date and Time in : 22:00	Mileage in: 182257
Date: 6/12/19	Work Class: 1	Date and Time Finished: 00:00	Mileage out: 182258

Complaints/Defects:	Notes/Measurements:
PMI (A)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI (A)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W 20	Oil	5.5	
A	55	M0349	Oil filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Tommy Blount/STOFF Signature: [signature]

ASE Employee #:_____ ASE Technician:_____ ASE Signature:_____

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 6/12/19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
1) Tire need Rotating. Rotate Front tire to back all ok	Johnny	6/12/19

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 6/12/14 Vehicle #: 4808 Mileage in: 182257 Mileage out: 182258

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
S		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
✓		**C) Interior inspection**
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
✓		**D) HVAC system inspection**
S		1) Front blower condition and operation
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg..F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
N/A		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 6/12/19 Vehicle #: 4808 Mileage in: 182257 Mileage out: 182257

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
		Pads R/F: 8 /32" L/F: 8 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
		Pads R/R: 8 /32" L/R: 8 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
		R/F: 5 /32" L/F: 5 /32"
N/A		R/RI: /32" L/RI: /32"
		R/RO: 8 /32" L/RO: 8 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 110 RR. 110
S		Wheel torque specs used: 100 ft. lbs.
		G) Lift inspection
S		1) Lift operation (fully stowed to fully deployed)
S		2) Lift control pendant condition and operation
S		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK S
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	S

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 6/12/19 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#2114

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: A Date and Time in: 09-10-2019 Mileage in: 191810
Date: 09-10-19 Work Class: I Date and Time Finished: Mileage out: 191811

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W20	ENGINE OIL	6S	
A	55	M0349	OIL FILTER	1	
A	55	H1155	HEADLIGHT	1	
A	55	CCW2007 FF	WIPER BLADE	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 557302 Technician: TENRIEN FRITZNER. Signature

ASE Employee #: 604078 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE: [signature]

BUS #: 4808 DATE: 9-10-2019

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Replace Rear Front Headlight.	[signature]	09-10-19.

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 09-10-19 Vehicle #: 4808 Mileage in: 191810 Mileage out: 191811

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
F		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
F		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
		C) Interior inspection
F		1) Passenger door and steps condition
F		2) Handrails and stanchions condition
F		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
		D) HVAC system inspection
F		1) Front blower condition and operation

P	F	Item Inspected
F		2) Rear blower condition and operation
F		3) Defroster operation
F		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
F		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
F		*(reference factory service manual for alternator spec)*
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
F		19) Universal joints and carrier bearings condition
F		20) No rear differential leaks
F		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 9-10-19 Vehicle #: 4808 Mileage in: 191810 Mileage out: 191811

P	F	Item Inspected
		30) Front brake condition and mounting
		31) Front brake lining condition & measurement
F		Pads R/F: 8 /32" L/F: 8 /32"
		32) Rear brake condition and mounting
		33) Rear brake lining condition & measurement
		Pads R/R: 2 /32" L/R: 6 /32"
F		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
F		R/F: 10 /32" L/F: 10 /32"
F		R/RI: 6 /32" L/RI: 6 /32"
		R/RO: /32" L/RO: /32"
		35) Lug nuts condition
		Air pressure adjustment FR. RR.
		Wheel torque specs used: ft. lbs.
/		G) Lift inspection
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
F		8) Proper signage and decals
		9) Manual backup pump condition and operation
F		10) Lift manual pump handle
F		11) Hydraulic pump condition and operation
F		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
F		14) Base plate and arms welds & pivot points
F		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
F		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
F		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
F		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
F		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	F
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 09-10-2019 Date

Supervisor Signature 9/16/19 Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: PMA Date and Time In : Mileage in: 193794
Date: 3-14-21 Work Class: Date and Time Finished: Mileage out: 193798

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
	SS	oil filter	
	SS	engine oil	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
	SS	P1009 EX	oil filter	1	
	SS		engine oil	5½ qt	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: Technician: John Charles Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 3-14-21

PM TYPE OR WORK ORDER #: A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
back door cover missing		
driver's windal motor not working right		

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: (A) B C D

Date: 3-17-21 Vehicle #: 4808 Mileage in: 193794 Mileage out: 193798

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
		D) HVAC system inspection
✓		1) Front blower condition and operation
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: 12 load volts: 12.6 load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
✓		Alt. 1 min volt: 14 max volt: 14.6 max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Date: 3-14-21 Vehicle #: 4808 Circle Service Type: (A) B C D

Mileage in: 193794 Mileage out: 193798

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
		Pads R/F: 6 /32" L/F: 6/32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
		Pads R/R: 6 /32" L/R: 6/32"
		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
P		R/F: 8/32" L/F: 8/32"
P		R/RI: 8 /32" L/RI: 8 /32"
		R/RO: /32" L/RO: /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. 65 RR. 65
P		Wheel torque specs used: 90 ft. lbs.
		G) Lift inspection
P		1) Lift operation (fully stowed to fully deployed)
P		2) Lift control pendant condition and operation
P		3) Lift restraint belt condition and operation
P		4) Outer roll stop condition and operation
P		5) Inner roll stop condition and operation
P		6) Platform adjustments, condition and mounting
P		7) Standee arm condition and operation
P		8) Proper signage and decals
P		9) Manual backup pump condition and operation
P		10) Lift manual pump handle
P		11) Hydraulic pump condition and operation
P		12) Hydraulic lines and cylinders condition
P		13) Hydraulic fluid level and condition
P		14) Base plate and arms welds & pivot points
P		15) Lift springs and pins condition and operation
P		16) Lift safety switches and adjustments
P		17) Hose and wire routing and connections
P		18) Rollers and pivot point condition & operation
P		19) Lift to vehicle mounting bolts and brackets
P		20) Lift doors condition and operation
P		21) Lift door lights condition and operation
P		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
P		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
P		26) W/C shoulder belt condition and operation
P		27) Lift clean and no sharp edges
P		28) Lift shields secure and in good shape
P		29) Lift moves steady without drifting, jerking, or unusual speeds
P		30) No unusual lift noises
P		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
P		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
(A),B,C,D	Change oil and filter	JL
(A),B,C,D	Lube chassis and suspension	JL
(A),B,C,D	Lube drive shafts and universal joints	JL
(A),B,C,D	Lube doors and hood, locks and hinges	JL
(A),B,C,D	Adjust service and parking brakes	JL
(A),B,C,D	Drain water from separator	JL
(A),B,C,D	Rotate tires(as necessary, caps on rear)	JL
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	X
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 3-14-21 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4308 Repair Reason: A Date and Time in: _____ Mileage in: 193887
Date: 9/5/21 Work Class: I Date and Time Finished: _____ Mileage out: 193888

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
M	55	M0349	oil filter	1	
A	55		Batteries	1	
A	55		A side step	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Johnny Alissa Signature: _____

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4808 DATE:	9/15/21
	PM TYPE OR WORK ORDER #:	A

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace Batteries	Jimmy	9/15/21
replace R side step	Jimmy	9/15/21

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C D

Date: 9/15/21 Vehicle #: 4808 Mileage in: 193887 Mileage out: 193888

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
/		B) Walk around inspection
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
/		C) Interior inspection
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
/		D) HVAC system inspection
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
✓		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
✓		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
/		F) Vehicle rack inspection
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Date: 9/15/21 Vehicle #: 4808 Circle Service Type: A B C D

Mileage in: 193887 Mileage out: 193888

P	F	Item Inspected
P		30) Front brake condition and mounting
P		31) Front brake lining condition & measurement
P		Pads R/F: 6 /32" L/F: 6 /32"
P		32) Rear brake condition and mounting
P		33) Rear brake lining condition & measurement
P		Pads R/R: 8 /32" L/R: 8 /32"
P		Shoes R/R: /32" L/R: /32"
P		34) Tire and wheel condition and measurements
P		R/F: 8 /32" L/F: 8 /32"
P		R/RI: 8 /32" L/RI: 8 /32"
P		R/RO: /32" L/RO: /32"
P		35) Lug nuts condition
P		Air pressure adjustment FR. RR.
P		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
P		3) Lift restraint belt condition and operation
P		4) Outer roll stop condition and operation
		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
P		9) Manual backup pump condition and operation
P		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
P		14) Base plate and arms welds & pivot points
P		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
P		19) Lift to vehicle mounting bolts and brackets
P		20) Lift doors condition and operation
P		21) Lift door lights condition and operation
P		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
P		23) W/C tie downs condition and operation
P		24) Tie down container secure and clean
P		25) Tie down floor mounting brackets secure
P		26) W/C shoulder belt condition and operation
P		27) Lift clean and no sharp edges
P		28) Lift shields secure and in good shape
P		29) Lift moves steady without drifting, jerking, or unusual speeds
P		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature Date 9/15/21

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basle Information

Vehicle #: 4808 Repair Reason: A Date and Time in : 09/08/22 Mileage in: 196185
Date: 09/08/22 Work Class: I Date and Time Finished: 09/08/22 Mileage out: 196186

Complaints/Defects:	Notes/Measurements:
PMI A	

Labor Information

Task	WAC	Repair Description/Comments	Hours
A	58	PMI A	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
A	55	5W30	engine oil	5.5	
A	55	P1009	oil filter	1	
A	55	H11	Headlamp	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 825132 Technician: Johnny Alcorn Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4808 DATE: 09/08/22
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace FR Headlamp	JP	09/08/22

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: (A) B C D

Date: 09/08/20 Vehicle #: 4308 Mileage in: 196185 Mileage out: 196186

P	F	Item Inspected
/		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		D) HVAC system inspection
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
/		Alt. 1 min volt: max volt: max amp:
/		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 09/08/22 Vehicle #: 3408 Mileage in: 196185 Mileage out: 196186

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 6 /32" L/R: 6 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 6 /32" L/F: 6 /32"
✓		R/RI: 6 /32" L/RI: 6 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. RR.
✓		Wheel torque specs used: ft. lbs.
		G) Lift inspection
		1) Lift operation (fully stowed to fully deployed)
		2) Lift control pendant condition and operation
		3) Lift restraint belt condition and operation
N/A		4) Outer roll stop condition and operation
N/A		5) Inner roll stop condition and operation
		6) Platform adjustments, condition and mounting
		7) Standee arm condition and operation
		8) Proper signage and decals
		9) Manual backup pump condition and operation
		10) Lift manual pump handle
		11) Hydraulic pump condition and operation
		12) Hydraulic lines and cylinders condition
		13) Hydraulic fluid level and condition
		14) Base plate and arms welds & pivot points
		15) Lift springs and pins condition and operation
		16) Lift safety switches and adjustments
		17) Hose and wire routing and connections
		18) Rollers and pivot point condition & operation
		19) Lift to vehicle mounting bolts and brackets
		20) Lift doors condition and operation
		21) Lift door lights condition and operation
		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
		23) W/C tie downs condition and operation
		24) Tie down container secure and clean
		25) Tie down floor mounting brackets secure
		26) W/C shoulder belt condition and operation
		27) Lift clean and no sharp edges
		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	✓
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been Inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature 09/08/22 Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#2143

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: B Date and Time in : 12-06-18 18:00 Mileage in: 158302
Date: 12-06-18 Work Class: Date and Time Finished: 12-06-18 20:30 Mileage out: 158303

Complaints/Defects:	Notes/Measurements:
PMI B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	58	PMIB	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W20	engine oil	5.5	
B	55	1110349	oil filter	1	
B	55	04861737AA	air filter	1	
B	55	WW2001PF	Wiper Blade	2	
*B	55	BU2000C	Brake pads	1	
B	55	225/75R17	tires	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 845132 Technician: Filmary Alcena Signature

ASE Employee #: 604182 ASE Technician: A Jelmed ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 12-06-18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
rotate front tire to rear tires	Tommy	12-06-18
replace 2 New front tires	Tommy	12-06-18
replace Backup alarms	Tommy	12-06-18

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 12.06.18 Vehicle #: 4808 Mileage in: 158302 Mileage out: 158303

P	F	Item Inspected
/		**A) Vehicle drive in inspection (5 miles)**
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
/		6) Instrument panel gauges & warning lights
/		7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
/		**B) Walk around inspection**
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/		7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
/		**C) Interior inspection**
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
/		**D) HVAC system inspection**
/		1) Front blower condition and operation
/		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
/		**E) Under hood inspection**
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: load volts: load amps:
/		Batt 2 volts: load volts: load amps:
/		Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
/		**F) Vehicle rack inspection**
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 12/06/18 Vehicle #: 4808 Mileage in: 158302 Mileage out: 158303

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 8 /32" L/F: 8 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 8 /32" L/R: 8 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 6 /32" L/F: 6 /32"
	✓	R/RI: 3 /32" L/RI: 3 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	✓
A,B,C,D	Lube chassis and suspension	✓
A,B,C,D	Lube drive shafts and universal joints	✓
A,B,C,D	Lube doors and hood, locks and hinges	✓
A,B,C,D	Adjust service and parking brakes	✓
A,B,C,D	Drain water from separator	✓
A,B,C,D	Rotate tires(as necessary, caps on rear)	✓
B,C,D	Change air filter	✓
B,C,D	Change fuel filter	✓
B,C,D	Clean or change PCV valve	✓
B,C,D	Clean or change crank case filter	✓
B,C,D	Install new wiper blades	✓
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	✓

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 12.06.18

Supervisor Signature — Date: 12/10/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

#1855 **Work Order Division (0094)**
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 1808 Repair Reason: B Date and Time in: 08-06-19 Mileage in: 186947
Date: 08-06-19 Work Class: 2 Date and Time Finished: 08-06-19 Mileage out: 186950

Complaints/Defects:	Notes/Measurements:
PM B	

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	38	PM B	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	5W20	engine oil	5.5	
B	55	68191349AB	oil filter	1	
B	55	102397	tires	2	
B	55	4861737AA	air filter	1	
B	55	WW2001PF	wiper Blades	2	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 846132 Technician: Jimmy Allison Signature

ASE Employee #: 6041857 ASE Technician: Jimmy Allison ASE Signature:

PM DEFECT SHEET

MV Transportation Inc.

MECHANIC'S SIGNATURE

BUS #: 0808 DATE: 08-06-19

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
replace 2 front tires	JPM	08-06-19

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 08-06-17 Vehicle #: 4808 Mileage in: 186,949 Mileage out: 186,950

P	F	Item Inspected
✓		**A) Vehicle drive in inspection (5 miles)**
✓		1) Driver carpet
✓		2) Driver seat condition and operation
✓		3) Drivers door operation and condition
✓		4) Drivers seat belt operation and condition
✓		5) Engine starting and ignition system
✓		6) Instrument panel gauges & warning lights
✓		7) Instrument panel lighting & condition
✓		8) Horn operation
✓		9) Steering wheel tight, no excessive play
✓		10) Windshield wipers
✓		11) Windshield washer
✓		12) Sun visor condition and operation
✓		13) Parking brake operation & condition
✓		14) Parking and service brake pedal pads
✓		15) Passenger door operation
✓		16) No vibrations, pulsations or noises
✓		**B) Walk around inspection**
✓		1) Body damage (list on separate sheet)
✓		2) Headlights, high & low beam operation
✓		3) Parking lights operation & condition
✓		4) Marker lights operation & condition
✓		5) Directional signals operation & condition
✓		6) Hazard lights operation & condition
✓		7) Clearance lights operation and condition
✓		8) Brake lights operation & condition
✓		9) License plate lamp operation & condition
✓		10) License plates and tags
✓		11) Backup lights and alarms
✓		12) Reflectors and reflective bumper tape
✓		13) Exterior decals and signage
✓		14) Bumpers secure / in good condition
✓		15) Exterior mirrors secure / in good condition
✓		16) Exterior clean
✓		**C) Interior inspection**
✓		1) Passenger door and steps condition
✓		2) Handrails and stanchions condition
✓		3) Interior and modesty panels condition
✓		4) Flooring condition
✓		5) Interior lighting operation and condition
✓		6) Windows operation and condition
✓		7) Emergency Exits operation & condition
✓		8) Accessory operation & condition(radio,GPS)
✓		9) Passenger seats operation & condition
✓		10) Passenger seat belts operation & condition
✓		11) First aid & body fluid kits complete
✓		12) Triangle reflectors complete/good condition
✓		13) Stop request operation & condition
✓		14) Valid registration, insurance & accident pack
✓		15) Fire extinguisher in good condition & signed
✓		16) Interior decals and signage (incl. electrical)
✓		17) DVI's reviewed, addressed and signed off
✓		18) Interior clean
✓		**D) HVAC system inspection**
✓		1) Front blower condition and operation

P	F	Item Inspected
✓		2) Rear blower condition and operation
✓		3) Defroster operation
✓		4) Temp gets to 20 deg. F below ambient temp.
✓		5) Evaporator intake air filter condition
✓		6) Front heater condition and operation
✓		7) Rear heater condition and operation
✓		8) A/C compressors and condenser fans
✓		**E) Under hood inspection**
		1) Batteries & charging sys. (load alt B,C,D serv)
✓		Batt 1 volts: load volts: load amps:
✓		Batt 2 volts: load volts: load amps:
✓		Batt 3 volts: load volts: load amps:
✓		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
✓		2) Wire and hose routing and connections
✓		3) Cooling system, hoses, water pump condition
✓		5) Accessory drive belts condition
✓		6) Pulleys and tensioned operation & condition
✓		7) Brake master cylinder and power booster
✓		8) Fan and fan clutch operation and condition
✓		9) Engine oil fluid level and condition
✓		10) Transmission oil level and condition
✓		11) Power steering fluid level and condition
✓		12) Brake fluid level and condition
✓		**F) Vehicle rack inspection**
✓		1) Steering gear box mount, condition & leaks
✓		2) Steering shaft U joints
✓		3) Steering shaft bearings
✓		4) Steering linkages
✓		5) I beam or control arm movements and rivets
✓		6) Radius arm condition and bushings condition
✓		7) Stabilizer bar condition and bushings condition
✓		8) Ball joints or kingpins
✓		9) Front spring condition and mounting
✓		10) Front shock absorber operation & condition
✓		11) Trans oil cooler & lines routing and leaks
✓		12) Engine oil cooler & lines routing and leaks
✓		13) Heater and A/C hose routing and leaks
✓		14) No engine oil leaks and fluid condition
✓		15) Engine mounts, brackets and bolts
✓		16) Transmission mounts, brackets and bolts
✓		17) No transmission oil leaks and fluid condition
✓		18) Drive shaft condition
✓		19) Universal joints and carrier bearings condition
✓		20) No rear differential leaks
✓		21) Rear differential condition and mounting
✓		22) Frame and cross members
✓		23) Rear shock absorbers
✓		24) Rear springs condition and mounting
✓		25) No fuel leaks
✓		26) Fuel tank condition and mounting
✓		27) No exhaust leaks
✓		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A (B) C D

Date: 08-06-19 Vehicle #: 4808 Mileage in: 186949 Mileage out: 186950

P	F	Item Inspected
✓		30) Front brake condition and mounting
✓		31) Front brake lining condition & measurement
✓		Pads R/F: 6 /32" L/F: 6 /32"
✓		32) Rear brake condition and mounting
✓		33) Rear brake lining condition & measurement
✓		Pads R/R: 6 /32" L/R: 6 /32"
✓		Shoes R/R: /32" L/R: /32"
✓		34) Tire and wheel condition and measurements
✓		R/F: 6 /32" L/F: 6 /32"
	✓	R/RI: 3 /32" L/RI: 3 /32"
✓		R/RO: /32" L/RO: /32"
✓		35) Lug nuts condition
✓		Air pressure adjustment FR. 40 RR. 40
✓		Wheel torque specs used: 100 ft. lbs.
✓		G) Lift inspection
✓		1) Lift operation (fully stowed to fully deployed)
✓		2) Lift control pendant condition and operation
✓		3) Lift restraint belt condition and operation
✓		4) Outer roll stop condition and operation
✓		5) Inner roll stop condition and operation
✓		6) Platform adjustments, condition and mounting
✓		7) Standee arm condition and operation
✓		8) Proper signage and decals
✓		9) Manual backup pump condition and operation
✓		10) Lift manual pump handle
✓		11) Hydraulic pump condition and operation
✓		12) Hydraulic lines and cylinders condition
✓		13) Hydraulic fluid level and condition
✓		14) Base plate and arms welds & pivot points
✓		15) Lift springs and pins condition and operation
✓		16) Lift safety switches and adjustments
✓		17) Hose and wire routing and connections
✓		18) Rollers and pivot point condition & operation
✓		19) Lift to vehicle mounting bolts and brackets
✓		20) Lift doors condition and operation
✓		21) Lift door lights condition and operation
✓		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
✓		23) W/C tie downs condition and operation
✓		24) Tie down container secure and clean
✓		25) Tie down floor mounting brackets secure
✓		26) W/C shoulder belt condition and operation
✓		27) Lift clean and no sharp edges
✓		28) Lift shields secure and in good shape
✓		29) Lift moves steady without drifting, jerking, or unusual speeds
✓		30) No unusual lift noises
		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	
A,B,C,D	Lube chassis and suspension	
A,B,C,D	Lube drive shafts and universal joints	
A,B,C,D	Lube doors and hood, locks and hinges	
A,B,C,D	Adjust service and parking brakes	
A,B,C,D	Drain water from separator	
A,B,C,D	Rotate tires(as necessary, caps on rear)	
B,C,D	Change air filter	
B,C,D	Change fuel filter	
B,C,D	Clean or change PCV valve	
B,C,D	Clean or change crank case filter	
B,C,D	Install new wiper blades	
C,D	Change transmission fluid and filter	
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08-06-19

Supervisor Signature — Date: 8/8/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: B Date and Time in: 3/11/22 17:30 Mileage in: 194417
Date: 3/11/22 Work Class: Date and Time Finished: 3/11/22 18:15 Mileage out: 194417

Complaints/Defects:	Notes/Measurements:

Labor Information

Task	WAC	Repair Description/Comments	Hours
B	55	oil change	
B	55	air filter	
B	55	Replace wiper blade	
B	55	Replace air filter	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
B	55	a	oil	6-0	
B	55	P1009EX	air filter	1	
B	55	WW2002-PF	wiper blade	1	
B	55	128 10 001	air filter	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 676106 Technician: Dwight Richards Signature Dwight Richards

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

Dwight Richards
MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 8/11/22

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 3/11/22 Vehicle #: 4808 Mileage in: 194417 Mileage out: 194417

P	F	Item Inspected
DK		A) Vehicle drive in inspection (5 miles)
/		1) Driver carpet
/		2) Driver seat condition and operation
/		3) Drivers door operation and condition
/		4) Drivers seat belt operation and condition
/		5) Engine starting and ignition system
	DK	6) Instrument panel gauges & warning lights
	DK	7) Instrument panel lighting & condition
/		8) Horn operation
/		9) Steering wheel tight, no excessive play
/		10) Windshield wipers
/		11) Windshield washer
/		12) Sun visor condition and operation
/		13) Parking brake operation & condition
/		14) Parking and service brake pedal pads
/		15) Passenger door operation
/		16) No vibrations, pulsations or noises
DK		B) Walk around inspection
/		1) Body damage (list on separate sheet)
/		2) Headlights, high & low beam operation
/		3) Parking lights operation & condition
/		4) Marker lights operation & condition
/		5) Directional signals operation & condition
/		6) Hazard lights operation & condition
/	NA	7) Clearance lights operation and condition
/		8) Brake lights operation & condition
/		9) License plate lamp operation & condition
/		10) License plates and tags
/		11) Backup lights and alarms
/		12) Reflectors and reflective bumper tape
/		13) Exterior decals and signage
/		14) Bumpers secure / in good condition
/		15) Exterior mirrors secure / in good condition
/		16) Exterior clean
DK		C) Interior inspection
/		1) Passenger door and steps condition
/		2) Handrails and stanchions condition
/		3) Interior and modesty panels condition
/		4) Flooring condition
/		5) Interior lighting operation and condition
/		6) Windows operation and condition
/		7) Emergency Exits operation & condition
/		8) Accessory operation & condition(radio,GPS)
/		9) Passenger seats operation & condition
/		10) Passenger seat belts operation & condition
/		11) First aid & body fluid kits complete
/		12) Triangle reflectors complete/good condition
/		13) Stop request operation & condition
/		14) Valid registration, insurance & accident pack
/		15) Fire extinguisher in good condition & signed
/		16) Interior decals and signage (incl. electrical)
/		17) DVI's reviewed, addressed and signed off
/		18) Interior clean
DK		D) HVAC system inspection
/		1) Front blower condition and operation
DK		2) Rear blower condition and operation
/		3) Defroster operation
/		4) Temp gets to 20 deg. F below ambient temp.
/		5) Evaporator intake air filter condition
/		6) Front heater condition and operation
/		7) Rear heater condition and operation
/		8) A/C compressors and condenser fans
DK		E) Under hood inspection
/		1) Batteries & charging sys. (load alt B,C,D serv)
/		Batt 1 volts: 12.4 load volts: load amps:
	NA	Batt 2 volts: load volts: load amps:
	NA	Batt 3 volts: load volts: load amps:
/		*(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)*
/		Alt. 1 min volt: 13.4 max volt: max amp:
	NA	Alt. 2 min volt: max volt: max amp:
/		*(reference factory service manual for alternator spec)*
/		2) Wire and hose routing and connections
/		3) Cooling system, hoses, water pump condition
/		5) Accessory drive belts condition
/		6) Pulleys and tensioned operation & condition
/		7) Brake master cylinder and power booster
/		8) Fan and fan clutch operation and condition
/		9) Engine oil fluid level and condition
/		10) Transmission oil level and condition
/		11) Power steering fluid level and condition
/		12) Brake fluid level and condition
DK		F) Vehicle rack inspection
/		1) Steering gear box mount, condition & leaks
/		2) Steering shaft U joints
/		3) Steering shaft bearings
/		4) Steering linkages
/		5) I beam or control arm movements and rivets
/		6) Radius arm condition and bushings condition
/		7) Stabilizer bar condition and bushings condition
/		8) Ball joints or kingpins
/		9) Front spring condition and mounting
/		10) Front shock absorber operation & condition
/		11) Trans oil cooler & lines routing and leaks
/		12) Engine oil cooler & lines routing and leaks
/		13) Heater and A/C hose routing and leaks
/		14) No engine oil leaks and fluid condition
/		15) Engine mounts, brackets and bolts
/		16) Transmission mounts, brackets and bolts
/		17) No transmission oil leaks and fluid condition
/		18) Drive shaft condition
/		19) Universal joints and carrier bearings condition
/		20) No rear differential leaks
/		21) Rear differential condition and mounting
/		22) Frame and cross members
/		23) Rear shock absorbers
/		24) Rear springs condition and mounting
/		25) No fuel leaks
/		26) Fuel tank condition and mounting
/		27) No exhaust leaks
/		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A (B) C D

Date: 3/11/22 Vehicle #: 4808 Mileage in: 194417 Mileage out: 194417

P	F	Item Inspected
DR		30) Front brake condition and mounting
/		31) Front brake lining condition & measurement
/		Pads R/F: 6 /32" L/F: 6 /32"
/		32) Rear brake condition and mounting
/		33) Rear brake lining condition & measurement
/		Pads R/R: 6 /32" L/R: 6 /32"
	NA	Shoes R/R: — /32" L/R: — /32"
/		34) Tire and wheel condition and measurements
/		R/F: 10 /32" L/F: 9 /32"
	NA	R/RI: — /32" L/RI: — /32"
/		R/RO: 9 /32" L/RO: 9 /32"
/		35) Lug nuts condition
/		Air pressure adjustment FR. 35 RR. —
/		Wheel torque specs used: 80 ft. lbs.
	NA	G) Lift inspection
	/	1) Lift operation (fully stowed to fully deployed)
	/	2) Lift control pendant condition and operation
	/	3) Lift restraint belt condition and operation
	/	4) Outer roll stop condition and operation
	/	5) Inner roll stop condition and operation
	/	6) Platform adjustments, condition and mounting
	/	7) Standee arm condition and operation
	/	8) Proper signage and decals
	/	9) Manual backup pump condition and operation
	/	10) Lift manual pump handle
	/	11) Hydraulic pump condition and operation
	/	12) Hydraulic lines and cylinders condition
	/	13) Hydraulic fluid level and condition
	/	14) Base plate and arms welds & pivot points
	/	15) Lift springs and pins condition and operation
	/	16) Lift safety switches and adjustments
	/	17) Hose and wire routing and connections
	/	18) Rollers and pivot point condition & operation
	/	19) Lift to vehicle mounting bolts and brackets
	/	20) Lift doors condition and operation
	/	21) Lift door lights condition and operation
	/	22) Lift interlock operation and condition
	/	(lift door open, e-brake down not able to shift)
	/	(e-brake off lift door closed no lift power)
	/	23) W/C tie downs condition and operation
	/	24) Tie down container secure and clean
	/	25) Tie down floor mounting brackets secure
	/	26) W/C shoulder belt condition and operation
	/	27) Lift clean and no sharp edges
	/	28) Lift shields secure and in good shape
	/	29) Lift moves steady without drifting, jerking, or unusual speeds
	/	30) No unusual lift noises
	/	Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
	/	Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	DR
A,B,C,D	Lube chassis and suspension	—
A,B,C,D	Lube drive shafts and universal joints	—
A,B,C,D	Lube doors and hood, locks and hinges	—
A,B,C,D	Adjust service and parking brakes	—
A,B,C,D	Drain water from separator	—
A,B,C,D	Rotate tires(as necessary, caps on rear)	—
B,C,D	Change air filter	—
B,C,D	Change fuel filter	—
B,C,D	Clean or change PCV valve	—
B,C,D	Clean or change crank case filter	—
B,C,D	Install new wiper blades	—
C,D	Change transmission fluid and filter	—
C,D	Service front wheel bearings	
C,D	Drain water from fuel tank	
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	1

Initial or "N/A" each service performed per PM type DR

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Dwight Richards 3/11/22

Technicians Signature Date

Supervisor Signature Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

1415

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: C Date and Time in : 16:30 Mileage in: 144500
Date: 08/17/18 Work Class: 1 Date and Time Finished: 18:00 Mileage out: 144502

Complaints/Defects:	Notes/Measurements:
PMI (C)	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMI (C)	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	5W-20	Oil	5.5	
C	55	6819134 9AC	Oil filter		
C	55	6801-855 5AA	Trans filter	1	
C	55	04861737AA	Air filter	1	
C	55	WW2001 PP	Wiper Blades	2	
C	55	68218057AB	Trans fluid	5	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 816534 Technician: Shaun Mahid Signature

ASE Employee #: 604182 ASE Technician: ASE Signature:

PM DEFECT SHEET

S Mohammed.
MECHANIC'S SIGNATURE

BUS #: 4808 DATE: 08/17/18

PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED

MV Transportation Inc.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08/17/18 Vehicle #: 4808 Mileage in: 144500 Mileage out: 144502

P	F	Item Inspected
S		30) Front brake condition and mounting
S		31) Front brake lining condition & measurement
S		Pads R/F: 5 /32" L/F: 5 /32"
S		32) Rear brake condition and mounting
S		33) Rear brake lining condition & measurement
S		Pads R/R: 5 /32" L/R: 5 /32"
N/A		Shoes R/R: /32" L/R: /32"
S		34) Tire and wheel condition and measurements
S		R/F: 7 /32" L/F: 7 /32"
N/A		R/RI: /32" L/RI: /32"
S		R/RO: 5 /32" L/RO: 5 /32"
S		35) Lug nuts condition
S		Air pressure adjustment FR. 35 RR. 35
S		Wheel torque specs used: 160 ft. lbs.
—		**G) Lift inspection**
S		1) Lift operation (fully stowed to fully deployed)
S		2) Lift control pendant condition and operation
N/A		3) Lift restraint belt condition and operation
S		4) Outer roll stop condition and operation
S		5) Inner roll stop condition and operation
S		6) Platform adjustments, condition and mounting
N/A		7) Standee arm condition and operation
S		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
S		14) Base plate and arms welds & pivot points
S		15) Lift springs and pins condition and operation
S		16) Lift safety switches and adjustments
S		17) Hose and wire routing and connections
S		18) Rollers and pivot point condition & operation
S		19) Lift to vehicle mounting bolts and brackets
S		20) Lift doors condition and operation
S		21) Lift door lights condition and operation
S		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
S		23) W/C tie downs condition and operation
S		24) Tie down container secure and clean
S		25) Tie down floor mounting brackets secure
S		26) W/C shoulder belt condition and operation
S		27) Lift clean and no sharp edges
S		28) Lift shields secure and in good shape
S		29) Lift moves steady without drifting, jerking, or unusual speeds
S		30) No unusual lift noises
S		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
S		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	S
A,B,C,D	Lube chassis and suspension	N/A
A,B,C,D	Lube drive shafts and universal joints	N/A
A,B,C,D	Lube doors and hood, locks and hinges	S
A,B,C,D	Adjust service and parking brakes	N/A
A,B,C,D	Drain water from separator	N/A
A,B,C,D	Rotate tires(as necessary, caps on rear)	OK
B,C,D	Change air filter	S
B,C,D	Change fuel filter	N/A
B,C,D	Clean or change PCV valve	N/A
B,C,D	Clean or change crank case filter	N/A
B,C,D	Install new wiper blades	S.
C,D	Change transmission fluid and filter	S
C,D	Service front wheel bearings	N/A
C,D	Drain water from fuel tank	N/A
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 08/17/18

Supervisor Signature — Date: 8/20/18

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B C D

Date: 08/17/18 Vehicle #: 4808 Mileage in: 144500 Mileage out: 144502

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
S		1) Driver carpet
S		2) Driver seat condition and operation
S		3) Drivers door operation and condition
S		4) Drivers seat belt operation and condition
S		5) Engine starting and ignition system
S		6) Instrument panel gauges & warning lights
S		7) Instrument panel lighting & condition
S		8) Horn operation
S		9) Steering wheel tight, no excessive play
S		10) Windshield wipers
S		11) Windshield washer
S		12) Sun visor condition and operation
S		13) Parking brake operation & condition
S		14) Parking and service brake pedal pads
S		15) Passenger door operation
S		16) No vibrations, pulsations or noises
		B) Walk around inspection
		1) Body damage (list on separate sheet)
S		2) Headlights, high & low beam operation
S		3) Parking lights operation & condition
S		4) Marker lights operation & condition
S		5) Directional signals operation & condition
S		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
S		8) Brake lights operation & condition
S		9) License plate lamp operation & condition
S		10) License plates and tags
S		11) Backup lights and alarms
S		12) Reflectors and reflective bumper tape
S		13) Exterior decals and signage
S		14) Bumpers secure / in good condition
S		15) Exterior mirrors secure / in good condition
S		16) Exterior clean
		C) Interior inspection
S		1) Passenger door and steps condition
S		2) Handrails and stanchions condition
S		3) Interior and modesty panels condition
S		4) Flooring condition
S		5) Interior lighting operation and condition
S		6) Windows operation and condition
S		7) Emergency Exits operation & condition
S		8) Accessory operation & condition(radio,GPS)
S		9) Passenger seats operation & condition
S		10) Passenger seat belts operation & condition
S		11) First aid & body fluid kits complete
S		12) Triangle reflectors complete/good condition
S		13) Stop request operation & condition
S		14) Valid registration, insurance & accident pack
S		15) Fire extinguisher in good condition & signed
S		16) Interior decals and signage (incl. electrical)
S		17) DVI's reviewed, addressed and signed off
S		18) Interior clean
		D) HVAC system inspection
S		1) Front blower condition and operation

P	F	Item Inspected
S		2) Rear blower condition and operation
S		3) Defroster operation
S		4) Temp gets to 20 deg. F below ambient temp.
S		5) Evaporator intake air filter condition
S		6) Front heater condition and operation
S		7) Rear heater condition and operation
S		8) A/C compressors and condenser fans
		E) Under hood inspection
		1) Batteries & charging sys. (load alt B,C,D serv)
		Batt 1 volts: load volts: load amps:
N/A		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
S		2) Wire and hose routing and connections
S		3) Cooling system, hoses, water pump condition
S		5) Accessory drive belts condition
S		6) Pulleys and tensioned operation & condition
S		7) Brake master cylinder and power booster
S		8) Fan and fan clutch operation and condition
S		9) Engine oil fluid level and condition
S		10) Transmission oil level and condition
S		11) Power steering fluid level and condition
S		12) Brake fluid level and condition
		F) Vehicle rack inspection
S		1) Steering gear box mount, condition & leaks
S		2) Steering shaft U joints
S		3) Steering shaft bearings
S		4) Steering linkages
S		5) I beam or control arm movements and rivets
S		6) Radius arm condition and bushings condition
S		7) Stabilizer bar condition and bushings condition
S		8) Ball joints or kingpins
S		9) Front spring condition and mounting
S		10) Front shock absorber operation & condition
S		11) Trans oil cooler & lines routing and leaks
S		12) Engine oil cooler & lines routing and leaks
S		13) Heater and A/C hose routing and leaks
S		14) No engine oil leaks and fluid condition
S		15) Engine mounts, brackets and bolts
S		16) Transmission mounts, brackets and bolts
S		17) No transmission oil leaks and fluid condition
N/A		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
S		22) Frame and cross members
S		23) Rear shock absorbers
S		24) Rear springs condition and mounting
S		25) No fuel leaks
S		26) Fuel tank condition and mounting
S		27) No exhaust leaks
S		28) Exhaust system condition and mounting

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4868 Repair Reason: C Date and Time In: 11:30 Mileage in: 193467
Date: 09/14/2020 Work Class: I Date and Time Finished: 20:30 Mileage out: 193468

Complaints/Defects:	Notes/Measurements:
PMI C	

Labor Information

Task	WAC	Repair Description/Comments	Hours
C	58	PMI C	
C	04	BRAKE INSPECTION	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
C	55	VV1700	ENGINE OIL	55	
C	55	M0349	OIL FILTER	1	
C	55	128 10 001	AIR FILTER	1	
C	55	31-20	WIPER BLADE	1	
C	55	31-26	WIPER BLADE	1	
C	55	6801 8555 AA	TRANS FILTER	1	
C	55	ATF-4	TRANS FLUID	5	
C	55	6815 9526 AC	REAR BRAKE PAD	1	
C	55	505 8674 AD	RADIATOR FAN	1	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 803725 Technician: Rodney Murray Signature: Rodney Murray

ASE Employee #: 604182 ASE Technician: _____ ASE Signature: _____

PM DEFECT SHEET

Rodney Murray
MECHANIC'S SIGNATURE

BUS #: 4208 DATE: 09/14/2020

PM TYPE OR WORK ORDER #: C

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Minor Stroches + DINGS		
REAR BRAKE PADS 2/32	Rodney Murray	09/14/2020
RADIATOR FAN Assembly	Rodney Murray	09/14/2020

Preventive Maintenance Inspection and Service Checklist

Circle Service Type: A B (C) D

Date: 09/14/20 Vehicle #: 4807 Mileage in: 193469 Mileage out: 193472

P	F	Item Inspected
		A) Vehicle drive in inspection (5 miles)
R		1) Driver carpet
R		2) Driver seat condition and operation
R		3) Drivers door operation and condition
R		4) Drivers seat belt operation and condition
R		5) Engine starting and ignition system
R		6) Instrument panel gauges & warning lights
R		7) Instrument panel lighting & condition
R		8) Horn operation
R		9) Steering wheel tight, no excessive play
R		10) Windshield wipers
R		11) Windshield washer
R		12) Sun visor condition and operation
R		13) Parking brake operation & condition
R		14) Parking and service brake pedal pads
R		15) Passenger door operation
R		16) No vibrations, pulsations or noises
		B) Walk around inspection
R		1) Body damage (list on separate sheet)
R		2) Headlights, high & low beam operation
R		3) Parking lights operation & condition
NA		4) Marker lights operation & condition
R		5) Directional signals operation & condition
R		6) Hazard lights operation & condition
NA		7) Clearance lights operation and condition
R		8) Brake lights operation & condition
R		9) License plate lamp operation & condition
R		10) License plates and tags
R		11) Backup lights and alarms
R		12) Reflectors and reflective bumper tape
R		13) Exterior decals and signage
R		14) Bumpers secure / in good condition
R		15) Exterior mirrors secure / in good condition
R		16) Exterior clean
		C) Interior inspection
R		1) Passenger door and steps condition
NA		2) Handrails and stanchions condition
R		3) Interior and modesty panels condition
R		4) Flooring condition
R		5) Interior lighting operation and condition
R		6) Windows operation and condition
R		7) Emergency Exits operation & condition
R		8) Accessory operation & condition(radio,GPS)
R		9) Passenger seats operation & condition
R		10) Passenger seat belts operation & condition
R		11) First aid & body fluid kits complete
R		12) Triangle reflectors complete/good condition
R		13) Stop request operation & condition
R		14) Valid registration, insurance & accident pack
R		15) Fire extinguisher in good condition & signed
R		16) Interior decals and signage (incl. electrical)
R		17) DVI's reviewed, addressed and signed off
R		18) Interior clean
		D) HVAC system inspection
R		1) Front blower condition and operation
R		2) Rear blower condition and operation
R		3) Defroster operation
R		4) Temp gets to 20 deg. F below ambient temp.
R		5) Evaporator intake air filter condition
R		6) Front heater condition and operation
R		7) Rear heater condition and operation
R		8) A/C compressors and condenser fans
		E) Under hood inspection
R		1) Batteries & charging sys. (load alt B,C,D serv)
R		Batt 1 volts: load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
R		2) Wire and hose routing and connections
R		3) Cooling system, hoses, water pump condition
R		5) Accessory drive belts condition
R		6) Pulleys and tensioned operation & condition
R		7) Brake master cylinder and power booster
R		8) Fan and fan clutch operation and condition
R		9) Engine oil fluid level and condition
R		10) Transmission oil level and condition
R		11) Power steering fluid level and condition
R		12) Brake fluid level and condition
		F) Vehicle rack inspection
NA		1) Steering gear box mount, condition & leaks
R		2) Steering shaft U joints
NA		3) Steering shaft bearings
R		4) Steering linkages
R		5) I beam or control arm movements and rivets
NA		6) Radius arm condition and bushings condition
NA		7) Stabilizer bar condition and bushings condition
R		8) Ball joints or kingpins
R		9) Front spring condition and mounting
R		10) Front shock absorber operation & condition
R		11) Trans oil cooler & lines routing and leaks
R		12) Engine oil cooler & lines routing and leaks
R		13) Heater and A/C hose routing and leaks
R		14) No engine oil leaks and fluid condition
R		15) Engine mounts, brackets and bolts
R		16) Transmission mounts, brackets and bolts
R		17) No transmission oil leaks and fluid condition
NA		18) Drive shaft condition
NA		19) Universal joints and carrier bearings condition
NA		20) No rear differential leaks
NA		21) Rear differential condition and mounting
R		22) Frame and cross members
R		23) Rear shock absorbers
R		24) Rear springs condition and mounting
NA		25) No fuel leaks
R		26) Fuel tank condition and mounting
R		27) No exhaust leaks
R		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B (C) D

Date: 09/14/2020 Vehicle #: 1808 Mileage in: 193467 Mileage out: 193468

P	F	Item Inspected
R		30) Front brake condition and mounting
R		31) Front brake lining condition & measurement
R		Pads R/F: /32" L/F: /32"
R		32) Rear brake condition and mounting
R		33) Rear brake lining condition & measurement
R	X	Pads R/R: 2 /32" L/R: 2 /32"
NA		Shoes R/R: /32" L/R: /32"
		34) Tire and wheel condition and measurements
R		R/F: 8 /32" L/F: 8 /32"
		R/RI: /32" L/RI: /32"
R		R/RO: 8 /32" L/RO: 8 /32"
		35) Lug nuts condition
R		Air pressure adjustment FR. 35 RR. 35
R		Wheel torque specs used: 120 ft. lbs.
		G) Lift inspection
R		1) Lift operation (fully stowed to fully deployed)
NA		2) Lift control pendant condition and operation
NA		3) Lift restraint belt condition and operation
R		4) Outer roll stop condition and operation
R		5) Inner roll stop condition and operation
NA		6) Platform adjustments, condition and mounting
NA		7) Standee arm condition and operation
R		8) Proper signage and decals
NA		9) Manual backup pump condition and operation
NA		10) Lift manual pump handle
NA		11) Hydraulic pump condition and operation
NA		12) Hydraulic lines and cylinders condition
NA		13) Hydraulic fluid level and condition
NA		14) Base plate and arms welds & pivot points
NA		15) Lift springs and pins condition and operation
NA		16) Lift safety switches and adjustments
NA		17) Hose and wire routing and connections
NA		18) Rollers and pivot point condition & operation
NA		19) Lift to vehicle mounting bolts and brackets
NA		20) Lift doors condition and operation
NA		21) Lift door lights condition and operation
NA		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
R		23) W/C tie downs condition and operation
R		24) Tie down container secure and clean
R		25) Tie down floor mounting brackets secure
R		26) W/C shoulder belt condition and operation
R		27) Lift clean and no sharp edges
R		28) Lift shields secure and in good shape
R		29) Lift moves steady without drifting, jerking, or unusual speeds
R		30) No unusual lift noises
R		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
R		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	R
A,B,C,D	Lube chassis and suspension	NA
A,B,C,D	Lube drive shafts and universal joints	NA
A,B,C,D	Lube doors and hood, locks and hinges	R
A,B,C,D	Adjust service and parking brakes	NA
A,B,C,D	Drain water from separator	NA
A,B,C,D	Rotate tires(as necessary, caps on rear)	R
B,C,D	Change air filter	R
B,C,D	Change fuel filter	NA
B,C,D	Clean or change PCV valve	NA
B,C,D	Clean or change crank case filter	NA
B,C,D	Install new wiper blades	R
C,D	Change transmission fluid and filter	R
C,D	Service front wheel bearings	R
C,D	Drain water from fuel tank	NA
D	Replace accessory drive belts	
D	Service and flush cooling system	
D	Install new spark plugs & wires	
D	Install new dist. cap & rotor	
D	Change differential fluid	
D	Check Exhaust and EGR system	
D	Check and service fuel & evap. System	
D	Evac and recharge A/C (add 1 oz. of oil)	
A,B,C,D	Post service test drive (5 miles)	

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 09/14/2020

Supervisor Signature — Date

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.

#850

MV Transportation
5910 N Cenrtal Expy Way Suite1145
Dallas, TX 75206

Work Order Division (0094)
3301 Electronics Way
West Palm Beach, FL 33407

Basic Information

Vehicle #: 4808 Repair Reason: D Date and Time in : 18:00 Mileage in: 172280
Date: 04/2/19 Work Class: I Date and Time Finished: 22:00 Mileage out: 172281

Complaints/Defects:	Notes/Measurements:
PMID	

Labor Information

Task	WAC	Repair Description/Comments	Hours
D	58	PMID	
04	55	brake inspection	
		Total Hours Worked:	

Parts Information

Task	WAC	Part Number	Description	Qty	Cost
D	55	5W20	Engine Oil	55	
D	55	MD348	oil filter	1	
D	55	WW 200 PF	Wiper blade	2	
D	55	trans filter	6801 2555 AA-001	1	
D	55	3/14 S25AE-004	Spark plug	6	
D	55	6486 1737 AA-001	air filter	1	
D	55	ATF +4	trans fluid	5	
			Total Parts Cost:		

I have performed the repairs according MV Transportation, Inc. guidelines, using acceptable trade practices and assure that the vehicle is safe, dependable and ready for service. I have used parts that are from MV Transportation, Inc. approved vendors and have followed all MV Transportation, Inc. policies.

Employee #: 848194 Technician: Teodoro Hervig Signature

ASE Employee #: 684182 ASE Technician: ASE Signature:

PM DEFECT SHEET

MECHANIC'S SIGNATURE	BUS #: 4808 DATE: 4/26/13
	PM TYPE OR WORK ORDER #:

DESCRIPTION OF REPAIR NEEDED	COMPLETED BY	DATE COMPLETED
Nick Dings and Scratches.	Noted.	
Small damage on Steps.	Noted	

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 04/2/19 Vehicle #: 4808 Mileage in: 172280 Mileage out: 172281

P	F	Item Inspected
—		**A) Vehicle drive in inspection (5 miles)**
F		1) Driver carpet
F		2) Driver seat condition and operation
F		3) Drivers door operation and condition
F		4) Drivers seat belt operation and condition
F		5) Engine starting and ignition system
F		6) Instrument panel gauges & warning lights
F		7) Instrument panel lighting & condition
F		8) Horn operation
F		9) Steering wheel tight, no excessive play
F		10) Windshield wipers
F		11) Windshield washer
F		12) Sun visor condition and operation
F		13) Parking brake operation & condition
F		14) Parking and service brake pedal pads
F		15) Passenger door operation
F		16) No vibrations, pulsations or noises
—		**B) Walk around inspection**
F		1) Body damage (list on separate sheet)
F		2) Headlights, high & low beam operation
F		3) Parking lights operation & condition
F		4) Marker lights operation & condition
F		5) Directional signals operation & condition
F		6) Hazard lights operation & condition
N/A		7) Clearance lights operation and condition
F		8) Brake lights operation & condition
F		9) License plate lamp operation & condition
F		10) License plates and tags
F		11) Backup lights and alarms
N/A		12) Reflectors and reflective bumper tape
F		13) Exterior decals and signage
F		14) Bumpers secure / in good condition
F		15) Exterior mirrors secure / in good condition
F		16) Exterior clean
—		**C) Interior inspection**
F		1) Passenger door and steps condition
		2) Handrails and stanchions condition
		3) Interior and modesty panels condition
F		4) Flooring condition
F		5) Interior lighting operation and condition
F		6) Windows operation and condition
F		7) Emergency Exits operation & condition
F		8) Accessory operation & condition(radio,GPS)
F		9) Passenger seats operation & condition
F		10) Passenger seat belts operation & condition
F		11) First aid & body fluid kits complete
F		12) Triangle reflectors complete/good condition
F		13) Stop request operation & condition
F		14) Valid registration, insurance & accident pack
F		15) Fire extinguisher in good condition & signed
F		16) Interior decals and signage (incl. electrical)
F		17) DVI's reviewed, addressed and signed off
F		18) Interior clean
—		**D) HVAC system inspection**
F		1) Front blower condition and operation
		2) Rear blower condition and operation
F		3) Defroster operation
		4) Temp gets to 20 deg. F below ambient temp.
F		5) Evaporator intake air filter condition
F		6) Front heater condition and operation
		7) Rear heater condition and operation
F		8) A/C compressors and condenser fans
—		**E) Under hood inspection**
F		1) Batteries & charging sys. (load alt B,C,D serv)
F		Batt 1 volts: 12.8 load volts: load amps:
		Batt 2 volts: load volts: load amps:
		Batt 3 volts: load volts: load amps:
		(battery min. loaded volts 9.6v, 1/2 CCA for 15 sec)
		Alt. 1 min volt: max volt: max amp:
		Alt. 2 min volt: max volt: max amp:
		(reference factory service manual for alternator spec)
F		2) Wire and hose routing and connections
F		3) Cooling system, hoses, water pump condition
F		5) Accessory drive belts condition
F		6) Pulleys and tensioned operation & condition
F		7) Brake master cylinder and power booster
F		8) Fan and fan clutch operation and condition
F		9) Engine oil fluid level and condition
F		10) Transmission oil level and condition
F		11) Power steering fluid level and condition
F		12) Brake fluid level and condition
—		**F) Vehicle rack inspection**
F		1) Steering gear box mount, condition & leaks
F		2) Steering shaft U joints
F		3) Steering shaft bearings
F		4) Steering linkages
F		5) I beam or control arm movements and rivets
F		6) Radius arm condition and bushings condition
F		7) Stabilizer bar condition and bushings condition
F		8) Ball joints or kingpins
F		9) Front spring condition and mounting
F		10) Front shock absorber operation & condition
F		11) Trans oil cooler & lines routing and leaks
F		12) Engine oil cooler & lines routing and leaks
F		13) Heater and A/C hose routing and leaks
F		14) No engine oil leaks and fluid condition
F		15) Engine mounts, brackets and bolts
F		16) Transmission mounts, brackets and bolts
F		17) No transmission oil leaks and fluid condition
F		18) Drive shaft condition
N/A		19) Universal joints and carrier bearings condition
N/A		20) No rear differential leaks
N/A		21) Rear differential condition and mounting
F		22) Frame and cross members
F		23) Rear shock absorbers
F		24) Rear springs condition and mounting
F		25) No fuel leaks
F		26) Fuel tank condition and mounting
F		27) No exhaust leaks
F		28) Exhaust system condition and mounting

Preventive Maintenance Inspection and Service Checklist

MV Transportation Inc.

Circle Service Type: A B C (D)

Date: 04/2/19 Vehicle #: 4808 Mileage in: 172280 Mileage out: 172281

P	F	Item Inspected
F		30) Front brake condition and mounting
F		31) Front brake lining condition & measurement
F		Pads R/F: 8 /32" L/F: 8 /32"
F		32) Rear brake condition and mounting
F		33) Rear brake lining condition & measurement
F		Pads R/R: 6 /32" L/R: 6 /32"
HM		Shoes R/R: /32" L/R: /32"
F		34) Tire and wheel condition and measurements
F		R/F: 7 /32" L/F: 7 /32"
F		R/RI: 9 /32" L/RI: 8 /32"
HM		R/RO: /32" L/RO: /32"
F		35) Lug nuts condition
F		Air pressure adjustment FR. 40 RR. 40
F		Wheel torque specs used: 100 ft. lbs.
/		**G) Lift inspection**
F		1) Lift operation (fully stowed to fully deployed)
F		2) Lift control pendant condition and operation
F		3) Lift restraint belt condition and operation
F		4) Outer roll stop condition and operation
F		5) Inner roll stop condition and operation
F		6) Platform adjustments, condition and mounting
F		7) Standee arm condition and operation
F		8) Proper signage and decals
N/A		9) Manual backup pump condition and operation
N/A		10) Lift manual pump handle
N/A		11) Hydraulic pump condition and operation
N/A		12) Hydraulic lines and cylinders condition
N/A		13) Hydraulic fluid level and condition
N/A		14) Base plate and arms welds & pivot points
N/A		15) Lift springs and pins condition and operation
F		16) Lift safety switches and adjustments
N/A		17) Hose and wire routing and connections
F		18) Rollers and pivot point condition & operation
F		19) Lift to vehicle mounting bolts and brackets
F		20) Lift doors condition and operation
F		21) Lift door lights condition and operation
F		22) Lift interlock operation and condition
		(lift door open, e-brake down not able to shift)
		(e-brake off lift door closed no lift power)
F		23) W/C tie downs condition and operation
F		24) Tie down container secure and clean
F		25) Tie down floor mounting brackets secure
F		26) W/C shoulder belt condition and operation
F		27) Lift clean and no sharp edges
F		28) Lift shields secure and in good shape
F		29) Lift moves steady without drifting, jerking, or unusual speeds
F		30) No unusual lift noises
N/A		Lube all lift pivot points, barriers, rollers, linkages and bearings cleaning off all excess lube
N/A		Check, torque or adjust lift base mounting bolts

ServType	Service Performed	Techs Initials
A,B,C,D	Change oil and filter	F
A,B,C,D	Lube chassis and suspension	F
A,B,C,D	Lube drive shafts and universal joints	HM
A,B,C,D	Lube doors and hood, locks and hinges	F
A,B,C,D	Adjust service and parking brakes	HM
A,B,C,D	Drain water from separator	HM
A,B,C,D	Rotate tires(as necessary, caps on rear)	F
B,C,D	Change air filter	F
B,C,D	Change fuel filter	HM
B,C,D	Clean or change PCV valve	HM
B,C,D	Clean or change crank case filter	HM
B,C,D	Install new wiper blades	F
C,D	Change transmission fluid and filter	F
C,D	Service front wheel bearings	HM
C,D	Drain water from fuel tank	HM
D	Replace accessory drive belts	HM
D	Service and flush cooling system	HM
D	Install new spark plugs & wires	F
D	Install new dist. cap & rotor	HM
D	Change differential fluid	HM
D	Check Exhaust and EGR system	HM
D	Check and service fuel & evap. System	HM
D	Evac and recharge A/C (add 1 oz. of oil)	HM
A,B,C,D	Post service test drive (5 miles)	F

Initial or "N/A" each service performed per PM type

All items have been inspected and the above indications are true and correct. All safety related defects have been repaired and this vehicle is safe for operational use. All non-safety related defects not repaired are diagnosed and scheduled for repair with all parts needed pulled from stock or ordered. Brake pad linings must be measured from the backing plate. Brake shoe linings must be measured from the rivets.

Technicians Signature — Date: 04/02/19

Supervisor Signature — Date: 4/4/19

Notes:

Initial each item if it passes inspection and mark each failed item with an "X". Any failed item must be written on a PM Defect sheet and signed off as repaired. Inspections must be completed before services are done with all necessary repairs finished after services are complete. All safety related items must be repaired prior to placing the vehicle in service.