



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V530

In Date: 11/09/2005
Close Date: 11/17/2005

Meter Reading: 9,703.00

Problem?

B INSPECTION B/C1

Task performed:

See B Inspection pre-printed form

Parts	Quantity
51372OIL FILTER PH2	1
CA803946418 AIR FILTER	1

Workorder: V2775

In Date: 05/26/2006
Close Date: 06/14/2006

Meter Reading:

Problem?

flat repair B/C 1 (outside agency Callaghan tire)

Task performed:

Parts	Quantity
NO PARTS USED	

Vendor? VC-15214

Workorder: V2831

In Date: 06/01/2006
Close Date: 06/14/2006

Meter Reading:

Problem?

REPAIR TIRE BC-1, (CALLAGHAN)

Task performed:

Parts	Quantity
NO PARTS USED	

Vendor? VC-15214



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V3566

In Date: 07/20/2006
Close Date: 08/10/2006

Meter Reading: 17,455.00

Problem?

B INSPECTION, INSTALL CENTER CONSOLE, INSTALL HAM RADIO, BC-1

Task performed:

Parts	Quantity
01046301700S30HACP STROBE CLEAR	1
27489AIR HOSE	1
50R03ZRRLIGHT 500 TIR LED	1
91-20WIPER BLADE 20 IN	2
CA803946418 AIR FILTER	1
G801833595 FILTER FUEL WIX	1
K080810BELT	1
PH2USE 51372 OIL FILTER L/F PH820	1
S693AIR CHUCK	1
S775COUPLER	1
S777COUPLING NIPPLE	1
S778COUPLING	1

Workorder: V4267

In Date: 09/05/2006
Close Date: 09/22/2006

Meter Reading: 3,450.00

Problem?

emergency lts 10-7 BC1

Task performed:

1. CHECK OUT LIGHTS FOUND INOP. FOUND WIRE OPEN, R/R WIRING IN "WIG-WAG" PROBLEM CORRECTED.

2. CHECK OUT ELL SYSTEM. ADD GROUND TO CONSOLE R/R RELAYS BACK FEED PANNEL MOVE ENG POWER PULL HEADLIGHT BUCKETT. REWIRE AND INSTALL NEW FLASHER ON HEAD RETEST SYSTEM RETEST SYSTEM. PASS TEST SYSTEM PUT BACK IN WORKING ORDER AND REINSTALLED

Parts	Quantity
50R03ZRRLIGHT 500 TIR LED	1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V4989

In Date: 10/20/2006
Close Date: 11/06/2006

Meter Reading: 19,626.00

Problem?

REPLACE WINDSHIELD, BC-1 (SAFELITE)

Task performed:

1 replace windshield bc-1 (safelite)

Parts

NO PARTS USED

Quantity

Vendor? SAFELITE

Workorder: V6155

In Date: 01/08/2007
Close Date: 01/09/2007

Meter Reading: 19,626.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC1

Task performed:

B Inspection

Parts

01046301700S30HACP STROBE CLEAR
CA803946418 AIR FILTER
G801833595 FILTER FUEL WIX
PH2USE 51372 OIL FILTER L/F PH820

Quantity

1
1
1
1

Workorder: V8610

In Date: 06/05/2007
Close Date: 06/25/2007

Meter Reading: 27,249.00

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC1

Task performed:

1. B inspection, change oil and filter, replace air and fuel filter, replace rear and front brake pads, test drive.

Parts

4L3Z2001ADFRONT PADS-MX1083-05 F150
6L3Z2200CDREAR BRAKES-MX1012-05 F150
CA803946418 AIR FILTER
G801833595 FILTER FUEL WIX
PH2USE 51372 OIL FILTER L/F PH820

Quantity

1
1
1
1
1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V8687

In Date: 06/08/2007
Close Date: 07/03/2007

Meter Reading: 27,249.00

Problem?

replace tires at callaghan ent bc1

Task performed:

Replace tires - Callaghan

Parts

NO PARTS USED

Quantity

Vendor? CALLAGHAN

Workorder: V10515

In Date: 09/18/2007
Close Date: 09/27/2007

Meter Reading:

Problem?

Siren is not hook up to the ignition switch. Power for siren need to be changed so battery will stop going dead. B/C1 pickup truck

Task performed:

1. DRIVE TO STATION 18 REWIRE HAM RADIO AND SIREN TO ONLY COME ON WITH IGNITION. TEST O.

Parts

NO PARTS USED

Quantity

Workorder: V10662

In Date: 09/25/2007
Close Date: 09/27/2007

Meter Reading:

Problem?

need battery replaced in truck keeps going dead. Size 650 bc1

Task performed:

1. DRIVE TO STATION INSTALLED BATTERY, LOOK FOR DRAWS, LOAD TEST OLD BATTERY (BAD) NO DRAWS AT THIS TIME, TESTED O.K.

Parts

65-72BXT65750 BATTERY

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

1

1

Quantity

Workorder: V10699

In Date: 09/27/2007
Close Date: 09/27/2007

Meter Reading: 31,219.00

Problem?

REPAIR LEAK IN ROOF BC1

Task performed:

1. SEAL LEAK IN ROOF.

Parts

NO PARTS USED

Quantity



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V11529

In Date: 11/08/2007

Meter Reading: 31,219.00

Close Date: 11/26/2007

Problem?

fabricate plate for tailgate bc1

Task performed:

Parts

Quantity

Fabricate new tailgate plate for loading; install new plate on veh necess to make some mod to fit properly

19282TAPE ANTI-SLIP PER FT 60FT ON ROLL

5

11/8/07 3.0 hrs

11/9/07 5.0 hrs

11/13/07 3.0 hrs Total 11.0 hrs j

Workorder: V7799

In Date: 04/18/2007

Meter Reading: 26,807.00

Close Date: 02/07/2008

Problem?

replace floor mats, BC-1

Task performed:

Parts

Quantity

9-2669 FLOOR MAT

1

Workorder: V14065

In Date: 03/24/2008

Meter Reading: 36,963.00

Close Date: 04/18/2008

Problem?

repair flat dc1

Task performed:

Parts

Quantity

Repair flat DC1 - Callaghan j

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V14700

In Date: 04/25/2008

Meter Reading: 36,963.00

Close Date: 04/29/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC1

Task performed:

Parts

Quantity

1. b insection-change oil and filter, replace air and fuel filter, replace wiper blades.

G801833595 FILTER FUEL WIX

1

2. rotate tires.



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V14827

In Date: 05/02/2008
Close Date: 05/06/2008

Meter Reading: 36,963.00

Problem?

repair light on trailer bc1

Task performed:

Parts

Quantity

1. DINGNOSIS R/R TAIL LIGHT , NEEDS NEW LIGHT

NO PARTS USED

Workorder: V15036

In Date: 05/13/2008
Close Date: 05/13/2008

Meter Reading: 36,963.00

Problem?

UNIT RUNS POORLY ON CALL BC1

Task performed:

Parts

Quantity

1. swapped out bc-1 into crown vic

NO PARTS USED

Workorder: V15068

In Date: 05/14/2008
Close Date: 05/20/2008

Meter Reading: 36,963.00

Problem?

replace bad fuel pump bc 1 wayne akres

Task performed:

Parts

Quantity

Replace bad fuel pump BC1 - Wayne Akers j

NO PARTS USED

Vendor? WAYNE AKERS

Workorder: V15037

In Date: 05/13/2008
Close Date: 06/17/2008

Meter Reading: 36,963.00

Problem?

RUNS PORRLY NO POWER BC1

Task performed:

Parts

Quantity

runs poor, low power, active code po171 , found loose vacume line. reconnected and road tested still no problem at highway speeds , vehicle sent to dealer.

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V17665

In Date: 09/12/2008

Meter Reading:

Close Date: 10/02/2008

Problem?

Windshield washer not working. dc1

Task performed:

Parts

Quantity

1. installed windsheild washer pump.

NO PARTS USED

(R.T.)

Workorder: V17668

In Date: 09/12/2008

Meter Reading: 43,355.00

Close Date: 10/03/2008

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC1

Task performed:

Parts

Quantity

1. Test drive "B" inspection cahnge oil & filter, replace air filter.

15W40BSYN OIL BULK QTS

6

51372OIL FILTER PH2

1

CA803946418 AIR FILTER

1

(R.T.)

Workorder: V19944

In Date: 12/24/2008

Meter Reading: 47,523.00

Close Date: 01/07/2009

Problem?

B INSPECTION AND REPAIRS AS NEEDED, INSTALL WINCH, INSTALL 12V LIGHTER, BC-1

Task performed:

Parts

Quantity

1. B-Inspection - Meenaghan

15W40BSYN OIL BULK QTS

6

2. B-Inspection - Byrum. Replc air, fuel & oil filters; install lower rubber wind ____; rep fuel line; install 12V accessory socket & wire.

51372OIL FILTER PH2

1

56415CIG. LIGHTER ACCES.

1

3. Travel to Stn28 to look at DC2 winch; veh not there; travel to Truck/Trailer to C/O winch parts; travel back to Stn28 for inspection & back to shop.

CA803946418 AIR FILTER

1

G801833595 FILTER FUEL WIX

1

4. Travel to Total Truck & drive ladder #6 back to shop.

j
3.



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V19470

In Date: 12/03/2008
Close Date: 01/12/2009

Meter Reading: 46,219.00

Problem?

wont start bc1

Task performed:

Drive to Location; installed new btry; chk for draws & charging sys; disconnected flash light & map finder; test ok. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

1

Workorder: V20812

In Date: 02/03/2009
Close Date: 02/11/2009

Meter Reading: 49,455.00

Problem?

INSTALL BATTERY CHARGER AND AUTO EJECT BC1

Task performed:

1- drill and mount auto eject, mouted batt charger, mounted charge gauge, made and installed wiring harness, tied all wiring ck operation. check ok.
2- Ck emergency strobes, removed swith panel removed kick panel ck all fuces, troubleshoot and repairing wiring
3- Clean work area, do all paperwork from on call restock truck.

Parts

Quantity

0913912CHARGER 2000

1

0915520120AUTO EJECT 20 AERO OTL3925

1

Workorder: V22003

In Date: 03/23/2009
Close Date: 04/14/2009

Meter Reading: 53,322.00

Problem?

repair front axles al packer bc1

Task performed:

Repair front axles BBC1 - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER FORD



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V22613

In Date: 04/17/2009

Meter Reading: 54,000.00

Close Date: 04/28/2009

Problem?

INSTALL SCBA BRACKET, CHIEF WELLS

Task performed:

Drive to lcn of truck; installed air pack brkt; test ok. j

Parts

Quantity

101-124-000CRASH RESTRAINT STRAPS

2

KD-UN-6-SFBRACKET

2

Workorder: V23393

In Date: 05/19/2009

Meter Reading: 56,955.00

Close Date: 05/22/2009

Problem?

B INSPECTION AND REPAIRS AS NEEDED BC1 Rumbler install. Paint front brush guard.

Task performed:

- B-Inspection
- 2. Start install rumbler sys.
- 3. Install rear schocks.
- 4. Install rear brake pad.
- 5. Replc left/right lower ball joints; replcd frnt brake pads
- 6. Finish installing rumbler sys. j

Parts

Quantity

15W40BSYN OIL BULK QTS

6

51372OIL FILTER PH2

1

59024-102SWITCH

1

ASH794REAR SHOCK F150

2

CA803946418 AIR FILTER

1

G801833595 FILTER FUEL WIX

1

MCSOE7LOWER BALL JOINT F150

2

MX1012REAR PADS 05 F-150

1

MX1083FRONT PADS 05 F-150

1

Workorder: V23447

In Date: 05/21/2009

Meter Reading:

Close Date: 05/26/2009

Problem?

Check out rusty on chrome guard. It appears that bolts are rusted. bc1

Task performed:

Chrome is peeling; no repair possible. j

Parts

Quantity

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V23026

In Date: 05/04/2009
Close Date: 06/05/2009

Meter Reading: 55,434.00

Problem?

repair flat tire callaghan

Task performed:

Parts

Quantity

NO PARTS USED

Vendor? CALLAGAHN

Workorder: V24111

In Date: 06/15/2009
Close Date: 07/08/2009

Meter Reading: 58,154.00

Problem?

front end alignment bc1 callaghan

Task performed:

Parts

Quantity

Front end alignment BC1 - Callaghan j

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V24090

In Date: 06/15/2009
Close Date: 07/09/2009

Meter Reading: 58,154.00

Problem?

REPLACE TIRES AT CALLAGHAN BC1

Task performed:

Parts

Quantity

Replace tires BC1 - Callaghan j

NO PARTS USED

Vendor? CALLAGHAN

Workorder: V25535

In Date: 08/14/2009
Close Date: 08/20/2009

Meter Reading: 61,288.00

Problem?

INSTALL 3 LED LIGHTS ON LICENSE PLATE, BC-1

Task performed:

Parts

Quantity

drive to Stn; installed lights & wired; test ok. j

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V26173

In Date: 09/10/2009
Close Date: 09/10/2009

Meter Reading: 64,992.00

Problem?

B inspection and repairs B/C 1 (work performed by al packer ford)

Task performed:

B inspection and repairs (work performed by al packer ford)

Parts

NO PARTS USED

Quantity

Workorder: V26174

In Date: 09/10/2009
Close Date: 09/15/2009

Meter Reading: 64,255.00

Problem?

Backup alarm 10-7 B/C1

Task performed:

C/O ___ sys; rem old sys & installed new updated back-up alarm. j

Parts

PD2343BACKUP RADAR

Quantity

1

Workorder: V26149

In Date: 09/09/2009
Close Date: 10/15/2009

Meter Reading: 64,223.00

Problem?

B inspection and repairs (Outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer Ford j

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V26886

In Date: 10/14/2009
Close Date: 11/05/2009

Meter Reading: 67,031.00

Problem?

repair light bc1

Task performed:

1. Drive to Stn; lens for rear cracked & wrap; order new.
2. Drive to Stn; replcd lens; installed new strobe ight; test ok. j

Parts

5L3Z13405CATAIL LIGHT FORD F150

800405PURGE VALVE KIT

S30HACSTROBE BULB

Quantity

1

1

2



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V28033

In Date: 12/01/2009

Meter Reading: 69,392.00

Close Date: 12/16/2009

Problem?

AM/FM radio innop B/C1

Task performed:

Parts

Quantity

Ck fuses; ck ok; pushed buttons on radio; radio powered up; poss radio head problem; has had problem for awhile.
j

NO PARTS USED

Workorder: V28196

In Date: 12/08/2009

Meter Reading:

Close Date: 12/17/2009

Problem?

Ned to replace wiper blades that are ripped. e19

Task performed:

Parts

Quantity

1. Replcd wiper blades.
2. C/O rumbler opn concern; cld not reproduce concern.
3. C/O A/C blowing hot. adj heater control valve.
4. Travel to Stn19.
5. Replc wiper blades. j

52-24WIPER BLADES ANCO 24

2

91-20WIPER BLADE 20 IN

2

Workorder: V29362

In Date: 01/22/2010

Meter Reading: 71,244.00

Close Date: 01/25/2010

Problem?

install backup alarm B/C1

Task performed:

Parts

Quantity

- B inspction and repairs performed by al packer ford
1. Install/wire up backup sensor.
 2. Rem rool n lock; install topper frm under Bld 3; wire up lights; rewire leds on rear of truck; mnt rumbler; change air pack brkts. j (2/1/10)

1601BRADAR BACKUP

1

FREIGHTSHIPPING CHARGES

15

KR-CCLCATHODE COMPARTMENT LIGHT

1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V28799

In Date: 01/04/2010

Meter Reading:

Close Date: 01/26/2010

Problem?

Need to replace battery, goes dead after 4 hours. I have kept on vehicle charger. bc 1

Task performed:

Load test btry; NG; replcd btrys. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

1

Workorder: V28945

In Date: 01/08/2010

Meter Reading: 71,244.00

Close Date: 01/28/2010

Problem?

engine running poorly B/C 1

Task performed:

Chkd fuel filter, cln, replc; put bottle of injector clean in tank; test drive; NPF> j

Parts

Quantity

NO PARTS USED

Workorder: V29360

In Date: 01/22/2010

Meter Reading: 71,244.00

Close Date: 02/10/2010

Problem?

B inspection and repairs B/C 1 (performed by-al packer ford)

Task performed:

B inspcetion and repairs performed by al packer ford

Parts

Quantity

NO PARTS USED

Workorder: V29330

In Date: 01/21/2010

Meter Reading: 71,244.00

Close Date: 02/24/2010

Problem?

B inspection and repairs B/C 1 (outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer j

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V28249

In Date: 12/10/2009
Close Date: 04/14/2010

Meter Reading: 69,965.00

Problem?

replace broken rumbler bracket bc1

Task performed:

Parts

Quantity

NO PARTS USED

Workorder: V31235

In Date: 04/02/2010
Close Date: 04/28/2010

Meter Reading: 78,052.00

Problem?

Brakes smoking BC1

Task performed:

Parts

Quantity

Travel to Stn19; fnd R/frt wheel rotor hotter than left & burnt smell; test drive veh for draggin brakes-ok; test left/right temps; 299 right, 260 left; can be driven to shop for brake job; travel back to shop. j

NO PARTS USED

Workorder: V31040

In Date: 03/25/2010
Close Date: 04/30/2010

Meter Reading: 76,222.00

Problem?

INSTALL INVERTER AND 12V POWER POINT IN REAR OF UNIT SEE CHIEF WELLS

Task performed:

Parts

Quantity

1. Travel to Stn19 from Stn15; chk location to mnt unit/mtrls needed.
2. Install inverter. j

3WA16POWER INVERTER 375 AMP
56415CIG. LIGHTER ACCES.

1
1

Workorder: V31268

In Date: 04/05/2010
Close Date: 05/11/2010

Meter Reading: 78,052.00

Problem?

repair brakes BC1 (outside agency-al packer ford)

Task performed:

Parts

Quantity

Repair brakes BC1 - Al Packer j

NO PARTS USED

Vendor? AL PACKER FORD



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V32012

In Date: 05/05/2010
Close Date: 05/19/2010

Meter Reading: 80,482.00

Problem?

B inspection AL PACKER BC1

Task performed:

B-Inspection BC1 - Al Packer

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V32206

In Date: 05/14/2010
Close Date: 05/20/2010

Meter Reading: 80,600.00

Problem?

BRAKE LT FLICKERS BC1

Task performed:

Went to Stn19; fnd R/brake lite going bad; rem lens; R/R bulb; ck ok. j

Parts

4057LLLIGHT BULB

Quantity

2

Workorder: V32340

In Date: 05/20/2010
Close Date: 05/25/2010

Meter Reading: 80,600.00

Problem?

rumbler innop BC1

Task performed:

1. Went to Stn19; rem center console panels; traced wires; fnd no power coming out of module.
2. Replc rumbler timer & amp. j

Parts

NO PARTS USED

Quantity

Workorder: V33505

In Date: 07/13/2010
Close Date: 08/13/2010

Meter Reading: 85,520.00

Problem?

B inspection and repairs (outside agency-al packer ford)

Task performed:

B-Inspection/repairs - Al Packer ja

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V35765

In Date: 10/19/2010
Close Date: 10/25/2010

Meter Reading: 91,700.00

Problem?

"B" inspection, check brake pedal going to the floor.(outside agency-al packer)

Task performed:

B-Inspection chk brake pedal going to to the fllow - Al Packer j
Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V34600

In Date: 08/30/2010
Close Date: 12/22/2010

Meter Reading: 71,244.00

Problem?

engine running poorly B/C 1

Task performed:

(1) TRAVELED TO ST19 TO REPAIR BC1 VEHICLE THAT IS RUNNING POORLY. CHECKED CODES/ AIRFILTER. CHECKED OK. REPLACED FUEL FILTER. OK. J.W.

Parts

Quantity

G801833595 FILTER FUEL WIX

1

Workorder: V38255

In Date: 02/03/2011
Close Date: 02/15/2011

Meter Reading: 98,093.00

Problem?

B inspection and repairs BC1

Task performed:

B-Inspection
2. R/R alt; test drive. j

Parts

Quantity

15W40BSYN OIL BULK QTS

6

51372OIL FILTER PH2

1

CA803946418 AIR FILTER

1

Workorder: V38251

In Date: 02/03/2011
Close Date: 02/25/2011

Meter Reading: 97,800.00

Problem?

unit broke down on turnpike BC 1

Task performed:

Travel to T-pike; unit broken down; btry shorted - replc btry. j

Parts

Quantity

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTEF

1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V38391

In Date: 02/03/2011
Close Date: 03/08/2011

Meter Reading: 97,800.00

Problem?

mount 4 tires from our stock BC 1 (outside agency-TCI Tire)

Task performed:

Mount (4) tires from our stock BC1 - TCI j

Parts

NO PARTS USED

Quantity

Vendor? TCI

Workorder: V38769

In Date: 02/25/2011
Close Date: 03/21/2011

Meter Reading: 97,800.00

Problem?

L/R tire has leak BC 1 (outside agency-TCI Tire)

Task performed:

L/R tire has leadk BC1 - TCI j

Parts

NO PARTS USED

Quantity

Vendor? TCI TIRE

Workorder: V38963

In Date: 03/04/2011
Close Date: 03/22/2011

Meter Reading: 99,967.00

Problem?

Need to order new spray nozzle for left side. Was checked by mechanic.

Task performed:

Rep washer nozzle. j

Parts

3W7Z17603AAWASHER JETS

Quantity

2

Workorder: V40140

In Date: 04/25/2011
Close Date: 05/04/2011

Meter Reading: 103,688.00

Problem?

back up warning 10-7 replace air filter

Task performed:

travel to 19;replcd backup sensor & air filter. j

Parts

1601BRADAR BACKUP

CA803946418 AIR FILTER

Quantity

1

1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V40398

In Date: 05/04/2011
Close Date: 05/16/2011

Meter Reading: 104,837.00

Problem?

B inspection

Task performed:

B-Inspection - Oil Change Svc j

Parts

NO PARTS USED

Quantity

Vendor? OIL CHANGE SVC

Workorder: V40793

In Date: 05/23/2011
Close Date: 05/25/2011

Meter Reading: 105,502.00

Problem?

MOUNT EQUIPMENT BC 1

Task performed:

Mount shovel & btry charger; wired charger.

Parts

5269LPVM-5 SM MOUNT

LPVM-7LG MOUNT

Quantity

2

2

Workorder: V38390

In Date: 02/03/2011
Close Date: 06/09/2011

Meter Reading: 97,800.00

Problem?

alternator light on BC 1 (outside agency-al packer ford)

Task performed:

work completed on WO 38255

Parts

NO PARTS USED

Quantity

Workorder: V42020

In Date: 07/14/2011
Close Date: 07/28/2011

Meter Reading: 109,711.00

Problem?

Replace windshield.

Task performed:

Replc windshield - Charlies. j

Parts

NO PARTS USED

Quantity

Vendor? CHARLIES



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V40311

In Date: 05/02/2011
Close Date: 08/03/2011

Meter Reading: 104,332.00

Problem?
repair flar bc1

Task performed:	Parts	Quantity
Repair flat BC1 - Boulevard j	NO PARTS USED	
Vendor? BOULEVARD		

Workorder: V41875

In Date: 07/08/2011
Close Date: 08/03/2011

Meter Reading: 108,477.00

Problem?
repair flat

Task performed:	Parts	Quantity
Repair flat - Boulevard j	NO PARTS USED	
Vendor? BOULEVARD		

Workorder: V42029

In Date: 07/14/2011
Close Date: 09/01/2011

Meter Reading: 109,711.00

Problem?
Engine knocks at highway speeds as it goes overpasses. Worst than normal. Sta 19.

Task performed:	Parts	Quantity
Road test - NPF j	NO PARTS USED	

Workorder: V43074

In Date: 08/26/2011
Close Date: 09/01/2011

Meter Reading: 112,935.00

Problem?
one of the 500 red LED lights is out. Sta 19.

Task performed:	Parts	Quantity
Travel to 19; R/R emergency light. j	50R03ZCRLIGHT LED RED TIR 6	1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V41883

In Date: 07/08/2011

Meter Reading: 108,477.00

Close Date: 09/20/2011

Problem?

install tires from shop stock

Task performed:

Parts

Quantity

Install tires - Boulevard j

NO PARTS USED

Vendor? BOULEVARD

Workorder: V42526

In Date: 08/03/2011

Meter Reading: 111,081.00

Close Date: 09/23/2011

Problem?

B Inspection with Oil Change Services

Task performed:

Parts

Quantity

B INSPECTION OIL CHANGE SERVICES

NO PARTS USED

Vendor? OIL CHANGE SERVICES

Workorder: V44302

In Date: 10/11/2011

Meter Reading: 115,792.00

Close Date: 10/11/2011

Problem?

Outside B inspection.

Task performed:

Parts

Quantity

AL PACKER
B INSPECTION
NOISE IN ENG AREA, SENT TO KEENERS REPAIR
SHOP TO REPAIR PLUG
TOW IN MISC REPAIRS
CLOCKSPRING TO DRIVER SIDE AIR BAG
REPLACEMENT REPLACE HARNESS PER RECALL
11S18 REPLACE CLOCKSPRING ON DRIVERS SIDE

NO PARTS USED

OIL AND FILTER CHANGE
BOOT IGNITION WIRE

Vendor? AL PACKER



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V43847

In Date: 09/22/2011
Close Date: 10/13/2011

Meter Reading: 114,694.00

Problem?

howler inop.

Task performed:

test battery found battery bad r&r battery and installed priority switch on battery

assist with battery and priority switch

Parts

Quantity

1079606PRIORITY START HAVIS SHIELD

1

65-72BXT65750 BATTERY

1

BATTERY EPA TAXBATTERY EPA TAX \$1.50 PER BATTER

1

Workorder: V44224

In Date: 10/12/2011
Close Date: 10/17/2011

Meter Reading:

Problem?

check tires check emergency lights. Also check exhaust leak.

Task performed:

checked truck replaced emergency lights on rear - road test

Parts

Quantity

01046301700S30HACP STROBE CLEAR

1

Workorder: V43811

In Date: 09/21/2011
Close Date: 10/20/2011

Meter Reading: 115,115.00

Problem?

Repair rumbler speaker. Sta 19.

Task performed:

checked speker and ordered parts

Parts

Quantity

NO PARTS USED

Workorder: V43862

In Date: 09/22/2011
Close Date: 10/20/2011

Meter Reading: 114,908.00

Problem?

Replace rumbler whelan cover. Broken off by car hitting it. BC 1 at sta 19

Task performed:

sent to shop for repair

Parts

Quantity

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V44896

In Date: 11/02/2011

Meter Reading:

Close Date: 11/09/2011

Problem?

Windshield washer sprayer on left does not work. Sta 19.

Task performed:

Travel to 19; replc squirter for washers. j

Parts

Quantity

SPRGW251WASHER NOZZLE

1

TRI-F98999-225NOZZLE KIT

1

Workorder: V45844

In Date: 12/13/2011

Meter Reading:

Close Date: 12/16/2011

Problem?

Windshield wiper sprayers do not work. Pump runs with no water coming out. Sta 19

Task performed:

TRAVEL TO 19 REPLACED WASHER SQUIRKES.

Parts

Quantity

3W7Z17603AAWASHER JETS

2

Workorder: V46018

In Date: 12/22/2011

Meter Reading: 119,860.00

Close Date: 12/22/2011

Problem?

check for loose wheels, sta 19.

Task performed:

CHECKED FOR LOOSE WHEELS FOUND LR TIRE SEPARATED.

Parts

Quantity

NO PARTS USED

Workorder: V46105

In Date: 12/27/2011

Meter Reading: 120,105.00

Close Date: 12/27/2011

Problem?

replace front tires

Task performed:

REPLACE FRONT TIRES.

Parts

Quantity

NO PARTS USED

Vendor? BOULEVARD



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V46022

In Date: 12/22/2011
Close Date: 12/29/2011

Meter Reading: 119,860.00

Problem?

Replace jack and tools

Task performed:

TRAVEL TO 19 DROPPED OFF JACK AND TOOLS FOR BC1.

Parts

NO PARTS USED

Quantity

Workorder: V44117

In Date: 10/03/2011
Close Date: 01/06/2012

Meter Reading: 115,773.00

Problem?

Have a lifter noise from right side of engine. BC 1

Task performed:

Chkd noise; will send to Ford. j

Parts

NO PARTS USED

Quantity

Workorder: V46332

In Date: 01/05/2012
Close Date: 01/09/2012

Meter Reading: 120,231.00

Problem?

Replace left headlight.

Task performed:

TRAVEL TO 19 R&R HEAD LIGHT AND REPLACED MELTED FUSE.

Parts

9008HEAD LAMP

Quantity

1

Workorder: V45897

In Date: 12/15/2011
Close Date: 01/11/2012

Meter Reading: 119,444.00

Problem?

Replace front brake rotars. Sta 19

Task performed:

INSTALL FRONT BRAKE PADS AND ROTORS. REMOVE REAR TIRES AND CHECK REAR BRAKES. TEST DRIVE.

Parts

5L3Z1125AAFRONT ROTORS
6L3Z2001ABRAKE PADS

Quantity

2

1



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V43457

In Date: 09/06/2011

Meter Reading: 113,440.00

Close Date: 01/13/2012

Problem?

Check battery as it was dead this weekend. Sta 19.

Task performed:

CHECKED BATTERY OK.

Parts

NO PARTS USED

Quantity

Workorder: V46262

In Date: 01/03/2012

Meter Reading: 120,231.00

Close Date: 01/13/2012

Problem?

New wiper sprayer on left side is blocked. no water comes out. Sta 19

Task performed:

TRAVEL TO 19 R&R SPRAYER FORWASHERS.

Parts

3W7Z17603AAWASHER JETS

Quantity

2

Workorder: V46982

In Date: 01/31/2012

Meter Reading: 122,044.00

Close Date: 01/31/2012

Problem?

Check battery and shore charger.

Task performed:

CHECKED OUT BATTERY CHARGER: FOUND CHARGER FAULTY. DID NOT REPLACE CHARGER, TRUCK IS GOING TO BE REPLACED WITHIN THE WEEK.

Parts

NO PARTS USED

Quantity



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V47061

In Date: 02/03/2012
Close Date: 02/06/2012

Meter Reading: 122,340.00

Problem?

Front left headlight dim again and RR stop light out. Mech repaired yesterday. Out today. Sta 19

Task performed:

RECEIVE PARTS FROM COUNTER. TRAVEL TO STA 19 BC1 NOT IN QUARTERS. WAIT FOR BC1 ON CELL AND LEAVE MESSAGE WAIT 45 MIN. MORE PER MIKE. TRAVEL BACK TO SHOP. TURN AROUND PER MIKE TO GO BACK TO 19. WAIT FOR BC1. REMOVED L-F HEAD LIGHT BEZEL, WIGGLED CONNECTOR L. HEADLIGHT WENT BRIGHT. CHECKED WIRE SPLICE AND CONNECTOR OK. REPLACE BULB. REINSTALL BEZEL. CHECKED BRAKE LIGHTS BC1 STATED R-BRAKE LIGHT OUT. BRAKE LIGHT WORKING OK AT THIS TIME REMOVED REAR BEZEL AND CHECKED BULB AND CONNECTION OK. REPLACED BULB ANYWAY. INSTALL BEZEL. TRAVEL TO SHOP.

Parts

Quantity

1157BULB	1
3157TAIL LIGHT BULBS	1
9008HEAD LAMP	1

Workorder: V47008

In Date: 02/01/2012
Close Date: 03/12/2012

Meter Reading: 121,155.00

Problem?

Left headlight very dim and hardly working. It is this way with low and high beam.

Task performed:

TRAVEL TO STATION REMOVED HEADLIGHT ASSEMBLY FOUND DIRTY CONNECTION ON BULB CLEANED TESTED OK.

Parts

Quantity

9008HEAD LAMP	1
---------------	---

Workorder: V48783

In Date: 04/20/2012
Close Date: 05/02/2012

Meter Reading: 123,562.40

Problem?

Steering wheel adjuster handle came off AT AIRPORT

Task performed:

MOVE TRUCK TO SHOP FOUND LEVER REMOVE PANEL AROUND STEERING COLUM TO SEE WHERE LEVER CONNECT TO COLUM INSTALL LEVER AND PUT PANEL BACK THEN PARK TRUCK

Parts

Quantity

NO PARTS USED	
---------------	--



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V49005

In Date: 05/01/2012
Close Date: 05/08/2012

Meter Reading: 123,562.40

Problem?

engine stalling

Task performed:

ENGINE STALLING

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER FORD

Workorder: V49132

In Date: 05/07/2012
Close Date: 05/08/2012

Meter Reading: 123,562.40

Problem?

REPLACE PRIORITY START

Task performed:

R&R PRIORITY START MODULE.

Parts

1079606PRIORITY START HAVIS SHIELD

Quantity

1

Workorder: V49954

In Date: 06/07/2012
Close Date: 08/09/2012

Meter Reading: 124,498.80

Problem?

Tilt steering handle broken off. DC2

Task performed:

ORDER PARTS.

Parts

6L3Z3B661AHANDLE TILT STEERING

Quantity

1

Workorder: V54548

In Date: 12/21/2012
Close Date: 12/21/2012

Meter Reading: 126,666.00

Problem?

B inspection

Task performed:

B inspection
oil and filter
replaced fm/am radio
replaced wiper blades
replaced l/h washer jet
replaced fuel filter

Parts

NO PARTS USED

Quantity

Vendor? AL PACKER



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V54426

In Date: 12/13/2012
Close Date: 01/03/2013

Meter Reading: 126,422.00

Problem?

HEADLIGHTS 10-7 BC 9

Task performed:

REPAIRED HEADLIGHTS.

Parts

Quantity

9008HEAD LAMP

2

Workorder: V47519

In Date: 02/23/2012
Close Date: 03/07/2013

Meter Reading: 123,108.00

Problem?

b inspection - al packer

Task performed:

b inspection
oil and filter change
replaced wiper blades
rear pinon seal leaking
Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V47219

In Date: 02/10/2012
Close Date: 04/04/2013

Meter Reading: 122,790.00

Problem?

parts only for radio shop

Task performed:

PARTS ONLY NO LABOR.

Parts

Quantity

333000006BATTERY JUNCTION BLOCK

2

5025TERMINAL BOX

2

Workorder: V44571

In Date: 01/01/1900
Close Date: 04/23/2013

Meter Reading: 115,856.00

Problem?

No Power

Task performed:

REPAIRED UNDER WARRANTY.

Parts

Quantity

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V57345

In Date: 04/29/2013
Close Date: 04/29/2013

Meter Reading: 127,463.00

Problem?

B-inspection [AI packer]

Task performed:

B-inspection oil and filter change
Inspect brakes and rotate tires

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V60944

In Date: 10/02/2013
Close Date: 10/11/2013

Meter Reading: 134,107.00

Problem?

Plug left rear tire.

Task performed:

ARIED L.REAR TIRE- REMOVED SMALL SCRE
INSTALLED PLUG AND CK OK.

Parts

Quantity

NO PARTS USED

Workorder: V61302

In Date: 10/16/2013
Close Date: 10/16/2013

Meter Reading: 135,238.00

Problem?

B-inspection

Task performed:

B-inspection
Inspect brakes and rotate tires
Replaced wiper blades
Replaced fuel filter
Replaced sway bar links
Rear brake job replaced rear rotors
Resealed pinion nut
Replaced engine belt
Replaced front rotors

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V65171

In Date: 03/24/2014
Close Date: 03/24/2014

Meter Reading: 135,655.00

Problem?

Replace headlight lens

Task performed:

Replaced headlight lens
Check for rear end noise [tires]
Replaced steering wheel
Replaced floor mats

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V66470

In Date: 05/14/2014
Close Date: 05/14/2014

Meter Reading: 135,853.00

Problem?

B-inspection

Task performed:

B-inspection
Wiper blades
Inspect brakes and rotate tires
Test electrical system and replaced battery
Replaced fan clutch

Vendor? AL PACKER

Parts

Quantity

NO PARTS USED

Workorder: V68100

In Date: 07/22/2014
Close Date: 07/23/2014

Meter Reading: 136,055.00

Problem?

repaired flat

Task performed:

Repaired flat.

Vendor? BOULEVARD TIRE CENTE

Parts

Quantity

NO PARTS USED



2/27/2018

Palm Beach County Fire Rescue

Fleet Maintenance Asset History

10160677

F 150 STAFF CAR OR VEHICLE- EMERGENCY

Workorder: V68119

In Date: 07/23/2014
Close Date: 07/23/2014

Meter Reading: 136,055.00

Problem?

A-inspection

Task performed:

"A" Inspection

Parts

Quantity

NO PARTS USED

Workorder: V68310

In Date: 07/31/2014
Close Date: 08/06/2014

Meter Reading: 136,406.00

Problem?

Replace front tires

Task performed:

Replace front tires.

Parts

Quantity

NO PARTS USED

Vendor? ELPEX

Workorder: V69291

In Date: 09/11/2014
Close Date: 09/25/2014

Meter Reading: 137,629.00

Problem?

Noise from differential

Task performed:

Rebuilt differential

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER

Workorder: V73250

In Date: 02/18/2015
Close Date: 02/18/2015

Meter Reading: 137,970.00

Problem?

B-inspection

Task performed:

Repairs as requested.

Parts

Quantity

NO PARTS USED

Vendor? AL PACKER FORD



Palm Beach County Fire Rescue Fleet Maintenance Asset History

Asset: (10160677) 2005 - FORD F150 Staff Vehicle - Emergency Response

10160677

CSHOP-2015-1646

Comments: **ADJUST HEADLIGHTS**

Date Opened 7-8-2015 Date Finished 7-8-2015 Meter 1 Reading: 140,816

TASKS PERFORMED

NO PARTS USED

HEADLIGHTS LOW BEAM

VENDOR? AL PACKER

CSHOP-2015-4462

Comments: **B INSPECTION ROTATE TIRES REPAIR W WASHERS**

Date Opened 12-14-2015 Date Finished 12-14-2015 Meter 1 Reading: 143,471

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2015-4706

Date Opened 12-30-2015 Date Finished 12-30-2015 Meter 1 Reading: 143,525

TASKS PERFORMED

NO PARTS USED

AIR CONDITIONING

VENDOR? AL PACKER

CSHOP-2016-3500

Date Opened 7-22-2016 Date Finished 7-22-2016 Meter 1 Reading: 147,352

TASKS PERFORMED

NO PARTS USED

ALARM-BUZZER-WARNING LIGHT

VENDOR? AL PACKER

CSHOP-2016-3851

Comments: **DEAD BATTERY DO A PRE-TRIP INSPECTION LIGHTS TIRES FLUIDS LEVELS ETC....**

Date Opened 8-8-2016 Date Finished 8-29-2016 Meter 1 Reading: 148,694

TASKS PERFORMED

Q PARTS

A INSPECTION

BATTERY

CRANKING SYSTEM

1 LIGHT; LIGHT MARKER LED RED
1 LIGHT; PIGTAIL LED MARKER LIGHTS

Asset Work Order History 10160677

CSHOP-2016-5751

Date Opened 12-9-2016 Date Finished 12-9-2016 Meter 1 Reading: 149,939

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-271

Date Opened 1-12-2017 Date Finished 1-12-2017 Meter 1 Reading: 150,117

TASKS PERFORMED

NO PARTS USED

IGNITION SWITCH KEY-LOCK ASSE

VENDOR? AL PACKER

CSHOP-2017-3056

Date Opened 5-24-2017 Date Finished 6-9-2017 Meter 1 Reading: 152,685

TASKS PERFORMED

Q PARTS

STROBE LIGHTS

1 9IP; S30HACP STROBE CLEAR
1 9IP; POWER SUPPLY
-1 9IP; POWER SUPPLY

CSHOP-2017-4321

Date Opened 7-25-2017 Date Finished 7-25-2017 Meter 1 Reading: 153,994

TASKS PERFORMED

NO PARTS USED

PM SERVICE B LIGHT

VENDOR? AL PACKER

CSHOP-2017-4415

Date Opened 7-31-2017 Date Finished 7-31-2017 Meter 1 Reading: 153,994

TASKS PERFORMED

NO PARTS USED

TIRES ALL

VENDOR? DAN CALLAGHAN ENTERPRISES

CSHOP-2017-4697

Date Opened 8-12-2017 Date Finished 8-12-2017 Meter 1 Reading: 154,047

TASKS PERFORMED

NO PARTS USED

COMMERCIAL WORK - OUTSIDE AGENCY

VENDOR? AL PACKER

Asset Work Order History 10160677

CSHOP-2017-4753

Comments: **ROOF LEAK**

Date Opened 8-14-2017

Date Finished

8-18-2017

Meter 1 Reading:

154,057

TASKS PERFORMED

Q PARTS

ROOF

-1 MMM; MARINE ADH SEAL WHITE
2 MMM; MARINE ADH SEAL WHITE
2 9AP; DICOR SEALNT WHITE SELFLEVEING
2 MMM; MARINE ADH SEAL WHITE
2 9AP; NON SAG SEALANT

CSHOP-2017-7119

Date Opened 12-13-2017

Date Finished

12-19-2017

Meter 1 Reading:

156,950

TASKS PERFORMED

NO PARTS USED

SAFTEY-EMERGENCY EQUIPMENT
