

RESOLUTION R-98- 572

RESOLUTION AMENDING RESOLUTION R-98-310
RESOLUTION APPROVING ZONING PETITION OF BOYNTON LANDSCAPE
PETITION PDD97-90

WHEREAS, Boynton Landscape, petitioned the Palm Beach County Board of County Commissioners on February 26, 1998 for an Official Zoning Map Amendment to a Planned Development District (PDD); and

WHEREAS, Resolution R-98-310, adopted on February 26, 1998 confirming the action of the Board of County Commissioners inadvertently contained an error in Condition G.1.d and H.1.e of Exhibit C; and

WHEREAS, Condition G.1.d and H.1.e of Exhibit C of Resolution R-98-310 should have read as shown on the attached page.

NOW, THEREFORE, BE IT RESOLVED BY THE BOARD OF COUNTY COMMISSIONERS OF PALM BEACH COUNTY, FLORIDA, that:

1. The foregoing recitals are hereby affirmed and ratified.
2. Condition G.1.d and H.1.e of Exhibit C of Resolution R-98-310 are hereby amended.

Commissioner Newell moved for the approval of the Resolution.

The motion was seconded by Commissioner McCarty, and upon being put to a vote, the vote was as follows:

Burt Aaronson, Chair	--	Aye
Maude Ford Lee, Vice Chair	--	Absent
Ken Foster	--	Aye
Karen T. Marcus	--	Aye
Mary McCarty	--	Aye
Warren Newell	--	Aye
Carol A. Roberts	--	Absent

The Chair thereupon declared the resolution was duly passed and adopted on April 23, 1998.


APPROVED AS TO FORM
AND LEGAL SUFFICIENCY

PALM BEACH COUNTY, FLORIDA
BY ITS BOARD OF COUNTY
COMMISSIONERS

DOROTHY H. WILKEN, CLERK

BY: *Richard Altman*
COUNTY ATTORNEY

BY: *Joan Harney*
DEPUTY CLERK



CONDITIONS OF APPROVAL

- G.1.d.** Thirty (30)inch high shrub or hedge material planted a maximum spacing of twenty ~~four~~ **(24) inches on** center at installation. The shrub ~~or~~ hedge **shall be** planted on both sides of the wall if the wall is used and on the interior side of the fence if the chain link fence is used. These shall be maintained at a minimum height of seventy-two (72) inches. (CO: LANDSCAPE)
- H.1.e.** Thirty (30)inch high shrub or hedge material planted a maximum **spacing** of twenty four **(24) inches on** center at installation. The shrub ~~or~~ hedge **shall be** planted on both sides of the wall if the wall **is** used and on the interior side of the fence if the chain link fence is used. These shall be maintained at a minimum height of seventy-two **(72)** inches. (CO: LANDSCAPE)